

Wood Casegoods

North America Specification Guide / Price List – June 2015



Includes Masters Series®, and York™.

Electronic Update Page – Wood Casegoods Price List

- The table below lists all of the updates and addendums added to this price list since the original version was created.
- All updated pages will replace the existing pages within the document.
- All new Pages will be placed at the back of the document.

Link	Date	Page	Description
Click Here	June 2015	All Pages	Update – Updated Specification Guides added and Price List pages renumbered.
Click Here	August 2015	1A-15A	New – Price List Pages added for the Enhanced Power Modules a with USB Charging.
Click Here	September 2015	269	Update – Drawer/Door Front grain direction for Wood Group A / veneer type Double Cut was changed from horizontal to vertical.



This Haworth North American price book contains US list prices. Canadian customers can convert the US list price into their Canadian equivalent by going to www.Haworth.com/Canada to find the current Canadian multipliers. These multiplier factors allow you to convert the US list price into a Canadian list price.

HAWORTH

Table of Contents

Introduction

Haworth Veneer	5
Introduction to Haworth Wood Casegoods	8
Masters Series	9
York	10
Orlando LS	11

Masters Series™

Specification Guide – Masters Series

Masters Series Product Details	
Table of Contents	15
Statement of Line	16
Height Comparison	21
Worksurface Details	22
Drawer and Pull Options	25
Drawer Options	26
File and Drawer Load Capacities	27
Storage Options	29
Upper Storage Options	32
Tackboards	39
Electrical and Wire Management	40
Reception Stations	44
Masters Series Product Application	
Worksurface Guidelines	46
Planning Modular Components	50
Planning One-High Modular Components	66
Vertical Storage Unit Support Guidelines	71
Masters Series Technical Specifications	74

York™

Specification Guide — York

York Product Details	
Specification Guide Table of Contents	292
Introduction	294
Statement of Line	295
York Finish Details	298
Specifying York Veneers	299
Wire Management Brush	301
Freestanding Pedestal Desks	302
Non-Freestanding T-Desks	304
Attached Convergent Desks	306
Return with Storage and Corner Shell	308
Bridge	309
Modular Components	310
Upper Storage	324
Administration Stations and Reception Desks	327
York Technical Specifications	334

This page intentionally left blank.

Haworth Veneer


Haworth takes great pride in providing our customers with the highest quality veneers available. Sourced from suppliers that follow the Sustainable Forest Initiative (SFI) guidelines for sustainable forest management, our veneers are hand-selected to ensure they meet our strict guidelines for uniformity of color and grain pattern. Veneer grades vary by product line and also application of product.

Veneer Cutting

The manner in which veneers are cut is an important factor in producing the various visual effects obtained. Two logs of the same species, but with their veneers cut differently, will have very different visual characteristics even though color may be quite similar. The size of the log, the species of wood, and the grain pattern desired, in addition to numerous other factors determine which type of cut will be made to create veneer. There are many ways to cut or slice veneer, however Haworth uses primarily two cuts:


Plain Sliced (Flat Cut)

Plain Sliced is the most popular method of veneer slicing. By slicing parallel to a line through the center of the log, a raised "cathedral effect" is formed by the innermost growth rings. The width of the veneer leaf is dependent on the size of the log.



Quarter Cut

Quarter Cut gives the appearance of a straight or edge grain from the flitch. The log is cut into quarters and is sliced perpendicularly to the growth rings for the entire length of the log. The result is a series of stripes that are straight in some woods and varied in others.



Veneer Matching

Matching veneer is an art. The look is achieved through making use of the natural repeating grain of wood from leaf to leaf when covering a surface. Veneer leaves are stored in the sequence of cutting, enabling them to be selected and matched as required. Even though each leaf is subtly different, they are similar to adjacent leaves and can thus be matched in a number of different ways. The gradual variation of grain through the log gives veneers their special quality of subtle variations. The selection and matching of veneers for each job is critical because the variation and size of leaves is limited by the size of the log. This helps ensure that Haworth's wood products are both beautiful and able to withstand the wear and tear of the office environment.



Haworth Veneer

Veneer Layup

As the veneer is cut, the veneer leaves are stacked into a flitch in the same sequence that they were sliced off the log, allowing for a number of layup methods to be applied. Haworth utilizes three methods of veneer layup:



Slip Match

Successive veneer leaves are “slipped,” one alongside the other, without flipping the pattern. If the grain is straight, the joints will not be obvious. The result is a series of grain repeats, but no pairs.





Book Match

Alternating slices of veneer are flipped over so they face each other as do the pages of a book. This creates a pleasing, symmetrical pattern.



Book Rotate Match

Similar to book matching, except that the alternating slices of veneer are flipped and rotated. This is analogous to opening a book in which the left page is right side up, and the right page is upside down. This method results in a random pattern.



Haworth Veneer

Aging Effects on Wood Products

It is natural for wood to age as a result of exposure to UV rays and oxygen . That aging may lead to dramatic color changes. The color changes will vary by species, stain color, and light exposure. This is most noticeable on light or clear finishes, particularly on Maple and Cherry. Those finishes will change, substantially in the first three to six months.

Different species of wood age in different ways, such as:

- Oak becomes more yellow-brown.
- Maple turns from white to honey-yellow color.
- Steamed beech becomes darker, yellow-brown.
- Cherry becomes darker with brown-orange tones.
- Walnut turns lighter, losing the red tone.
- Light Anegre becomes more yellow.

The impact of aging of wood should be considered when replacing or adding new furniture in an older office. A custom color match may be used to match darker finishes. However, since each piece of wood is unique there will still be color and grain differences.

When modular components are used together there is more chance that the wood grains and colors will not be as consistent as when a pre-configured units are specified.

Introduction to Haworth Wood Casegoods

Haworth offers a broad selection of Casegoods product lines to support a wide range of customer needs. Included in the Haworth Wood Casegoods Catalog are the following Product Lines:

- Masters Series – Wood, Laminate and Paint
- York
- Orlando LS – Laminate
- Compose Storage – Wood and Laminate (See separate price list)

The Introduction to Haworth Wood Casegoods provides a quick look at each product line included in this catalog, highlights selected attributes of each, and shows an overview of the product offering available. Additional wood product not include in this catalog is available from Haworth; see Compose Storage.

Master Series wood products receive Haworth EcoShield™ water based, UV cured finish except for York which receives a hand applied, water-based finish. Orlando LS is a thermal-fused laminate product.

Introduction to Haworth Wood Casegoods

Masters Series

You know there's more than just one way to work. Likewise, there is not a set style or formation of casegoods that will create an office environment that encourages productivity and success. To harness and support your best effort day after day requires an architecturally inspired line with flexibility that offers an abundance of choice. With Masters Series, it's about how you define a great space. This line works for the way you operate and the image you seek. It's personal.



Personal

As one of the most flexible casegoods lines, Masters Series offers countless configurations and options that allow you to individualize workstations. Masters Series is designed to integrate with all levels of your organization. Price and aesthetic scalability make this line the perfect option.


Choice

We carefully crafted Masters Series with many first-class details and boundless options. Create your own design statement when you augment Masters Series with a wide selection of top-quality veneers, laminates and paints, and an expansive variety of finishes, glass, drawer pulls, and edge options.

Architectural

The modular construction and minimalistic characteristics lend Masters Series a style that reflects simple, clean architecture, while the multitude of configurations make it easy to integrate and build upon.

A sampling of the Masters Series product offering



Introduction to Haworth Wood Casegoods

York

Confidence isn't always loud, and beauty isn't always delicate. York is full of such dichotomies. It references the beautiful veneers and craftsmanship of a past century, but speaks a language that's entirely contemporary. It's strong and substantial, but is a surprisingly flexible, scalable designer tool. With York, it's possible.



Distinguished

High-end design abounds with York, which balances its rich detail and generous sense of scale with beautiful modern geometry. The result is a wood casegood offering that presents impactful design while embracing the challenges of today's needs for a dynamic quality wood solution.


Broad

The York line is engineered to accommodate. The modular and scalable offering works at every level of an organization, from reception, to junior associate, and all the way up to the C-Suite.


Unique

York has a one-of-a-kind personality. A stunning, yet subtle mix of traditional and contemporary design and top quality wood casegoods construction that allows flexibility in application, York is in its own class. The specialized high-end veneers, material, and inlay give the impression that you're not going to see anything else like it.


A sampling of the York product offering




Single Pedestal
T-Desk Blade



Trapezoid Desk




Bridge




Return with
Storage




Corner Shell




Vertical Storage
Unit – Hinged
Doors with 15"
Cubbies




Overhead Storage
Unit – Hinged
Doors with 4"
Cubbies



Wardrobe/
Bookcase –
Stack-On



Two-High
Combination
Unit



Wardrobe with
Open Cabinet

This page intentionally left blank.

Masters Series™ Specification Guide

This page intentionally left blank.

Table of Contents

Masters Series™ Product Details

Statement of Line	16
Height Comparison.....	21
Worksurface Details	22
Drawer and Pull Options.....	25
Drawer Options	26
File and Drawer Load Capacities	27
Storage Options.....	29
Upper Storage Options	32
Tackboards	39
Electrical and Wire Management.....	40
Reception Stations	44

Masters Series™ Product Application


Worksurface Guidelines.....	46
Planning Modular Components	50
Planning One-High Modular Components.....	66
Vertical Storage Unit Support Guidelines.....	71

Masters Series™ Technical Specifications.....


74

Masters Series Statement of Line


Single Pedestal Desks




Rectangular Top Desk with Full Overlay Modesty



Bow Top Desk with Full Overlay Modesty




Rectangular Top Desk with Inset Pedestal Modesty




Bow Top Desk with Inset Pedestal Modesty

Note Single Pedestal Desks are non-handed and therefore allow the location of pedestals to be determined on-site.


Double Pedestal Desks




Rectangular Top Desk with Full Overlay Modesty



Bow Top Desk with Full Overlay Modesty




Rectangular Top Desk with Inset Modesty




Bow Top Desk with Inset Modesty

Notes • Double Pedestal Desks are non-handed and therefore allow the location of pedestals to be determined on-site.

Desk Shells




Desk Shell with Rectangular Top




Desk Shell with Bow Top

Masters Series Statement of Line


Convergents and Attached Desks




T-Desk
(left-hand shown)




**D-Top Desk
with T-Support
and Single
Support Column**



**P-Top Desk with
T-Support
and Single
Support Column**
(right-hand shown)



**D-Top Attached
with Single
Support Column**




**P-Top Attached
with Single
Support Column**
(right-hand shown)


Other Masters Series Components



Bridge




**Bridge with
Modesty**




**Corner
Shell**



Return Top
(right-hand shown)



**Return with
Pedestal**
(right-hand shown)




**Return with 30"
Lateral File**
(left-hand shown)


Notes

- Handing of Returns and Return Tops is determined by the location of storage/support.
- Grommet optional.


Credenzas




**Kneospace Credenza
with Pedestals**



**Credenza with
Pedestals and
Closed Storage**



**Credenza with 36"
wide Lateral Files**




**Kneospace Credenza
with 30" Lateral Files
and Kneospace**


Notes

- Pre-configured Credenzas available in Masters Series: Wood.
- When other configurations are required, Masters Series: Wood offers the ability to create Credenzas from modular components.
- Grommet optional.


Vertical Storage Units




One-High Open




Two-High Open




**One-High with
Solid Doors**



**Two-High with
Solid Doors**




**One-High with
Glass Doors**




**Two-High with
Glass Doors**

Masters Series Statement of Line


Overhead Storage Units




One-High Open




Two-High Open




One-High with Solid Doors




Two-High with Solid Doors




One-High with Glass Doors



Two-High with Glass Doors




Tackboard: Fabric




Tackboard: Fabric and Slat Rail

Note Tackboards available for both Vertical Storage Units and Overhead Storage Units, but are not interchangeable.


Stack-On Storage



Stack-On Bookcase




Stack-On Storage Cabinet with Solid Doors




Stack-On Storage Cabinet with Glass Doors


Modular Components




Common Storage Top




Credenza Top




End Panel




Mid-Support Panel




L-Support Panel




Partial Depth L-Support Panel



Mid-T Support Panel




Full Overlay Modesty Panel




Hinged Modesty Panel

Masters Series Statement of Line


Modular Components, continued




One-High
T-Support Panel



One-High
L-Support Panel




One-High
Open Cabinet




One-High Lateral File


Attached Storage




Attached Pedestal



Two-High Attached
Lateral File



Two-High Attached
Open Cabinet



Two-High Attached
Cabinet with Doors


Notes

- Freestanding Storage Units can be created with the use of a Credenza Top.
- When Lateral File is used in a freestanding application, counter-weight must be specified.


Freestanding Storage




Mobile Pedestal




Three-High
Open Cabinet




Three-High Cabinet
with Solid Doors




Three- and Four-High
Lateral Files




Five- and Six-High
Lateral Files



Combination Unit



Wardrobe and Open
Cabinet



Wardrobe with Closed
Storage Cabinet




Personal Storage
Tower with Valet

Masters Series Statement of Line


Freestanding Storage, continued




Personal
Storage Tower




Wardrobe Cabinet




Two-High




Three-High



Four-High



Five-High




Six-High


Bookcases

Note Grey-shaded shelf indicates location of fixed shelf in four-, five-, and six-high bookcases.


Tables, Accessories, and Task Lighting




Round Table




Center Drawer



Pencil Tray




Paper Sorter




Binder Bin




Grommet




Enhanced
Power Module




Adaptable Electronic
Ballast Task Light




LIM L



LIM Mounted (Slat Rail)



LIM C






LIM Mounted (under shelf)

Notes

- LIM hardware specified separately; see Masters Series Price List for additional information.
- Not all accessory and lighting options shown.

Height Comparison

The charts below demonstrate the height relationships between Masters Series worksurface items (such as Desks, Returns, and Credenzas), Modular Storage, Freestanding Storage, and Overhead Storage.



Note Not all Masters Series products shown, however height logic applies to entire product line.

Worksurface Details

Edge Profiles

All Masters Series wood and laminate worksurfaces (such as for Desks, Returns, Credenzas, and Modular Credenza Tops) have a thickness of $1\frac{3}{16}$ " (30mm) with the following edge options available.

Laminate finished worksurfaces are standardized with one available edge profile:

- **Square Edgeband:** 3mm (0.12") edgeband. Coped connection edges not applicable.


Wood finished worksurfaces are available with four edge profile options:

- **Square Edge:** 3.0mm (0.1")edge, required with double-cut veneer finishes. Coped connection edges not applicable.
- **Bevel Edge:** 1" (25mm) solid wood edge profile with coped connection edges.
- **Radius Edge:** 1" (25mm) solid wood edge profile with coped connection edges.
- **Traditional Edge:** 1" (25mm) solid wood edge profile with coped connection edges.




Coped edge detail provides a connection interface to adjacent Masters Series component.


Edge J: Square Edgeband




Edge 1: Square Edge




Edge 5: Bevel Edge



Edge 6: Radius Edge



Edge 7: Traditional Edge



Edge Profile Locations

Freestanding desks feature a profiled edge on both the occupant and visitor sides, with 0.5mm (0.02") veneer side edges on wood product and a 1mm (0.04") edgeband on laminate product. Convergent desks as well as attached D-Top and P-Top Desks have a profiled edge applied around all exposed user edges. All other furniture worksurfaces feature one profiled edge applied along the user edge.


Rectangular Top Desk



Bow Top Desk



P-Top Desk



D-Top Desk



Corner



Bridge, Return, Credenza, Credenza Top



Common Storage Top



Note Profiled edge shown with double lines.



Haworth Adaptable Worksurfaces CANNOT be used in place of Masters Series Common Storage Tops and Credenza Tops when creating modular Storage Units, Credenzas and one-high components.

Worksurface Details


Coped Edges: Wood Only

Non-freestanding furniture elements, such as Bridges, Returns and Convergent Run-Offs, will be automatically coped on their connection edge(s) to match their profiled edge selection. The coped edge will exhibit exposed core. The following units' connection edge is coped when used in conjunction with bevel, radius, and traditional profiled edges.

- T-Desk
- Attached D-Top and P-Top Desk
- Bridge
- Return Top, Return with Pedestal, Return with 30" (762mm) wide Lateral File


T-Desk Application

- Credenza constructed from modular components has a profiled edge.
- T-Desk is coped on the connection edge to allow attachment to the edge profile.




Attached D- or P-Top Desk Application

- Credenza constructed from modular components has a profiled edge.
- Attached D- or P-Top Desk is coped on the connection edge to allow attachment to the edge profile.




Bridge Application

- Single Pedestal Desk and Credenza (constructed from modular components) have a profiled edge.
- Bridge is coped on both ends to accommodate connection to edge profiles.



Return Application


- Single Pedestal Desk has a profiled edge.
- Return is coped on the connection edge to allow attachment to the edge profile.




Worksurface Details

Wood Grain Direction


As a standard, natural veneers are applied vertically on modesties, drawer fronts, end panels and all other vertical surfaces. For worksurfaces, veneer is applied side-to-side in the majority of cases. Exceptions include Corner Shells where veneer is applied at a 45° angle and Bridges or Return Tops which have optional side-to-side or front-to-back wood grain direction depending on specified width.




Desk with Rectangular Top




Desk with Bow Top




D-Top Desk




P-Top Desk




Corner




Bridge (54" and 60";
shown with optional
full-height modesty)



Return Top
(54" and 60")



Return with Pedestal
(54" and 60"; shown with
optional modesty)




Credenza Top
(54" - 120")


Notes

- Double-cut veneer is vertical on storage fronts.
- Wood grain directions shown apply to all Masters Series Wood and Wood Grain Laminate Products: Wood Desks and pre-configured Credenzas.


Depending on the desired aesthetic, Bridges, Return Tops, Returns with Pedestal, and Credenza Tops are available with a choice of side-to-side or front-to-back wood grain direction when width is 48" (1219mm) or less.




Bridge
(36", 42", and 48")



Return Top
(36", 42", and 48")




Return with Pedestal
(42" and 48")




Credenza Top
(30", 36", 42", and 48")

Note Wood grained laminate worksurface finishes are applied with wood grain direction side-to-side only.



**Wardrobe
with Closed
Storage Cabinet**



**Personal Storage Tower
with Valet**

Notes


- Wood grain direction is consistent across all freestanding storage units.
- Toe kick is grain matched to drawer or door fronts.

Drawer and Pull Options

Pull Styles



Masters Series features four pull style options:

- **Finger:** Finger pull is routed along the top and/or bottom edge of drawer front. Closed storage doors have a non-profiled edge and include touch-latch hardware.
- **Bar:** Bar pulls meet ADA requirements and are available with standard powdercoat paint finishes.
- **Linear:** Available in Satin Nickel finish. Linear Pull is also used in Haworth Systems Furniture product lines.
- **Classic:** Available in Satin Nickel finish. Classic Pull is also used in Haworth Systems Furniture product lines.



Pull F: Finger Pull


- Horizontally routed across drawer front.
- Cabinet doors have a touch latch mechanism and are designed without pulls (see inset).
- Not available with paint, laminate or double-cut wood finishes.



Pull B: Bar Pull


- Choice of powdercoat finish.
- Width variation:
 - 8½" (205mm): letter width drawers
 - 10½" (268mm): legal width drawers
 - 23½" (589mm): 30" wide Lateral File drawers
 - 29½" (749mm): 36" wide Lateral File drawers
- Used vertically on doors of full-height Storage Cabinets.

Note In the case of one-high lateral files, the finger pull is routed horizontally across the top of the drawer front only.



Pull 8: Linear Pull

- Finished with Satin Nickel only.
- One size: 7½" (181mm) wide with two mounting dimensions:
 - 6¼" (160mm)
 - 7½" (192mm)
- Applied vertically on full-height doors (five- and six-high)




Pull 9: Classic Pull


- Finished with Satin Nickel only.
- Width variation:
 - 6¾" (171mm): Pedestal drawers
(6¼" (160mm) mounting dimension)
 - 8" (203mm): Lateral File drawers
(7½" (192mm) mounting dimension)
- 8" (203mm) wide pull applied vertically on full-height doors (five- and six-high)

- When a storage unit such as Personal Storage Tower has a combination of Door/Drawer Storage, doors come with touch latches when finger pull is specified.
- When another pull type is specified (bar, classic, linear), all doors and drawers on the storage unit have the same pull type.

Storage with Finger Pulls



Storage with Bar Pulls



Drawer Options

Drawer Options

Masters Series Pedestals and Lateral File storage feature a choice of drawer body construction — either Black Miterfold or Wood. Each drawer material type is equal in high performance features, dimension, capacity, and closure feel (sound/weight). The drawer construction is specified for all drawer bodies in a furniture item. For example, in the case of a Double Pedestal Desk, all drawers will be either a black miterfold or wood construction.

File Features

Pedestal box drawers feature two removable dividers and one shared pencil tray. File drawers (Pedestal and Lateral File) feature an integrated filing frame and may include adjustable file-bar(s) for additional filing configurations. The integrated filing frame allows each file drawer to support front-to-back or side-to-side filing options (including Redweld support).

Black Miterfold


Thermal fused laminate on $\frac{1}{2}$ " (13mm) thick wood composite core. Miterfold construction with dado-set bottom (Black)

Box Drawer Features

- One Pencil Tray per pedestal
- One Drawer Divider per Drawer

File Drawer Features

- Integrated File Frame: all four sides
- Letter Width: File Bar included only for 29" deep pedestals.
- Legal Width: Legal width file bar included.



Note Only 29" deep pedestals and lateral files include adjustable file bars.

Wood Drawer


$\frac{1}{2}$ " (13mm) thick Baltic-Birch ply in English Dovetail joinery with dado-set bottom (Clear finished)

Box Drawer Features

- One Pencil Tray per pedestal
- One Drawer Divider per drawer

File Drawer Features

- Integrated File Frame: all four sides
- Letter Width: File Bar included only for 29" deep pedestals
- Legal Width: Legal width file bar included




Note Both drawer construction options are available in Masters Series.


File and Drawer Load Capacity

Drawer Option and File Features

Letter Width Pedestal Drawers: 16 $\frac{3}{16}$ " (411mm) Depth




15 $\frac{3}{16}$ " (385mm) Front-To-Back
Letter Filing




12" (305mm) Side-To-Side
Legal Filing


Legal Width Pedestal Drawers: 16 $\frac{1}{4}$ " (413mm) Depth




15 $\frac{3}{16}$ " (385mm)
Front-To-Back
Legal Filing



15 $\frac{3}{16}$ " (385mm)
Side-To-Side
Legal Filing




- 15 $\frac{3}{16}$ " (385mm) Front-To-Back
Letter Filing
- 3 $\frac{1}{8}$ " (80mm) Side-To-Side
Legal Filing




- 15 $\frac{3}{16}$ " (385mm) Side-To-Side
Letter Filing
- 3 $\frac{1}{8}$ " (80mm) Front-To-Back
Legal Filing


Letter Width Pedestal Drawers: 22" (559mm) Depth



21" (533mm) Front-To-Back
Letter Filing



15 $\frac{3}{16}$ " (385mm) Side-To-Side
Legal Filing



- 15 $\frac{3}{16}$ " (385mm) Side-To-Side
Legal Filing
- 6" (152mm) Front-To-Back
Letter Filing

Pedestal Drawer Load Capacities


	DRAWER HEIGHT	DRAWER DEPTH	DRAWER WIDTH	DRAWER BOTTOM LOAD
LETTER WIDTH				
16 $\frac{1}{4}$ " Deep Box Drawer	5.08" (129mm)	15.24" (385mm)	12" (305mm)	16 lbs. (7.3kg)
16 $\frac{1}{4}$ " Deep File Drawer	10.41" (264mm)	15.24" (385mm)	12" (305mm)	32 lbs. (14.5kg)
22" Deep Box Drawer	5.08" (129mm)	21" (533mm)	12" (305mm)	22 lbs. (9.9kg)
22" Deep File Drawer	10.41" (264mm)	21" (533mm)	12" (305mm)	45 lbs. (20.4kg)
LEGAL WIDTH				
16 $\frac{1}{4}$ " Deep Box Drawer	5.08" (129mm)	15.24" (385mm)	15.24" (385mm)	20 lbs. (9.1kg)
16 $\frac{1}{4}$ " Deep File Drawer	10.41" (264mm)	15.24" (385mm)	15.24" (385mm)	41 lbs. (18.6kg)

Note Drawer load ratings are based on BIFMA load requirement of 0.017 lbs per cubic inch of drawer volume.


File and Drawer Load Capacity

Drawer Option and File Features


30" (762mm) Wide Lateral File



15 $\frac{3}{16}$ " (385mm) Front-To-Back Letter Filing




25 $\frac{7}{8}$ " (655mm) Side-To-Side Legal Filing




- 13 $\frac{7}{8}$ " (351mm) Side-To-Side Legal Filing
- 15 $\frac{3}{16}$ " (385mm) Front-To-Back Letter Filing


36" (914mm) Wide Lateral File



15 $\frac{3}{16}$ " (385mm) Front-To-Back Legal Filing



31 $\frac{7}{8}$ " (808mm) Side-To-Side Legal Filing



- 19 $\frac{7}{8}$ " (503mm) Side-To-Side Legal Filing
- 15 $\frac{3}{16}$ " (385mm) Front-To-Back Letter Filing

Note To accommodate side-to-side letter filing in lateral file drawers, a file bar is available.

Lateral File Drawer Load Capacities

	DRAWER HEIGHT	DRAWER DEPTH	DRAWER WIDTH	DRAWER BOTTOM LOAD
30" WIDE LATERAL FILE				
	10.57" (268mm)	15.24" (385mm)	25.8" (655mm)	71 lbs. (32.2kg)
36" WIDE LATERAL FILE				
	10.57" (268mm)	15.24" (385mm)	31.8 (808mm)	87 lbs. (39.5kg)

Notes • Drawer load ratings are based on BIFMA load requirement of 0.017 lbs per cubic inch of drawer volume.
• 36" (914mm) Lateral Files are reinforced for increased strength.

Storage Options

Attached Storage Options

Masters Series offers attached storage options used for constructing furniture components such as Returns, Credenzas, and storage banks.


- Pedestals: letter-width and legal-width
- Lateral Files: 30" (762mm) and 36" (914mm) wide
- Two-High Open Cabinet: 30" (762mm) and 36" (914mm) wide
- Two-High Cabinet with Doors: 30" (762mm) and 36" (914mm) wide

Pedestals

- Available in either 15½" (394mm) letter-width or 18¾" (476mm) legal-width with File/File or Box/Box/File drawer configuration.
- Separately specified Return Top, Common Storage Top, or Credenza Top is 1⅜" (30mm) thick.
- Specification of an optional back panel, increases the depth of Lateral File by ¾" (19mm).
- Levelers have an adjustment capability of 2" (51mm)


Pedestal Dimensions

	PEDESTAL DEPTH	PEDESTAL DEPTH (FINISHED BACK)	WORKSURFACE DEPTH
Letter Width	18" (457mm)	18¾" (476mm)	19" (483mm)
	23" (584mm)	23¾" (603mm)	24" (610mm)
	29" (737mm)	29¾" (756mm)	30" (762mm)
Legal Width	18" (457mm)	18¾" (476mm)	19" (483mm)
	23" (584mm)	23¾" (603mm)	24" (610mm)



- Notes**
- Overall nominal height of 28" includes levelers adjusted all the way in.
 - One lock standard per Pedestal.


Pull Options




Box/Box/File Pedestal
With Finger Pull
(Wood Group B Only)



Box/Box/File Pedestal
With Bar Pull





File/File Pedestal
With Linear Pull



File/File Pedestal
With Classic Pull

Finished Back Option



A pedestal without finished back will be ¾" (19mm) less than the depth of the top. When visible, a finished back or full overlay modesty panel (used when creating modular credenza or storage unit) is recommended. See Planning Modular Components for additional information.


Storage Options

Lateral Files

- Available in either 30" (762mm) width or 36" (914mm) width with File/File and Box/File configurations.
- Separately specified Return Top, Common Storage Top, or Credenza Top is $1\frac{3}{16}$ " (30mm) thick.
- Specification of an optional back panel, increases the depth of Lateral File by $\frac{3}{4}$ " (19mm).
- Levelers have an adjustment capability of 2" (51mm)


Lateral File Dimensions

	LATERAL FILE DEPTH	PEDESTAL DEPTH (FINISHED BACK)	WORKSURFACE DEPTH
30" (762mm) Wide	18" (457mm)	18 $\frac{3}{4}$ " (476mm)	19" (483mm)
	23" (584mm)	23 $\frac{3}{4}$ " (603mm)	24" (610mm)
36" (914mm) Wide	18" (457mm)	18 $\frac{3}{4}$ " (476mm)	19" (483mm)
	23" (584mm)	23 $\frac{3}{4}$ " (603mm)	24" (610mm)




- Notes**
- Overall nominal height of 28" includes levelers adjusted all the way in.
 - One lock standard per Lateral File.
 - See Masters Series Price List for additional Lateral File information.


Pull Options




With Finger Pull
(Wood Group B Only)



With Bar Pull




With Linear Pull




With Classic Pull

Finished Back Option



Open Back with
Metal Brackets



Finished Back Panel



Tip A lateral file without finished back will be $\frac{3}{4}$ " (19mm) less than the depth of the top. When visible, a finished back or full overlay modesty panel (used when creating modular credenza or storage unit) is recommended. See Planning Modular Components for additional information.

Storage Options


Two-High Cabinet: Open and with Doors

Two-high cabinets provide shelf storage for the Masters Series workstation.

- Available in either 30" (762mm) or 36" (914mm) width.
- Separately specified Return Top, Common Storage Top, or Credenza Top is 1 $\frac{1}{2}$ " (38mm) thick.
- Specification of an optional back panel increases the depth of the cabinet by $\frac{3}{4}$ " (19mm).
- Levelers have an adjustment capability of 2" (51mm).


Two-High Cabinet Dimensions

	CABINET DEPTH	PEDESTAL DEPTH (FINISHED BACK)	WORKSURFACE DEPTH
30" (762mm) Wide	18" (457mm)	18 $\frac{3}{4}$ " (476mm)	19" (483mm)
	23" (584mm)	23 $\frac{3}{4}$ " (603mm)	24" (610mm)
36" (914mm) Wide	18" (457mm)	18 $\frac{3}{4}$ " (476mm)	19" (483mm)
	23" (584mm)	23 $\frac{3}{4}$ " (603mm)	24" (610mm)




- Notes**
- Overall nominal height of 28" includes levelers adjusted all the way in.
 - Lock on Cabinet with Doors is optional.

Pull Options



Finished Back Option



A cabinet without finished back will be $\frac{3}{4}$ " (19mm) less than the depth of the top. When visible, a finished back or full overlay modesty panel (used when creating modular credenza or storage unit) is recommended. See Planning Modular Components for additional information.

Upper Storage Options

Overhead Storage Options

Masters Series features two types of overhead storage: Vertical Storage Units and Overhead Storage Units (wall mounted). Both are available in one-high or two-high configurations and may be specified letter depth or legal depth (designed to accept legal or Redweld files). Separately specified fabric Tackboards or fabric Tackboards with Slat Rail complete the functionality of Vertical Storage Units and Overhead Storage Units.

Door Front Options:

- No Doors
- Hinged Doors
- Glass Hinged Doors
- Sliding Door
- Glass Sliding Door

Vertical Storage and Overhead Storage Unit Handing

42" (1067mm) wide to 54" (1372mm) wide Vertical Storage and Overhead Storage Units have three doors and are handed. Handing is determined by the location of the single door. As shown below, when the overhead is specified with a left-hand single door swing orientation, the single door is located to the left, and to the right when specified with a right-hand single door swing orientation.



Vertical Storage Units

- End Panels are supported on lower Masters Series furniture components.
- The number of sections and doors per unit varies depending on the style (door front option) and width selected (refer to charts on following pages).
- Locks are available as an option on units with wood hinged doors only. Glass hinged doors are all sliding doors are non-locking.
- The number of sections and doors per unit varies depending on the style (with or without doors) and width selected (refer to charts on following pages).
- Locks are available as an option on units with solid doors only. Glass and sliding doors are non-locking.
- A wireway is located in the bottom center of the back panel.
- 23 $\frac{3}{4}$ " (594mm) clearance between top of worksurface and bottom of light valence.
- One-high option aligns with five-high storage units and two-high option aligns with six-high storage units.


Tips

- Tackboards must be specified for all Vertical Storage Units.
- When planning, keep in mind that Vertical Storage Units are not designed for workstation configurations where unfinished back is visible.


Note Designed primarily to be stacked on Credenzas or other storage units of equal width, although some exceptions do exist. See Vertical Storage Unit Support Guidelines for additional information.

Upper Storage Options

Vertical Storage Units: With Hinged Doors




One-High (shown with Hinged Doors)




Two-High (shown with Glass Hinged Doors)

Vertical Storage Units: Open




One-High




Two-High

Vertical Storage Units: With Sliding Door



One-High (shown with Sliding Door)



Two-High (shown with Glass Sliding Door)

Notes

- Task light cord is routed behind tackboard and through wireway scallop.
- Vertical Storage Units with Sliding Door include internally mounted top and bottom sliding door track with bumpers at each end.
- Two-high Vertical Storage Units have a 3/4" (19mm) thick adjustable shelf with 1 1/4" (32mm) adjustment range per section.

Upper Storage Options

Vertical Storage Unit Dimensions and Capacities

	OVERALL HEIGHT	INTERIOR HEIGHT	EXTERIOR DEPTH: LETTER	EXTERIOR DEPTH: LEGAL	INTERIOR DEPTH: LETTER	INTERIOR DEPTH: LEGAL
Closed One-High	39 $\frac{7}{8}$ " (1013mm)	13" (330mm)	14 $\frac{1}{8}$ " (378mm)	17 $\frac{3}{8}$ " (441mm)	13 $\frac{1}{4}$ " (336mm)	15 $\frac{3}{4}$ " (400mm)
Open One-High	39 $\frac{7}{8}$ " (1013mm)	13" (330mm)	14" (356mm)	16 $\frac{1}{2}$ " (419mm)	13 $\frac{1}{4}$ " (336mm)	15 $\frac{3}{4}$ " (400mm)
Closed Two-High	52 $\frac{1}{2}$ " (1013mm)	25 $\frac{5}{8}$ " (652mm)	14 $\frac{1}{8}$ " (378mm)	17 $\frac{3}{8}$ " (441mm)	13 $\frac{1}{4}$ " (336mm)	15 $\frac{3}{4}$ " (400mm)
Open Two-High	52 $\frac{1}{2}$ " (1013mm)	25 $\frac{5}{8}$ " (652mm)	14" (356mm)	16 $\frac{1}{2}$ " (419mm)	13 $\frac{1}{4}$ " (336mm)	15 $\frac{3}{4}$ " (400mm)

Interior Widths: Vertical Storage Units (with Hinged Doors)

VSU WIDTH	# OF SECTION/DOORS	SECTION ONE WIDTH	SECTION TWO WIDTH	SECTION THREE WIDTH
30" (762mm)	1 Section/2 Doors	27 $\frac{7}{8}$ " (707mm)		
36" (914mm)	1 Section/2 Doors	33 $\frac{5}{8}$ " (860mm)		
42" (1067mm)	2 Sections/3 Doors	12 $\frac{1}{2}$ " (319mm)	26 $\frac{1}{2}$ " (674mm)	
48" (1219mm)	2 Sections/3 Doors	14 $\frac{1}{2}$ " (370mm)	30 $\frac{1}{2}$ " (776mm)	
54" (1372mm)	2 Sections/3 Doors	16 $\frac{1}{2}$ " (421mm)	34 $\frac{1}{2}$ " (876mm)	
60" (1524mm)	2 Sections/4 Doors	28 $\frac{1}{2}$ " (724mm)	28 $\frac{1}{2}$ " (724mm)	
66" (1676mm)	2 Sections/4 Doors	31 $\frac{1}{2}$ " (800mm)	31 $\frac{1}{2}$ " (800mm)	
72" (1829mm)	2 Sections/4 Doors	34 $\frac{1}{2}$ " (876mm)	34 $\frac{1}{2}$ " (876mm)	
78" (1981mm)	3 Sections/6 Doors	24 $\frac{5}{8}$ " (627mm)	25" (636mm)	24 $\frac{5}{8}$ " (627mm)
84" (2134mm)	3 Sections/6 Doors	26 $\frac{5}{8}$ " (677mm)	27" (687mm)	26 $\frac{5}{8}$ " (677mm)
90" (2286mm)	3 Sections/6 Doors	28 $\frac{5}{8}$ " (728mm)	29" (738mm)	28 $\frac{5}{8}$ " (728mm)
96" (2438mm)	3 Sections/6 Doors	30 $\frac{5}{8}$ " (779mm)	31" (788mm)	30 $\frac{5}{8}$ " (779mm)

Notes • Interior widths are consistent for one-high and two-high vertical storage units.
• Number of doors shown in chart are applicable to Vertical Storage Units with hinged doors only.

Interior Widths: Vertical Storage Units (Open)

VSU WIDTH	# OF SECTION/DOORS	SECTION ONE WIDTH	SECTION TWO WIDTH	SECTION THREE WIDTH
30" (762mm)	1 Section	27 $\frac{7}{8}$ " (707mm)		
36" (914mm)	1 Section	33 $\frac{5}{8}$ " (860mm)		
42" (1067mm)	2 Sections	19 $\frac{1}{2}$ " (497mm)	19 $\frac{1}{2}$ " (497mm)	
48" (1219mm)	2 Sections	22 $\frac{1}{2}$ " (573mm)	22 $\frac{1}{2}$ " (573mm)	
54" (1372mm)	2 Sections	25 $\frac{1}{2}$ " (649mm)	25 $\frac{1}{2}$ " (649mm)	
60" (1524mm)	2 Sections	28 $\frac{1}{2}$ " (724mm)	28 $\frac{1}{2}$ " (724mm)	
66" (1676mm)	2 Sections	31 $\frac{1}{2}$ " (800mm)	31 $\frac{1}{2}$ " (800mm)	
72" (1829mm)	2 Sections	34 $\frac{1}{2}$ " (876mm)	34 $\frac{1}{2}$ " (876mm)	
78" (1981mm)	3 Sections	24 $\frac{5}{8}$ " (627mm)	25" (636mm)	24 $\frac{5}{8}$ " (627mm)
84" (2134mm)	3 Sections	26 $\frac{5}{8}$ " (677mm)	27" (687mm)	26 $\frac{5}{8}$ " (677mm)
90" (2286mm)	3 Sections	28 $\frac{5}{8}$ " (728mm)	29" (738mm)	28 $\frac{5}{8}$ " (728mm)
96" (2438mm)	3 Sections	30 $\frac{5}{8}$ " (779mm)	31" (788mm)	30 $\frac{5}{8}$ " (779mm)

Note • Interior widths are consistent for one-high and two-high vertical storage units.

Upper Storage Options


Interior Widths: Vertical Storage Units (with Sliding Doors)

VSU WIDTH	# OF SECTION/DOORS	SECTION ONE WIDTH	SECTION TWO WIDTH	SECTION THREE WIDTH
30" (762mm)	1 Section/ 1 Door	13½" (335mm)	13½" (335mm)	
36" (914mm)	1 Section/1 Door	16½" (411mm)	16½" (411mm)	
42" (1067mm)	2 Sections/1 Door	19½" (497mm)	19½" (497mm)	
48" (1219mm)	2 Sections/1 Door	22½" (572mm)	22½" (572mm)	
54" (1372mm)	2 Sections/1 Door	25½" (648mm)	25½" (648mm)	
60" (1524mm)	2 Sections/1 Door	28½" (724mm)	28½" (724mm)	
66" (1676mm)	2 Sections/1 Door	31½" (800mm)	31½" (800mm)	
72" (1829mm)	2 Sections/1 Door	34½" (876mm)	34½" (876mm)	
78" (1981mm)	3 Sections/1 Door	24½" (627mm)	25" (636mm)	24½" (627mm)
84" (2134mm)	3 Sections/1 Door	26½" (677mm)	27" (687mm)	26½" (677mm)
90" (2286mm)	3 Sections/1 Door	28½" (728mm)	29" (738mm)	28½" (728mm)
96" (2438mm)	3 Sections/1 Door	30½" (779mm)	31" (788mm)	30½" (779mm)

- Notes**
- Interior widths are consistent for one-high and two-high vertical storage units.
 - Number of doors shown in chart are applicable to Vertical Storage Units with sliding door only.

Overhead Storage Units

- Overhead Storage Units are wall mounted.
- The number of sections and doors per Overhead Storage Unit varies depending on the style (with or without doors) and width selected (refer to charts on following pages).
- Locks are available as an option on Overhead Storage Units with wood hinged doors only.
- As a standard, one-high Overhead Storage Units are mounted to align with five-high Storage Units and two-high Overhead Storage Units are mounted to align with six-high Storage Units.
- Anti-dislodging rail attaches to the wall and pilot holes locate screws for ensuring connection to wall.



Overhead Storage Unit is suspended on the wall with the use of an included French cleat and secured via an anti-dislodging rail. Wall fasteners are site-specific and not included with overhead.




Tip Overhead Storage Units may be mounted to the wall at heights other than five-high or six-high if necessitated by design requirements.


- Notes**
- Anti-dislodging Rail is removed from the cabinet and secured to wall studs.
 - Screws are attached through the cabinet back to secure to Anti-dislodging Rail after hanging to wall.

Upper Storage Options


Overhead Storage Units: With Hinged Doors



Overhead Storage Units: Open



Overhead Storage Units: With Sliding Door



- Notes**
- Overhead Storage Units with Sliding Door include internally mounted top and bottom sliding door track with bumpers at each end.
 - Two-high Vertical Storage Units have a 3/4" (19mm) thick adjustable shelf with 1 1/4" (32mm) adjustment range per section.

Upper Storage Options

Overhead Storage Unit Dimensions and Capacities

	OVERALL HEIGHT	INTERIOR HEIGHT	EXTERIOR DEPTH: LETTER	EXTERIOR DEPTH: LEGAL	INTERIOR DEPTH: LETTER	INTERIOR DEPTH: LEGAL
Closed One-High	16 ¹⁵ / ₁₆ " (421mm)	13" (330mm)	14 ⁷ / ₈ " (378mm)	17 ³ / ₈ " (441mm)	13 ¹ / ₄ " (336mm)	15 ³ / ₄ " (400mm)
Open One-High	16 ¹⁵ / ₁₆ " (421mm)	13" (330mm)	14" (356mm)	16 ¹ / ₂ " (419mm)	13 ¹ / ₄ " (336mm)	15 ³ / ₄ " (400mm)
Closed Two-High	29 ¹ / ₈ " (740mm)	25 ⁵ / ₈ " (652mm)	14 ⁷ / ₈ " (378mm)	17 ³ / ₈ " (441mm)	13 ¹ / ₄ " (336mm)	15 ³ / ₄ " (400mm)
Open Two-High	29 ¹ / ₈ " (740mm)	25 ⁵ / ₈ " (652mm)	14" (356mm)	16 ¹ / ₂ " (419mm)	13 ¹ / ₄ " (336mm)	15 ³ / ₄ " (400mm)

Interior Widths: Overhead Storage Units (with Hinged Doors)

OSU WIDTH	# OF SECTION/DOORS	SECTION ONE WIDTH	SECTION TWO WIDTH	SECTION THREE WIDTH
30" (762mm)	1 Section/2 Doors	28 ¹ / ₂ " (724mm)		
36" (914mm)	1 Section/2 Doors	34 ¹ / ₂ " (876mm)		
42" (1067mm)	2 Sections/3 Doors	12 ⁷ / ₈ " (327mm)	26 ⁷ / ₈ " (682mm)	
48" (1219mm)	2 Sections/3 Doors	14 ⁷ / ₈ " (378mm)	30 ⁷ / ₈ " (784mm)	
54" (1372mm)	2 Sections/3 Doors	16 ⁷ / ₈ " (429mm)	34 ⁷ / ₈ " (885mm)	
60" (1524mm)	2 Sections/4 Doors	28 ⁷ / ₈ " (733mm)	28 ⁷ / ₈ " (733mm)	
66" (1676mm)	2 Sections/4 Doors	31 ⁷ / ₈ " (809mm)	31 ⁷ / ₈ " (809mm)	
72" (1829mm)	2 Sections/4 Doors	34 ⁷ / ₈ " (886mm)	34 ⁷ / ₈ " (886mm)	
78" (1981mm)	3 Sections/6 Doors	24 ⁷ / ₈ " (632mm)	25 ¹ / ₄ " (641mm)	24 ⁷ / ₈ " (632mm)
84" (2134mm)	3 Sections/6 Doors	26 ⁷ / ₈ " (683mm)	27 ¹ / ₄ " (692mm)	26 ⁷ / ₈ " (683mm)
90" (2286mm)	3 Sections/6 Doors	28 ⁷ / ₈ " (734mm)	29 ¹ / ₄ " (743mm)	28 ⁷ / ₈ " (734mm)
96" (2438mm)	3 Sections/6 Doors	30 ⁷ / ₈ " (784mm)	31 ¹ / ₄ " (794mm)	30 ⁷ / ₈ " (784mm)

- Notes**
- Interior widths are consistent for one-high and two-high Vertical Storage Units.
 - Number of doors shown in chart are applicable to Vertical Storage Units with hinged doors only.

Interior Widths: Overhead Storage Units (Open)

OSU WIDTH	# OF SECTION/DOORS	SECTION ONE WIDTH	SECTION TWO WIDTH	SECTION THREE WIDTH
30" (762mm)	1 Section	28 ¹ / ₂ " (724mm)		
36" (914mm)	1 Section	34 ¹ / ₂ " (876mm)		
42" (1067mm)	2 Sections	19 ⁷ / ₈ " (505mm)	19 ⁷ / ₈ " (505mm)	
48" (1219mm)	2 Sections	22 ⁷ / ₈ " (581mm)	22 ⁷ / ₈ " (581mm)	
54" (1372mm)	2 Sections	25 ⁷ / ₈ " (657mm)	25 ⁷ / ₈ " (657mm)	
60" (1524mm)	2 Sections	28 ⁷ / ₈ " (733mm)	28 ⁷ / ₈ " (733mm)	
66" (1676mm)	2 Sections	31 ⁷ / ₈ " (809mm)	31 ⁷ / ₈ " (809mm)	
72" (1829mm)	2 Sections	34 ⁷ / ₈ " (886mm)	34 ⁷ / ₈ " (886mm)	
78" (1981mm)	3 Sections	24 ⁷ / ₈ " (632mm)	25 ¹ / ₄ " (641mm)	24 ⁷ / ₈ " (632mm)
84" (2134mm)	3 Sections	26 ⁷ / ₈ " (683mm)	27 ¹ / ₄ " (692mm)	26 ⁷ / ₈ " (683mm)
90" (2286mm)	3 Sections	28 ⁷ / ₈ " (734mm)	29 ¹ / ₄ " (743mm)	28 ⁷ / ₈ " (734mm)
96" (2438mm)	3 Sections	30 ⁷ / ₈ " (784mm)	31 ¹ / ₄ " (794mm)	30 ⁷ / ₈ " (784mm)

- Notes**
- Interior widths are consistent for one-high and two-high Vertical Storage Units.

Upper Storage Options

Interior Widths: Overhead Storage Units (with Sliding Door)

OSU WIDTH	# OF SECTION/DOORS	SECTION ONE WIDTH	SECTION TWO WIDTH	SECTION THREE WIDTH
30" (762mm)	1 Section/1 Door	13½" (343mm)	13½" (343mm)	
36" (914mm)	1 Section/1 Door	16½" (419mm)	16½" (419mm)	
42" (1067mm)	2 Sections/1 Door	19⅜" (505mm)	19⅜" (505mm)	
48" (1219mm)	2 Sections/1 Door	22⅝" (581mm)	22⅝" (581mm)	
54" (1372mm)	2 Sections/1 Door	25⅞" (657mm)	25⅞" (657mm)	
60" (1524mm)	2 Sections/1 Door	28⅙" (733mm)	28⅙" (733mm)	
66" (1676mm)	2 Sections/1 Door	31⅓" (809mm)	31⅓" (809mm)	
72" (1829mm)	2 Sections/1 Door	34⅔" (886mm)	34⅔" (886mm)	
78" (1981mm)	3 Sections/1 Door	24⅘" (632mm)	25⅓" (641mm)	24⅘" (632mm)
84" (2134mm)	3 Sections/1 Door	26⅖" (683mm)	27⅓" (692mm)	26⅖" (683mm)
90" (2286mm)	3 Sections/1 Door	28⅗" (734mm)	29⅓" (743mm)	28⅗" (734mm)
96" (2438mm)	3 Sections/1 Door	30⅓" (784mm)	31⅓" (794mm)	30⅓" (784mm)

Notes

- Interior widths are consistent for one-high and two-high Vertical Storage Units.
- Number of doors shown in chart are applicable to Vertical Storage Units with sliding door only.


Tackboards

Tackboards are $\frac{7}{8}$ " thick and designed to attach to the back panel of an equal width Vertical Storage Unit or to the wall beneath an equal width Overhead Storage Unit. Masters Series offers Tackboards in two variations:


- Fabric Tackboard
- Fabric and Slat Rail Tackboard

Tackboards for Vertical Storage Units

Fabric Tackboards




Fabric and Slat Rail Tackboards




Note When task light is specified, the cord is routed behind tackboard and fed through a 1" (25mm) gap between the top of the tackboard and bottom of cabinet.

Tackboards for Overhead Storage Units

Fabric Tackboards



Fabric and Slat Rail Tackboards



Tips


- Tackboard selection is dependent on functional and aesthetic requirements of the workstation. The Slat Rail portion is 8" (203mm) high and accommodates a number of separately specified Jump Stuff accessories.
- Tackboards wider than 60" (1524mm) are constructed of two equal width segments. In the case of Tackboards with Slat Rail, the slat portion is a single segment for all widths.
- The Slat Rail portion is 8" (203mm) high in all cases, whether for Vertical or Overhead Storage Units.
- Tackboards for Vertical Storage Units are not interchangeable with Tackboards for Overhead Storage Units.

Electrical and Wire Management

Numerous items in the Masters Series product line offer wire management functionality. Depending on the unit, wire management can take the form of Cutouts, Grommets, or in the case of attached lower storage such as Pedestals and Lateral Files, an integrated Horizontal Wireway.

Single- and Double-Pedestal Desks


Single-Pedestal Desk with Full Overlay Modesty



Wireway Scallop

1.5" Wire Pass-Through


Double-Pedestal Desk with Full Overlay Modesty



Wireway

Single-Pedestal and Double-Pedestal Desks with full overlay Modesty, Desk Shells, and the T-Desk have a Wireway Scallop in the top center of the Modesty Panel.

Corner Shell



A Corner Shell has a Half Scallop located on the L-Panel closest to location of optional Grommet, allowing for easier wire management through the Grommet. The other two L-Panels also contain Half Scallops.




Tip Each of the Masters Series products shown above comes standard with wire management cutouts. They are not a separately specified option.

Grommets

Grommets allow users to route power, data and communication cables through the worksurface top for access to power outlets. Standard Grommet size is 2" (51mm) in diameter. Grommet locations are determined by unit type.

Grommets are available as an option on the following items:

- Bridge
- Return with 30" Wide Lateral File
- Return Top
- Credenza with Pedestals
- Corner Shell
- Credenza with 30" wide Lateral Files and Kneespaces
- Return with Pedestal



Available in black or satin nickel finish




- Notes**
- Return with Pedestal, Return with 30" (762mm) wide Lateral File, and Credenzas applicable to Masters Series: Wood product only.
 - Grommets may be specified separately for non-standard grommet locations as well as for Masters Series products (with worksurfaces) that do not have a grommet as a specifiable option (e.g. Single or Double Pedestal Desk).

Electrical and Wire Management

Grommet Locations


Bridge

Grommet is centered on Bridge and positioned $3\frac{3}{4}$ " (95mm) from the back edge of the top.




Corner Shell

Grommet is located at the back corner of the Corner Shell and is positioned $3\frac{3}{4}$ " (95mm) from both back edges.




Returns

For all Returns and Return Tops, the grommet is located $4\frac{15}{16}$ " (125mm) from the connection edge and $3\frac{3}{4}$ " (95mm) from the back edge of the top.



Credenzas

For all pre-configured Knespace Credenzas, the grommet is centered and positioned $3\frac{3}{4}$ " (95mm) from the back edge of the top.




If grommet is required for modular Credenza Top, it must be field installed.




Note Return with Pedestal, Return with 30" (762mm) wide Lateral File and Credenzas applicable to Masters Series: Wood product only.

Attached Storage Wire Management


Attached Pedestals, Lateral Files, Open Cabinets and cabinets with doors have an integrated horizontal wireway for conditions where a grommet is placed above the storage. Cables are routed up through the horizontal wireway and to the grommet at the worksurface.



Attached Pedestal



Attached Lateral File



Attached Cabinet

Electrical and Wire Management



Enhanced Power Module

An Enhanced Power Module provides additional electrical functionality to a Masters Series workstation. It provides three 15A outlets and a modular furniture telecommunications outlet opening in a housing that can be clamped to a worksurface in the following locations:


- Above a Worksurface
- Above a Worksurface in Conjunction with Tackboard
- Below a Worksurface
- To Storage Unit

Above a Worksurface


- Enhanced Power Module may be attached to a worksurface with a depth between 1 1/8" (29mm) – 2" (51mm).




Above a Worksurface in Conjunction with Tackboard



Below a Worksurface



To Storage Unit




Tips

- Power cord plugs into a building receptacle outlet.
- Hardwired applications should be reviewed by local authorities (electrical inspector) prior to ordering.
- Enhanced Power Modules cannot be linked (daisy chained) together.
- Cord use should be reviewed by local authorities (electrical inspector) prior to ordering.

Electrical and Wire Management

Shown below are the numerous wire management options available for a Masters Series workstation. Hinged Modesty Panels (shown) allow for easy access to power and data should wire management requirements change.



When planning workstation layout, ensure that all electrical and data outlets are accessible

Notes

- Red cords indicate electrical and grey cords indicate data.
- Horizontal Wire Manager mounts beneath worksurface to seamlessly route cords throughout the workstation.
- Not all wire management options shown in application.

Reception Stations



Reception Station Configurations

Masters Series offers two pre-configured reception station configurations:

- L-Shaped Reception Station
- U-Shaped Reception Station



L-Shaped Reception Stations Include:

- Gallery Enclosure
- 72" (1829mm) wide x 29 $\frac{1}{8}$ " (740mm) deep Desk Top
- 48" (1219mm) wide x 18 $\frac{1}{8}$ " (460mm) deep Return Top
- 74 $\frac{1}{4}$ " (1886mm) wide x 12" (305mm) deep Counter Top
- One Box/Box/File Letter-width Pedestal
- One File/File Letter-width Pedestal



U-Shaped Reception Stations Include:

- Gallery Enclosure
- 72" (1829mm) wide x 29 $\frac{1}{8}$ " (740mm) deep Desk Top
- 48" (1219mm) wide x 18 $\frac{1}{8}$ " (460mm) deep Return Top
- 72" (1829mm) wide x 18 $\frac{1}{8}$ " (460mm) deep Credenza Top
- 74 $\frac{1}{4}$ " (1886mm) wide x 12" (305mm) deep Counter Top
- One Box/Box/File Letter-width Pedestal
- One File/File Letter-width Pedestal



Tips

- All standard Masters Series drawer pulls and constructions (wood or black miterfold) are available for specification on Reception Stations.
- Handing is determined by the location of the Return while seated at the main worksurface. Both L-Shaped and U-Shaped Reception Stations shown above are right-hand configurations.
- Tackboards, if required must be specified separately.

Masters Series Product Application

Worksurface Guidelines


Desks

Masters Series offers a wide variety of desking options that function and/or make connections to other components in the following ways depending on workspace requirements.


- Freestanding:** Stand-alone applications where desk is not connected to any other furniture components; Single Pedestal Desks, Double Pedestal Desks, Desk Shells.
- L-Shaped Workstation:** Single Pedestal Desk, Desk Shell, P-Top or D-Top Convergent connect to a Return or Return Top creating an L-Shaped configuration.
- U-Shaped Workstation:** Single Pedestal Desk, Desk Shell, P-Top or D-Top Convergent is used in conjunction with a Bridge and a Back Credenza creating a U-Shaped configuration. Corner Shells may also be used in conjunction with a Desk, Return Top and a modular Credenza Top (with attached storage) for a U-Shaped workstation.
- Workwall:** T-Desk, attached D-Top or P-Top Desk is connected to a Modular Credenza with kneespace for a Workwall application.

Freestanding Desk Applications

Double Pedestal Desk





Single Pedestal Desk



Desk Shell

Attached Storage Units such as pedestals cannot be specified for use beneath a desk shell because the connection brackets between top and end panels interfere with correct placement. Mobile Pedestals may however be used.



Tips

- Double Pedestal Desks may ONLY be used in freestanding applications.
- Single Pedestal Desk and Desk Shell may be used in both freestanding applications and applications where connection to other Masters Series furniture components is required.


Worksurface Guidelines

L-Shaped Workstations


The Masters Series product offering contains two pre-configured Returns:

- Return with Pedestal (File/File, letter width configuration)
- Return with 30" (762mm) wide Lateral File


Desk Shell with Lateral File Return



D-Top with Pedestal Return



P-Top with Lateral File Return




Tips

- Desk and Return must be specified with the same edge option, as adjoining edge on the Return is coped.
- D-Top and P-Top Convergents are not designed for use in freestanding applications.


Connecting to a Return Top

Additional Return configurations are possible when using a Return Top with separately specified attached Storage Units.

Desk Shell with Return Top and Attached Pedestal



Desk with Return Top and Attached Cabinet



Tips

- Return Top must be specified with a left-hand or right-hand coping orientation. Ensure that edge connecting to desk is coped.
- Handing of Return Top is determined by location of storage/support placement, not the location of coped edge.


Notes

- A Return Top may also be used as a bridging surface between a Desk and a Corner Shell. See Masters Series Worksurface Guidelines — Corner Shell Application for more information.
- Attachment hardware is provided with Returns and Return Tops.


Worksurface Guidelines

U-Shaped Workstation Configurations

Single Pedestal Desk




D-Top Convergent



P-Top Convergent

Both attachment ends of Bridge coped if profiled edge is selected






Tips

- Desk, Bridge, and Credenza Top must be specified with the same edge option, as adjoining edges on the Bridge are coped.
- D-Top and P-Top Convergents are not designed for use in freestanding applications.

Notes

- Asymmetrical Credenzas (as shown above) must be constructed from modular components for Masters Series. See Masters Series Application — Planning Modular Components for additional information.
- Desk Shell (not shown) may also be used to create a U-configuration


Workwall Workstation Configurations



Tip

Credenza and attached desk must be specified in the same edge option, as adjoining edge on the attached desk is coped.

Workwall Configuration Utilizing an Asymmetrical Knespace Credenza



Note

All Knespace Credenzas shown in Workwall applications are constructed with modular components. See Masters Series Application — Planning Modular Components for additional information.


Worksurface Guidelines

Corner Shell Application

The Masters Series Corner Shell creates a 90° transition between two worksurfaces (Return Tops and/or modular Credenza Tops) and provides a deep knee well suitable for occupancy. Corner Shells are designed in three basic size and connection depth configurations:


42" Corner

With 30" Symmetrical Connection Depths




42" Corner

With 24" and 30" Asymmetrical Connection Depths




36" Corner

With 19" and 24" Symmetrical Connection Depths



36" Corner

With 19" and 24" Asymmetrical Connection Depths





A Corner Shell may have more than one connection depth. For example, a 42" (1067mm) Corner may have two 24" (610mm) connections, two 30" (762mm) connections or a combination of a 24" (610mm) and 30" (762mm) connection. A 36" (914mm) Corner may have two 24" (610mm) connections, two 19" (483mm) connections, or a combination of a 19" (483mm) and 24" (610mm) connection.



Note L-Supports on Corner applications with 30" connection edges measure 15" x 10"; L-Supports on Corner applications with connection edges shorter than 30" measure 10" x 10".


The connection edges of a Corner are square and only connect to modular Credenza Tops and the square profiled ends of a Return Top. Bridges and Returns are automatically coped when a profiled edge is selected and cannot connect to a Corner Shell.




Note A Return Top is used to create a bridging surface between Desk and Corner. A modular Credenza Top makes the connection to the Corner on the other connection edge.



Note Modular Credenza Tops with attached storage below connect to both Corner Shell connection edges.



Pre-configured Return (left-hand shown)



Planning Modular Components

Masters Series features a collection of modular components that allow for a variety of configurations of freestanding Storage Units, Shells and Credenzas. When designing with modular components, it is essential to consider workspace requirements to ensure appropriate selection of storage and support, as all components are specified separately.

Three modular component types:


1. Modular Storage Components
2. Modular Credenzas (Full Overlay Modesty and Hinged Modesty)
3. Modular Half-High, One-High, One and One-Half High Components



- When using modular components, wood grain figure will vary from unit to unit.
- Modular components may only be constructed with Masters Series Credenza Tops.

1. Modular Storage Components

Modular storage components consist of a combination of one or more two-high attached Storage Units beneath a Common Storage Top or Credenza Top.



Haworth Adaptable Worksurfaces CANNOT be used in place of Masters Series Common Storage Tops and Credenza Tops when creating modular Storage Units and Credenzas.

2. Modular Credenzas


Masters Series offers the ability to construct three basic types of modular Credenzas, each with the option of having no modesty panel, a Full-Overlay Modesty Panel or a Hinged Modesty Panel:

- Credenza Shells
- Asymmetrical Kneespace Credenzas
- Symmetrical Kneespace Credenzas


Modular Credenzas with Full-Overlay Modesty Panel

Masters Series: Wood offers a number of pre-configured Credenzas with full overlay Modesties, however additional Credenza configurations can be constructed from modular components.

- | | |
|---|--|
| <ul style="list-style-type: none"> • Credenza Top • End Panel • Attached Pedestal (letter width, legal width) • Attached Cabinet with Doors (30" W, 36"W) | <ul style="list-style-type: none"> • Full Overlay Modesty • Mid Support Panel • Attached Lateral File (30" W, 36"W) • Attached Open Cabinet (30" W, 36" W) |
|---|--|



Full-Overlay Modesty Panel
(shown without Wireway Scallop)




Full-Overlay Modesty Panel (shown with optional Wireway Scallop)


Note Available in 6" increments from 30" (762mm) to 120" (3048mm) as a standard.

Planning Modular Components


Credenza Shell



Asymmetrical Kneespace Credenza



Symmetrical Kneespace Credenza




Tips

- When kneespace is greater than 60" (1524mm), a mid-support panel must be specified.
- Haworth Adaptable Worksurfaces CANNOT be used in place of Masters Series Common Storage Tops and Credenza Tops when creating modular Storage Units and Credenzas.

Modular Credenzas with Hinged Modesty Panel


Modular Credenzas may be specified with removable hinged Modesty for conditions where access to power or data is required. Select from the following components when creating a modular Credenza:

- Credenza Top
- L-Support End Panel
- Attached Pedestal (letter width, legal width)
- Attached Cabinet with Doors (30" W, 36"W)
- Hinged Modesty Panel
- Mid T-Support Panel
- Attached Lateral File (30" W, 36"W)
- Attached Open Cabinet (30" W, 36" W)




Tips

- Hinge has two connection types: Slip Fit when connecting to an L-Support Panel or Mid T-Support panel and Direct Fit Connection when connecting directly to an attached storage unit. Depending on configuration, there may be only Slip Fit connections, only Direct Fit connections or a combination of both.
- Mid T-Support Panel and two equal width hinged Modesty Panels are required (as shown above) when unsupported span is > 60" (1524mm).
- Hinged Modesty Panel must be fully removed before attempting to relocate Credenza.



Slip Fit Modesty (available widths):

23 3/4", 29 3/4", 35 3/4", 41 3/4", 47 3/4", 53 3/4", 59 3/4", 65 3/4"



Direct Fit Modesty (available widths):


29 3/4", 35 3/4", 41 3/4", 47 3/4", 53 3/4", 59 3/4"

Planning Modular Components

3. Modular Half-High, One-High, One and One-Half High Components

Masters Series offers one-high and one and one-half high Open Cabinets and Lateral Files storage options that are used in conjunction with half-high and one-high support panels and other modular components to create a number of stacking applications. Select the necessary components from the following:

- Return Top
- Half-high T-Support Panel
- One-high T-Support Panel
- Half-high L-Support Panel (Right or Left)
- One-high L-Support Panel (Right or Left)
- One-high Open Storage Cabinet (30" and 36" wide)
- One-high and one and one-half high Lateral File (30" and 36" wide)




Haworth Adaptable Worksurfaces CANNOT be used in place of Masters Series Common Storage Tops and Credenza Tops when creating modular one-high components

Planning Modular Components


Creating Modular Storage Components

Freestanding Storage Units and full storage Credenzas may be constructed through combining one or more attached two-high storage units without integrated tops beneath a common worksurface. Storage units placed side-by-side may be ganged together beneath a Credenza Top with one profiled edge at the front while storage units placed in a back-to-back configuration may be ganged together beneath a Common Storage Top with both edges profiled.

Storage Utilizing Common Storage Top



- One Common Storage Top
- Four Attached Lateral Files




- One Common Storage Top
- Four Attached Lateral Files
- Two Attached Cabinets with Doors


Tips

- A Common Storage Top is used in all conditions where storage units are placed back-to-back beneath a worksurface.
- Common Storage Top is 36½" (918mm) deep and therefore only 18" deep attached Storage Units may be placed beneath it.


Storage Utilizing Credenza Top




- One Credenza Top
- One Attached Lateral File




- One Credenza Top
- One Attached Cabinet with Doors




- One Credenza Top
- Two Attached Lateral Files



- One Credenza Top
- One Attached Cabinet with Doors
- One Attached Open Cabinet



- One Credenza Top
- Two Attached Lateral Files
- One Attached Cabinet with Doors



- One Credenza Top
- Two Attached Cabinets with Doors
- One Attached Open Cabinet

Tips

- The top (Common Storage Top or Credenza Top) must be specified with a width equal to the total width of the storage units beneath it.
- Counterweight and back panel MUST be specified for all single freestanding Lateral File applications.
- When two attached storage units (one of which is a Lateral File) are placed side-by-side beneath a Common Credenza Top, the counterweight is recommended.
- When three attached storage units are placed side-by-side beneath a Common Credenza Top, the counterweight is not required.
- Counterweight not required for back-to-back applications.


Note Only a few of the many modular storage combinations are shown above.

Planning Modular Components

Each of the configurations on the previous page with a Credenza Top may be specified with a Full-Overlay Modesty Panel. In most cases, an overlay Modesty is used to conceal the unfinished back of the modular storage unit when used in an open application and not placed against a wall. Another option is to specify each of the individual attached Storage Units with finished backs.


No Finished Back

- Modular storage without finished back panel.




Each Storage Unit with Finished Back Option

- Modular storage with each Lateral File having a finished back. Scallops not available.



Full-Overlay Modesty Panel

- Modular storage with full overlay Modesty panel. Optional scallop is located at the center top of the panel for wire management.



Tips

- When Full-Overlay Modesty Panel is used in application, specify attached storage units with no finished back.
- In a freestanding application (as shown above) a Lateral File must have a separately specified counter weight to avoid tipping. The Lateral File must have either a finished back or a Full-Overlay Modesty Panel to accommodate attachment of counterweight.
- When supporting a Vertical Storage Unit, a Full-Overlay Modesty Panel or finished backs on each modular storage unit must be specified.

Note When finished back or full overlay modesty panel is not specified, the credenza top overhangs the back of the storage unit(s) by $\frac{3}{4}$ " (19mm), leaving a gap.

Planning Modular Components


Creating Modular Credenzas

Depending on workspace requirements, modular Credenzas may be constructed with no Modesty, a full overlay Modesty or hinged Modesty. When a Modesty is not required, a Credenza Top as well as the necessary storage components and support elements must be specified. A full overlay Modesty offers a clean aesthetic, making the Credenza suitable for open applications. An optional scallop facilitates wire management. As a third option, Credenzas may be specified with a removable hinged Modesty, allowing for access to building utilities behind the knee space when necessary.


Specifying a Credenza Shell with Full Overlay Modesty

- Step 1:** Select Credenza Top size with applicable options.
- Step 2:** Select both right-hand and left-hand End Panels with appropriate depth. If the application does not require a Full-Overlay Modesty Panel, specify End Panels for 'no Modesty Panel' application.
- Step 3:** Determine the amount of kneespace between End Panels. (Recommended minimum 30" (762mm))


Formula: Kneespace = Credenza Top width - 2½" (64mm) End Panel Allowance
- Step 4:** Select a Mid-Support Panel if required. If kneespace is greater than 60" (1524mm), a Mid-Support Panel must be specified.
- Step 5:** Select Full-Overlay Modesty Panel (if applicable) with same width as application's work surface.



It is recommended that Credenza Shells have a minimum kneespace of 30" (762mm)




When a Credenza Shell has an unsupported span that exceeds 60" (1524mm), a Mid-Support Panel must be specified to provide the required support.



Credenza Shell without full overlay back panel.



Even though, the shell has a 30" (762mm) wide top, the kneespace is 27¾" (705mm) because of the End Panel thicknesses. Sitting kneespace less than 30" (762mm) not recommended.



The Credenza shell shown has a kneespace of 69¾" (1771mm) and must therefore have a Mid-Support Panel.

Tips

- Credenza Shell may accommodate connection to a Bridge, T-Desk, or an attached P-Top or D-Top Desk.
- Provides support for a Vertical Storage Unit.

Notes

- Mid-Support Panel contains a wireway notch toward the back of the worksurface.
- All example configurations shown with 24" (610mm) deep Credenza Tops; 19" (483mm) and 30" (762mm) deep tops are also available.
- Only a few of the wide range of size variations shown in illustrations.

Planning Modular Components

Specifying a Credenza Shell with Hinged Modesty

Step 1: Select Credenza Top size with applicable options.

Step 2: Select right-hand and left-hand L-Support Panels.

Step 3: Based on the selected Credenza Top length, use the chart below to determine the correct Modesty width(s). If the unsupported span is greater than 60" (1524mm), two equal width Modesty Panels and a mid T-Support panel are specified.

Tips


- When creating a Credenza shell, two Modesties and a T-Support will always be required when the top is 84" (2134mm) wide or larger.
- Hinge hardware requires a 2" (51mm) minimum overlap between the Modesty Panel and wing panel.
- The maximum allowable overlap between the Modesty Panel and wing panel is 8½" (216mm), leaving a ½" (13mm) of clearance.

The following chart may be used to determine the necessary Modesty Panel width(s) as well as how many Modesties are required for the Credenza.


	CREDENZA SHELL TOP WIDTHS														
	30"	36"	42"	48"	54"	60"	66"	72"	78"	84"	90"	102"	108"	114"	120"
MODESTY PANEL WIDTH															
23¾"	1	1													
29¾"		1	1												
35¾"				1						2	2				
41¾"					1							2	2		
47¾"						1							2		
53¾"							1							2	
59¾"								1							
65¾"									1						

Note In the chart above, either a "1" or a "2" refers to the number of Modesty Panels required for the Credenza Shell.


54" W Credenza Top



120" W Credenza Top



30" W Credenza Top




Tips

- L-Support Panels must be specified with the same depth as the Credenza Top; 24" (610mm) deep L-Support Panel with 24" (610mm) deep top, etc.
- It is recommended that Kneespace Credenzas have a minimum kneespace width of 30" (762mm) to accommodate space for seating.
- Credenza Shell may accommodate connection to a Bridge, T-Desk, or an attached P-Top or D-Top Desk.
- Provides support for a Vertical Storage Unit.

Planning Modular Components

Specifying an Asymmetrical Kneospace Credenza with Full Overlay Modesty

- Step 1:** Select Credenza Top size with applicable options.
- Step 2:** Select right-hand or left-hand End Panel with appropriate depth. If the application does not require a Full-Overlay Modesty Panel, specify End Panel for 'no Modesty Panel' application.
- Step 3:** Specify required attached storage unit(s) – Pedestal, Lateral File, Open Cabinet or Cabinet with Doors.
- Step 4:** Determine the amount of kneospace between End Panel and inside edge of attached storage (Recommended minimum 30" (762mm))
- Formula:** Kneospace = Credenza Top width - 1 1/4" (32mm) End Panel Allowance - Storage Unit Width
- Step 5:** Select a Mid-Support Panel if required. If kneospace is greater than 60" (1524mm), a Mid-Support Panel must be specified.
- Step 6:** Select Full-Overlay Modesty Panel (if applicable) with same width as application's worksurface.



Tips

- L-Support Panels must be specified with the same depth as the Credenza Top; 24" (610mm) deep L-Support Panel with 24" (610mm) deep top, etc.
- It is recommended that Kneospace Credenzas have a minimum kneospace width of 30" (762mm) to accommodate space for seating.
- Credenza shell may accommodate connection to a Bridge, T-Desk, or an attached P-Top or D-Top Desk.
- Provides support for a Vertical Storage Unit.

Note When specifying a Credenza without full overlay back panel, it is recommended that the attached storage units be specified with back panel option.

Planning Modular Components

Specifying an Asymmetrical Kneespace Credenza with Hinged Modesty

Step 1: Select Credenza Top size with applicable options.


Step 2: Select right-hand or left-hand L-Support Panel depending on required configuration.

Step 3: Select required attached storage from the following:


- **Pedestal:** Letter width (15½" (394mm)) or Legal width (18¾" (476mm))
- **Lateral File:** 30" (762mm) wide or 36" (914mm) wide
- **Open Cabinet:** 30" (762mm) wide or 36" (914mm) wide
- **Closed Cabinet:** 30" (762mm) wide or 36" (914mm) wide

Step 4: Based on the selected Credenza Top length, use the following charts to determine the correct Modesty width(s). If the unsupported span is greater than 60" (1524mm), two equal width Modesty Panels and a mid T-Support panel are specified.

The following chart may be used to determine the necessary Modesty Panel width(s) as well as how many Modesties are required for the Credenza.



	ASYMMETRICAL CREDENZA WITH LETTER WIDTH PEDESTAL												
	42"	48"	54"	60"	66"	72"	78"	84"	90"	96"	102"	108"	114"
MODESTY PANEL WIDTH													
23¾"	1												
29¾"		1											
35¾"			1						2	2			
41¾"				1							2	2	
47¾"					1								2
53¾"						1							
59¾"							1						
65¾"								1					



	ASYMMETRICAL CREDENZA WITH LEGAL WIDTH PEDESTAL												
	48"	54"	60"	66"	72"	78"	84"	90"	96"	102"	108"	114"	120"
MODESTY PANEL WIDTH													
23¾"	1												
29¾"		1						2					
35¾"			1						2	2			
41¾"				1							2	2	
47¾"					1								2
53¾"						1							
59¾"							1						
65¾"								1					


Notes

- In the chart above, either a "1" or a "2" refers to the number of Modesty Panels required for the Credenza.
- See following page for correct and incorrect Asymmetrical Credenza configuration examples.


Planning Modular Components

Specifying an Asymmetrical Kneespase Credenza with Hinged Modesty, continued

The following chart may be used to determine the necessary Modesty Panel width(s) as well as how many Modesties are required for the Credenza.



	ASYMMETRICAL CREDENZA WITH 30" WIDE STORAGE UNIT										
	60"	66"	72"	78"	84"	90"	96"	102"	108"	114"	120"
MODESTY PANEL WIDTH											
23¾"	1										
29¾"		1						2			
35¾"			1						2	2	
41¾"				1							2
47¾"					1						
53¾"						1					
59¾"							1				
65¾"											



	ASYMMETRICAL CREDENZA WITH 36" WIDE STORAGE UNIT									
	66"	72"	78"	84"	90"	96"	102"	108"	114"	120"
MODESTY PANEL WIDTH										
23¾"	1									
29¾"		1						2		
35¾"			1						2	2
41¾"				1						
47¾"					1					
53¾"						1				
59¾"							1			
65¾"										


Notes

- In the chart above, either a "1" or a "2" refers to the number of Modesty Panels required for the Credenza.
- See following page for correct and incorrect Asymmetrical Credenza configuration examples.


Planning Modular Components

Correct Asymmetrical Configurations


Asymmetrical Credenza with Letter Width Pedestal




Asymmetrical Credenza with Legal Width Pedestal




Asymmetrical Credenza with Letter 30" Wide Storage




Asymmetrical Credenza with Letter 36" Wide Storage



Incorrect Asymmetrical Configurations



Configurations with an unsupported span greater than 60" must have a mid T-Support panel.



Asymmetrical Credenzas with kneespace less than 30" not recommended for seated applications.


Tips

- L-Support Panels must be specified with the same depth as the Credenza Top; 24" (610mm) deep L-Support Panel with 24" (610mm) deep top, etc.
- It is recommended that Kneespace Credenzas have a minimum kneespace width of 30" (762mm) to accommodate space for seating.
- Asymmetrical Credenzas may accommodate connection to a Bridge, T-Desk, or an attached P-Top or D-Top Desk.
- Provides support for a Vertical Storage Unit.

Planning Modular Components

Specifying a User Defined Asymmetrical Credenza with Hinged Modesty

User defined asymmetrical Credenzas are characterized by more than one user defined storage unit (side-by-side) and utilize a slip-fit connection at the L-Support Panel and a direct fit connection at the inside storage unit.



To specify a user defined asymmetrical Credenza:

Step 1: Determine user-defined component widths.

Define Credenza Top width as well as the sum of storage widths. The application below depicts a 120" (3048mm) wide Credenza Top and a sum of storage widths of 60" (1524mm).

Step 2: Determine unsupported span.

Subtract the sum of storage widths from the Credenza Top width: $120" - 60" - 10\frac{1}{8}'' = 49\frac{5}{8}''$


Step 3: Select Modesty Panel size from the following widths: 23 3/4", 29 3/4", 35 3/4", 41 3/4", 47 3/4", 53 3/4", 59 3/4", 65 3/4".

In the case of the application above, the correct Modesty Panel width is 53 3/4" (1365mm).


To determine the correct Modesty Panel width(s), keep the following guidelines in mind.

- Modesty must overlap L-Support Panel wing and T-Support (when applicable) by a minimum of 2" (51mm).
- Modesty may overlap L-Support Panel wing by a maximum of 8 1/2" (216mm), leaving 1/2" (13mm) clearance.
- Modesty may overlap T-Support by a maximum of 4" (102mm) on each side.
- L-Support Panel width is 10 1/8" (257mm)

Example with 30" W Lateral File and 30" Wide Cabinet with Doors



Example with Two Legal Width Pedestals




Planning Modular Components


Specifying a Symmetrical Kneospace Credenza with Full Overlay Modesty

- Step 1:** Select Credenza Top size with applicable options.
- Step 2:** Specify required attached storage unit/s – Pedestals, Lateral Files, Open Cabinets or cabinets with doors.
- Step 3:** Determine the amount of kneospace between attached storage units. (Recommended minimum 30" (762mm))


Formula: Kneospace = Credenza Top Width – Storage Unit Width 1 – Storage Unit Width 2
- Step 4:** Select a Mid-Support Panel if required. When kneospace is greater than 60" (1524mm), a mid-support panel must be specified.
- Step 5:** Select Full-Overlay Modesty Panel (if applicable) with same width as application's worksurface.




With Legal Width File/File and Box/Box/File Pedestals




With Letter Width Box/Box/File Pedestals




With Lateral File and Cabinet with Doors




With Cabinet with Doors and Open Cabinet




Symmetrical Kneospace Credenza without Full Overlay Back Panel




The configuration above has a kneospace of 24" (610mm) and is therefore not recommended.



The configuration above has a kneospace of 65" (1651mm) and must therefore have a Mid-Support Panel.



Attached Storage Units can be of different widths where required.



More than two Storage Units may be used beneath Credenza Top provided that kneospace guidelines are adhered to.

Note When specifying a Credenza without full overlay back panel, it is recommended that the attached storage units be selected with back panel option.

Planning Modular Components

Specifying a Symmetrical Kneospace Credenza with Hinged Modesty (30" & 36" Storage)



Step 1: Select Credenza Top size with applicable options.

Step 2: Select required attached storage from the following:

- **Lateral File:** 30" (762mm) wide or 36" (914mm) wide
- **Open Cabinet:** 30" (762mm) wide or 36" (914mm) wide
- **Closed Cabinet:** 30" (762mm) wide or 36" (914mm) wide


Step 3: Based on the selected Credenza Top length, use the following chart to determine the correct Modesty width. A T-Support Panel and segmented Modesty is not required for any of the direct fit to direct fit combinations utilizing 30" (762mm) and 36" (914mm) Storage Units.

Any combination of two attached 30" (762mm) wide or 36" (914mm) wide Storage Units may be used together in the same Credenza. There are three basic combinations.



		SYMMETRICAL CREDENZA WITH TWO 30" STORAGE UNITS					
		90"	96"	102"	108"	114"	120"
MODESTY PANEL WIDTH	23¾"						
	29¾"	1					
	35¾"		1				
	41¾"			1			
	47¾"				1		
	53¾"					1	
	59¾"						1
	65¾"						

		SYMMETRICAL CREDENZA WITH 30" AND 36" STORAGE UNITS					
		90"	96"	102"	108"	114"	120"
MODESTY PANEL WIDTH	23¾"						
	29¾"		1				
	35¾"			1			
	41¾"				1		
	47¾"					1	
	53¾"						1
	59¾"						
	65¾"						



		SYMMETRICAL CREDENZA WITH TWO 36" STORAGE UNITS					
		90"	96"	102"	108"	114"	120"
MODESTY PANEL WIDTH	23¾"						
	29¾"			1			
	35¾"				1		
	41¾"					1	
	47¾"						1
	53¾"						
	59¾"						
	65¾"						


Notes

- In the chart above, either a "1" or a "2" refers to the number of Modesty Panels required for the Credenza.
- See following page for correct and incorrect Symmetrical Credenza configuration examples.


Planning Modular Components

Correct Symmetrical Configurations


Two 30" Storage Units




30" and 36" Storage Units



Two 36" Storage Units



Not Recommended Symmetrical Configurations



Symmetrical Credenzas with kneespace less than 30" (762mm) not recommended for seated applications.


Tips

- It is recommended that Kneespace Credenzas have a minimum kneespace width of 30" (762mm) to accommodate space for seating. In order to ensure this clearance, symmetrical Credenzas with 30" (762mm) and 36" (914mm) wide storage are specified with a minimum width of 90" (2286mm).
- Symmetrical Kneespace Credenzas are designed to be used primarily in freestanding applications.
- Provides support for a Vertical Storage Unit.

Planning Modular Components

Specifying a User Defined Symmetrical Kneospace Credenza with Hinged Modesty

User defined Symmetrical Credenzas are characterized by storage units positioned symmetrically beneath a Credenza Top at both ends utilizing a slip fit to slip fit connection between two partial depth L-Support Panels.



To specify a user defined Symmetrical Credenza:

Step 1: Determine user-defined component widths.

Define Credenza Top width as well as the sum of storage widths. The application below depicts an 84" (2134mm) wide Credenza Top and a sum of storage widths of 31" (787mm) (two letter-width pedestals).

Step 2: Determine unsupported span.

Subtract the sum or storage widths from the Credenza Top width.


$$84" - 31" - 10\frac{1}{8}" \times 2 = 32\frac{3}{4}"$$

Step 3: Select Modesty Panel size from the following widths: 23¾", 29¾", 35¾", 41¾", 47¾", 53¾", 59¾", 65¾".

In the case of the application above, the correct Modesty Panel width is 41¾" (1060mm).

To determine the correct Modesty Panel width(s), keep the following guidelines in mind:

- Modesty must overlap L-Support Panel wing and T-Support (when applicable) by a minimum of 2" (51mm).
- Modesty may overlap L-Support Panel wing by a maximum of 8½" (216mm), leaving ½" (13mm) clearance.
- Modesty may overlap T-Support by a maximum of 4" (102mm) on each side.



Note A direct fit to direct fit Symmetrical Credenza with pedestals may be ordered as a Special.

Planning One-High Modular Components

Modular One-High Applications


Masters Series offers one-high Open Cabinet and Lateral File storage options that are used in conjunction with Credenza Tops, one-high support panels as well as other modular components to create an assortment of one-high applications. Both the Open Storage Cabinet and Lateral File share the following features:

- Available in 30" (762mm) and 36" (914mm) widths; 18" (457mm) and 23" (584mm) depths.
- 15 $\frac{3}{16}$ " (386mm) height.
- Optional finished back: adding $\frac{3}{4}$ " (19mm) to the depth of storage unit.




Tip Finished back available as an option when storage is used in open applications with back visible. If back of storage unit is placed against a wall or other structure, a finished back is not required.

Open Storage Cabinet (one-high)



Lateral File (one-high)




Note Bar (shown), Classic, Linear and Finger pull options available on one-high Lateral Files.




Tip When used in freestanding applications, a one-high Lateral File must be selected with a finished back as well as a separately specified counterweight to avoid tipping.

Whether used in freestanding applications or a stacking applications, one-high storage units are designed to be used beneath a Credenza Top.

One Storage Unit Beneath One Credenza Top




Multiple Storage Units Beneath One Credenza Top




Planning One-High Modular Components

Freestanding One-High Examples:

As shown below, one-high storage units may be used in a freestanding application to add additional storage to a workstation. In the following example, the one-high structure is not used to support other components and provides the appearance of a U-shaped workstation. It is constructed of a one-high Open Storage Cabinet, one-high Lateral File, and a Credenza Top.



In this example, the freestanding structure provides additional storage next to a traditional L-shaped work station. It is constructed of two one-high Open Storage Cabinets, two one-high Lateral Files, and a Credenza Top.




Tip When used in freestanding applications, a one-high Lateral File must be selected with a finished back as well as a separately specified counterweight to avoid tipping.


Planning One-High Modular Components

Support Panels for One-High Applications

One-High T-Support Panel




One-High L-Support Panels




Tips

- Specify an L-Support Panel with a depth equivalent to the one-high storage beneath it and the Credenza Top positioned above it. See following example.
- Specify a T-Support Panel with a depth equivalent to the Credenza Top positioned above it. See following example.
- When planning, keep in mind that the minimum recommended kneespace for occupancy is 30" (762mm).




Convergent Desks for One-High Applications

D-Top Convergent Desk



P-Top Convergent Desk (right-hand shown)





Tips

- For one-high applications, specify convergent D- and P-Top Desks with partial height T-Support option.
- T-Support and support column not separately specified


Planning One-High Modular Components

Partial-height T-Support Panel is positioned above one-high storage components. When planning, keep in mind that the minimum recommended kneespace (between storage and inside of column base) is 30" (762mm) and therefore not all available desk widths are applicable to every condition.




Minimum P-Top and D-Top Convergent Desk Widths

D-Top Convergent with 19" Deep Storage




Minimum D-Top Width
66" (1676mm)




Minimum D-Top Width
72" (1829mm)

P-Top Convergent (left-hand shown) with 19" Deep Storage




Minimum P-Top Width
72" (1829mm)




Minimum P-Top Width
78" (1981mm)

D-Top Convergent with 24" Deep Storage




Minimum D-Top Width
72" (1829mm)




Minimum D-Top Width
78" (1981mm)

P-Top Convergent (left-hand shown) with 24" Deep Storage




Minimum P-Top Width
78" (1981mm)



Minimum P-Top Width
84" (2134mm)




Minimum widths shown above ensure the recommended minimum kneespace of 30" (762mm).




Planning One-High Modular Components

Convergent Desk One-High Examples:

Shown below are two examples of a convergent desks used in conjunction with other one-high components to create one-high applications. The first example contains a D-Top Convergent Desk with partial height T-Support Panel, supported by a bank of one-high storage units (two Open Storage Cabinets and a Lateral File), as well as a back Credenza, also supported by the one-high storage forming a U-shaped workstation.



In this example, a P-Top Convergent with partial height T-Support Panel is positioned on a bank of one-high storage units (two Lateral Files and an Open Storage Cabinet) with a Return Top, creating an L-shaped workstation.



Vertical Storage Unit Support Guidelines

Vertical Storage Units provide significant storage functionality to Masters Series workstations. As one of the largest elements in the product line, Vertical Storage Units are capable of spanning over multiple components, each of which also has its own support considerations. Adhering to the following guidelines will ensure a Vertical Storage Unit is correctly supported and anchored upon installation.

Establish Support

As a Vertical Storage Unit becomes loaded with stored items and weight increases, it is important that it be properly supported and secured on lower Masters Series structures.

- For freestanding Credenzas or Return to Corner applications, it is recommended that supporting configurations match exactly the width of the Vertical Storage Unit. This ensures maximized efficiency of worksurface space as well as aesthetic alignment to end panels.
- When applications require that a desk support a Vertical Storage Unit (perpendicular mounting only), the Vertical Storage Unit must be specified with a width that will allow it to align with the desk's Modesty Panel (6" (152mm) inset).
- For modular applications, place storage or support panels below Vertical Storage Unit end panels. When an unsupported span is greater than 60" (1524mm), additional worksurface support is required (e.g. Mid-Support Panel). The rigidity of the supporting structure can be maximized by specifying storage with optional back panels or by unifying the structure with a Modesty Panel.


Anchoring / Counter-Balance

To avoid tipping, Vertical Storage Units must be stacked on components that are stable and properly counter-balance the weight of the unit. Whenever possible, use attached storage (Lateral File, Cabinet, etc) or a convergent attachment to anchor the structure and lower the structure's center of balance.


Avoid Placement Near Profiled and Coped Edges

Profiled and coped edges are non-load bearing and it is therefore necessary to avoid placing a Vertical Storage Unit within 6" (152mm) of the edge in order to avoid damage. For this reason, a Vertical Storage Unit should never run short on a Bridge (even with Mid-Support Panel) and must be located at least 6" (152mm) from the coped connection of a Return (with Mid-Support Panel).

Aligns with Width of Supporting Configuration




Vertical Storage Unit Width =
Credenza Width



Vertical Storage Unit Width = Total
Combined Width (Corner and Return)

If Vertical Storage Unit width is less
than Credenza width, add support
beneath worksurface (e.g. Mid-Support
Panel or attached storage)




Vertical Storage Unit Width
Less Than Credenza Width


Note Guidelines apply to both one-high and two-high Vertical Storage Units; one-high shown in illustrations.

Vertical Storage Unit Support Guidelines

Counter-Balance Vertical Storage Unit on Credenza Shells by Adding Attached Storage




Unbalanced application unless placed against a wall or in mirrored back-to-back configuration.




Counter-balanced with attached storage.

When spanning to a Desk — align with 6" inset Modesty Panel.




Cannot be positioned on Bridge.




Tip

Vertical Storage Unit cannot be aligned at the front edge of a desk where there exists an overhang or a profiled edge.

Cannot be positioned on a seam where one worksurface meets another.



Always span over Bridge and clear worksurface seams by at least 6".



Note Guidelines apply to both one-high and two-high Vertical Storage Units; one-high shown in illustrations.

Masters Series Technical Specifications

Technical Specifications

Finishes

Natural and Double-cut veneers, Paint and Laminate are available for Masters Series Casegoods.

All vertical surfaces receive Slip Matched layup and all worksurfaces receive Book and Rotate. Natural veneers are Balance Matched for all worksurface tops, modesty panels, exposed end panels and finished backs; Running Matched for all other surfaces. Preconfigured units such as Personal Storage Towers, Combination Units, Returns and Credenzas are Sequenced Balance Matched. Desks, Credenzas and Returns assembled of modular components will result in units that are Random Matched.

Double-cut veneers are applied horizontally to all visible surfaces including worksurfaces, drawer/door fronts, modesties and support panels. Double-cut veneers are applied with vertical grain direction on all vertical surfaces. Double-cut veneers are not available with the Finger Pull option and are only available with Square Wood edge option; profiled edges (Radius, Bevel and Traditional edges not available with Double-cut veneers, laminate or paint).

Both natural veneers and double cut veneers receive a Haworth EcoShield™ finish, 0 VOC, providing a very consistent color.

Worksurfaces/Table Tops

Made with an engineered composite panel with a minimum 90% wood fiber content, at least 10% post consumer, and 80% pre-consumer wood fiber-bonded with resin. Laminate components are 3rd party certified compliant with GREENGUARD and ANSI/BIFMA Standards for Low-Emitting Products. The composite panel is 3rd party certified compliant with California Air Resource Board requirements for Phase 2 formaldehyde emission levels, and includes wood fiber sourced from FSC certified forests, using the 70% FSC Mix Credit System.

Worksurfaces, including Desks (Freestanding and Convergent), Returns, Bridges, Corner Shells, Credenzas, Tables, Common Modular Tops and Modular Credenza Worksurfaces are 1 3/16" (30mm) thick and are made of wood composite core. Choice of two surface finishes available: Veneer or Laminate.

Veneer worksurfaces are balanced construction with wood veneer on the top, a balancing backer on the bottom, and are available with the following wood edges:

- 0.98" (3.0mm) thick Square Wood Edge
- 1" (25.4mm) thick Bevel profiled wood edge
- 1" (25.4mm) thick Radius profiled wood edge
- 1" (25.4mm) thick Traditional profiled wood edge

Square wood edge and profiled edges are applied to both visitor and user sides of Single Pedestal Desks, Double Pedestal Desks, Desk Shells, Common Modular Worksurfaces, Convergent T-Desks, Attached Convergent P-tops, P-top Convergent Desks, Attached Convergent D-tops and D-top Convergent Desks and Keystone Desks. They are applied only to the user side of Returns, Bridges, Modular Credenza Worksurfaces, Pre-configured Credenzas, and Corner Shells. The connecting edges of Return Tops, Bridges and Attached Convergent Tops receive a counter profile when the Bevel, Radius and Traditional profiled wood edges are specified. All additional edges are 0.04" (1mm) edgeband.

Natural veneer layup is Book and Rotate, allowing for a visually pleasing match. Both Natural and Double Cut veneers are applied with side-to-side grain direction for all worksurfaces except the Corner Shell where the grain direction is diagonal. Bridges, Returns and Modular Credenza Tops 48" (1219mm) and less in width include an option of front-to-back veneer direction.

Laminate worksurfaces are balance construction with high-pressure laminate on the top, a backer material on the bottom, and are available with 0.118" (3mm) Edgeband on visitor and user edges. Wood Grain Premium Laminates are available.

Worksurface Supports

Worksurface supports include End panels, L-support panels (one and two-high), Partial Depth L-supports, Intermediate T-supports, One-high T-supports, Mid-support panels and Flush Mount Brackets. Worksurface supports may be specified as modular components or be included in pre-configured casegoods such as Desks, Credenzas and Returns. Tetra brackets are included with End Panels and Mid-support Panels. The tetra bracket is black 16-gauge Cold Rolled Steel.

All wood, laminate and paint support panels include 1 3/16" (30mm) thick composite core and (except for one-high supports) leveling glides with 2" (51mm) vertical adjustment range. Outer edges of the support panel are finished with 0.98" (3.0mm) wood or laminate edgeband. All vertical veneer surfaces have vertical grain direction and are slip matched.

Technical Specifications

Convergent Desks, Convergent Tops and Keystone Deskes include 4" (102mm) diameter column base with 6" (152mm) diameter mounting plate and 3" (76mm) vertical adjustment; available with either a powdercoat or chrome finish. Flush mount brackets are 0.120" (2.5mm) thick steel and are used to attach the underside of two adjoining worksurfaces.

Modesty Panels

Modesty panels provide additional support and are $\frac{3}{4}$ " (19mm) thick. They are available in laminate, paint or veneer on both sides; the Veneer Modular Hinged Modesty is available with the option of finished one or two sides. Modesty panels may be specified as modular components or be included in pre-configured casegoods such as Desks, Credenzas and Returns. Desks have an option of full height full overlay or inset modesty panel. Bridges and Return Tops have an option of No Modesty or Full Modesty. Credenzas include a full height full overlay modesty panel. All vertical veneer surfaces have vertical grain direction and are slip matched.

Modular modesty panels are available in two styles; Full Overlay and Hinged. The hinged modesty (available as a modular component only) has two different attachment methods. Direct fit and Slip fit. Direct fit is used when the modesty attaches to a pedestal, lateral file or storage unit. Slip fit is used where the modesty panel attaches to a support panel. Slip fit applications require the modesty panel to overlay the L-support Panel by a minimum of 2" (51mm) and a maximum of 8 $\frac{1}{2}$ " (216mm) to leave a minimum of $\frac{1}{2}$ " (13mm) clearance and overlay the T-support Panel by a minimum of 2" (51mm) and a maximum of 4" (102mm).

Wire Management

Single Pedestal Desks, Desk Shells, Convergent T-Desks and Full Overlay Modesty Panel include unfinished clear coat wireway scallop centered at top of modesty panel. Double Pedestal Desks include a 1 $\frac{1}{2}$ " (38mm) high full length wireway located at top of inset modesty panel. Optional factory installed 2" (51mm) grommet is available for Bridges, Returns, Corner Shells and Credenzas. Receptions Desks include 2" (51mm) grommets; one for L-shaped station located at connection edge of Return and two for U-shaped station; one center in the Bridge and one centered in the Credenza. A half scallop is located at the top of each of the L-support Panels of the Corner Shell to allow for access to the optional grommet. A 2" x 2" (51mm x 51mm) unfinished clear coat notched wireway is located at the top of the Mid-support Panel. Vertical Storage Units include unfinished clear coat wireway scallop centered at the bottom of the back panel. Attached Pedestals, Lateral files and Cabinets include a horizontal wireway at the top back of the unit. Shelf in two-high attached open and closed cabinets is sized to allow for $\frac{1}{2}$ " (12.7mm) wireway at the rear of the cabinet. Separately specified grommet may be added to Modular Credenza Top, Convergent Desks and Attached Convergent Tops. The Enhanced Power Module may be separately specified and added above or below the worksurface as required. Separately specified Horizontal Wire Manager may be added to bottom of worksurface to organize cables and cords. Modular Hinged Modesty Panel allows for easy access to building power.

Drawer Construction

Pedestals and lateral files are available with a choice of drawer construction: Black Miterfold and Baltic birch. The Black Miterfold drawer is thermal fused laminate on $\frac{1}{2}$ " (13mm) thick wood composite core and includes a dado-set wood bottom. The wood drawer is 1/2" (13mm) thick Baltic-birch 5 ply with clear finish, English Dovetail joints and dado-set wood bottom. Reinforced bottom allows for bottom loading of the drawer; load ratings based on BIFMA load requirements of 0.017 lbs/cubic inch. All drawer slides are steel ball bearing full extension; pedestal drawer slides accommodate 100 lbs (45.4kg) load and lateral file drawer slides accommodate 200 lbs (90.7kg) load.

Locks

Locks are available for Masters Series with an option of black or chrome finish. Locks are included as standard for all pedestals and lateral files. Locks are optional for storage units and upper storage with wood doors; glass and sliding doors do not have a lock option. Locks are random keyed; pre-configured units such as Pedestal Desks and Credenzas, Combination Storage or Personal Storage Towers with multiple storage units will receive Common Keys. See Haworth Key Program for additional information regarding Keyed Alike, etc.

Pull Options

Pedestals, lateral files, storage units with doors, wardrobes and personal storage towers are available with a choice four styles of pulls: Finger Pull, Bar, Linear and Classic. The Finger Pull option is not available with double-cut veneers, laminate or paint. Closed storage units with doors receive a square edge and touch-latch hardware when a Finger Pull is specified. Finger pulls for drawers are horizontally routed in $\frac{3}{4}$ " (19mm) solid wood and finished to match drawer front. Bar pulls available with specified trim color. Linear and Classic pulls available with brushed nickel finish only.

Technical Specifications

Pedestals

Attached pedestals are available in box/box/file, and file/file configurations and mobile pedestals are available with box/file configuration. Attached pedestals available in letter width - 15 1/2" (394 mm) or legal width - 18 3/4" (476 mm). Mobile Pedestals and pedestals included in Desks, Pre-configured Returns and Pre-configured Credenzas are letter width – 15 1/2" (394 mm) wide.

All pedestal file drawers accommodate letter, legal and Redweld filing; hanging rail is flush to the sides of the drawer eliminating any binding when removing or inserting files. Attached pedestals may be specified as modular components or be included in pre-configured casegoods such as Desks, Credenzas and Returns. Pedestals are available in laminate, paint and veneer. All vertical veneer surfaces have vertical grain direction and are slip matched.

Drawer fronts are 3/4" (19mm) wood composite board with veneer, laminate or paint. All drawer slides are steel ball bearing full extension; accommodate 100 lbs (45.4kg) load. Pedestals are standard with lock. Boxes and cases are glue and dowel rigid case construction and include wood bottom panel to minimize racking and prevent misalignment of the locking system. Accessories included in pedestals are one black pencil tray per box/box/file or box/file configuration and one drawer divider per box drawer.

Attached pedestals are available with both No Back and Finished Back option. No Back option is open. Finished back includes an additional 3/4" (19mm) thick wood composite board overlay back with veneer, laminate or paint. Pedestal top and bottom are constructed of unfinished 3/4" (19mm) wood composite material. Pedestal sides are constructed of 3/4" (19mm) wood composite material with veneer, laminate or paint finish. Attached pedestals include 2 1/2" (65mm) kick plate finished to match drawer fronts and include adjustable glides giving 2" (51mm) of vertical adjustment. Threaded mechanical fasteners are used to attach pedestal to worksurface. Attached pedestals are non-handed when shipped but once included in a Pre-configured Assembly or Modular Configuration may become handed due to onsite installation of connection hardware.

Mobile pedestals back, top and sides are constructed of 3/4" (19mm) wood composite material with veneer, laminate or paint finish; bottom is constructed of 3/4" (19mm) wood composite material that is unfinished. Casters for the mobile pedestal are four black swivel with front two locking.

Lateral Files

All lateral file drawers accommodate letter, legal and Redweld filing; hanging rail is flush to the sides of the drawer eliminating any binding when removing or inserting files Lateral files may be specified as modular components or be included in pre-configured casegoods such as Credenzas, Returns and Combination Storage units. Lateral files are available with veneer, laminate or paint. All vertical veneer surfaces have vertical grain direction and are slip matched.

Drawer fronts are 3/4" (19mm) wood composite board with veneer, laminate or paint. Includes 2 1/2" (65mm) kick plate finished to match drawer fronts and adjustable glides giving 2" (51mm) of vertical adjustment. Lateral file units include integrated cable interlock to allow one drawer opening at a time. Boxes and cases are glue and dowel rigid case construction and include wood bottom panel to minimize racking and prevent misalignment of the locking system.

Attached lateral files are offered in one and two high units. Sides are constructed of 3/4" (19mm) wood composite board with veneer, laminate or paint. Top and bottom constructed of 3/4" (19mm) wood composite board that is unfinished. Attached lateral files are available with both No Back and Finished Back option. No Back is open. Finished back includes an additional 3/4" (19mm) thick wood composite board overlay back with veneer, laminate or paint. Counterweights may be separately specified where required. Attached lateral files are non-handed when shipped but once included in a Pre-configured Assembly or Modular Configuration may become handed due to onsite installation of connection hardware.

Freestanding lateral files are offered in three, four, five and six- high units. Tops, sides and bottoms are constructed of 3/4" (19mm) wood composite board with veneer, laminate or paint. Freestanding lateral files have an inset unfinished back. Counterweights are included and factory installed. Five and six-high lateral files include two doors constructed of 3/4" (19mm) wood composite board with veneer, laminate or paint and fully adjustable hinges. Six-high lateral files include one adjustable shelf of 3/4" (19mm) core with veneer, laminate or paint finish. Adjustable shelf includes steel pins; adjustment range is ± 11/4" (32mm).

Technical Specifications

Attached Storage Units

Attached storage units are offered in one and two high open units and two-high units with doors. Doors and sides are constructed of $\frac{3}{4}$ " (19mm) wood composite material with veneer, laminate or paint. Inset back, unit top and unit bottom are constructed of $\frac{3}{4}$ " (19mm) wood composite material finished on user side only; adjustable shelves are $\frac{3}{4}$ " (19mm) core with veneer, laminate or paint finish. Adjustable shelves include steel pins; adjustment range is $\pm 11/4"$ (32mm). Attached Storage Units are available with both No Back and Finished Back option. No Back includes an unfinished composite board inset back. Finished back includes an additional $\frac{3}{4}$ " (19mm) thick wood composite board overlay back with veneer, laminate or paint. Units are assembled with glue and dowel case construction. All vertical wood surfaces have vertical grain direction and are slip matched. Doors come standard with fully adjustable hinges. Storage units with doors are available with Lock or No Lock option. All units include 2 $\frac{1}{2}$ " (65mm) toe kick finished to match door fronts and include adjustable glides giving 2" (51mm) of vertical adjustment. Attached Storage Units are non-handed when shipped but once included in a Pre-configured Assembly or Modular Configuration may become handed due to onsite installation of connection hardware.

Casegoods

Casegoods include worksurfaces, worksurface supports, modesty panels and/or attached storage. Common keys are included for pre-configured units such as Double Pedestal Desks and Pre-configured Credenzas with multiple storage units. Desks, Credenzas and Returns assembled of modular components will have random keying for each unit specified. Preconfigured units such as Returns and Credenzas specified with natural veneers will be Sequenced Matched. Desks, Credenzas and Returns assembled of modular components will result in units that are Random Matched.

Reception Desks

Reception Desks include worksurfaces, enclosure panels, transaction shelf, one Box/Box/File Pedestal and one File/File Pedestal. Reception stations include 1 $\frac{3}{16}$ " (30mm) thick gallery enclosure and 1 $\frac{1}{2}$ " (38mm) thick transaction shelf. Transaction shelf is 12" (305mm) deep and the top of the transaction shelf is 44 $\frac{3}{16}$ " (1122mm) AFF. Common keys are included for pedestals. Natural veneers will be Sequenced Matched.

Freestanding Storage Units with Doors, Open Storage, Wardrobes, Bookcases and Storage Towers

Inset top, doors, mid-panels and sides are constructed of $\frac{3}{4}$ " (19mm) wood composite material with veneer, laminate or paint. Inset back and unit bottom are constructed of $\frac{3}{4}$ " (19mm) wood composite material finished on user side only; shelves are $\frac{3}{4}$ " (19mm) core with veneer, laminate or paint. Adjustable shelves include steel pins; adjustment range is $\pm 11/4"$ (32mm). Bookcases and Storage Units with doors three, four, five and six-high include one fixed shelf located in the second position from the bottom of the unit. Units are assembled with dowels and adhesive. Doors come standard with fully adjustable hinges. Storage units with doors are available with Lock or No Lock option. All units include 2 $\frac{1}{2}$ " (65mm) kick plate finished to match door fronts and include adjustable glides giving 2" (50mm) of vertical adjustment. Wardrobes include chrome coat rod with chrome mounting plates; mounted at 65" (1651mm) AFF. Preconfigured units such as Personal Storage Towers and Storage Towers specified with natural veneers are Sequenced Matched. All vertical veneer (natural) surfaces have vertical grain direction and are balanced slip matched.

Personal Storage Towers, Pedestal Towers and Combination Units

Personal Storage Towers include pedestal storage, storage unit with door and valet. Pedestal Towers include pedestal and storage unit with door. Combination Units include two drawer lateral file and closed storage unit. Inset top, doors, drawers and sides are constructed of $\frac{3}{4}$ " (19mm) wood composite material with veneer, laminate or paint; shelves are $\frac{3}{4}$ " (19mm) core with veneer, laminate or paint. Adjustable shelves include steel pins; adjustment range is $\pm 11/4"$ (32mm). Inset back and unit bottom are constructed of $\frac{3}{4}$ " (19mm) wood composite material finished on user side only. Preconfigured units such as Combination Units specified with natural veneers are Sequenced Matched. All vertical veneer (natural) surfaces have vertical grain direction and are balanced slip matched. All units include 2 $\frac{1}{2}$ " (65mm) toe kick finished to match door/drawer fronts and include adjustable glides; glides for Personal Storage Towers and Pedestal Towers give 1" (25mm) of vertical adjustment and glides for Combination Units give 2" (51mm) vertical adjustment. Valets include chrome coat rod with chrome mounting plates; mounted at 65" (1651mm) AFF.

Doors come standard with fully adjustable hinges. Storage units are available with Lock or No Lock option. Doors lock separate from drawers; common keys are included. All lateral file and pedestal file drawers accommodate letter, legal and Redweld filing; hanging rail is flush to the sides of the drawer eliminating any binding when removing or inserting files. All drawer slides are steel ball bearing full extension; pedestal drawer slides accommodate 100 lbs (45.4kg) load and lateral file drawer slides accommodate 200 lbs (90.7kg). Lateral file units include integrated cable interlock to allow one drawer opening at a time. Boxes and cases are glue and dowel case construction to minimize racking and prevent misalignment of the locking system.

Technical Specifications

Vertical Storage Units

Vertical Storage Units are available in two heights to align with five-high and six-high freestanding storage units, twelve widths (30" (762mm) to 96" (2438mm)) and two depths (Letter and Legal). The legal depth accommodates Redweld filing. Vertical Storage Units are constructed of $\frac{3}{4}$ " (19mm) wood composite material with veneer, laminate or paint including top, sides and valance; adjustable shelf and bottom shelf are $\frac{3}{4}$ " (19mm) core with veneer, laminate or paint finish. Adjustable shelves include steel pins; adjustment range is $\pm 1\frac{1}{4}$ " (32mm). Back panel is $\frac{3}{4}$ " (19mm) wood composite core. Back is unfinished when veneer is specified. Laminate or paint back panels are finished. Panel from bottom of unit to underside of bottom shelf is unfinished when veneer is specified; tackboard must be separately specified. Units can be specified with and without doors. Glass, hinged or sliding door options are available. Hinged doors are available as locking or non-locking; all other doors are non-locking only. Glass doors use tempered glass enclosed with a metal frame. Sliding door units include internally mounted sliding door track with bumpers each end. Units are attached to lower storage by use of included adhesive strips for easy installation.

Stack-On Storage

Stack on Units are available in two heights to align with five-high and six-high freestanding storage units, two widths (30" and 36") and two depths (Letter and Legal). The legal depth accommodates Redweld filing. Top and sides are constructed of $\frac{3}{4}$ " (19mm) wood composite material with veneer, laminate or paint; adjustable shelf and bottom shelf are $\frac{3}{4}$ " (19mm) core with veneer, laminate or paint. Adjustable shelves include steel pins; adjustment range is $\pm 1\frac{1}{4}$ " (32mm). Back is $\frac{3}{4}$ " (19mm) wood composite material that is finished on the front and unfinished on the back when wood is specified. Laminate and paint options are finished on the front and back. Units can be specified with and without doors. Doors can be full height wood, laminate, paint or glass. Full height doors can be specified as locking or non-locking. Glass doors use tempered glass enclosed with a metal frame. Glass doors include touch-latch. Units are attached to lower storage by use of included adhesive strips for easy installation.

Overhead Storage Units

Overhead Storage Units are available in two heights to align with five-high and six-high freestanding storage units, twelve widths, 30" (762mm) to 96" (2438mm) and two depths (Letter and Legal). The legal depth accommodates Redweld filing. Overhead Storage Units are constructed of $\frac{3}{4}$ " (19mm) wood composite material with veneer, laminate or paint, this includes, top, sides, and valance adjustable shelf and bottom shelf are $\frac{3}{4}$ " (19mm) core with veneer, laminate or paint. Adjustable shelves include steel pins; adjustment range is $\pm 1\frac{1}{4}$ " (32mm). Back is $\frac{3}{4}$ " (19mm) wood composite material with finished front and unfinished back. Units can be specified with and without doors. Wood, laminate, paint, or glass, hinged, or sliding hinged doors are available as locking or non-locking; all other doors are non-locking only. Glass doors use tempered glass enclosed with a metal frame. Sliding door units include internally mounted sliding door track with bumpers each end. Overhead Storage Units include 4" (102mm) French cleat with anti-dislodgement feature; mounting hardware is not included.

LED Task Lights

The Stand-Alone LED Task Light has a peak output of 444 Lumens/ 76 Foot Candles at 7.8 Watts. Power cord consists of a 15 Watt 24 V transformer power supply contained in a molded plug and a 9' black cord. Fixture housing is 16.4" (417mm) long x 2" (51mm) wide x 0.5" (12 mm) high.

The Starter LED Task Lights have peak outputs of 444/980/1412/1791 Lumens, 76/131/148/151 Foot Candles, and 7.8/17.6/25.9/33.6 Watts for fixture lengths of 17" (431.8mm)/31" (787.4mm)/44" (1117.6mm)/58" (1473.2mm) respectively. Power cord consists of a 60 Watt 24 V in-line brick transformer with a 12' (304.80mm) black cord. Actual fixture housings are 30.1" (764.54mm), 43.7" (1110.0mm), or 57.4" (1458 mm) long x 2" (50.8mm) wide x 0.5" (12.7mm) high.

Add-On LED Task Lights fixtures are identical to Starter LED Light fixtures but contain a 54" (1371.6mm) black interlink cord instead of a power cord. Add-On LED Task Lights are used in conjunction with Starter LED Task Lights to form a Daisy Chain configuration.

All LED light fixtures have a color temperature of 3500 and a CRI of 84. Lights employ a touch sensitive switch with touch-and-hold continuous dimming from 100% to 15% and single touch on/off power. An auto off feature on each fixture activates after 10 hours (+/- 15 minutes) of use. Mounting options include clips with screws for attachment to wood/laminate surfaces or clips with magnets for attachment to steel surfaces. Fixtures carry the ETL mark indicating conformance to UL 153 and certified to CAN/CSA C22.2 No. 9.

LED Occupancy Sensor

A passive infrared (PIR) interlink occupancy sensor can be added to single or multiple interconnected (daisy-chained) LED Task Lights. The sensor will automatically turn off the lights after 30 minutes of no detection and back on as the user re-enters the workspace. In a daisy-chain application all fixtures connected after the sensor will be controlled. Sensor is attached to LED fixtures with either a 1" (25.4mm) long end-to-end connector or an interlink cord. Sensor is 2.3" (58.4mm) long x 2" (50.8mm) wide x 0.7" (17.78mm) high.

Tackboards and Slat Rails

Tackboards are available for Vertical Storage units, Overheads Storage Units and Reception Stations. The size is specific to the application. Constructed of 0.875" (22mm) thick tackable fiber board. Tackboards are surfaced with directional rightway applied fabric as standard and are available in sizes to match application. Tackboards are mounted with metal brackets. Tackboards over 60" (1524mm) are shipped in two pieces.

Optional extruded aluminum slat rails are available with powdercoat finish that will allow designated accessories to work with it. Slat rails are not available for Reception Stations. All widths of slat rail are shipped as one piece.

Table Tops

Table Tops are 1 3/16" (30mm) thick and are made of a wood composite core. They are available with high pressure laminate tops and plastic edges. Laminate table edges are finished with 0.125" (3mm) radius T-Mold edge. Table Tops are pre-drilled to accept installation of the table base/leg intended to be used with the top. Tables are available with fixed height disc bases only.

Masters Series

Table of Contents

Product Catalog Number Code	81
Desks	
Single Pedestal Rectangular Top Desk with Full Overlay Modesty	82
Single Pedestal Bow Top Desk with Full Overlay Modesty	83
Single Pedestal Rectangular Top Desk with Inset Modesty	84
Single Pedestal Bow Top Desk with Inset Modesty	85
Double Pedestal Rectangular Top Desk with Full Overlay Modesty	86
Double Pedestal Bow Top Desk with Full Overlay Modesty	87
Double Pedestal Rectangular Top Desk with Inset Modesty	88
Double Pedestal Bow Top Desk with Inset Modesty	89
Shell — Rectangular Top Desk	90
Shell — Bow Top Desk	91
Convergent T-Desk	92
D-Top Convergent Desk with T-Support and Single Support Column	94
P-Top Convergent Desk with T-Support and Single Support Column	98
D-Top — Convergent with Single Support Column	101
P-Top — Convergent with Single Support Column	102
Full Keystone Desk with Single Support Column	103
Full Keystone Desk with Single Support Column and Stanchions	103
Full Keystone - Slip Fit Top	104
Half Keystone Desk with Single Support Column	105
Half Keystone Desk with Single Support Column and Stanchions	106
Half Keystone - Slip Fit Top	107
Bridge	108
Shell — Corner	110
Return Top	111
Return with Pedestal	112
Return with 30" Wide Lateral File	113
Credenza with Pedestals	114
Credenza with Pedestals and Closed Storage	115
Credenza with 36" Wide Lateral Files	116
Credenza with 30" Wide Lateral Files and Kneespace	117
Upper Storage	
Vertical Storage Unit — One-High Open	118
Vertical Storage Unit — Two-High Open	122
Vertical Storage Unit — One-High with Hinged Doors	126
Vertical Storage Unit — Two-High with Hinged Doors	130
Vertical Storage Unit — One-High with Sliding Door	134
Vertical Storage Unit — Two-High with Sliding Door	138
Vertical Storage Unit — One-High with Glass Hinged Doors	142
Vertical Storage Unit — Two-High with Glass Hinged Doors	146
Vertical Storage Unit — One-High with Glass Sliding Door	150
Vertical Storage Unit — Two-High with Glass Sliding Door	154
Tackboards — Vertical Storage Units — Fabric	157
Tackboards — Vertical Storage Units — Fabric and Slat Rail	157
Overhead Storage Units — One-High Open	158
Overhead Storage Units — Two-High Open	162
Overhead Storage Units — One-High with Hinged Doors	166
Overhead Storage Units — One and One-Half High with Hinged Doors	170
Overhead Storage Units — Two-High with Hinged Doors	174
Overhead Storage Units — One-High with Sliding Door	178
Overhead Storage Units — One and One-Half High with Sliding Door	182
Overhead Storage Units — Two-High with Sliding Door	186
Overhead Storage Units — One-High with Glass Hinged Doors	190
Overhead Storage Units — One and One-Half High with Glass Hinged Doors	194
Overhead Storage Units — Two-High with Glass Hinged Doors	198
Overhead Storage Units — One-High with Glass Sliding Door	202
Overhead Storage Units — One and One-Half High Glass Sliding Door	206
Overhead Storage Units — Two-High with Glass Sliding Door	210
Tackboards	
Tackboards — Wall Mount Overhead Storage Units — Fabric	213
Tackboards — Wall Mount Overhead Storage Units — Fabric and Slat Rail	213
Fabric Tackboards	214
Fabric and Slat Rail	214
Stack-On Storage	
Stack-On Bookcase	215
Stack-On Storage Cabinet with Hinged Doors	216
Stack-On Storage Cabinet with Glass Doors	217
Reception Stations	
L-Shaped Reception Station	218
U-Shaped Reception Station	219
Tackboards — Reception Station L-Shaped and U-Shaped	219
Modular Components	
Common Storage Top with Two Profiled Edges	220
Modular Credenza Top with One Profiled Edge	222
Full Overlay Modesty Panel	225
Hinged Modesty Panel	226
End Panel	227
L-Support	228
Partial Depth L-Support Panels	230
T-Support	231
Intermediate T-Support	232
Mid-Support Panel	232
Storage	
Attached Pedestals	233
Mobile Pedestal	234
One and One-Half High Attached Lateral File with Shelf	235
One-High, One and One-Half High and Two-High Attached Lateral Files	236
One-High and Two-High Attached Open Cabinets	238
Two-High Cabinet with Doors	240
Three-High Open Cabinet	241
Three-High Cabinet with Hinged Doors	242
Freestanding Lateral File — Three-High and Four-High	243
Freestanding Lateral File — Five-High and Six-High	244
Combination Unit	245
Wardrobe with Open Cabinet	246
Wardrobe with Closed Storage Cabinet	247
Personal Storage Tower with F/F/F and Valet	248
Personal Storage Tower with F/F Pedestal and Valet	249
Storage Tower	250
Freestanding Wardrobe Tower	251
Bookcase — Two, Three, Four, Five and Six-High	252
Tables & Presentation Board	
Table — Round	254
Presentation Board	254

Masters Series

Table of Contents

Accessories

Counterweight	255
Flush Mount Plate	255
Tetra Bracket	255
Center Drawer	256
Pencil Tray	256
Pencil + Drawer	256
File Bars	256
Grommet	257
Enhanced Power Module	257
Horizontal Wire Manager	257
Column Base	257

Work Tools

Phone Shelf	258
Phone Shelf Bracket	258
Personal Shelf	258
Personal Shelf Bracket	258
Paper Sorter	258
Letter Tray	259
Letter Tray Stacking Kit	259
Letter Tray Stacking Bracket	259
Binder Bin	259

Task Lighting

Adaptable Electronic Ballast Task Light	260
Adaptable Electronic Ballast Task Light (Starter Light)	260
Adaptable Electronic Ballast Task Light (Add-On Light)	261
Reed Premier™ Stand-Alone LED Task Light	262
Reed Premier™ Starter LED Task Light	262
Reed Premier™ Add-On LED Task Light — For Use with Reed Premier Starter LED Task Lights	263
Reed Premier™ Add-On Occupancy Sensor	263

BRAZO

Freestanding Lighting	264
Mounted Lighting	264
Grommet — For Use with BRAZO Grommet Mounted Light Only	264

LIM

LIM L	265
LIM C	266
LIM Y	266
LIM Mounted	267, 268
LIM Hardware	268

Finishes and Fabrics

Finish Matrix	269-270
Fabrics/Color Legend	271-272

Customer's Own Material

COM Yardage Requirements	273-275
--------------------------------	---------

Index

276-285

Terms of Sale

North America	348-351
---------------------	---------

Lifetime Product Warranty

Inside Back Cover

Masters Series

Product Catalog Number Code

Masters Series Wood Product Catalog Number Code

Example: Masters Series Wood top single pedestal desk with full overlay modesty, 30"(762mm) deep, 60"(1524mm) wide, square wood edge, standard core, standard slides, one B/B/F pedestal with black miterfold drawers, finger pull, veneer drawer fronts and rectangular top.

X	Z	S	F	-	<u>30</u>	60	-	<u>1</u>	S	S	5N	F	W	F	Legend: B - Box Drawer F - File Drawer
Top Shape Option:															
F – Rectangular B – Bow Shaped															
Drawer Front:															
L – Laminate P – Paint W – Wood															
Drawer Pull Option:															
F – Finger B – Bar 8 – Linear 9 – Classic															
Pedestal Drawer Option:															
5N – One B/B/F Black Miterfold Available for Single SN – One B/B/F Wood Pedestal Desks Only															
55 – Two B/B/F Black Miterfold SS – Two B/B/F Wood 56 – One B/B/F and one F/F Black Miterfold ST – One B/B/F and one F/F Wood Available for Double Pedestal Desks Only															
Drawer Mechanism:															
S – Standard Slide															
Core Material:															
S – Standard															
Edge Option:															
1 – Square 5 – Bevel 6 – Radius 7 – Traditional J – 3mm Edgeband															
Width:															
60" – Single Pedestal Desk with Rectangular Top 66" – Single Pedestal/Double Pedestal Desk with Rectangular Top 72" – 78" – Single Pedestal/Double Pedestal Desk with Rectangular and Bow Top															
Depth:															
30" – Single/Double Pedestal Desk with Rectangular Top 36" – Single/Double Pedestal Desk with Rectangular and Bow Top															
Modesty:															
F – Full Overlay P – False Pedestal H – Inset															
Product Type:															
S – Single Pedestal Desks D – Double Pedestal Desks															
Finish:															
L – Laminate T – Paint Z – Wood															
Product Line:															
X – Masters Series															


Masters Series

Single Pedestal Desks with Full Overlay

Height	Depth	Width	Number	①	②	③	Laminate A	B	Paint A Laminate A	B	Wood Group A	Group B
Laminate												
29 1/8"(740mm)	30"(762mm)	60"(1524mm)	XLSF-3060-JSS	N	LF	■	\$1697.13	\$1737.53				
		66"(1676mm)	XLSF-3066-JSS	N	LF	■	1721.68	1764.03				
		72"(1829mm)	XLSF-3072-JSS	N	LF	■	1746.23	1790.53				
		78"(1981mm)	XLSF-3078-JSS	N	LF	■	1770.78	1817.03				
36"(914mm)	66"(1676mm)	XLSF-3666-JSS	N	LF	■	\$1775.69	\$1822.33					
		72"(1829mm)	XLSF-3672-JSS	N	LF	■	1805.15	1854.13				
		78"(1981mm)	XLSF-3678-JSS	N	LF	■	1834.61	1885.93				
Laminate Top/Paint												
29 1/8"(740mm)	30"(762mm)	60"(1524mm)	XTSF-3060-JSS	N	PF				\$1857.06	\$1897.46		
		66"(1676mm)	XTSF-3066-JSS	N	PF				1881.61	1923.96		
		72"(1829mm)	XTSF-3072-JSS	N	PF				1906.16	1950.46		
		78"(1981mm)	XTSF-3078-JSS	N	PF				1930.71	1976.96		
36"(914mm)	66"(1676mm)	XTSF-3666-JSS	N	PF					\$1935.62	\$1982.26		
		72"(1829mm)	XTSF-3672-JSS	N	PF				1965.08	2014.06		
		78"(1981mm)	XTSF-3678-JSS	N	PF				1994.54	2045.86		
Wood												
29 1/8"(740mm)	30"(762mm)	60"(1524mm)	XZSF-3060	SS	N	WF	■			\$2425.91	\$2521.70	
		66"(1676mm)	XZSF-3066	SS	N	WF	■			2470.56	2569.05	
		72"(1829mm)	XZSF-3072	SS	N	WF	■			2515.21	2616.40	
		78"(1981mm)	XZSF-3078	SS	N	WF	■			2559.86	2663.75	
36"(914mm)	66"(1676mm)	XZSF-3666	SS	N	WF	■				\$2568.79	\$2673.22	
		72"(1829mm)	XZSF-3672	SS	N	WF	■			2622.37	2730.04	
		78"(1981mm)	XZSF-3678	SS	N	WF	■			2675.95	2786.86	


Single Pedestal Rectangular Top Desk with Full Overlay

Modesty



XLSF-LF
XTSF-PF
XZSF-WF

④ Pull Styles



Features

- Includes worksurface, case and one pedestal.
 - 1 3/16"(30mm) thick laminate worksurface with 3mm plastic edgeband applied to user and visitor edges only. Ends capped with 1mm thick plastic edgeband. All other components finished in laminate with 1mm thick plastic edgeband.
 - 1 3/16"(30mm) thick laminate worksurface with 3mm plastic edgeband applied to user and visitor edges. Ends capped with 1mm thick plastic edgeband. All other components finished in paint.
 - 1 3/16"(30mm) thick wood worksurface with a choice of profiled edge (Square, Bevel, Radius or Traditional) applied to user and visitor edges. Double-cut veneers available with Square 3mm Radius edge only.
 - Full-overlay modesty panel recessed 6"(152mm) for visitor side overhang.
 - Unfinished clearcoat wireway scallop in top center of modesty panel.
 - Letter width 15 1/2"(394mm) pedestal.
 - Box drawer with one black plastic drawer divider per drawer and one black plastic pencil tray per pedestal.
 - File drawer with an integrated file hanging system.
 - Drawer pull options:
 - Bar pulls available in powdercoat finishes.
 - Linear and Classic pulls are available in satin nickel finish only.
 - Finger pull option available with Wood Group B finishes.
 - Box and file drawers have full extension slides.
 - One lock standard per pedestal.
 - Lock plug is available in black or chrome.
 - For lock options, refer to Lock Program Price List.
 - Glides provide 2"(51mm) adjustment range.
 - Desk shell shipped unassembled, pedestals shipped assembled ready for field installation.
- Available on RUSH.

Specification Tips

- Non-handed design, allows pedestal location to be determined on site.
- Accommodates separately specified center drawer.
- See Stack-on Application Rules for upper storage requirements.
- Separately specified grommets can be field installed in desk worksurface.

To Order, Specify:

- Product number, including:

① Edge Option:

Wood:

1 Square ■

5 Bevel, add \$136.75 list

6 Radius, add \$136.75 list

7 Traditional, add \$136.75 list

② Pedestal Drawer Option:

5 Box/Box/File Black Miterfold ■

S Box/Box/File Wood, add \$83.54 list ■

③ Drawer Pull Option:

F Finger (Wood only)

B Bar ■

8 Linear ■

9 Classic ■

- Finish code (laminate, paint, or wood).

- Laminate edge trim for lower components (if laminate specified).

- Laminate worksurface color (if laminate or paint option specified).

- Laminate edge trim for worksurface (if laminate or paint option specified).



- Trim color for bar pull (if specified).

- Trim color for lock (required).

Masters Series

Single Pedestal Desks with Full Overlay

Height	Depth	Width	Number	①	②	③	Laminate A	B	Wood Group A	Group B
Laminate										
29 1/8"(740mm)	36"(914mm)	72"(1829mm)	XLSF-3672-JSS	N	LB		\$2179.38		\$2257.57	
		78"(1981mm)	XLSF-3678-JSS	N	LB		2229.36		2311.51	
Wood										
29 1/8"(740mm)	36"(914mm)	72"(1829mm)	XZSF-3672-	SS	N	WB			\$3113.60	\$3278.85
		78"(1981mm)	XZSF-3678-	SS	N	WB			3208.10	3379.11

Single Pedestal Bow Top Desk with Full Overlay ModestyXLSF-LB
XZSF-WB**Features**

- Includes worksurface, case and one pedestal.
- 1 3/16"(30mm) thick laminate worksurface with 3mm plastic edgeband applied to user and visitor edges only. Ends capped with 1mm thick plastic edgeband. All other components finished in laminate with 1mm thick plastic edgeband.
- 1 3/16"(30mm) thick laminate worksurface with 3mm plastic edgeband applied to user and visitor edges. Ends capped with 1mm thick plastic edgeband. All other components finished in paint.
- 1 3/16"(30mm) thick wood worksurface with a choice of profiled edge (Square, Bevel, Radius or Traditional) applied to user and visitor edges. Double-cut veneers available with Square 3mm Radius edge only.
- Full-overlay modesty panel recessed 6"(152mm) at end panels and 12"(305mm) at center of bow worksurface for visitor side overhang; worksurface depth at center of bow is 42"(1067mm).
- Unfinished clearcoat wireway scallop in top center of modesty panel.
- Letter width 15 1/2"(394mm) pedestal.
- Box drawer with one black plastic drawer divider per drawer and one black plastic pencil tray per pedestal.
- File drawer with an integrated file hanging system.
- Drawer pull options:
 - Bar pulls available in powdercoat finishes.
 - Linear and Classic pulls are available in satin nickel finish only.
 - Finger pull option available with Wood Group B finishes.
- Box and file drawers have full extension slides.
- One lock standard per pedestal.
- Lock plug is available in black or chrome.
- For lock options, refer to Lock Program Price List.
- Glides provide 2"(51mm) adjustment range.
- Desk shell shipped unassembled, pedestals shipped assembled ready for field installation.

Specification Tips

- Non-handed design, allows pedestal location to be determined on site.
- Accommodates separately specified center drawer.
- See Stack-on Application Rules for upper storage requirements.
- Separately specified grommets can be field installed in desk worksurface.

To Order, Specify:

- Product number, including:

① Edge Option:

Wood:

- Square
- Bevel, add \$136.75 list
- Radius, add \$136.75 list
- Traditional, add \$136.75 list

② Pedestal Drawer Option:

- Box/Box/File Black Miterfold
- Box/Box/File Wood, add \$83.54 list

③ Drawer Pull Option:

- Finger (Wood only)
- Bar
- Linear
- Classic


- Finish code (laminate or wood).
- Laminate edge trim for lower components (if laminate specified).
- Laminate worksurface color (if laminate option specified).
- Laminate edge trim for worksurface (if laminate option specified).
- Trim color for bar pull (if specified).
- Trim color for lock (required).

Masters Series

Single Pedestal Desks with Inset Modesty

Height	Depth	Width	Number	①	②	③	Laminate A	B	Paint A Laminate A	B	Wood Group A	Group B
Laminate												
29 1/8"(740mm)	30"(762mm)	60"(1524mm)	XLSP-3060-JSS	N	LF	■	\$1982.12	\$2014.57				
		66"(1676mm)	XLSP-3066-JSS	N	LF	■	2011.72	2044.17				
		72"(1829mm)	XLSP-3072-JSS	N	LF	■	2041.32	2073.77				
		78"(1981mm)	XLSP-3078-JSS	N	LF	■	2070.92	2103.37				
36"(914mm)	66"(1676mm)	XLSP-3666-JSS	N	LF	■		\$2076.84	\$2109.29				
		72"(1829mm)	XLSP-3672-JSS	N	LF	■	2112.36	2144.81				
		78"(1981mm)	XLSP-3678-JSS	N	LF	■	2147.88	2180.33				
Laminate Top/Paint												
29 1/8"(740mm)	30"(762mm)	60"(1524mm)	XTSP-3060-JSS	N	PF				\$2187.00	\$2219.45		
		66"(1676mm)	XTSP-3066-JSS	N	PF				2216.60	2249.05		
		72"(1829mm)	XTSP-3072-JSS	N	PF				2246.20	2278.65		
		78"(1981mm)	XTSP-3078-JSS	N	PF				2275.80	2308.25		
36"(914mm)	66"(1676mm)	XTSP-3666-JSS	N	PF					\$2281.72	\$2314.17		
		72"(1829mm)	XTSP-3672-JSS	N	PF				2317.24	2349.69		
		78"(1981mm)	XTSP-3678-JSS	N	PF				2352.76	2385.21		
Wood												
29 1/8"(740mm)	30"(762mm)	60"(1524mm)	XZSP-3060	SS	N	WF	■			\$2831.60	\$3000.08	
		66"(1676mm)	XZSP-3066	SS	N	WF	■			2882.40	3051.93	
		72"(1829mm)	XZSP-3072	SS	N	WF	■			2933.20	3103.78	
		78"(1981mm)	XZSP-3078	SS	N	WF	■			2984.00	3155.63	
36"(914mm)	66"(1676mm)	XZSP-3666	SS	N	WF	■				\$2994.16	\$3166.00	
		72"(1829mm)	XZSP-3672	SS	N	WF	■			3055.12	3228.22	
		78"(1981mm)	XZSP-3678	SS	N	WF	■			3116.08	3290.44	

Single Pedestal Rectangular Top Desk with Inset Modesty




Features

- Includes worksurface, case and one pedestal.
- 1 3/16"(30mm) thick laminate worksurface with 3mm plastic edgeband applied to user and visitor edges only. Ends capped with 1mm thick plastic edgeband. All other components finished in laminate with 1mm thick plastic edgeband.
- 1 3/16"(30mm) thick laminate worksurface with 3mm plastic edgeband applied to user and visitor edges. Ends capped with 1mm thick plastic edgeband. All other components finished in paint.
- 1 3/16"(30mm) thick wood worksurface with a choice of profiled edge (Square, Bevel, Radius or Traditional) applied to user and visitor edges. Double-cut veneers available with Square 3mm Radius edge only.
- Pedestal and false pedestal recessed 6"(152mm) with additional 2 1/4"(57mm) inset between for visitor side overhang.
- 1 1/2"(38mm) high horizontal wireway full width at top of inset modesty panel.
- Letter width 15 1/2"(394mm) pedestal.
- Box drawer with one black plastic drawer divider per drawer and one black plastic pencil tray per pedestal.
- File drawer with an integrated file hanging system.
- Drawer pull options:
 - Bar pulls available in powdercoat finishes.
 - Linear and Classic pulls are available in satin nickel finish only.
 - Finger pull option available with Wood Group B finishes.
- Box and file drawers have full extension slides.
- One lock standard per pedestal.
- Lock plug is available in black or chrome.
- For lock options, refer to Lock Program Price List.
- Glides provide 2"(51mm) adjustment range.
- Desk shell shipped unassembled, pedestals shipped assembled ready for field installation.
- Available on RUSH.

Specification Tips

- Non-handed design, allows pedestal location to be determined on site.
- Accommodates separately specified center drawer.
- See Stack-on Application Rules for upper storage requirements.
- Separately specified grommets can be field installed in desk worksurface.

④ Pull Styles



To Order, Specify:

- Product number, including:

① Edge Option:

Wood:

- Square
- 5 Bevel, add \$136.75 list
- 6 Radius, add \$136.75 list
- 7 Traditional, add \$136.75 list

② Pedestal Drawer Option:

- 5 Box/Box/File Black Miterfold
- S Box/Box/File Wood, add \$83.54 list

③ Drawer Pull Option:

- F Finger (Wood only)
- B Bar
- 8 Linear
- 9 Classic

- Finish code (laminate, paint, or wood).

- Laminate edge trim for lower components (if laminate specified).

- Laminate worksurface color (if laminate or paint option specified).

- Laminate edge trim for worksurface (if laminate or paint option specified).



- Trim color for bar pull (if specified).

- Trim color for lock (required).

Masters Series

Single Pedestal Desks with Inset Modesty

Height	Depth	Width	Number	1	2	3	Laminate A	B	Wood Group A	Group B
Laminate										
29 1/8"(740mm)	36"(914mm)	72"(1829mm)	XLSP-3672-JSS	N	LB		\$2608.76		\$2641.21	
		78"(1981mm)	XLSP-3678-JSS	N	LB		2656.04		2688.49	
Wood										
29 1/8"(740mm)	36"(914mm)	72"(1829mm)	XZSP-3672-	SS	N	WB			\$3551.52	\$3724.62
		78"(1981mm)	XZSP-3678-	SS	N	WB			3624.24	3798.60

Single Pedestal Bow Top Desk with Inset ModestyXLSP-LB
XZSP-WB**Features**

- Includes worksurface, case and one pedestal.
- 1 3/16"(30mm) thick laminate worksurface with 3mm plastic edgeband applied to user and visitor edges only. Ends capped with 1mm thick plastic edgeband. All other components finished in laminate with 1mm thick plastic edgeband.
- 1 3/16"(30mm) thick laminate worksurface with 3mm plastic edgeband applied to user and visitor edges. Ends capped with 1mm thick plastic edgeband. All other components finished in paint.
- 1 3/16"(30mm) thick wood worksurface with a choice of profiled edge (Square, Bevel, Radius or Traditional) applied to user and visitor edges. Double-cut veneers available with Square 3mm Radius edge only.
- Pedestal and false pedestal recessed 6"(152mm) with additional 2 1/4"(57mm) inset between for visitor side overhang; worksurface depth at center of bow is 42"(1067mm).
- 1 1/2"(38mm) high horizontal wireway full width at top of inset modesty panel.
- Letter width 15 1/2"(394mm) pedestal.
- Box drawer with one black plastic drawer divider per drawer and one black plastic pencil tray per pedestal.
- File drawer with an integrated file hanging system.
- Drawer pull options:
 - Bar pulls available in powdercoat finishes.
 - Linear and Classic pulls are available in satin nickel finish only.
 - Finger pull option available with Wood Group B finishes.
- Box and file drawers have full extension slides.
- One lock standard per pedestal.
- Lock plug is available in black or chrome.
- For lock options, refer to Lock Program Price List.
- Glides provide 2"(51mm) adjustment range.
- Desk shell shipped unassembled, pedestals shipped assembled ready for field installation.

Specification Tips

- Non-handed design, allows pedestal location to be determined on site.
- Accommodates separately specified center drawer.
- See Stack-on Application Rules for upper storage requirements.
- Separately specified grommets can be field installed in desk worksurface.

To Order, Specify:

- 1) Product number, including:

① Edge Option:

Wood:

- 1** Square
5 Bevel, add \$136.75 list
6 Radius, add \$136.75 list
7 Traditional, add \$136.75 list

② Pedestal Drawer Option:

- 5** Box/Box/File Black Miterfold
S Box/Box/File Wood, add \$83.54 list

③ Drawer Pull Option:

- F** Finger (Wood only)
B Bar
8 Linear
9 Classic



- 2) Finish code (laminate or wood).
3) Laminate edge trim for lower components (if laminate specified).
4) Laminate worksurface color (if laminate option specified).
5) Laminate edge trim for worksurface (if laminate option specified).
6) Trim color for bar pull (if specified).
7) Trim color for lock (required).

Masters Series


Double Pedestal Desks with Full Overlay Modesty

Height	Depth	Width	Number	①	②③	Laminate A	B	Paint A Laminate A	B	Wood Group A	Group B
Laminate											
29 1/8"(740mm)	30"(762mm)	66"(1676mm)	XLDF-3066-JSS	■	LF	■	\$2321.42	\$2353.87			
		72"(1829mm)	XLDF-3072-JSS	■	LF	■	2364.22	2400.07			
		78"(1981mm)	XLDF-3078-JSS	■	LF	■	2407.02	2446.27			
36"(914mm)	66"(1676mm)	XLDF-3666-JSS	■	LF	■	■	\$2415.58	\$2455.51			
		72"(1829mm)	XLDF-3672-JSS	■	LF	■	2466.94	2510.95			
		78"(1981mm)	XLDF-3678-JSS	■	LF	■	2518.30	2566.39			
Laminate Top/Paint											
29 1/8"(740mm)	30"(762mm)	66"(1676mm)	XTDF-3066-JSS	■	PF			\$2604.76	\$2637.21		
		72"(1829mm)	XTDF-3072-JSS	■	PF			2647.56	2683.41		
		78"(1981mm)	XTDF-3078-JSS	■	PF			2690.36	2729.61		
36"(914mm)	66"(1676mm)	XTDF-3666-JSS	■	PF			\$2698.92	\$2738.85			
		72"(1829mm)	XTDF-3672-JSS	■	PF			2750.28	2794.29		
		78"(1981mm)	XTDF-3678-JSS	■	PF			2801.64	2849.73		
Wood											
29 1/8"(740mm)	30"(762mm)	66"(1676mm)	XZDF-3066	■	SS	■	WF	■		\$3316.30	\$3515.29
		72"(1829mm)	XZDF-3072	■	SS	■	WF	■		3362.25	3563.99
		78"(1981mm)	XZDF-3078	■	SS	■	WF	■		3408.20	3612.69
36"(914mm)	66"(1676mm)	XZDF-3666	■	SS	■	WF	■			\$3417.39	\$3622.43
		72"(1829mm)	XZDF-3672	■	SS	■	WF	■		3472.53	3680.87
		78"(1981mm)	XZDF-3678	■	SS	■	WF	■		3527.67	3739.31

Double Pedestal Rectangular Top Desk with Full Overlay Modesty

XLDF-LF
XTDF-PF
XZDF-WF

④ Pull Styles



Features

- Includes worksurface, case and two pedestals.
 - 1 3/16"(30mm) thick laminate worksurface with 3mm plastic edgeband applied to user and visitor edges only. Ends capped with 1mm thick plastic edgeband. All other components finished in laminate with 1mm thick plastic edgeband.
 - 1 3/16"(30mm) thick laminate worksurface with 3mm plastic edgeband applied to user and visitor edges. Ends capped with 1mm thick plastic edgeband. All other components finished in paint.
 - 1 3/16"(30mm) thick wood worksurface with a choice of profiled edge (Square, Bevel, Radius or Traditional) applied to user and visitor edges. Double-cut veneers available with Square 3mm Radius edge only.
 - Full-overlay modesty panel recessed 6"(152mm) for visitor side overhang.
 - Unfinished clearcoat wireway scallop in top center of modesty panel.
 - Choice of two Box/Box/File pedestals or one Box/Box/File and one File/File pedestal.
 - Letter width 15 1/2"(394mm) pedestals.
 - Box drawer with one black plastic drawer divider per drawer and one black plastic pencil tray per pedestal.
 - File drawer with an integrated file hanging system.
 - Drawer pull options:
 - Bar pulls available in powdercoat finish.
 - Linear and Classic pulls are available in satin nickel finish only.
 - Finger pull option available with Wood Group B finishes.
 - Box and file drawers have full extension slides.
 - One lock standard per pedestal; each pedestal locks separately.
 - Common keys within each desk.
 - Lock plug is available in black or chrome.
 - For lock options, refer to Lock Program Price List.
 - Glides provide 2"(51mm) adjustment range.
 - Desk shell shipped unassembled, pedestals shipped assembled ready for field installation.
- Available on RUSH.

Specification Tips

- Non-handed design, allows pedestal location to be determined on site.
- Accommodates separately specified center drawer.
- Not intended to be used with stack-on storage.
- Separately specified grommets can be field installed in desk worksurface.

To Order, Specify:

- Product number, including:

① Edge Option:

Wood:

- Square
- Bevel, add \$136.75 list
- Radius, add \$136.75 list
- Traditional, add \$136.75 list

② Pedestal Drawer Option:

- Two Box/Box/File Black Miterfold
- Two Box/Box/File Wood, add \$167.08 list
- One Box/Box/File and One File/File Black Miterfold
- One Box/Box/File and One File/File Wood, add \$167.08 list

③ Drawer Pull Option:

- Finger (Wood only)
- Bar
- Linear
- Classic


- Finish code (laminate, paint, or wood).
- Laminate edge trim for lower components (if laminate specified).
- Laminate worksurface color (if laminate or paint option specified).
- Laminate edge trim for worksurface (if laminate or paint option specified).
- Trim color for bar pull (if specified).
- Trim color for lock (required).

Masters Series


Double Pedestal Desks with Full Overlay Modesty

Height	Depth	Width	Number	1	2	3	Laminate A	B	Wood Group A	Group B
Laminate										
29 1/8"(740mm)	36"(914mm)	72"(1829mm)	XLDF-3672-JSS	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	LB	\$2983.25	\$3036.12		
		78"(1981mm)	XLDF-3678-JSS	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	LB	3034.61	3091.56		
Wood										
29 1/8"(740mm)	36"(914mm)	72"(1829mm)	XZDF-3672-	<input checked="" type="checkbox"/>	SS	<input checked="" type="checkbox"/>	WB		\$3988.84	\$4228.16
		78"(1981mm)	XZDF-3678-	<input checked="" type="checkbox"/>	SS	<input checked="" type="checkbox"/>	WB		4043.98	4286.60

Double Pedestal Bow Top Desk with Full Overlay Modesty



XLDF-LB
XZDF-WB



Height	Depth	Width	Number	1	2	3	Laminate A	B	Wood Group A	Group B
Laminate										
29 1/8"(740mm)	36"(914mm)	72"(1829mm)	XLDF-3672-JSS	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	LB	\$2983.25	\$3036.12		
		78"(1981mm)	XLDF-3678-JSS	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	LB	3034.61	3091.56		

Features

- Includes worksurface, case and two pedestals.
- 1 3/16"(30mm) thick laminate worksurface with 3mm plastic edgeband applied to user and visitor edges only. Ends capped with 1mm thick plastic edgeband. All other components finished in laminate with 1mm thick plastic edgeband.
- 1 3/16"(30mm) thick laminate worksurface with 3mm plastic edgeband applied to user and visitor edges. Ends capped with 1mm thick plastic edgeband. All other components finished in paint.
- 1 3/16"(30mm) thick wood worksurface with a choice of profiled edge (Square, Bevel, Radius or Traditional) applied to user and visitor edges. Double-cut veneers available with Square 3mm Radius edge only.
- Full-overlay modesty panel recessed 6"(152mm) at end panels and 12"(305mm) at center of bow worksurface for visitor side overhang; worksurface depth at center of bow is 42"(1067mm).
- Unfinished clearcoat wireway scallop in top center of modesty panel.
- Choice of two Box/Box/File pedestals or one Box/Box/File and one File/File pedestal.
- Letter width 15 1/2"(394mm) pedestals.
- Box drawer with one black plastic drawer divider per drawer and one black plastic pencil tray per pedestal.
- File drawer with an integrated file hanging system.
- Drawer pull options:
 - Bar pulls available in powdercoat finishes.
 - Linear and Classic pulls are available in satin nickel finish only.
 - Finger pull option available with Wood Group B finishes.
- Box and file drawers have full extension slides.
- One lock standard per pedestal; each pedestal locks separately.
- Common keys within each desk.
- Lock plug is available in black or chrome.
- For lock options, refer to Lock Program Price List.
- Glides provide 2"(51mm) adjustment range.
- Desk shell shipped unassembled, pedestals shipped assembled ready for field installation.

Specification Tips

- Non-handed design, allows pedestal location to be determined on site.
- Accommodates separately specified center drawer.
- Not intended to be used with stack-on storage.
- Separately specified grommets can be field installed in desk worksurface.

To Order, Specify:

- 1) Product number, including:

① Edge Option:

Wood:

- Square
- Bevel, add \$136.75 list
- Radius, add \$136.75 list
- Traditional, add \$136.75 list

② Pedestal Drawer Option:

- Two Box/Box/File Black Miterfold
- Two Box/Box/File Wood, add \$167.08 list
- One Box/Box/File and One File/File Black Miterfold
- One Box/Box/File and One File/File Wood, add \$167.08 list

③ Drawer Pull Option:

- Finger (Wood only)
- Bar
- Linear
- Classic

- 2) Finish code (laminate or wood).

- 3) Laminate edge trim for lower components (if laminate specified).

- 4) Laminate worksurface color (if laminate option specified).

- 5) Laminate edge trim for worksurface (if laminate option specified).

- 6) Trim color for bar pull (if specified).



- 7) Trim color for lock (required).

Masters Series

Double Pedestal Desks with Inset Modesty


Height	Depth	Width	Number	①	②	③	Laminate A	B	Paint A Laminate A	B	Wood Group A	Group B
Laminate												
29 1/8"(740mm)	30"(762mm)	66"(1676mm)	XLDH-3066-JSS	LF	■		\$2472.26	\$2504.71				
		72"(1829mm)	XLDH-3072-JSS	LF	■		2517.43	2560.69				
		78"(1981mm)	XLDH-3078-JSS	LF	■		2562.60	2616.67				
36"(914mm)	66"(1676mm)	XLDH-3666-JSS	LF	■			\$2533.64	\$2572.58				
		72"(1829mm)	XLDH-3672-JSS	LF	■		2578.81	2628.56				
		78"(1981mm)	XLDH-3678-JSS	LF	■		2623.98	2684.54				
Laminate Top/Paint												
29 1/8"(740mm)	30"(762mm)	66"(1676mm)	XTDH-3066-JSS	PF					\$2800.53	\$2832.98		
		72"(1829mm)	XTDH-3072-JSS	PF					2845.70	2888.96		
		78"(1981mm)	XTDH-3078-JSS	PF					2890.87	2944.94		
36"(914mm)	66"(1676mm)	XTDH-3666-JSS	PF						\$2861.91	\$2900.85		
		72"(1829mm)	XTDH-3672-JSS	PF					2907.08	2956.83		
		78"(1981mm)	XTDH-3678-JSS	PF					2952.25	3012.81		
Wood												
29 1/8"(740mm)	30"(762mm)	66"(1676mm)	XZDH-3066-	SS	■	WF	■				\$3532.78	\$3749.10
		72"(1829mm)	XZDH-3072-	SS	■	WF	■				3589.91	3809.66
		78"(1981mm)	XZDH-3078-	SS	■	WF	■				3647.04	3870.22
36"(914mm)	66"(1676mm)	XZDH-3666-	SS	■	WF	■					\$3643.65	\$3866.63
		72"(1829mm)	XZDH-3672-	SS	■	WF	■				3700.78	3927.19
		78"(1981mm)	XZDH-3678-	SS	■	WF	■				3757.91	3987.75

Double Pedestal Rectangular Top Desk with Inset Modesty



XLDH-LF
XTDH-PF
XZDH-WF

④ Pull Styles



Features

- Includes worksurface, case and two pedestals.
- 1 3/16"(30mm) thick laminate worksurface with 3mm plastic edgeband applied to user and visitor edges only. Ends capped with 1mm thick plastic edgeband. All other components finished in laminate with 1mm thick plastic edgeband.
- 1 3/16"(30mm) thick laminate worksurface with 3mm plastic edgeband applied to user and visitor edges. Ends capped with 1mm thick plastic edgeband. All other components finished in paint.
- 1 3/16"(30mm) thick wood worksurface with a choice of profiled edge (Square, Bevel, Radius or Traditional) applied to user and visitor edges. Double-cut veneers available with Square 3mm Radius edge only.
- Pedestals recessed 6"(152mm) with additional 2 1/4"(57mm) inset between for visitor side overhang.
- 1 1/2"(38mm) high horizontal wireway full width at top of inset modesty panel.
- Choice of two Box/Box/File pedestals or one Box/Box/File and one File/File pedestal.
- Letter width 15 1/2"(394mm) pedestals.
- Box drawer with one black plastic drawer divider per drawer and one black plastic pencil tray per pedestal.
- File drawer with an integrated file hanging system.
- Drawer pull options:
 - Bar pulls available in powdercoat finishes.
 - Linear and Classic pulls are available in satin nickel finish only.
 - Finger pull option available with Wood Group B finishes.
- Box and file drawers have full extension slides.
- One lock standard per pedestal; each pedestal locks separately.
- Common keys within each desk.
- Lock plug is available in black or chrome.
- For lock options, refer to Lock Program Price List.
- Glides provide 2"(51mm) adjustment range.
- Desk shell shipped unassembled, pedestals shipped assembled ready for field installation.
- Available on RUSH.

Specification Tips

- Non-handed design, allows for pedestal location to be determined on site.
- Accommodates separately specified center drawer.
- Not intended to be used with stack-on storage.
- Separately specified grommets can be field installed in desk worksurface.

To Order, Specify:

- Product number, including:

① Edge Option:

Wood:

- Square ■
- Bevel, add \$136.75 list
- Radius, add \$136.75 list
- Traditional, add \$136.75 list

② Pedestal Drawer Option:

- Two Box/Box/File Black Miterfold ■
- Two Box/Box/File Wood, add \$167.08 list
- One Box/Box/File and One File/File Black Miterfold ■
- One Box/Box/File and One File/File Wood, add \$167.08 list ■

③ Drawer Pull Option:



- Finger (Wood only)
- Bar ■
- Linear ■
- Classic ■

- Finish code (laminate, paint, or wood).
- Laminate edge trim for lower components (if laminate specified).
- Laminate worksurface color (if laminate or paint option specified).
- Laminate edge trim for worksurface (if laminate or paint option specified).
- Trim color for bar pull (if specified).
- Trim color for lock (required).

Masters Series

Double Pedestal Desks with Inset Modesty

Height	Depth	Width	Number	1	2	3	Laminate A	B	Wood Group A	Group B
Laminate										
29 1/8"(740mm)	36"(914mm)	72"(1829mm)	XLDH-3672-JSS	LB			\$3080.67		\$3130.42	
		78"(1981mm)	XLDH-3678-JSS	LB			3125.84		3186.40	
Wood										
29 1/8"(740mm)	36"(914mm)	72"(1829mm)	XZDH-3672-	SS	WB				\$4202.64	\$4429.05
		78"(1981mm)	XZDH-3678-	SS	WB				4259.77	4489.61

Double Pedestal Bow Top Desk with Inset ModestyXLDH-LB
XZDH-WB**Features**

- Includes worksurface, case and two pedestals.
- 1 3/16"(30mm) thick laminate worksurface with 3mm plastic edgeband applied to user and visitor edges only. Ends capped with 1mm thick plastic edgeband. All other components finished in laminate with 1mm thick plastic edgeband.
- 1 3/16"(30mm) thick laminate worksurface with 3mm plastic edgeband applied to user and visitor edges. Ends capped with 1mm thick plastic edgeband. All other components finished in paint.
- 1 3/16"(30mm) thick wood worksurface with a choice of profiled edge (Square, Bevel, Radius or Traditional) applied to user and visitor edges. Double-cut veneers available with Square 3mm Radius edge only.
- Pedestals recessed 6"(152mm) with additional 2 1/4"(57mm) inset between for visitor side overhang; worksurface depth at center of bow is 42"(1067mm).
- 1 1/2"(38mm) high horizontal wireway full width at top of inset modesty panel.
- Choice of two Box/Box/File pedestals or one Box/Box/File and one File/File pedestal.
- Letter width 15 1/2"(394mm) pedestals.
- Box drawer with one black plastic drawer divider per drawer and one black plastic pencil tray per pedestal.
- File drawer with an integrated file hanging system.
- Drawer pull options:
 - Bar pulls available in powdercoat finishes.
 - Linear and Classic pulls are available in satin nickel finish only.
 - Finger pull option available with Wood Group B finishes.
- Box and file drawers have full extension slides.
- One lock standard per pedestal; each pedestal locks separately.
- Common keys within each desk.
- Lock plug is available in black or chrome.
- For lock options, refer to Lock Program Price List.
- Glides provide 2"(51mm) adjustment range.
- Desk shell shipped unassembled, pedestals shipped assembled ready for field installation.

Specification Tips

- Non-handed design, allows pedestal location to be determined on site.
- Accommodates separately specified center drawer.
- Not intended to be used with stack-on storage.
- Separately specified grommets can be field installed in desk worksurface.

To Order, Specify:

- 1) Product number, including:

① Edge Option:

Wood:

- 1 Square
- 5 Bevel, add \$136.75 list
- 6 Radius, add \$136.75 list
- 7 Traditional, add \$136.75 list

② Pedestal Drawer Option:

- 55 Two Box/Box/File Black Miterfold
- SS Two Box/Box/File Wood, add \$167.08 list
- 56 One Box/Box/File and One File/File Black Miterfold
- ST One Box/Box/File and One File/File Wood, add \$167.08 list

③ Drawer Pull Option:

- F Finger (Wood only)
- B Bar
- 8 Linear
- 9 Classic


- 2) Finish code (laminate or wood).
- 3) Laminate edge trim for lower components (if laminate specified).
- 4) Laminate worksurface color (if laminate option specified).
- 5) Laminate edge trim for worksurface (if laminate option specified).
- 6) Trim color for bar pull (if specified).
- 7) Trim color for lock (required).

Masters Series

Desk Shells

Height	Depth	Width	Number ①	Laminate A	B	Paint A Laminate A	B	Wood Group A	Group B
Laminate									
29 1/8"(740mm)	30"(762mm)	60"(1524mm)	XLYH-3060-JSNF	\$1510.27	\$1641.63				
		66"(1676mm)	XLYH-3066-JSNF	1564.67	1700.33				
		72"(1829mm)	XLYH-3072-JSNF	1619.07	1759.03				
36"(914mm)	66"(1676mm)	XLYH-3666-JSNF	\$1684.35	\$1829.47					
		72"(1829mm)	XLYH-3672-JSNF	1749.63	1899.91				
Paint									
29 1/8"(740mm)	30"(762mm)	60"(1524mm)	XTYH-3060-JSNF			\$1641.97	\$1773.33		
		66"(1676mm)	XTYH-3066-JSNF			1696.37	1832.03		
		72"(1829mm)	XTYH-3072-JSNF			1750.77	1890.73		
36"(914mm)	66"(1676mm)	XTYH-3666-JSNF				\$1816.05	\$1961.17		
		72"(1829mm)	XTYH-3672-JSNF			1881.33	2031.61		
Wood									
29 1/8"(740mm)	30"(762mm)	60"(1524mm)	XZYH-3060- SSF					\$2157.53	\$2286.97
		66"(1676mm)	XZYH-3066- SSF					2242.63	2377.22
		72"(1829mm)	XZYH-3072- SSF					2327.73	2467.47
36"(914mm)	66"(1676mm)	XZYH-3666- SSF						\$2429.85	\$2575.77
		72"(1829mm)	XZYH-3672- SSF					2531.97	2684.07

Shell — Rectangular Top Desk

XLYH-SF
XTYH-SF
XZYH-SF

Features

- Includes worksurface, case and attachment hardware.
- 1 3/16"(30mm) thick laminate worksurface with 3mm plastic edgeband applied to user and visitor edges only. Ends capped with 1mm thick plastic edgeband. All other components finished in laminate with 1mm thick plastic edgeband.
- 1 3/16"(30mm) thick laminate worksurface with 3mm plastic edgeband applied to user and visitor edges. Ends capped with 1mm thick plastic edgeband. All other components finished in paint.
- 1 3/16"(30mm) thick wood worksurface with a choice of profiled edge (Square, Bevel, Radius or Traditional) applied to user and visitor edges. Double-cut veneers available with Square 3mm Radius edge only.
- Full-overlay modesty panel recessed 6"(152mm) for visitor side overhang.
- Unfinished clearcoat wireway scallop in top center of modesty panel.
- Glides provide 2"(51mm) adjustment range.
- Shipped unassembled.
- Available on RUSH.

Specification Tips

- Accommodates separately specified mobile pedestal.
- Accommodates separately specified center drawer.
- See Stack-on Application Rules for upper storage requirements.
- Separately specified grommets can be field installed in desk worksurface.

To Order, Specify:

- 1) Product number, including:

① Edge Option:

Wood:

1 Square

5 Bevel, add \$136.75 list

6 Radius, add \$136.75 list

7 Traditional, add \$136.75 list

- 2) Finish code for lower components (laminate, paint, or wood).


- 3) Laminate edge trim for lower components (if laminate option specified).

- 4) Laminate worksurface color (if laminate or paint option specified).

- 5) Laminate edge trim for worksurface (if laminate or paint option specified).

Masters Series

Desk Shells

Height	Depth	Width	Number 	Laminate A	Laminate B	Wood Group A	Wood Group B
Laminate							
29 1/8"(740mm)	36"(914mm)	66"(1676mm)	XLYH-3666-JSNB	\$2196.25	\$2341.37		
		72"(1829mm)	XLYH-3672-JSNB	2261.53	2411.81		
Wood							
29 1/8"(740mm)	36"(914mm)	66"(1676mm)	XZYH-3666- SSB			\$2941.75	\$3087.67
		72"(1829mm)	XZYH-3672- SSB			3043.87	3195.97
Shell — Bow Top Desk							
 User Visitor							
Features <ul style="list-style-type: none"> • Includes worksurface, case and attachment hardware. • 1 3/16"(30mm) thick laminate worksurface with 3mm plastic edgeband applied to user and visitor edges only. Ends capped with 1mm thick plastic edgeband. All other components finished in laminate with 1mm thick plastic edgeband. • 1 3/16"(30mm) thick laminate worksurface with 3mm plastic edgeband applied to user and visitor edges. Ends capped with 1mm thick plastic edgeband. All other components finished in paint. • 1 3/16"(30mm) thick wood worksurface with a choice of profiled edge (Square, Bevel, Radius or Traditional) applied to user and visitor edges. Double-cut veneers available with Square 3mm Radius edge only. • Full-overlay modesty panel recessed 6"(152mm) at end panels and 12"(305mm) at center of bow worksurface for visitor side overhang; worksurface depth at center of bow is 42"(1067mm). • Unfinished clearcoat wireway scallop in top center of modesty panel. • Glides provide 2"(51mm) adjustment range. • Shipped unassembled. 							
Specification Tips <ul style="list-style-type: none"> • Accommodates separately specified mobile pedestal. • Accommodates separately specified center drawer. • May not be used to support a Vertical Storage Unit. • See Stack-on Application Rules for upper storage requirements. • Separately specified grommets can be field installed in desk worksurface. 							
To Order, Specify: <ol style="list-style-type: none"> 1) Product number, including: 							
<ol style="list-style-type: none"> ① Edge Option: Wood: <input type="checkbox"/> 1 Square <input type="checkbox"/> 5 Bevel, add \$136.75 list <input type="checkbox"/> 6 Radius, add \$136.75 list <input type="checkbox"/> 7 Traditional, add \$136.75 list 							
<ol style="list-style-type: none"> 2) Finish code for lower components (laminate or wood). 							
<ol style="list-style-type: none"> 3) Laminate edge trim for lower components (if laminate option specified). 							
<ol style="list-style-type: none"> 4) Laminate worksurface color (if laminate option specified). 							
<ol style="list-style-type: none"> 5) Laminate edge trim for worksurface (if laminate option specified). 							


XLYH-SB
XTYH-SB
XZYH-SB

Masters Series

Convergent T-Desks – Rectangular Top

Height	Depth	Width	Number	①	②	Laminate A	B	Paint A Laminate A	B	Wood Group A	Group B
Laminate											
29 1/8"(740mm)	30"(762mm)	48"(1219mm)	XLTH-3048-JSNF			\$1462.56	\$1593.85				
		54"(1372mm)	XLTH-3054-JSNF			1512.21	1649.00				
		60"(1524mm)	XLTH-3060-JSNF			1561.86	1704.15				
		66"(1676mm)	XLTH-3066-JSNF			1611.51	1759.30				
		72"(1829mm)	XLTH-3072-JSNF			1661.16	1814.45				
		78"(1981mm)	XLTH-3078-JSNF			1710.81	1869.60				
	36"(914mm)	48"(1219mm)	XLTH-3648-JSNF			\$1542.00	\$1682.09				
		54"(1372mm)	XLTH-3654-JSNF			1601.58	1748.27				
		60"(1524mm)	XLTH-3660-JSNF			1661.16	1814.45				
		66"(1676mm)	XLTH-3666-JSNF			1720.74	1880.63				
		72"(1829mm)	XLTH-3672-JSNF			1780.32	1946.81				
		78"(1981mm)	XLTH-3678-JSNF			1839.90	2012.99				
Paint											
29 1/8"(740mm)	30"(762mm)	48"(1219mm)	XTTH-3048-JSNF					\$1607.15	\$1738.44		
		54"(1372mm)	XTTH-3054-JSNF					1656.80	1793.59		
		60"(1524mm)	XTTH-3060-JSNF					1706.45	1848.74		
		66"(1676mm)	XTTH-3066-JSNF					1756.10	1903.89		
		72"(1829mm)	XTTH-3072-JSNF					1805.75	1959.04		
		78"(1981mm)	XTTH-3078-JSNF					1855.40	2014.19		
	36"(914mm)	48"(1219mm)	XTTH-3648-JSNF					\$1686.59	\$1826.68		
		54"(1372mm)	XTTH-3654-JSNF					1746.17	1892.86		
		60"(1524mm)	XTTH-3660-JSNF					1805.75	1959.04		
		66"(1676mm)	XTTH-3666-JSNF					1865.33	2025.22		
		72"(1829mm)	XTTH-3672-JSNF					1924.91	2091.40		
		78"(1981mm)	XTTH-3678-JSNF					1984.49	2157.58		
Wood											
29 1/8"(740mm)	30"(762mm)	48"(1219mm)	XZTH-3048-	SSF						\$2089.26	\$2216.13
		54"(1372mm)	XZTH-3054-	SSF						2155.46	2282.33
		60"(1524mm)	XZTH-3060-	SSF						2221.66	2348.53
		66"(1676mm)	XZTH-3066-	SSF						2287.86	2414.73
		72"(1829mm)	XZTH-3072-	SSF						2354.06	2480.93
		78"(1981mm)	XZTH-3078-	SSF						2420.26	2547.13
	36"(914mm)	48"(1219mm)	XZTH-3648-	SSF						\$2195.18	\$2322.05
		54"(1372mm)	XZTH-3654-	SSF						2274.62	2401.49
		60"(1524mm)	XZTH-3660-	SSF						2354.06	2480.93
		66"(1676mm)	XZTH-3666-	SSF						2433.50	2560.37
		72"(1829mm)	XZTH-3672-	SSF						2512.94	2639.81
		78"(1981mm)	XZTH-3678-	SSF						2592.38	2719.25

Convergent T-Desk



XLTH-FL
XTTH-FL
XZTH-FL
(Left-hand shown)

Features

- Includes worksurface, case, one end panel, one 10 1/8"(257mm) deep light-block panel and attachment hardware.
- 1 3/16"(30mm) thick laminate worksurface with 3mm plastic edgeband applied to user and visitor edges only. Ends capped with 1mm thick plastic edgeband. All other components finished in laminate with 1mm thick plastic edgeband.
- 1 3/16"(30mm) thick laminate worksurface with 3mm plastic edgeband applied to user and visitor edges. Ends capped with 1mm thick plastic edgeband. All other components finished in paint.
- 1 3/16"(30mm) thick wood worksurface with a choice of profiled edge (Square, Bevel, Radius or Traditional) applied to user and visitor edges. Double-cut veneers available with Square 3mm Radius edge only.
- Attachment edge of wood veneer worksurfaces with Bevel, Radius and Traditional profiled edges is coped.
- Full modesty panel recessed 6"(152mm) for visitor side overhang.
- Unfinished clearcoat wireway scallop in top center of modesty panel.
- Glides provide 2"(51mm) adjustment range.
- Shipped unassembled.

Specification Tips

- Handed design (left or right) based on position of attachment side.
- Not designed to stand alone.
- Two flat brackets to allow for attachment to modular credenza.
- Does not accommodate separately specified attached two-high storage.
- Accommodates separately specified center drawer.
- Separately specified grommets can be field installed in desk worksurface.

To Order, Specify:

- 1) Product number, including:

① Edge Option:

Wood:

Square

Bevel, add \$136.75 list

Radius, add \$136.75 list

Traditional, add \$136.75 list

② Orientation:

Left-hand

Right-hand

- 2) Finish code for lower components (laminate, paint, or wood).

- 3) Laminate edge trim for lower components (if laminate option specified).

- 4) Laminate worksurface color (if laminate or paint option specified).


- 5) Laminate edge trim for worksurface (if laminate or paint option specified).

This page intentionally blank


Masters Series

Convergent D-Top Desks with T-Support

D-Top Convergent Desk with T-Support and Single Support Column



XLYD-SF
XTYD-SF
XZYD-SF
48"-96" widths



XLYD-SP
XTYD-SP
XZYD-SP
72"-96" widths

Features

- Includes worksurface, T-support end panel, column leg and column leg attachment hardware.
- 1 3/16"(30mm) thick laminate worksurface with 3mm plastic edgeband applied to user and visitor edges only. Ends capped with 1mm thick plastic edgeband. All other components finished in laminate with 1mm thick plastic edgeband.
- 1 3/16"(30mm) thick laminate worksurface with 3mm plastic edgeband applied to user and visitor edges. Ends capped with 1mm thick plastic edgeband. All other components finished in paint.
- 1 3/16"(30mm) thick wood worksurface with a choice of profiled edge (Square, Bevel, Radius or Traditional) applied to user and visitor edges. Double-cut veneers available with Square 3mm Radius edge only.
- Partial height end panel available on 72"(1829mm)-96"(2438mm) wide tops.
- 4"(102mm) diameter column leg with 3"(76mm) adjustment.
- Shipped unassembled.

Specification Tips

- Not designed to stand alone.
- See Stack-on Application Rules in Specification Guide.
- Desk with partial height end panel to be supported on one-high modular bench.
- Accommodates separately specified center drawer.
- Separately specified grommets can be field installed in desk worksurface.
- See One-high Application Rules in Specification Guide.

To Order, Specify:

- Product number, including:

① Edge Option:

Wood:

1 Square

5 Bevel

6 Radius

7 Traditional

- Finish code for T-support (laminate, paint, or wood).

- Laminate edge trim for T-support (if laminate option specified).

- Laminate worksurface color (if laminate option specified).

- Laminate edge trim for worksurface (if laminate or paint option specified).

- Column trim color (required).

Note: \$262.34 upcharge (list) for optional chrome column trim.

Masters Series

Convergent D-Top Desks with T-Support

Depth	Width	Number	Laminate	
			A	B
Partial Height				
30"(762mm)	72"(1829mm)	XLYD-3072-JSNNP	\$ 983.15	\$1182.65
	78"(1981mm)	XLYD-3078-JSNNP	1015.80	1249.95
	84"(2134mm)	XLYD-3084-JSNNP	1048.45	1317.25
	90"(2286mm)	XLYD-3090-JSNNP	1081.10	1384.55
36"(914mm)	72"(1829mm)	XLYD-3672-JSNNP	\$1061.51	\$1344.17
	78"(1981mm)	XLYD-3678-JSNNP	1100.69	1424.93
	84"(2134mm)	XLYD-3684-JSNNP	1139.87	1505.69
	90"(2286mm)	XLYD-3690-JSNNP	1179.05	1586.45
	96"(2438mm)	XLYD-3696-JSNNP	1218.23	1667.21
Full Height				
30"(762mm)	48"(1219mm)	XLYD-3048-JSNNF	\$ 994.86	\$1055.76
	54"(1372mm)	XLYD-3054-JSNNF	1027.51	1123.06
	60"(1524mm)	XLYD-3060-JSNNF	1060.16	1190.36
	66"(1676mm)	XLYD-3066-JSNNF	1092.81	1257.66
	72"(1829mm)	XLYD-3072-JSNNF	1125.46	1324.96
	78"(1981mm)	XLYD-3078-JSNNF	1158.11	1392.26
	84"(2134mm)	XLYD-3084-JSNNF	1190.76	1459.56
	90"(2286mm)	XLYD-3090-JSNNF	1223.41	1526.86
36"(914mm)	48"(1219mm)	XLYD-3648-JSNNF	\$1047.10	\$1163.44
	54"(1372mm)	XLYD-3654-JSNNF	1086.28	1244.20
	60"(1524mm)	XLYD-3660-JSNNF	1125.46	1324.96
	66"(1676mm)	XLYD-3666-JSNNF	1164.64	1405.72
	72"(1829mm)	XLYD-3672-JSNNF	1203.82	1486.48
	78"(1981mm)	XLYD-3678-JSNNF	1243.00	1567.24
	84"(2134mm)	XLYD-3684-JSNNF	1282.18	1648.00
	90"(2286mm)	XLYD-3690-JSNNF	1321.36	1728.76
	96"(2438mm)	XLYD-3696-JSNNF	1360.54	1809.52

Depth	Width	Number	Paint A Laminate	
			A	B
Partial Height				
30"(762mm)	72"(1829mm)	XTYD-3072-JSNNP	\$1169.36	\$1368.86
	78"(1981mm)	XTYD-3078-JSNNP	1202.01	1436.16
	84"(2134mm)	XTYD-3084-JSNNP	1234.66	1503.46
	90"(2286mm)	XTYD-3090-JSNNP	1267.31	1570.76
36"(914mm)	72"(1829mm)	XTYD-3672-JSNNP	\$1247.72	\$1530.38
	78"(1981mm)	XTYD-3678-JSNNP	1286.90	1611.14
	84"(2134mm)	XTYD-3684-JSNNP	1326.08	1691.90
	90"(2286mm)	XTYD-3690-JSNNP	1365.26	1772.66
	96"(2438mm)	XTYD-3696-JSNNP	1404.44	1853.42
Full Height				
30"(762mm)	48"(1219mm)	XTYD-3048-JSNNF	\$1181.07	\$1241.97
	54"(1372mm)	XTYD-3054-JSNNF	1213.72	1309.27
	60"(1524mm)	XTYD-3060-JSNNF	1246.37	1376.57
	66"(1676mm)	XTYD-3066-JSNNF	1279.02	1443.87
	72"(1829mm)	XTYD-3072-JSNNF	1311.67	1511.17
	78"(1981mm)	XTYD-3078-JSNNF	1344.32	1578.47
	84"(2134mm)	XTYD-3084-JSNNF	1376.97	1645.77
	90"(2286mm)	XTYD-3090-JSNNF	1409.62	1713.07
36"(914mm)	48"(1219mm)	XTYD-3648-JSNNF	\$1233.31	\$1349.65
	54"(1372mm)	XTYD-3654-JSNNF	1272.49	1430.41
	60"(1524mm)	XTYD-3660-JSNNF	1311.67	1511.17
	66"(1676mm)	XTYD-3666-JSNNF	1350.85	1591.93
	72"(1829mm)	XTYD-3672-JSNNF	1390.03	1672.69
	78"(1981mm)	XTYD-3678-JSNNF	1429.21	1753.45
	84"(2134mm)	XTYD-3684-JSNNF	1468.39	1834.21
	90"(2286mm)	XTYD-3690-JSNNF	1507.57	1914.97
	96"(2438mm)	XTYD-3696-JSNNF	1546.75	1995.73

Masters Series

Convergent D-Top Desks with T-Support


Depth	Width	Number ①	Wood Group A	Wood Group B
			Edge Options 1	Edge Options 1 5,6,7
Partial Height				
30"(762mm)	72"(1829mm)	XZYD-3072- SNSP	\$2078.92	\$2202.06 \$2615.95
	78"(1981mm)	XZYD-3078- SNSP	2157.12	2284.91 2698.80
	84"(2134mm)	XZYD-3084- SNSP	2235.32	2367.76 2781.65
	90"(2286mm)	XZYD-3090- SNSP	2313.52	2450.61 2864.50
36"(914mm)	72"(1829mm)	XZYD-3672- SNSP	\$2266.60	\$2400.90 \$2814.79
	78"(1981mm)	XZYD-3678- SNSP	2360.44	2500.32 2914.21
	84"(2134mm)	XZYD-3684- SNSP	2454.28	2599.74 3013.63
	90"(2286mm)	XZYD-3690- SNSP	2548.12	2699.16 3113.05
	96"(2438mm)	XZYD-3696- SNSP	2641.96	2798.58 3212.47
Full Height				
30"(762mm)	48"(1219mm)	XZYD-3048- SNSF	\$1908.43	\$2012.97 \$2249.14
	54"(1372mm)	XZYD-3054- SNSF	1986.63	2095.82 2331.99
	60"(1524mm)	XZYD-3060- SNSF	2064.83	2178.67 2414.84
	66"(1676mm)	XZYD-3066- SNSF	2143.03	2261.52 2675.41
	72"(1829mm)	XZYD-3072- SNSF	2221.23	2344.37 2758.26
	78"(1981mm)	XZYD-3078- SNSF	2299.43	2427.22 2841.11
	84"(2134mm)	XZYD-3084- SNSF	2377.63	2510.07 2923.96
	90"(2286mm)	XZYD-3090- SNSF	2455.83	2592.92 3006.81
36"(914mm)	48"(1219mm)	XZYD-3648- SNSF	\$2033.55	\$2145.53 \$2381.70
	54"(1372mm)	XZYD-3654- SNSF	2127.39	2244.95 2481.12
	60"(1524mm)	XZYD-3660- SNSF	2221.23	2344.37 2580.54
	66"(1676mm)	XZYD-3666- SNSF	2315.07	2443.79 2857.68
	72"(1829mm)	XZYD-3672- SNSF	2408.91	2543.21 2957.10
	78"(1981mm)	XZYD-3678- SNSF	2502.75	2642.63 3056.52
	84"(2134mm)	XZYD-3684- SNSF	2596.59	2742.05 3155.94
	90"(2286mm)	XZYD-3690- SNSF	2690.43	2841.47 3255.36
	96"(2438mm)	XZYD-3696- SNSF	2784.27	2940.89 3354.78

This page intentionally blank


Masters Series

Convergent P-Top Desks with T-Support


P-Top Convergent Desk with T-Support and Single Support Column




(Right-hand shown)



XLYP-SF
XTYP-SF
XZYP-SF
(Left-hand shown)



(Right-hand shown)



XLYP-SP
XTYP-SP
XZYP-SP
(Left-hand shown)

Features

- Includes worksurface, T-support end panel, column leg and column leg attachment hardware.
- 1 3/16"(30mm) thick laminate worksurface with 3mm plastic edgeband applied to user and visitor edges only. Ends capped with 1mm thick plastic edgeband. All other components finished in laminate with 1mm thick plastic edgeband.
- 1 3/16"(30mm) thick laminate worksurface with 3mm plastic edgeband applied to user and visitor edges. Ends capped with 1mm thick plastic edgeband. All other components finished in paint.
- 1 3/16"(30mm) thick wood worksurface with a choice of profiled edge (Square, Bevel, Radius or Traditional) applied to user and visitor edges. Double-cut veneers available with Square 3mm Radius edge only.
- Optional end panel height available on desks 72"(1829mm) or greater in width.
- 4"(102mm) column leg with 3"(76mm) adjustment.
- Shipped unassembled.

Specification Tips

- Not designed to stand alone.
- 30"(762mm) deep worksurface has 42"(1067mm) diameter conference end, handed with radius extending away from user.
- 36"(914mm) deep worksurface has 48"(1219mm) diameter conference end, handed with radius extending away from user.
- See Stack-on Application Rules in Specification Guide.
- Desk with partial height end panel to be supported on one-high modular bench.
- Accommodates separately specified center drawer.
- Separately specified grommets can be field installed in desk worksurface.
- See One-high Application Rules in Specification Guide.

To Order, Specify:

- 1) Product number, including:

① Edge Option:

Wood:

- 1 Square
- 5 Bevel
- 6 Radius
- 7 Traditional

② Orientation:

- L Left-hand
- R Right-hand

- 2) Finish code for T-support (laminate, paint, or wood).
- 3) Laminate edge trim for T-support (if laminate option specified).
- 4) Laminate worksurface color (if laminate or paint option specified).
- 5) Laminate edge trim for worksurface (if laminate or paint option specified).
- 6) Column trim color (required).

Note: \$262.34 upcharge (list) for optional chrome column trim.

Masters Series

Convergent P-Top Desks with T-Support

Depth	Width	Number	①②	Laminate	A	B
Partial Height						
30"(762mm)	72"(1829mm)	XLYP-3072-JS	NP	\$1170.48	\$1290.25	
	78"(1981mm)	XLYP-3078-JS	NP	1209.54	1332.46	
	84"(2134mm)	XLYP-3084-JS	NP	1248.60	1374.67	
	90"(2286mm)	XLYP-3090-JS	NP	1287.66	1416.88	
36"(914mm)	78"(1981mm)	XLYP-3678-JS	NP	1282.08	1410.85	
	84"(2134mm)	XLYP-3684-JS	NP	1326.72	1459.09	
	90"(2286mm)	XLYP-3690-JS	NP	1371.36	1507.33	
	96"(2438mm)	XLYP-3696-JS	NP	1416.00	1555.57	
Full Height						
30"(762mm)	54"(1372mm)	XLYP-3054-JS	NF	\$1195.61	\$1305.93	
	60"(1524mm)	XLYP-3060-JS	NF	1234.67	1348.14	
	66"(1676mm)	XLYP-3066-JS	NF	1273.73	1390.35	
	72"(1829mm)	XLYP-3072-JS	NF	1312.79	1432.56	
	78"(1981mm)	XLYP-3078-JS	NF	1351.85	1474.77	
	84"(2134mm)	XLYP-3084-JS	NF	1390.91	1516.98	
	90"(2286mm)	XLYP-3090-JS	NF	1429.97	1559.19	
36"(914mm)	66"(1676mm)	XLYP-3666-JS	NF	\$1335.11	\$1456.68	
	72"(1829mm)	XLYP-3672-JS	NF	1379.75	1504.92	
	78"(1981mm)	XLYP-3678-JS	NF	1424.39	1553.16	
	84"(2134mm)	XLYP-3684-JS	NF	1469.03	1601.40	
	90"(2286mm)	XLYP-3690-JS	NF	1513.67	1649.64	
	96"(2438mm)	XLYP-3696-JS	NF	1558.31	1697.88	

Depth	Width	Number	①②	Paint A	
				Laminate	A
Partial Height					
30"(762mm)	72"(1829mm)	XTYP-3072-JS	NP	\$1585.26	\$1705.03
	78"(1981mm)	XTYP-3078-JS	NP	1624.32	1747.24
	84"(2134mm)	XTYP-3084-JS	NP	1663.38	1789.45
	90"(2286mm)	XTYP-3090-JS	NP	1702.44	1831.66
36"(914mm)	78"(1981mm)	XTYP-3678-JS	NP	1696.86	1825.63
	84"(2134mm)	XTYP-3684-JS	NP	1741.50	1873.87
	90"(2286mm)	XTYP-3690-JS	NP	1786.14	1922.11
	96"(2438mm)	XTYP-3696-JS	NP	1830.78	1970.35
Full Height					
30"(762mm)	54"(1372mm)	XTYP-3054-JS	NF	\$1381.82	\$1492.14
	60"(1524mm)	XTYP-3060-JS	NF	1420.88	1534.35
	66"(1676mm)	XTYP-3066-JS	NF	1459.94	1576.56
	72"(1829mm)	XTYP-3072-JS	NF	1499.00	1618.77
	78"(1981mm)	XTYP-3078-JS	NF	1538.06	1660.98
	84"(2134mm)	XTYP-3084-JS	NF	1577.12	1703.19
	90"(2286mm)	XTYP-3090-JS	NF	1616.18	1745.40
36"(914mm)	66"(1676mm)	XTYP-3666-JS	NF	\$1521.32	\$1642.89
	72"(1829mm)	XTYP-3672-JS	NF	1565.96	1691.13
	78"(1981mm)	XTYP-3678-JS	NF	1610.60	1739.37
	84"(2134mm)	XTYP-3684-JS	NF	1655.24	1787.61
	90"(2286mm)	XTYP-3690-JS	NF	1699.88	1835.85
	96"(2438mm)	XTYP-3696-JS	NF	1744.52	1884.09

Masters Series


Convergent P-Top Desks with T-Support

Depth	Width	Number	①	②	Wood Group A	Wood Group B
					Edge Options 1	Edge Options 1
Partial Height						
30"(762mm)	72"(1829mm)	XZYP-3072-	S	SP	\$2448.20	\$2603.42
	78"(1981mm)	XZYP-3078-	S	SP	2601.36	2765.75
	84"(2134mm)	XZYP-3084-	S	SP	2754.52	2928.08
	90"(2286mm)	XZYP-3090-	S	SP	2907.68	3090.41
36"(914mm)	78"(1981mm)	XZYP-3678-	S	SP	2885.80	3067.22
	84"(2134mm)	XZYP-3684-	S	SP	3060.84	3252.74
	90"(2286mm)	XZYP-3690-	S	SP	3235.88	3438.26
	96"(2438mm)	XZYP-3696-	S	SP	3410.92	3623.78
Full Height						
30"(762mm)	54"(1372mm)	XZYP-3054-	S	SF	\$2131.03	\$2258.74
	60"(1524mm)	XZYP-3060-	S	SF	2284.19	2421.07
	66"(1676mm)	XZYP-3066-	S	SF	2437.35	2583.40
	72"(1829mm)	XZYP-3072-	S	SF	2590.51	2745.73
	78"(1981mm)	XZYP-3078-	S	SF	2743.67	2908.06
	84"(2134mm)	XZYP-3084-	S	SF	2896.83	3070.39
	90"(2286mm)	XZYP-3090-	S	SF	3049.99	3232.72
36"(914mm)	66"(1676mm)	XZYP-3666-	S	SF	\$2678.03	\$2838.49
	72"(1829mm)	XZYP-3672-	S	SF	2853.07	3024.01
	78"(1981mm)	XZYP-3678-	S	SF	3028.11	3209.53
	84"(2134mm)	XZYP-3684-	S	SF	3203.15	3395.05
	90"(2286mm)	XZYP-3690-	S	SF	3378.19	3580.57
	96"(2438mm)	XZYP-3696-	S	SF	3553.23	3766.09

Masters Series

Convergent D-Tops with Support Column

Height	Depth	Width	Number ①	Laminate A	B	Wood Group A	Wood Group B
						Edge Options 1	Edge Options 1
Laminate							
29 1/8"(740mm)	30"(762mm)	30"(762mm)	XLND-3030-JSNN	\$509.22	\$549.97		
		36"(914mm)	XLND-3036-JSNN	533.97	576.77		
		42"(1067mm)	XLND-3042-JSNN	558.72	603.57		
		48"(1219mm)	XLND-3048-JSNN	583.47	630.37		
		54"(1372mm)	XLND-3054-JSNN	608.22	657.17		
		60"(1524mm)	XLND-3060-JSNN	632.97	683.97		
		66"(1676mm)	XLND-3066-JSNN	657.72	710.77		
		72"(1829mm)	XLND-3072-JSNN	682.47	737.57		
	36"(914mm)	36"(914mm)	XLND-3636-JSNN	\$563.67	\$608.93		
		42"(1067mm)	XLND-3642-JSNN	593.37	641.09		
		48"(1219mm)	XLND-3648-JSNN	623.07	673.25		
		54"(1372mm)	XLND-3654-JSNN	652.77	705.41		
		60"(1524mm)	XLND-3660-JSNN	682.47	737.57		
		66"(1676mm)	XLND-3666-JSNN	712.17	769.73		
		72"(1829mm)	XLND-3672-JSNN	741.87	801.89		
		78"(1981mm)	XLND-3678-JSNN	771.57	834.05		
Wood							
29 1/8"(740mm)	30"(762mm)	30"(762mm)	XZND-3030- SNS		\$1310.02	\$1388.61	\$1629.52
		36"(914mm)	XZND-3036- SNS		1394.07	1477.71	1718.62
		42"(1067mm)	XZND-3042- SNS		1478.12	1566.81	1807.72
		48"(1219mm)	XZND-3048- SNS		1562.17	1655.91	1896.82
		54"(1372mm)	XZND-3054- SNS		1646.22	1745.01	1985.92
		60"(1524mm)	XZND-3060- SNS		1730.27	1834.11	2075.02
		66"(1676mm)	XZND-3066- SNS		1814.32	1923.21	2164.12
		72"(1829mm)	XZND-3072- SNS		1898.37	2012.31	2253.22
	36"(914mm)	36"(914mm)	XZND-3636- SNS		\$1494.93	\$1584.63	\$2006.79
		42"(1067mm)	XZND-3642- SNS		1595.79	1691.55	2113.71
		48"(1219mm)	XZND-3648- SNS		1696.65	1798.47	2220.63
		54"(1372mm)	XZND-3654- SNS		1797.51	1905.39	2327.55
		60"(1524mm)	XZND-3660- SNS		1898.37	2012.31	2434.47
		66"(1676mm)	XZND-3666- SNS		1999.23	2119.23	2541.39
		72"(1829mm)	XZND-3672- SNS		2100.09	2226.15	2648.31
		78"(1981mm)	XZND-3678- SNS		2200.95	2333.07	2755.23

D-Top — Convergent with Single Support Column

XLND-NS
XTND-NS
XZND-NS

Features

- Includes worksurface, column base, two flat brackets and column base attachment hardware.
- 1 3/16"(30mm) thick laminate worksurface with 3mm plastic edgeband applied to user and visitor edges only.
- 1 3/16"(30mm) thick wood worksurface with a choice of profiled edge (Square, Bevel, Radius or Traditional) applied to user and visitor edges. Double-cut veneers available with Square 3mm Radius edge only.
- Attachment edge of worksurface with Bevel, Radius and Traditional profiled edge is coped.
- 4"(102mm) diameter column leg with 3"(76mm) adjustment.
- Shipped unassembled.

Specification Tips

- Not designed to stand alone.
- Two flat brackets to allow for attachment to modular credenza.
- Accommodates separately specified center drawer.
- Separately specified grommets can be field installed in desk worksurface.

To Order, Specify:

1) Product number, including:

① Edge Option:

Wood:

 1 Square 5 Bevel 6 Radius 7 Traditional

2) Finish code for worksurface (laminate or wood).

3) Laminate edge trim for worksurface (if laminate option specified).

4) Column trim color (required).


Note: \$262.34 upcharge (list) for optional chrome column trim.

Masters Series


Convergent P-Tops with Support Column

Height	Depth	Width	Number	①	②	Laminate A	B	Wood Group A Edge Options 1	Wood Group B Edge Options 1	5,6,7
Laminate										
29 1/8"(740mm)	30"(762mm)	54"(1372mm)	XLNP-3054-JS	S	N	\$774.47	\$ 836.40			
		60"(1524mm)	XLNP-3060-JS	S	N	817.48	879.41			
		66"(1676mm)	XLNP-3066-JS	S	N	860.49	922.42			
		72"(1829mm)	XLNP-3072-JS	S	N	903.50	965.43			
36"(914mm)	66"(1676mm)	XLNP-3666-JS	S	N		\$885.86	\$ 947.79			
		72"(1829mm)	XLNP-3672-JS	S	N	928.87	990.80			
		78"(1981mm)	XLNP-3678-JS	S	N	971.88	1033.81			
Wood										
29 1/8"(740mm)	30"(762mm)	54"(1372mm)	XZNP-3054-	S	S		\$2018.41	\$2139.51	\$2392.04	
		60"(1524mm)	XZNP-3060-	S	S		2097.81	2221.09	2473.62	
		66"(1676mm)	XZNP-3066-	S	S		2177.21	2302.67	2555.20	
		72"(1829mm)	XZNP-3072-	S	S		2256.61	2384.25	2636.78	
36"(914mm)	66"(1676mm)	XLNP-3666-	S	S		\$2202.58	\$2332.01	\$2649.60		
		72"(1829mm)	XZNP-3672-	S	S		2281.98	2413.59	2731.18	
		78"(1981mm)	XZNP-3678-	S	S		2361.38	2495.17	2812.76	

P-Top — Convergent with Single Support Column



XLNP-RS
XTNP-RS
XZNP-RS
(Right-hand shown)



XLNP-LS
XTNP-LS
XZNP-LS
(Left-hand shown)

Features

- Includes worksurface, column base, two flat brackets and column base attachment hardware.
- 1 3/16"(30mm) thick laminate worksurface with 3mm plastic edgeband applied to user and visitor edges only.
- 1 3/16"(30mm) thick wood worksurface with a choice of profiled edge (Square, Bevel, Radius or Traditional) applied to user and visitor edges. Double-cut veneers available with Square 3mm Radius edge only.
- Attachment edge of worksurface is coped for Bevel, Radius and Traditional profiled edges.
- 4"(102mm) diameter column leg with 3"(76mm) adjustment.
- Shipped unassembled.

Specification Tips

- Not designed to stand alone.
- 30"(762mm) deep worksurface has 42"(1067mm) diameter conference end, handed with radius extending away from user.
- 36"(914mm) deep worksurface has 48"(1219mm) diameter conference end, handed with radius extending away from user.
- Designed to attach to credenzas built with modular components.
- Accommodates separately specified center drawer.

To Order, Specify:

- 1) Product number, including:

① Edge Option:

Wood:

1 Square

5 Bevel

6 Radius

7 Traditional

② Orientation:

L Left-hand

R Right-hand

- 2) Finish code for worksurface (laminate or wood).

- 3) Laminate edge trim for worksurface (if laminate option specified).


- 4) Column trim color (required).

Note: \$262.34 upcharge (list) for optional chrome column trim.

Masters Series

Full Keystone Desk

Depth	Length	Number	①	②	Laminate	A	B	Wood Group A Edge Options 1	Wood Group B Edge Options 1	5,6,7
Laminate										
48"(1219mm)	60"(1524mm)	XLNY-4860-JSNSNC	<input checked="" type="checkbox"/>			\$1930.59	\$2081.60			
Wood										
48"(1219mm)	60"(1524mm)	XZNY-4860-	<input type="checkbox"/> SNS	<input type="checkbox"/> C	<input checked="" type="checkbox"/>		\$2687.40		\$2848.65	\$3253.10

Full Keystone Desk with Single Support ColumnXLNY-YC
XZNY-YC

- Features**
- Includes worksurface, column leg and attachment hardware.
 - Wood worksurface with choice of profiled edge (Square, Bevel, Radius or Traditional) applied to all edges except connection edge.
 - Laminate worksurface has a 3mm edgeband applied to all edges except connection edge.
 - Double-cut veneers available with Square 3mm Radius edge only.
 - Shipped unassembled.
 - Available on RUSH.

Specification Tips

- Accommodates separately specified center drawer.
- Not designed to stand alone.

To Order, Specify:

1) Product number, including:

① Edge Option:

Wood:

- 1 Square
- 5 Bevel
- 6 Radius
- 7 Traditional

② Coped Edge Option:

- Y Yes

- N No (Square Edge Only)

- Finish code for worksurface (laminate or wood).
- Laminate edge trim for worksurface (if laminate option specified).
- Column trim color (required).


Note: \$262.34 upcharge (list) for optional chrome column trim.

Laminate

48"(1219mm)	60"(1524mm)	XLNY-4860-JSNSNB	<input checked="" type="checkbox"/>	\$2368.64	\$2519.65
-------------	-------------	------------------	-------------------------------------	-----------	-----------

Wood

48"(1219mm)	60"(1524mm)	XZNY-4860-	<input type="checkbox"/> SNSNB	<input checked="" type="checkbox"/>	\$3120.04	\$3281.29	\$3741.75
-------------	-------------	------------	--------------------------------	-------------------------------------	-----------	-----------	-----------

Full Keystone Desk with Single Support Column and StanchionsXLNY-NB
XZNY-NB

- Features**
- Includes worksurface, column leg, two stanchion supports and column leg attachment hardware.
 - Wood worksurface with choice of profiled edge (Square, Bevel, Radius or Traditional) applied to all sides of worksurface.
 - Laminate worksurface has a 3mm edgeband applied to all edges except connection edge.
 - Double-cut veneers available with Square 3mm Radius edge only.
 - Shipped unassembled.
 - Available on RUSH.

Specification Tips

- Communication cables can be routed through stanchions.
- Stanchions are 4"(102mm) in diameter.
- Not designed to stand alone.

To Order, Specify:

1) Product number, including:

① Edge Option:

Wood:

- 1 Square
- 5 Bevel
- 6 Radius
- 7 Traditional

- Finish code for worksurface (laminate or wood).
- Laminate edge trim for worksurface (if laminate option specified).
- Column and stanchion trim color (required).


Note: \$262.34 upcharge (list) for optional chrome column and stanchion trim.

Masters Series

Full Keystone Desk

Depth	Width	Number ①	Laminate A	B	Wood Group A Edge Options 1	Wood Group B Edge Options 1	5,6,7
Laminate							
48"(1219mm)	60"(1524mm)	XLNY-4860-JSNSNS	\$1930.59	\$2081.60			
Wood							
48"(1219mm)	60"(1524mm)	XZNY-4860- SNSNS			\$2687.40	\$2848.65	\$3309.11

Full Keystone - Slip Fit Top



XLNY-NS

XZNY-NS

Features

- Includes worksurface, two Z attachment brackets, column leg and column leg attachment hardware.
 - Wood worksurface with choice of profiled edge (Square, Bevel, Radius or Traditional) applied to all sides of worksurface.
 - Laminate worksurface has a 3mm edgeband applied to all edges except connection edge.
 - Double-cut veneers available with Square 3mm Radius edge only.
 - Shipped unassembled.
- Available on RUSH.

Specification Tips

- Not designed to stand alone.

To Order, Specify:

- 1) Product number, including:

① Edge Option:

Wood:

- 1 Square
- 5 Bevel
- 6 Radius
- 7 Traditional

- 2) Finish code for worksurface (laminate or wood).

- 3) Laminate edge trim for worksurface (if laminate option specified).



- 4) Column trim color (required).

Note: \$262.34 upcharge (list) for optional chrome column trim.

Masters Series

Half Keystone Desk

Depth	Length	Number	①	②	③	Laminate	A	B	Wood Group A Edge Options 1	Wood Group B Edge Options 1	5,6,7
Laminate											
42"(1067mm)	60"(1524mm)	XLNZ-4260-JS	S	N	C	■	\$1754.59	\$1895.20			
45"(1143mm)	66"(1676mm)	XLNZ-4566-JS	S	N	C	■	1974.59	2128.20			
48"(1219mm)	72"(1829mm)	XLNZ-4872-JS	S	N	C	■	2212.19	2379.84			
Wood											
42"(1067mm)	60"(1524mm)	XZNZ-4260-	S	S	C	■		\$2511.20	\$2661.88	\$3037.56	
45"(1143mm)	66"(1676mm)	XZNZ-4566-	S	S	C	■		2731.45	2895.34	3294.99	
48"(1219mm)	72"(1829mm)	XZNZ-4872-	S	S	C	■		2969.31	3147.48	3571.11	

Half Keystone Desk with Single Support Column

Left Hand

Right Hand

XLNZ-YC

XZNZ-YC

Features

- Includes worksurface, column leg and column leg attachment hardware.
- Wood worksurface with choice of profiled edge (Square, Bevel, Radius or Traditional) applied to all edges except connection edge.
- Laminate worksurface has a 3mm edgeband applied to all edges except connection edge.
- Double-cut veneers available with Square 3mm Radius edge only.
- Shipped unassembled.
- Available on RUSH.

Specification Tips

- Accommodates separately specified center drawer.
- Not designed to stand alone.

To Order, Specify:

- 1) Product number, including:

① Edge Option:

Wood:

- 1 Square ■
5 Bevel
6 Radius
7 Traditional

② Orientation:

- L Left-hand ■
R Right-hand ■

③ Coped Edge Option:

- Y Yes
N No (Square Edge Only) ■

- 2) Finish code for worksurface (laminate or wood).
3) Laminate edge trim for worksurface (if laminate option specified).
4) Column trim color (required).



Note: \$262.34 upcharge (list) for optional chrome column trim.

Masters Series

Half Keystone Desk

Depth	Length	Number	①	②	Laminate A	B	Wood Group A Edge Options 1	Wood Group B Edge Options 1	5,6,7
Laminate									
42"(1067mm)	60"(1524mm)	XLNZ-4260-JS	S	SNB	\$2192.64	\$2333.25			
45"(1143mm)	66"(1676mm)	XLNZ-4566-JS	S	SNB	2412.64	2566.25			
48"(1219mm)	72"(1829mm)	XLNZ-4872-JS	S	SNB	2650.24	2817.89			
Wood									
42"(1067mm)	60"(1524mm)	XZNZ-4260-	S	SNB		\$2949.25		\$3099.93	\$3542.74
45"(1143mm)	66"(1676mm)	XZNZ-4566-	S	SNB		3169.50		3333.39	3804.97
48"(1219mm)	72"(1829mm)	XZNZ-4872-	S	SNB		3407.36		3585.53	4085.88

Half Keystone Desk with Single Support Column and Stanchions



Left Hand

XLNZ-NB
XZNZ-NB

Right Hand

- Features**
- Includes worksurface, column leg, two stanchion supports and column leg attachment hardware.
 - Wood worksurface with choice of profiled edge (Square, Bevel, Radius or Traditional) applied to all sides of worksurface.
 - Laminate worksurface has a 3mm edgeband applied to all edges except connection edge.
 - Double-cut veneers available with Square 3mm Radius edge only.
 - Shipped unassembled.
- ◆ Available on RUSH.

Specification Tips

- Communication cables can be routed through stanchions.
- Stanchions are 4"(102mm) in diameter.
- Not designed to stand alone.

To Order, Specify:

- 1) Product number, including:

① Edge Option:

Wood:

- | | |
|---|-------------|
| 1 | Square |
| 5 | Bevel |
| 6 | Radius |
| 7 | Traditional |

② Orientation:

- | | |
|---|------------|
| L | Left-hand |
| R | Right-hand |



- 2) Finish code for worksurface (laminate or wood).
- 3) Laminate edge trim for worksurface (if laminate option specified).
- 4) Column and stanchion trim color (required).

Note: \$262.34 upcharge (list) for optional chrome column and stanchion trim.

Masters Series

Half Keystone Desk

Depth	Width	Number	①	②	Laminate	A	B	Wood Group A Edge Options 1	Wood Group B Edge Options 1	5,6,7
Laminate										
42"(1067mm)	60"(1524mm)	XLNZ-4260-JS	S	SNS	■	\$1754.59	\$1895.20			
45"(1143mm)	66"(1676mm)	XLNZ-4566-JS	S	SNS	■	1974.59	2128.20			
48"(1219mm)	72"(1829mm)	XLNZ-4872-JS	S	SNS	■	2212.19	2379.84			
Wood										
42"(1067mm)	60"(1524mm)	XZNZ-4260-	S	SNS	■		\$2511.20	\$2661.88	\$3104.69	
45"(1143mm)	66"(1676mm)	XZNZ-4566-	S	SNS	■		2731.45	2895.34	3366.92	
48"(1219mm)	72"(1829mm)	XZNZ-4872-	S	SNS	■		2969.31	3147.48	3647.83	

Half Keystone - Slip Fit Top

Left Hand

Right Hand

XLNZ-NS
XZNZ-NS**Features**

- Includes worksurface, two Z attachment brackets, column leg and column leg attachment hardware.
- Wood worksurface with choice of profiled edge (Square, Bevel, Radius or Traditional) applied to all sides of worksurface.
- Laminate worksurface has a 3mm edgeband applied to all edges except connection edge.
- Double-cut veneers available with Square 3mm Radius edge only.
- Shipped unassembled.
- Available on RUSH.

Specification Tip

- Not designed to stand alone.

To Order, Specify:

- 1) Product number, including:

① Edge Option:

Wood:

- 1 Square ■
5 Bevel
6 Radius
7 Traditional

② Orientation:

- L Left-hand ■
R Right-hand ■

- 2) Finish code for worksurface (laminate or wood).

- 3) Laminate edge trim for worksurface (if laminate option specified).


- 4) Column trim color (required).

Note: \$262.34 upcharge (list) for optional chrome column trim.


Masters Series

Bridge

Bridge



XLBFS-NS
XTBFS-NS
XZBFS-NS



XLBFFS-
XTBFFS-
XZBFFS

Features

- Includes worksurface, optional modesty panel and attachment hardware.
- 1 3/16"(30mm) thick laminate worksurface with 3mm plastic edgeband applied to user edge only; connection edges are unfinished.
- 1 3/16"(30mm) thick wood worksurface with a choice of profiled edge (Square, Bevel, Radius or Traditional) applied to user and visitor edges. Double-cut veneers available with Square 3mm Radius edge only.
- Wood worksurfaces 36"(914mm), 42"(1067mm) and 48"(1219mm) wide available with choice of grain direction; side-to-side (standard) or front-to-back.
- Both attachment edges of wood veneer worksurfaces with Bevel, Radius and Traditional profiled edges are coped.
- Optional 2"(51mm) grommet centered in back of worksurface.
- Grommet available with option of black or satin finish.
- Shipped unassembled.
- Available on RUSH.

Specification Tips

- Specified for use between single pedestal desks, desk shells and configured credenza units using modular components to create a "U-shaped" office configuration.
- Bridges with profiled edges not for use with corner units.
- See Corner Unit Application in Specification Guide.

To Order, Specify:

- 1) Product number, including:

① Edge Option:

Wood:

- 1 Square
- 5 Bevel, add \$68.40 list
- 6 Radius, add \$68.40 list
- 7 Traditional, add \$68.40 list

② Grommet Option:

- Y Grommet, add \$124.77 list
- N No Grommet

③ Grain Direction (wood only):

(36", 42" and 48" wide only)

- F Front-to-back
- S Side-to-side

- 2) Finish code for modesty (if specified).
- 3) Laminate edge trim for modesty (if laminate option specified).
- 4) Finish code for bridge (laminate or wood).
- 5) Edge trim for bridge (if laminate option specified).
- 6) Trim color for grommet (if specified).

Height	Depth	Width	Number	①	②	③	Laminate	
							A	B
Laminate — No Modesty								
29 1/8"(740mm)	19"(483mm)	36"(914mm)	XLBF-1936-JS	NN	<input type="checkbox"/>	\$227.41	\$245.25	
		42"(1067mm)	XLBF-1942-JS	NN	<input type="checkbox"/>	247.93	266.91	
		48"(1219mm)	XLBF-1948-JS	NN	<input type="checkbox"/>	268.45	288.57	
		54"(1372mm)	XLBF-1954-JS	NN	<input type="checkbox"/>	288.97	310.23	
		60"(1524mm)	XLBF-1960-JS	NN	<input type="checkbox"/>	309.49	331.89	
24"(610mm)	36"(914mm)	XLBF-2436-JS	NN	<input type="checkbox"/>	\$259.81	\$279.45		
	42"(1067mm)	XLBF-2442-JS	NN	<input type="checkbox"/>	285.73	306.81		
	48"(1219mm)	XLBF-2448-JS	NN	<input type="checkbox"/>	311.65	334.17		
	54"(1372mm)	XLBF-2454-JS	NN	<input type="checkbox"/>	337.57	361.53		
	60"(1524mm)	XLBF-2460-JS	NN	<input type="checkbox"/>	363.49	388.89		
Laminate — Full Modesty								
29 1/8"(740mm)	19"(483mm)	36"(914mm)	XLBF-1936-JS	FN	<input type="checkbox"/>	\$648.96	\$685.90	
		42"(1067mm)	XLBF-1942-JS	FN	<input type="checkbox"/>	669.48	707.56	
		48"(1219mm)	XLBF-1948-JS	FN	<input type="checkbox"/>	690.00	729.22	
		54"(1372mm)	XLBF-1954-JS	FN	<input type="checkbox"/>	710.52	750.88	
		60"(1524mm)	XLBF-1960-JS	FN	<input type="checkbox"/>	731.04	772.54	
24"(610mm)	36"(914mm)	XLBF-2436-JS	FN	<input type="checkbox"/>	\$681.36	\$720.10		
	42"(1067mm)	XLBF-2442-JS	FN	<input type="checkbox"/>	707.28	747.46		
	48"(1219mm)	XLBF-2448-JS	FN	<input type="checkbox"/>	733.20	774.82		
	54"(1372mm)	XLBF-2454-JS	FN	<input type="checkbox"/>	759.12	802.18		
	60"(1524mm)	XLBF-2460-JS	FN	<input type="checkbox"/>	785.04	829.54		

Masters Series

Bridge


Height	Depth	Width	Number	①	②	③	Wood Group A	Group B
Wood — No Modesty								
29 1/8"(740mm)	19"(483mm)	36"(914mm)	XZBF-1936	S	N	■	\$ 595.89	\$ 617.99
		42"(1067mm)	XZBF-1942	S	N	■	648.33	672.71
		48"(1219mm)	XZBF-1948	S	N	■	700.77	727.43
		54"(1372mm)	XZBF-1954	S	NS	■	753.21	782.15
		60"(1524mm)	XZBF-1960	S	NS	■	805.65	836.87
24"(610mm)		36"(914mm)	XZBF-2436	S	N	■	\$ 678.69	\$ 704.39
		42"(1067mm)	XZBF-2442	S	N	■	744.93	773.51
		48"(1219mm)	XZBF-2448	S	N	■	811.17	842.63
		54"(1372mm)	XZBF-2454	S	NS	■	877.41	911.75
		60"(1524mm)	XZBF-2460	S	NS	■	943.65	980.87
Wood — Full Modesty								
29 1/8"(740mm)	19"(483mm)	36"(914mm)	XZBF-1936	S	F	■	\$1050.42	\$1099.79
		42"(1067mm)	XZBF-1942	S	F	■	1102.86	1154.51
		48"(1219mm)	XZBF-1948	S	F	■	1155.30	1209.23
		54"(1372mm)	XZBF-1954	S	FS	■	1207.74	1263.95
		60"(1524mm)	XZBF-1960	S	FS	■	1260.18	1318.67
24"(610mm)		36"(914mm)	XZBF-2436	S	F	■	\$1133.22	\$1186.19
		42"(1067mm)	XZBF-2442	S	F	■	1199.46	1255.31
		48"(1219mm)	XZBF-2448	S	F	■	1265.70	1324.43
		54"(1372mm)	XZBF-2454	S	FS	■	1331.94	1393.55
		60"(1524mm)	XZBF-2460	S	FS	■	1398.18	1462.67

Masters Series

Corner Shells

Height	Depth	Width	Number	1	2	3	4	Laminate A	B	Paint A Laminate A	B	Wood Group A	Group B
Laminate													
29 1/8"(740mm)	36"(914mm)	36"(914mm)	XLCN-3636-JS	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	\$1321.34	\$1415.75				
	42"(1067mm)	42"(1067mm)	XLCN-4242-JS	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	1325.75	1420.16				
Laminate Top/Paint													
29 1/8"(740mm)	36"(914mm)	36"(914mm)	XTCN-3636-JS	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>			\$1321.34	\$1415.75		
	42"(1067mm)	42"(1067mm)	XTCN-4242-JS	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>			1325.75	1420.16		
Wood													
29 1/8"(740mm)	36"(914mm)	36"(914mm)	XZCN-3636-	<input type="checkbox"/>	S	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>			\$1887.63	\$2000.89	
	42"(1067mm)	42"(1067mm)	XZCN-4242-	<input type="checkbox"/>	S	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>			1996.83	2116.59	

Shell — Corner



XLCN-22
XTCN-22
XZCN-22

Features

- Includes worksurface, case and one attachment hardware.
- 1 3/16"(30mm) thick laminate worksurface with 3mm plastic edgeband applied to user edge only; connection edges are unfinished.
- 1 3/16"(30mm) thick laminate worksurface with 3mm plastic edgeband applied to user and visitor edges. Ends capped with 1mm thick plastic edgeband. All other components finished in paint.
- 1 3/16"(30mm) thick wood worksurface with a choice of profiled edge (Square, Bevel, Radius or Traditional) applied to user and visitor edges. Double-cut veneers available with Square 3mm Radius edge only.
- Available with No Modesty option only.
- 36" x 36"(914 x 914mm) corner available with an option of 19"(483mm) or 24"(610mm) deep attachment.
- 42" x 42"(1067 x 1067mm) corner available with an option of 24"(610mm) or 30"(762mm) deep attachment.
- 10" x 10"(254 x 254mm) L-support in back corner of corner shell.
- 19"(483mm) and 24"(610mm) deep connection edges include 10" x 10"(254 x 254mm) L-support.
- 30"(762mm) deep connection edges include 15" x 15"(381 x 381mm) L-support.
- L-supports include unfinished clearcoat integrated wireways.
- Optional 2"(51mm) grommet centered in back of worksurface.
- Grommet available with option of black or satin chrome finish.
- Glides provide 2"(51mm) adjustment range.
- Shipped unassembled.

Specification Tips

- Attachment depth may differ each side of the corner shell.
- May be used with return tops or modular worksurface.
- Corner shell cannot be used with a pre-configured return or bridge with profiled edges; can be used with Square edge only.
- See Corner Unit Applications in Specification Guide.

To Order, Specify:

- 1) Product number, including:

① Edge Option:

Wood:

- Square
- Bevel, add \$136.80 list
- Radius, add \$136.80 list
- Traditional, add \$136.80 list

② Grommet Option:

- Grommet, add \$124.77 list
- No Grommet

③ Attachment Depth Left:

- 19"(36" Corner Only)
- 24"
- 30"(42" Corner Only)

④ Attachment Depth Right:



- 19"(36" Corner Only)
- 24"
- 30"(42" Corner Only)

- 2) Finish code for lower supports (laminate, paint, or wood).
- 3) Laminate edge trim color for lower supports (if laminate option specified).
- 4) Laminate worksurface color (if laminate or paint option specified).
- 5) Laminate edge trim for worksurface (if laminate or paint option specified).
- 6) Trim color for grommet (if specified).

Masters Series

Return Tops – Rectangular

Height	Depth	Width	Number	1	2	3	4	5	Laminate A	B	Wood Group A	Group B
Laminate												
29 1/8"(740mm)	19"(483mm)	36"(914mm)	XLBR-1936-JS	N	■				\$407.40	\$439.93		
		42"(1067mm)	XLBR-1942-JS	N	■				441.60	476.41		
		48"(1219mm)	XLBR-1948-JS	N	■				475.80	512.89		
		54"(1372mm)	XLBR-1954-JS	N	■				510.00	549.37		
		60"(1524mm)	XLBR-1960-JS	N	■				544.20	585.85		
	24"(610mm)	36"(914mm)	XLBR-2436-JS	N	■				\$461.40	\$497.53		
		42"(1067mm)	XLBR-2442-JS	N	■				504.60	543.61		
		48"(1219mm)	XLBR-2448-JS	N	■				547.80	589.69		
		54"(1372mm)	XLBR-2454-JS	N	■				591.00	635.77		
		60"(1524mm)	XLBR-2460-JS	N	■				634.20	681.85		
Wood												
29 1/8"(740mm)	19"(483mm)	36"(914mm)	XZBR-1936-	S	■	■	■	■	■	\$582.00	\$616.92	
		42"(1067mm)	XZBR-1942-	S	■	■	■	■	■	632.16	670.50	
		48"(1219mm)	XZBR-1948-	S	■	■	■	■	■	682.32	724.08	
		54"(1372mm)	XZBR-1954-	S	■	S	■	■	■	732.48	777.66	
		60"(1524mm)	XZBR-1960-	S	■	S	■	■	■	782.64	831.24	
	24"(610mm)	36"(914mm)	XZBR-2436-	S	■	■	■	■	■	\$661.20	\$701.52	
		42"(1067mm)	XZBR-2442-	S	■	■	■	■	■	724.56	769.20	
		48"(1219mm)	XZBR-2448-	S	■	■	■	■	■	787.92	836.88	
		54"(1372mm)	XZBR-2454-	S	■	S	■	■	■	851.28	904.56	
		60"(1524mm)	XZBR-2460-	S	■	S	■	■	■	914.64	972.24	

Return TopXLBR-SR
XZBR-SR
(Right shown)XLBR-SR
XZBR-SR
(Right shown)**Features**

- Includes worksurface, optional modesty panel and attachment hardware.
- 1 3/16"(30mm) thick laminate worksurface with 3mm plastic edgeband applied to user edge only; connection edge unfinished. End capped with 1mm thick plastic edgeband.
- 1 3/16"(30mm) thick wood worksurface with a choice of profiled edge (Square, Bevel, Radius or Traditional) applied to user edge only. Double-cut veneers available with Square 3mm Radius edge only.
- Optional 2"(51mm) grommet.
- Grommet available with option of black or satin finish.
- Includes one coped attachment edge for worksurfaces with Bevel, Radius and Traditional profiled edges.
- Wood worksurfaces 42"(1067mm) and 48"(1219mm) wide available with choice of grain direction; side-to-side or front-to-back.
- Optional modesty panel is 3/4"(19mm) thick; finished both sides.
- Shipped unassembled.
- Available on RUSH.

Specification Tips

- Orientation option is based on storage placement not coped edge.
- Not for free-standing application.
- May be used between single pedestal desk or convergent and corner shell as a bridge.
- Connects to separately specified end panel or attached storage unit for use as a return.
- See Corner Unit Application in Specification Guide.

To Order, Specify:

1) Product number, including:

① Edge Option:

Wood:

1 Square ■

5 Bevel, add \$67.06 list

6 Radius, add \$67.06 list

7 Traditional, add \$67.06 list

② Grommet Option:

Y Grommet, add \$124.77 list ■

N No Grommet ■

③ Modesty Option:

F Full Height, add \$445.62 list ■

N No Modesty ■

④ Grain Direction (wood only):

(36", 42" and 48" wide only)

F Front-to-back ■

S Side-to-side ■

⑤ Orientation:

L Left

R Right

2) Finish code for modesty (if specified).

3) Laminated edge trim color for modesty (if specified).

4) Finish code for return top (laminated or wood).

5) Edge trim for return top (if laminate option specified).


6) Trim color for grommet (if specified).

Masters Series

Returns with Pedestal


Height	Depth	Width	Number	1	2	3	4	5	6	Wood Group A	Group B
Wood											
29 1/8"(740mm)	19"(483mm)	42"(1067mm)	XZRP-1942-	SS	SS	SS	SS	SS	SS	\$1804.88	\$1911.05
		48"(1219mm)	XZRP-1948-	SS	SS	SS	SS	SS	SS	1868.69	1978.69
		54"(1372mm)	XZRP-1954-	SS	SS	SS	SS	S	S	1932.50	2046.33
		60"(1524mm)	XZRP-1960-	SS	SS	SS	SS	S	S	1996.31	2113.97

Return with Pedestal



XLRP-RS
XZRP-RS
(Right-hand shown)

④ Pull Styles



Features

- Includes worksurface, case and one pedestal.
- 1 3/16"(30mm) thick wood worksurface with a choice of profiled edge (Square, Bevel, Radius or Traditional) applied to user edge only; connection edge unfinished. End capped with 1mm thick plastic edgeband. Double-cut veneers available with Square edge only.
- Includes coped attachment edge for worksurfaces with Bevel, Radius and Traditional profiled edges.
- Wood worksurfaces 42"(1067mm) and 48"(1219mm) wide available with choice of grain direction; side-to-side (standard) or front-to-back.
- Optional 2"(51mm) grommet oriented to connection end of return top.
- Grommet and lock plug available with option of black or chrome finish; chrome grommet has a satin finish.
- Includes flush full overlay modesty panel; modesty veneered both sides.
- Letter width 15 1/2"(394mm) File/File pedestal.
- File drawers with an integrated file hanging system.
- Drawer pull options:
 - Bar pulls available in powdercoat finishes.
 - Linear and Classic pulls are available in satin nickel finish only.
 - Finger pull option available with Wood Group B finishes.
- File drawers have full extension slides.
- One lock standard per pedestal.
- For lock options, refer to Lock Program Price List.
- Glides provide 2"(51mm) adjustment range.
- Return shell shipped unassembled, pedestal shipped assembled ready for field installation.
- Available on RUSH.

Specification Tips

- Not designed for free-standing application.
- Handed design (left or right) based on position of pedestal.
- Connects to single pedestal desk or desk shell.
- Return with Square edge only available for use with corner shell; not for use with profiled edges.
- Can be utilized with attached two-high lower storage; no back option must be specified.

To Order, Specify:

- 1) Product number, including:

① Edge Option:

Wood:

- 1 Square
- 5 Bevel, add \$67.06 list
- 6 Radius, add \$67.06 list
- 7 Traditional, add \$67.06 list

② Pedestal Drawer Option:

- 6 File/File Black Miterfold
- T File/File Wood, add 84.21 list

③ Drawer Pull Option:

- F Finger (Wood only)
- B Bar
- 8 Linear
- 9 Classic

④ Grommet Option:

- Y Grommet, add \$124.77 list
- N No Grommet

⑤ Orientation:

- L Left
- R Right

⑥ Grain Direction:

(42" and 48" wide only)

- F Front-to-back
- S Side-to-side

- 2) Finish code (wood only).


- 3) Trim color for bar pull (if specified).

- 4) Trim color for lock (required) and grommet (if specified).

Masters Series

Credenzas with Pedestals

	Height	Depth	Width	Number	①	②	③	④	Wood Group A	Group B
Credenza with Pedestals	29 1/8"(740mm)	24"(610mm)	72"(1829mm)	XZZP-2472-	█	SS	█	█	\$3572.26	\$3786.60



XZZP-BY

Features

- Includes worksurface, case and two pedestals.
 - 1 3/16"(30mm) thick wood worksurface with a choice of profiled edge (Square, Bevel, Radius or Traditional) applied to user edge only. Double-cut veneers available with Square edge only.
 - Optional 2"(51mm) grommet centered in back of worksurface.
 - Grommet and lock plugs available with option of black or chrome finish; chrome grommet has a satin finish.
 - Includes flush full overlay modesty panel; modesty finished on both sides.
 - Two letter width 15 1/2"(394mm) File/File pedestals.
 - File drawers with an integrated file hanging system.
 - Drawer pull options:
 - Bar pulls available in powdercoat finishes.
 - Linear and Classic pulls are available in satin nickel finish only.
 - Finger pull option available with Wood Group B finishes.
 - File drawers have full extension slides.
 - One lock standard per pedestal; each pedestal locks separately.
 - Common keys within each credenza.
 - For lock options, refer to Lock Program Price List.
 - Glides provide 2"(51mm) adjustment range.
 - Credenza shipped unassembled, storage shipped assembled ready for field installation.
 - Available on RUSH.

To Order, Specify:

- 1) Product number, including:

① Edge Options

- 1** Square 
 - 5** Bevel, add \$68.40 list
 - 6** Radius, add \$68.40 list
 - 7** Traditional, add \$68.40 list

② Pedestal Drawer Option:

- 66** Two File/File Black Miterfold

③ Drawer Pull Option:

- F** Finger
 - B** Bar
 - 8** Linear
 - 9** Classic


④ Grommet Option:

- Y Grommet, add \$124.77 list
 - N No Grommet

Finish code (wood only).

Trim color for bar pull (if specified).

Trim color for lock plug (required) and grommet (if specified).




Specification Tips

- May be used with vertical storage unit of equal width.


Masters Series

Credenzas with Pedestals and Closed Storage

	Height	Depth	Width	Number	1	2	3	4	5	Wood Group A	Group B												
Credenza with Pedestals and Closed Storage	29 1/8"(740mm)	24"(610mm)	72"(1829mm)	XZZS-2472-	SS	SS	SS	SS	SS	\$5568.01	\$5902.29												
Features																							
<ul style="list-style-type: none"> Includes worksurface, storage cabinet and two pedestals. 1 3/16"(30mm) thick wood worksurface with a choice of profiled edge (Square, Bevel, Radius or Traditional) applied to user edge only. Double-cut veneers available with Square edge only. Optional 2"(51mm) grommet centered in back of worksurface. Grommet and lock plugs available with option of black or chrome finish; chrome grommet has a satin finish. Finished veneer back. Two letter width 15 1/2"(394mm) File/File pedestals. File drawers with an integrated file hanging system. Drawer pull options: <ul style="list-style-type: none"> Bar pulls available in powdercoat finishes. Linear and Classic pulls are available in satin nickel finish only. Finger pull option available with Wood Group B finishes. File drawers have full extension slides. Storage cabinet utilize concealed hinges. One interior 3/4"(19mm) thick wood shelf in storage cabinet with $\pm 1 1/4"(32mm)$ adjustment range. One lock standard per pedestal; each pedestal locks separately. Common keys within each credenza. Optional lock available on storage cabinet. For lock options, refer to Lock Program Price List. Glides provide 2"(51mm) adjustment range. Credenza shipped fully assembled and ready for field installation. Available on RUSH. 																							
To Order, Specify:																							
1) Product number, including:																							
1 Edge Option:																							
<table border="0"> <tr> <td>1</td> <td>Square</td> <td>■</td> </tr> <tr> <td>5</td> <td>Bevel, add \$68.40 list</td> <td>■</td> </tr> <tr> <td>6</td> <td>Radius, add \$68.40 list</td> <td>■</td> </tr> <tr> <td>7</td> <td>Traditional, add \$68.40 list</td> <td>■</td> </tr> </table>												1	Square	■	5	Bevel, add \$68.40 list	■	6	Radius, add \$68.40 list	■	7	Traditional, add \$68.40 list	■
1	Square	■																					
5	Bevel, add \$68.40 list	■																					
6	Radius, add \$68.40 list	■																					
7	Traditional, add \$68.40 list	■																					
2 Pedestal Drawer Option:																							
<table border="0"> <tr> <td>66</td> <td>Two File/File Black Miterfold</td> <td>■</td> </tr> <tr> <td>TT</td> <td>Two File/File Wood, add \$171.00 list</td> <td>■</td> </tr> </table>												66	Two File/File Black Miterfold	■	TT	Two File/File Wood, add \$171.00 list	■						
66	Two File/File Black Miterfold	■																					
TT	Two File/File Wood, add \$171.00 list	■																					
3 Drawer/Door Pull Option:																							
<table border="0"> <tr> <td>F</td> <td>Finger (Touch latch)</td> <td>■</td> </tr> <tr> <td>B</td> <td>Bar</td> <td>■</td> </tr> <tr> <td>8</td> <td>Linear</td> <td>■</td> </tr> <tr> <td>9</td> <td>Classic</td> <td>■</td> </tr> </table>												F	Finger (Touch latch)	■	B	Bar	■	8	Linear	■	9	Classic	■
F	Finger (Touch latch)	■																					
B	Bar	■																					
8	Linear	■																					
9	Classic	■																					
4 Grommet Option:																							
<table border="0"> <tr> <td>Y</td> <td>Grommet, add \$124.77 list</td> <td>■</td> </tr> <tr> <td>N</td> <td>No Grommet</td> <td>■</td> </tr> </table>												Y	Grommet, add \$124.77 list	■	N	No Grommet	■						
Y	Grommet, add \$124.77 list	■																					
N	No Grommet	■																					
5 Lock Option for Storage:																							
<table border="0"> <tr> <td>N</td> <td>No Lock</td> <td>■</td> </tr> <tr> <td>L</td> <td>Lock, add \$118.05 list</td> <td>■</td> </tr> </table>												N	No Lock	■	L	Lock, add \$118.05 list	■						
N	No Lock	■																					
L	Lock, add \$118.05 list	■																					
2) Finish code (wood only).																							
3) Trim color for bar pull (if specified).																							
4) Trim color for lock plugs (if specified) and grommet (if specified).																							



XZZS-YL


**Specification Tip**

- May be used with vertical storage unit of equal width.


Masters Series

Credenzas with Lateral Files

	Height	Depth	Width	Number	①	②③	Wood Group A	Group B
Credenza with 36" Wide Lateral Files	29 1/8"(740mm)	24"(610mm)	72"(1829mm)	XZZL-2472-	SS	N	\$4749.41	\$5028.79



XZZL-BN



Features

- Includes worksurface and two 36"(914mm) wide lateral files.
 - 1 3/16"(30mm) thick wood worksurface with a choice of profiled edge (Square, Bevel, Radius or Traditional) applied to user edge only. Double-cut veneers available with Square 3mm Radius edge only.
 - Finished wood back.
 - File drawers with an integrated file hanging system.
 - Drawer pull options:
 - Bar pulls available in powdercoat finishes.
 - Linear and Classic pulls are available in satin nickel finish only.
 - Finger pull option available with Wood Group B finishes.
 - File drawers have full extension slides.
 - One lock with dual lock bar system standard per lateral file; each lateral file locks separately.
 - Common keys within each credenza.
 - Lock plug is available in black or satin chrome.
 - For lock options, refer to Lock Program Price List.
 - Glides provide 2"(51mm) adjustment range.
 - Credenza shipped fully assembled and ready for field installation.
- ◆ Available on RUSH.

Specification Tips

- May be used with vertical storage unit of equal width.

To Order, Specify:

- Product number, including:

① Edge Option:

- 1 Square ◆
- 5 Bevel, add \$67.06 list
- 6 Radius, add \$67.06 list
- 7 Traditional, add \$67.06 list

② Drawer Option:

- KK Black Miterfold ◆
- ZZ Wood, add \$200.10 list ◆

③ Drawer Pull Option:


- F Finger
- B Bar ◆
- 8 Linear ◆
- 9 Classic ◆

- Finish code (wood only).
- Trim color for bar pull (if specified).
- Trim color for lock plug (required).


Masters Series

Credenzas with Lateral Files

	Height	Depth	Width	Number	1	2	3	4	Wood Group A	Group B
Credenza with 30" Wide Lateral Files and Kneespace	29 1/8"(740mm)	24"(610mm)	90"(2286mm)	XZZM-2490-	SS	SS	SS	SS	\$4611.51	\$4888.20



XZZM-BY

**Features**

- Includes worksurface, case and two 30"(762mm) wide lateral files.
- 1 3/16"(30mm) thick wood worksurface with a choice of profiled edge (Square, Bevel, Radius or Traditional) applied to user edge only. Double-cut veneers available with Square 3mm Radius edge only.
- Optional 2"(51mm) grommet centered in back of worksurface.
- Grommet and lock plugs available with option of black or chrome finish; chrome grommet has a satin finish.
- Includes flush full overlay modesty panel; wood finish both sides.
- File drawers with an integrated file hanging system.
- Drawer pull options:
 - Bar pulls available in powdercoat finishes.
 - Linear and Classic pulls are available in satin nickel finish only.
 - Finger pull option available with Wood Group B finishes.
 - File drawers have full extension slides.
 - One lock with dual lock bar system standard per lateral file; each lateral file locks separately.
 - Common keys within each credenza.
 - For lock options, refer to Lock Program Price List.
 - Glides provide 2"(51mm) adjustment range.
 - Credenza shipped fully assembled and ready for field installation.
- Available on RUSH.

Specification Tips

- May be used with vertical storage unit of equal width.

To Order, Specify:

1) Product number, including:

① Edge Option:

- | | |
|----------|-------------------------------|
| 1 | Square |
| 5 | Bevel, add \$68.40 list |
| 6 | Radius, add \$68.40 list |
| 7 | Traditional, add \$68.40 list |

② Pedestal Drawer Option:

- | | |
|-----------|----------------------------------|
| JJ | 30" wide Black Miterfold |
| YY | 30" wide Wood, add \$204.08 list |

③ Drawer Pull Option:

- | | |
|----------|---------|
| F | Finger |
| B | Bar |
| 8 | Linear |
| 9 | Classic |

④ Grommet Option:

- | | |
|----------|----------------------------|
| Y | Grommet, add \$124.77 list |
| N | No Grommet |

2) Finish code (wood only).


3) Trim color for bar pull (if specified).

4) Trim color for lock plugs (required) and grommet (if specified).


Masters Series

Vertical Storage Units Open


Vertical Storage Unit — One-High Open




30" and 36" widths



42", 48" and 54" widths



60", 66" and 72" widths



78", 84", 90" and 96" widths

X3UL-NN
X3UD-NN
X4UL-NN
X4UD-NN
X5UL-NN
X5UD-NN

Features

- Includes 2"(51mm) integrated light valance, vertical supports and attachment material.
- 23 3/8"(594mm) clearance between top of worksurface and bottom of light valance.
- Standard unfinished two-piece back.
- The underside of the cabinet and front of lower section:
 - Laminate/Paint - the underside of the cabinet and front of lower section is finished.
 - Wood - the underside of the cabinet is finished, the lower section is unfinished.
- Unfinished clearcoat wireway scallop in bottom center of back panel.
- Shipped assembled.
- Available on RUSH.

To Order, Specify:

- 1) Product number.
- 2) Finish code (laminate, paint, or wood).
- 3) Laminate edge trim color (if laminate specified).

Specification Tips

- Designed to stack on equal width credenza, two-high storage cabinet or two-high lateral file. Refer to Stack-on Application Rules in Specification Guide.
- Accommodates separately specified tackboards and lighting accessories.
- Aligns with five-high storage units.
- Not designed for application where back of unit is visible.

Masters Series

Vertical Storage Units Open

Height	Width	Depth	Number	Laminate A	B	Paint A
Laminate — Letter Depth						
39 7/8"(1013mm)	30"(762mm)	14"(356mm)	X5UL-4030-NSNN	■ \$1060.80	\$1102.40	
	36"(914mm)	14"(356mm)	X5UL-4036-NSNN	■ 1138.80	1186.64	
	42"(1067mm)	14"(356mm)	X5UL-4042-NSNN	■ 1227.20	1281.28	
	48"(1219mm)	14"(356mm)	X5UL-4048-NSNN	■ 1305.20	1365.52	
	54"(1372mm)	14"(356mm)	X5UL-4054-NSNN	■ 1383.20	1449.76	
	60"(1524mm)	14"(356mm)	X5UL-4060-NSNN	■ 1461.20	1534.00	
	66"(1676mm)	14"(356mm)	X5UL-4066-NSNN	■ 1539.20	1618.24	
	72"(1829mm)	14"(356mm)	X5UL-4072-NSNN	■ 1617.20	1702.48	
	78"(1981mm)	14"(356mm)	X5UL-4078-NSNN	■ 1705.60	1797.12	
	84"(2134mm)	14"(356mm)	X5UL-4084-NSNN	■ 1783.60	1881.36	
	90"(2286mm)	14"(356mm)	X5UL-4090-NSNN	■ 1861.60	1965.60	
	96"(2438mm)	14"(356mm)	X5UL-4096-NSNN	■ 1939.60	2049.84	
Laminate — Legal Depth						
39 7/8"(1013mm)	30"(762mm)	16 1/2"(419mm)	X5UD-4030-NSNN	■ \$1164.80	\$1214.72	
	36"(914mm)	16 1/2"(419mm)	X5UD-4036-NSNN	■ 1242.80	1298.96	
	42"(1067mm)	16 1/2"(419mm)	X5UD-4042-NSNN	■ 1331.20	1393.60	
	48"(1219mm)	16 1/2"(419mm)	X5UD-4048-NSNN	■ 1409.20	1477.84	
	54"(1372mm)	16 1/2"(419mm)	X5UD-4054-NSNN	■ 1487.20	1562.08	
	60"(1524mm)	16 1/2"(419mm)	X5UD-4060-NSNN	■ 1565.20	1646.32	
	66"(1676mm)	16 1/2"(419mm)	X5UD-4066-NSNN	■ 1643.20	1730.56	
	72"(1829mm)	16 1/2"(419mm)	X5UD-4072-NSNN	■ 1721.20	1814.80	
	78"(1981mm)	16 1/2"(419mm)	X5UD-4078-NSNN	■ 1809.60	1909.44	
	84"(2134mm)	16 1/2"(419mm)	X5UD-4084-NSNN	■ 1887.60	1993.68	
	90"(2286mm)	16 1/2"(419mm)	X5UD-4090-NSNN	■ 1965.60	2077.92	
	96"(2438mm)	16 1/2"(419mm)	X5UD-4096-NSNN	■ 2043.60	2162.16	
Paint — Letter Depth						
39 7/8"(1013mm)	30"(762mm)	14"(356mm)	X3UL-4030-NSNN		\$1450.80	
	36"(914mm)	14"(356mm)	X3UL-4036-NSNN		1539.20	
	42"(1067mm)	14"(356mm)	X3UL-4042-NSNN		1638.00	
	48"(1219mm)	14"(356mm)	X3UL-4048-NSNN		1726.40	
	54"(1372mm)	14"(356mm)	X3UL-4054-NSNN		1814.80	
	60"(1524mm)	14"(356mm)	X3UL-4060-NSNN		1903.20	
	66"(1676mm)	14"(356mm)	X3UL-4066-NSNN		1991.60	
	72"(1829mm)	14"(356mm)	X3UL-4072-NSNN		2080.00	
	78"(1981mm)	14"(356mm)	X3UL-4078-NSNN		2178.80	
	84"(2134mm)	14"(356mm)	X3UL-4084-NSNN		2267.20	
	90"(2286mm)	14"(356mm)	X3UL-4090-NSNN		2355.60	
	96"(2438mm)	14"(356mm)	X3UL-4096-NSNN		2444.00	
Paint — Legal Depth						
39 7/8"(1013mm)	30"(762mm)	16 1/2"(419mm)	X3UD-4030-NSNN		\$1570.40	
	36"(914mm)	16 1/2"(419mm)	X3UD-4036-NSNN		1658.80	
	42"(1067mm)	16 1/2"(419mm)	X3UD-4042-NSNN		1757.60	
	48"(1219mm)	16 1/2"(419mm)	X3UD-4048-NSNN		1846.00	
	54"(1372mm)	16 1/2"(419mm)	X3UD-4054-NSNN		1934.40	
	60"(1524mm)	16 1/2"(419mm)	X3UD-4060-NSNN		2022.80	
	66"(1676mm)	16 1/2"(419mm)	X3UD-4066-NSNN		2111.20	
	72"(1829mm)	16 1/2"(419mm)	X3UD-4072-NSNN		2199.60	
	78"(1981mm)	16 1/2"(419mm)	X3UD-4078-NSNN		2298.40	
	84"(2134mm)	16 1/2"(419mm)	X3UD-4084-NSNN		2386.80	
	90"(2286mm)	16 1/2"(419mm)	X3UD-4090-NSNN		2475.20	
	96"(2438mm)	16 1/2"(419mm)	X3UD-4096-NSNN		2563.60	

Masters Series

Vertical Storage Units Open


Height	Width	Depth	Number	Wood	Group A	Group B
Wood — Letter Depth						
39 7/8"(1013mm)	30"(762mm)	14"(356mm)	X4UL-4030-NSNN	■	\$1476.80	\$1501.76
	36"(914mm)	14"(356mm)	X4UL-4036-NSNN	■	1596.40	1628.54
	42"(1067mm)	14"(356mm)	X4UL-4042-NSNN	■	1726.40	1765.72
	48"(1219mm)	14"(356mm)	X4UL-4048-NSNN	■	1846.00	1892.50
	54"(1372mm)	14"(356mm)	X4UL-4054-NSNN	■	1965.60	2019.28
	60"(1524mm)	14"(356mm)	X4UL-4060-NSNN	■	2085.20	2146.06
	66"(1676mm)	14"(356mm)	X4UL-4066-NSNN	■	2204.80	2272.84
	72"(1829mm)	14"(356mm)	X4UL-4072-NSNN	■	2324.40	2399.62
	78"(1981mm)	14"(356mm)	X4UL-4078-NSNN	■	2454.40	2536.80
	84"(2134mm)	14"(356mm)	X4UL-4084-NSNN	■	2574.00	2663.58
	90"(2286mm)	14"(356mm)	X4UL-4090-NSNN	■	2693.60	2790.36
	96"(2438mm)	14"(356mm)	X4UL-4096-NSNN	■	2813.20	2917.14
Wood — Legal Depth						
39 7/8"(1013mm)	30"(762mm)	16 1/2"(419mm)	X4UD-4030-NSNN	■	\$1617.20	\$1650.58
	36"(914mm)	16 1/2"(419mm)	X4UD-4036-NSNN	■	1736.80	1777.36
	42"(1067mm)	16 1/2"(419mm)	X4UD-4042-NSNN	■	1866.80	1914.54
	48"(1219mm)	16 1/2"(419mm)	X4UD-4048-NSNN	■	1986.40	2041.32
	54"(1372mm)	16 1/2"(419mm)	X4UD-4054-NSNN	■	2106.00	2168.10
	60"(1524mm)	16 1/2"(419mm)	X4UD-4060-NSNN	■	2225.60	2294.88
	66"(1676mm)	16 1/2"(419mm)	X4UD-4066-NSNN	■	2345.20	2421.66
	72"(1829mm)	16 1/2"(419mm)	X4UD-4072-NSNN	■	2464.80	2548.44
	78"(1981mm)	16 1/2"(419mm)	X4UD-4078-NSNN	■	2594.80	2685.62
	84"(2134mm)	16 1/2"(419mm)	X4UD-4084-NSNN	■	2714.40	2812.40
	90"(2286mm)	16 1/2"(419mm)	X4UD-4090-NSNN	■	2834.00	2939.18
	96"(2438mm)	16 1/2"(419mm)	X4UD-4096-NSNN	■	2953.60	3065.96

This page intentionally blank


Masters Series

Vertical Storage Units Open


Vertical Storage Unit — Two-High Open




30" and 36" widths



42", 48" and 54" widths



60", 66" and 72" widths



78", 84", 90" and 96" widths

X3UL-NN
X3UD-NN
X4UL-NN
X4UD-NN
X5UL-NN
X5UD-NN

Features

- Includes storage cabinet(s) with 2"(51mm) integrated light valance, one adjustable shelf, vertical supports and attachment material.
- 23 3/8"(594mm) clearance between top of worksurface and bottom of light valance.
- Standard unfinished two-piece back.
- The underside of the cabinet and front of lower section:
–Laminate/Paint - the underside of the cabinet and front of lower section is finished.
–Wood - the underside of the cabinet is finished, the lower section is unfinished.
- One interior 3/4"(19mm) wood shelf with ±1 1/4"(32mm) adjustment range.
- Unfinished clearcoat wireway scallop in bottom center of back panel.
- Shipped assembled.

◆ Available on RUSH.

To Order, Specify:

- 1) Product number.
- 2) Finish code (laminate, paint, or wood).
- 3) Laminate edge trim color (if laminate specified).

Specification Tips

- Designed to stack on equal width credenza, two-high storage cabinet or two-high lateral file. Refer to Stack-on Application Rules in Specification Guide.
- Accommodates separately specified tackboards and lighting accessories.
- Aligns with six-high storage units.
- Not designed for application where back of unit is visible.

Masters Series

Vertical Storage Units Open

Height	Width	Depth	Number	Laminate A	B	Paint A
Laminate — Letter Depth						
52 1/2"(1334mm)	30"(762mm)	14"(356mm)	X5UL-5230-NSNN	1232.40	1287.52	
	36"(914mm)	14"(356mm)	X5UL-5236-NSNN	1334.32	1397.76	
	42"(1067mm)	14"(356mm)	X5UL-5242-NSNN	1446.64	1518.40	
	48"(1219mm)	14"(356mm)	X5UL-5248-NSNN	1548.56	1628.64	
	54"(1372mm)	14"(356mm)	X5UL-5254-NSNN	1650.48	1738.88	
	60"(1524mm)	14"(356mm)	X5UL-5260-NSNN	1752.40	1849.12	
	66"(1676mm)	14"(356mm)	X5UL-5266-NSNN	1854.32	1959.36	
	72"(1829mm)	14"(356mm)	X5UL-5272-NSNN	1956.24	2069.60	
	78"(1981mm)	14"(356mm)	X5UL-5278-NSNN	2068.56	2190.24	
	84"(2134mm)	14"(356mm)	X5UL-5284-NSNN	2170.48	2300.48	
	90"(2286mm)	14"(356mm)	X5UL-5290-NSNN	2272.40	2410.72	
	96"(2438mm)	14"(356mm)	X5UL-5296-NSNN	2374.32	2520.96	
Laminate — Legal Depth						
52 1/2"(1334mm)	30"(762mm)	16 1/2"(419mm)	X5UD-5230-NSNN	1336.40	1399.84	
	36"(914mm)	16 1/2"(419mm)	X5UD-5236-NSNN	1438.32	1510.08	
	42"(1067mm)	16 1/2"(419mm)	X5UD-5242-NSNN	1550.64	1630.72	
	48"(1219mm)	16 1/2"(419mm)	X5UD-5248-NSNN	1652.56	1740.96	
	54"(1372mm)	16 1/2"(419mm)	X5UD-5254-NSNN	1754.48	1851.20	
	60"(1524mm)	16 1/2"(419mm)	X5UD-5260-NSNN	1856.40	1961.44	
	66"(1676mm)	16 1/2"(419mm)	X5UD-5266-NSNN	1958.32	2071.68	
	72"(1829mm)	16 1/2"(419mm)	X5UD-5272-NSNN	2060.24	2181.92	
	78"(1981mm)	16 1/2"(419mm)	X5UD-5278-NSNN	2172.56	2302.56	
	84"(2134mm)	16 1/2"(419mm)	X5UD-5284-NSNN	2274.48	2412.80	
	90"(2286mm)	16 1/2"(419mm)	X5UD-5290-NSNN	2376.40	2523.04	
	96"(2438mm)	16 1/2"(419mm)	X5UD-5296-NSNN	2478.32	2633.28	
Paint — Letter Depth						
52 1/2"(1334mm)	30"(762mm)	14"(356mm)	X3UL-5230-NSNN		1679.60	
	36"(914mm)	14"(356mm)	X3UL-5236-NSNN		1800.24	
	42"(1067mm)	14"(356mm)	X3UL-5242-NSNN		1931.28	
	48"(1219mm)	14"(356mm)	X3UL-5248-NSNN		2051.92	
	54"(1372mm)	14"(356mm)	X3UL-5254-NSNN		2172.56	
	60"(1524mm)	14"(356mm)	X3UL-5260-NSNN		2293.20	
	66"(1676mm)	14"(356mm)	X3UL-5266-NSNN		2413.84	
	72"(1829mm)	14"(356mm)	X3UL-5272-NSNN		2534.48	
	78"(1981mm)	14"(356mm)	X3UL-5278-NSNN		2665.52	
	84"(2134mm)	14"(356mm)	X3UL-5284-NSNN		2786.16	
	90"(2286mm)	14"(356mm)	X3UL-5290-NSNN		2906.80	
	96"(2438mm)	14"(356mm)	X3UL-5296-NSNN		3027.44	
Paint — Legal Depth						
52 1/2"(1334mm)	30"(762mm)	16 1/2"(419mm)	X3UD-5230-NSNN		1799.20	
	36"(914mm)	16 1/2"(419mm)	X3UD-5236-NSNN		1919.84	
	42"(1067mm)	16 1/2"(419mm)	X3UD-5242-NSNN		2050.88	
	48"(1219mm)	16 1/2"(419mm)	X3UD-5248-NSNN		2171.52	
	54"(1372mm)	16 1/2"(419mm)	X3UD-5254-NSNN		2292.16	
	60"(1524mm)	16 1/2"(419mm)	X3UD-5260-NSNN		2412.80	
	66"(1676mm)	16 1/2"(419mm)	X3UD-5266-NSNN		2533.44	
	72"(1829mm)	16 1/2"(419mm)	X3UD-5272-NSNN		2654.08	
	78"(1981mm)	16 1/2"(419mm)	X3UD-5278-NSNN		2785.12	
	84"(2134mm)	16 1/2"(419mm)	X3UD-5284-NSNN		2905.76	
	90"(2286mm)	16 1/2"(419mm)	X3UD-5290-NSNN		3026.40	
	96"(2438mm)	16 1/2"(419mm)	X3UD-5296-NSNN		3147.04	

Masters Series

Vertical Storage Units Open


Height	Width	Depth	Number	Wood Group A	Group B
Wood — Letter Depth					
52 1/2"(1334mm)	30"(762mm)	14"(356mm)	X4UL-5230-NSNN	■ \$1736.80	\$1777.36
	36"(914mm)	14"(356mm)	X4UL-5236-NSNN	■ 1892.80	1942.72
	42"(1067mm)	14"(356mm)	X4UL-5242-NSNN	■ 2059.20	2118.48
	48"(1219mm)	14"(356mm)	X4UL-5248-NSNN	■ 2215.20	2283.84
	54"(1372mm)	14"(356mm)	X4UL-5254-NSNN	■ 2371.20	2449.20
	60"(1524mm)	14"(356mm)	X4UL-5260-NSNN	■ 2527.20	2614.56
	66"(1676mm)	14"(356mm)	X4UL-5266-NSNN	■ 2683.20	2779.92
	72"(1829mm)	14"(356mm)	X4UL-5272-NSNN	■ 2839.20	2945.28
	78"(1981mm)	14"(356mm)	X4UL-5278-NSNN	■ 3005.60	3121.04
	84"(2134mm)	14"(356mm)	X4UL-5284-NSNN	■ 3161.60	3286.40
	90"(2286mm)	14"(356mm)	X4UL-5290-NSNN	■ 3317.60	3451.76
	96"(2438mm)	14"(356mm)	X4UL-5296-NSNN	■ 3473.60	3617.12
Wood — Legal Depth					
52 1/2"(1334mm)	30"(762mm)	16 1/2"(419mm)	X4UD-5230-NSNN	■ \$1877.20	\$1926.18
	36"(914mm)	16 1/2"(419mm)	X4UD-5236-NSNN	■ 2033.20	2091.54
	42"(1067mm)	16 1/2"(419mm)	X4UD-5242-NSNN	■ 2199.60	2267.30
	48"(1219mm)	16 1/2"(419mm)	X4UD-5248-NSNN	■ 2355.60	2432.66
	54"(1372mm)	16 1/2"(419mm)	X4UD-5254-NSNN	■ 2511.60	2598.02
	60"(1524mm)	16 1/2"(419mm)	X4UD-5260-NSNN	■ 2667.60	2763.38
	66"(1676mm)	16 1/2"(419mm)	X4UD-5266-NSNN	■ 2823.60	2928.74
	72"(1829mm)	16 1/2"(419mm)	X4UD-5272-NSNN	■ 2979.60	3094.10
	78"(1981mm)	16 1/2"(419mm)	X4UD-5278-NSNN	■ 3146.00	3269.86
	84"(2134mm)	16 1/2"(419mm)	X4UD-5284-NSNN	■ 3302.00	3435.22
	90"(2286mm)	16 1/2"(419mm)	X4UD-5290-NSNN	■ 3458.00	3600.58
	96"(2438mm)	16 1/2"(419mm)	X4UD-5296-NSNN	■ 3614.00	3765.94

This page intentionally blank


Masters Series

Vertical Storage Units with Hinged Doors


Vertical Storage Unit — One-High with Hinged Doors




X3VL-NP
X3VD-NP
X4VL-NW
X4VD-NW
X5VL-NL
X5VD-NL
30" and 36" widths



X3VL-LP
X3VD-LP
X4VL-LW
X4VD-LW
X5VL-LL
X5VD-LL
42", 48" and 54" widths
(Left-hand single door swing shown)



X3VL-NP
X3VD-NP
X4VL-NW
X4VD-NW
X5VL-NL
X5VD-NL
60", 66" and 72" widths



X3VL-NP
X3VD-NP
X4VL-NW
X4VD-NW
X5VL-NL
X5VD-NL
78", 84", 90" and 96" widths

Features

- Includes storage cabinet(s) with hinged doors, 2"(51mm) integrated light valance, vertical supports and attachment material.
- 42"(1067mm), 48"(1219mm) and 54"(1372mm) wide units available with choice of left or right door swing for single door.
- Optional locks available; each pair of doors and each single door lock separately.
- Common keys within each unit.
- Lock plug is available in black or chrome.
- For lock options, refer to Lock Program Price List.
- 23 3/8"(594mm) clearance between top of worksurface and bottom of light valance.
- Standard unfinished two-piece back.
- The underside of the cabinet and front of lower section:
 - Laminate/Paint - the underside of the cabinet and front of lower section is finished.
 - Wood - the underside of the cabinet is finished, the lower section is unfinished.
- Unfinished clearcoat wireway scallop in bottom center of back panel.
- Shipped assembled.
- Available on RUSH.

Specification Tips

- Designed to stack on equal width credenza, two-high storage cabinet or two-high lateral file. Refer to Stack-on Application Rules in Specification Guide.
- Accommodates separately specified tackboards and lighting accessories.
- Aligns with five-high storage units.
- Not designed for application where back of unit is visible.

To Order, Specify:

- 1) Product number, including:

1 Lock Option:

N No Lock

L Lock

30"-36", add \$118.05 list

42"-72", add \$236.09 list

78"-96", add \$354.14 list

2 Single Door Swing Orientation:

(42", 48" and 54" wide only)

L Left-hand

R Right-hand

- 2) Finish code (laminate, paint, or wood).

- 3) Laminate edge trim color (if laminate specified).

- 4) Trim color for lock (if specified).

Masters Series

Vertical Storage Units with Hinged Doors

Height	Width	Depth	Number	①	②	Laminate A	B	Paint A
Laminate — Letter Depth								
39 7/8"(1013mm)	30"(762mm)	14"(356mm)	X5VL-4030-	SNL	■	\$1315.60	\$1377.58	
	36"(914mm)	14"(356mm)	X5VL-4036-	SNL	■	1405.77	1475.02	
	42"(1067mm)	14"(356mm)	X5VL-4042-	S	■ L	1506.34	1582.86	
	48"(1219mm)	14"(356mm)	X5VL-4048-	S	■ L	1596.51	1680.30	
	54"(1372mm)	14"(356mm)	X5VL-4054-	S	■ L	1686.68	1777.74	
	60"(1524mm)	14"(356mm)	X5VL-4060-	SNL	■	1776.85	1875.18	
	66"(1676mm)	14"(356mm)	X5VL-4066-	SNL	■	1867.02	1972.62	
	72"(1829mm)	14"(356mm)	X5VL-4072-	SNL	■	1957.19	2070.06	
	78"(1981mm)	14"(356mm)	X5VL-4078-	SNL	■	2057.76	2177.90	
	84"(2134mm)	14"(356mm)	X5VL-4084-	SNL	■	2147.93	2275.34	
	90"(2286mm)	14"(356mm)	X5VL-4090-	SNL	■	2238.10	2372.78	
	96"(2438mm)	14"(356mm)	X5VL-4096-	SNL	■	2328.27	2470.22	
Laminate — Legal Depth								
39 7/8"(1013mm)	30"(762mm)	16 1/2"(419mm)	X5VD-4030-	SNL	■	\$1419.60	\$1489.90	
	36"(914mm)	16 1/2"(419mm)	X5VD-4036-	SNL	■	1509.77	1587.34	
	42"(1067mm)	16 1/2"(419mm)	X5VD-4042-	S	■ L	1610.34	1695.18	
	48"(1219mm)	16 1/2"(419mm)	X5VD-4048-	S	■ L	1700.51	1792.62	
	54"(1372mm)	16 1/2"(419mm)	X5VD-4054-	S	■ L	1790.68	1890.06	
	60"(1524mm)	16 1/2"(419mm)	X5VD-4060-	SNL	■	1880.85	1987.50	
	66"(1676mm)	16 1/2"(419mm)	X5VD-4066-	SNL	■	1971.02	2084.94	
	72"(1829mm)	16 1/2"(419mm)	X5VD-4072-	SNL	■	2061.19	2182.38	
	78"(1981mm)	16 1/2"(419mm)	X5VD-4078-	SNL	■	2161.76	2290.22	
	84"(2134mm)	16 1/2"(419mm)	X5VD-4084-	SNL	■	2251.93	2387.66	
	90"(2286mm)	16 1/2"(419mm)	X5VD-4090-	SNL	■	2342.10	2485.10	
	96"(2438mm)	16 1/2"(419mm)	X5VD-4096-	SNL	■	2432.27	2582.54	
Paint — Letter Depth								
39 7/8"(1013mm)	30"(762mm)	14"(356mm)	X3VL-4030-	SNP			\$1771.12	
	36"(914mm)	14"(356mm)	X3VL-4036-	SNP			1871.69	
	42"(1067mm)	14"(356mm)	X3VL-4042-	S	■ P		1982.66	
	48"(1219mm)	14"(356mm)	X3VL-4048-	S	■ P		2083.23	
	54"(1372mm)	14"(356mm)	X3VL-4054-	S	■ P		2183.80	
	60"(1524mm)	14"(356mm)	X3VL-4060-	SNP			2284.37	
	66"(1676mm)	14"(356mm)	X3VL-4066-	SNP			2384.94	
	72"(1829mm)	14"(356mm)	X3VL-4072-	SNP			2485.51	
	78"(1981mm)	14"(356mm)	X3VL-4078-	SNP			2596.48	
	84"(2134mm)	14"(356mm)	X3VL-4084-	SNP			2697.05	
	90"(2286mm)	14"(356mm)	X3VL-4090-	SNP			2797.62	
	96"(2438mm)	14"(356mm)	X3VL-4096-	SNP			2898.19	
Paint — Legal Depth								
39 7/8"(1013mm)	30"(762mm)	16 1/2"(419mm)	X3VD-4030-	SNP			\$1890.72	
	36"(914mm)	16 1/2"(419mm)	X3VD-4036-	SNP			1991.29	
	42"(1067mm)	16 1/2"(419mm)	X3VD-4042-	S	■ P		2102.26	
	48"(1219mm)	16 1/2"(419mm)	X3VD-4048-	S	■ P		2202.83	
	54"(1372mm)	16 1/2"(419mm)	X3VD-4054-	S	■ P		2303.40	
	60"(1524mm)	16 1/2"(419mm)	X3VD-4060-	SNP			2403.97	
	66"(1676mm)	16 1/2"(419mm)	X3VD-4066-	SNP			2504.54	
	72"(1829mm)	16 1/2"(419mm)	X3VD-4072-	SNP			2605.11	
	78"(1981mm)	16 1/2"(419mm)	X3VD-4078-	SNP			2716.08	
	84"(2134mm)	16 1/2"(419mm)	X3VD-4084-	SNP			2816.65	
	90"(2286mm)	16 1/2"(419mm)	X3VD-4090-	SNP			2917.22	
	96"(2438mm)	16 1/2"(419mm)	X3VD-4096-	SNP			3017.79	

Masters Series

Vertical Storage Units with Hinged Doors


Height	Width	Depth	Number	①	②	Wood Group A	Group B
Wood — Letter Depth							
39 7/8"(1013mm)	30"(762mm)	14"(356mm)	X4VL-4030-	SNW	■	\$1892.80	\$1942.72
	36"(914mm)	14"(356mm)	X4VL-4036-	SNW	■	2031.12	2089.34
	42"(1067mm)	14"(356mm)	X4VL-4042-	S	■ W	2179.84	2246.36
	48"(1219mm)	14"(356mm)	X4VL-4048-	S	■ W	2318.16	2392.98
	54"(1372mm)	14"(356mm)	X4VL-4054-	S	■ W	2456.48	2539.60
	60"(1524mm)	14"(356mm)	X4VL-4060-	SNW	■	2594.80	2686.22
	66"(1676mm)	14"(356mm)	X4VL-4066-	SNW	■	2733.12	2832.84
	72"(1829mm)	14"(356mm)	X4VL-4072-	SNW	■	2871.44	2979.46
	78"(1981mm)	14"(356mm)	X4VL-4078-	SNW	■	3020.16	3136.48
	84"(2134mm)	14"(356mm)	X4VL-4084-	SNW	■	3158.48	3283.10
	90"(2286mm)	14"(356mm)	X4VL-4090-	SNW	■	3296.80	3429.72
	96"(2438mm)	14"(356mm)	X4VL-4096-	SNW	■	3435.12	3576.34
Wood — Legal Depth							
39 7/8"(1013mm)	30"(762mm)	16 1/2"(419mm)	X4VD-4030-	SNW	■	\$2033.20	\$2091.54
	36"(914mm)	16 1/2"(419mm)	X4VD-4036-	SNW	■	2171.52	2238.16
	42"(1067mm)	16 1/2"(419mm)	X4VD-4042-	S	■ W	2320.24	2395.18
	48"(1219mm)	16 1/2"(419mm)	X4VD-4048-	S	■ W	2458.56	2541.80
	54"(1372mm)	16 1/2"(419mm)	X4VD-4054-	S	■ W	2596.88	2688.42
	60"(1524mm)	16 1/2"(419mm)	X4VD-4060-	SNW	■	2735.20	2835.04
	66"(1676mm)	16 1/2"(419mm)	X4VD-4066-	SNW	■	2873.52	2981.66
	72"(1829mm)	16 1/2"(419mm)	X4VD-4072-	SNW	■	3011.84	3128.28
	78"(1981mm)	16 1/2"(419mm)	X4VD-4078-	SNW	■	3160.56	3285.30
	84"(2134mm)	16 1/2"(419mm)	X4VD-4084-	SNW	■	3298.88	3431.92
	90"(2286mm)	16 1/2"(419mm)	X4VD-4090-	SNW	■	3437.20	3578.54
	96"(2438mm)	16 1/2"(419mm)	X4VD-4096-	SNW	■	3575.52	3725.16

This page intentionally blank


Masters Series

Vertical Storage Units with Hinged Doors


Vertical Storage Unit — Two-High with Hinged Doors




X3VL-NP
X3VD-NP
X4VL-NW
X4VD-NW
X5VL-NL
X5VD-NL
30" and 36" widths



X3VL-LP
X3VD-LP
X4VL-LW
X4VD-LW
X5VL-LL
X5VD-LL
42", 48" and 54" widths
(Left-hand single door swing shown)



X3VL-NP
X3VD-NP
X4VL-NW
X4VD-NW
X5VL-NL
X5VD-NL
60", 66" and 72" widths



X3VL-NP
X3VD-NP
X4VL-NW
X4VD-NW
X5VL-NL
X5VD-NL
78", 84", 90" and 96" widths

Features

- Includes storage cabinet(s) with hinged doors, 2"(51mm) integrated light valance, one adjustable shelf, vertical supports and attachment material.
- 42"(1067mm), 48"(1219mm) and 54"(1372mm) wide units available with choice of left or right door swing for single door.
- Optional locks available; each pair of doors and each single door lock separately.
- Lock plug is available in black or chrome.
- Common keys within each unit.
- For lock options, refer to Lock Program Price List.
- 23 3/8"(594mm) clearance between top of worksurface and bottom of light valance.
- Standard unfinished two-piece back.
- The underside of the cabinet and front of lower section:
 - Laminate/Paint - the underside of the cabinet and front of lower section is finished.
 - Wood - the underside of the cabinet is finished, the lower section is unfinished.
- One interior 3/4"(19mm) thick wood shelf with ±1 1/4"(32mm) adjustment range.
- Unfinished clearcoat wireway scallop in bottom center of back panel.
- Shipped assembled.
- Available on RUSH.

Specification Tips

- Designed to stack on equal width credenza, two-high storage cabinet or two-high lateral file. Refer to Stack-on Application Rules in Specification Guide.
- Accommodates separately specified tackboards and lighting accessories.
- Aligns with six-high storage units.
- Not designed for application where back of unit is visible.

To Order, Specify:

- 1) Product number, including:

① Lock Option:

N No Lock

L Lock

30"-36", add \$118.05 list

42"-72", add \$236.09 list

78"-96", add \$354.14 list

② Single Door Swing Orientation:

(42", 48" and 54" wide only)

L Left-hand

R Right-hand

- 2) Finish code (laminate, paint, or wood).

- 3) Laminate edge trim color (if laminate specified).

- 4) Trim color for lock (if specified).

Masters Series

Vertical Storage Units with Hinged Doors

Height	Width	Depth	Number	①	②	Laminate A	B	Paint A
Laminate — Letter Depth								
52 1/2"(1334mm)	30"(762mm)	14"(356mm)	X5VL-5230-	SNL	■	\$1656.20	\$1744.66	
	36"(914mm)	14"(356mm)	X5VL-5236-	SNL	■	1770.29	1868.10	
	42"(1067mm)	14"(356mm)	X5VL-5242-	S	■ L	1894.78	2001.94	
	48"(1219mm)	14"(356mm)	X5VL-5248-	S	■ L	2008.87	2125.38	
	54"(1372mm)	14"(356mm)	X5VL-5254-	S	■ L	2122.96	2248.82	
	60"(1524mm)	14"(356mm)	X5VL-5260-	SNL	■	2237.05	2372.26	
	66"(1676mm)	14"(356mm)	X5VL-5266-	SNL	■	2351.14	2495.70	
	72"(1829mm)	14"(356mm)	X5VL-5272-	SNL	■	2465.23	2619.14	
	78"(1981mm)	14"(356mm)	X5VL-5278-	SNL	■	2589.72	2752.98	
	84"(2134mm)	14"(356mm)	X5VL-5284-	SNL	■	2703.81	2876.42	
	90"(2286mm)	14"(356mm)	X5VL-5290-	SNL	■	2817.90	2999.86	
	96"(2438mm)	14"(356mm)	X5VL-5296-	SNL	■	2931.99	3123.30	
Laminate — Legal Depth								
52 1/2"(1334mm)	30"(762mm)	16 1/2"(419mm)	X5VD-5230-	SNL	■	\$1760.20	\$1856.98	
	36"(914mm)	16 1/2"(419mm)	X5VD-5236-	SNL	■	1874.29	1980.42	
	42"(1067mm)	16 1/2"(419mm)	X5VD-5242-	S	■ L	1998.78	2114.26	
	48"(1219mm)	16 1/2"(419mm)	X5VD-5248-	S	■ L	2112.87	2237.70	
	54"(1372mm)	16 1/2"(419mm)	X5VD-5254-	S	■ L	2226.96	2361.14	
	60"(1524mm)	16 1/2"(419mm)	X5VD-5260-	SNL	■	2341.05	2484.58	
	66"(1676mm)	16 1/2"(419mm)	X5VD-5266-	SNL	■	2455.14	2608.02	
	72"(1829mm)	16 1/2"(419mm)	X5VD-5272-	SNL	■	2569.23	2731.46	
	78"(1981mm)	16 1/2"(419mm)	X5VD-5278-	SNL	■	2693.72	2865.30	
	84"(2134mm)	16 1/2"(419mm)	X5VD-5284-	SNL	■	2807.81	2988.74	
	90"(2286mm)	16 1/2"(419mm)	X5VD-5290-	SNL	■	2921.90	3112.18	
	96"(2438mm)	16 1/2"(419mm)	X5VD-5296-	SNL	■	3035.99	3235.62	
Paint — Letter Depth								
52 1/2"(1334mm)	30"(762mm)	14"(356mm)	X3VL-5230-	SNP			\$2148.64	
	36"(914mm)	14"(356mm)	X3VL-5236-	SNP			2281.45	
	42"(1067mm)	14"(356mm)	X3VL-5242-	S	■ P		2424.66	
	48"(1219mm)	14"(356mm)	X3VL-5248-	S	■ P		2557.47	
	54"(1372mm)	14"(356mm)	X3VL-5254-	S	■ P		2690.28	
	60"(1524mm)	14"(356mm)	X3VL-5260-	SNP			2823.09	
	66"(1676mm)	14"(356mm)	X3VL-5266-	SNP			2955.90	
	72"(1829mm)	14"(356mm)	X3VL-5272-	SNP			3088.71	
	78"(1981mm)	14"(356mm)	X3VL-5278-	SNP			3231.92	
	84"(2134mm)	14"(356mm)	X3VL-5284-	SNP			3364.73	
	90"(2286mm)	14"(356mm)	X3VL-5290-	SNP			3497.54	
	96"(2438mm)	14"(356mm)	X3VL-5296-	SNP			3630.35	
Paint — Legal Depth								
52 1/2"(1334mm)	30"(762mm)	16 1/2"(419mm)	X3VD-5230-	SNP			\$2268.24	
	36"(914mm)	16 1/2"(419mm)	X3VD-5236-	SNP			2401.05	
	42"(1067mm)	16 1/2"(419mm)	X3VD-5242-	S	■ P		2544.26	
	48"(1219mm)	16 1/2"(419mm)	X3VD-5248-	S	■ P		2677.07	
	54"(1372mm)	16 1/2"(419mm)	X3VD-5254-	S	■ P		2809.88	
	60"(1524mm)	16 1/2"(419mm)	X3VD-5260-	SNP			2942.69	
	66"(1676mm)	16 1/2"(419mm)	X3VD-5266-	SNP			3075.50	
	72"(1829mm)	16 1/2"(419mm)	X3VD-5272-	SNP			3208.31	
	78"(1981mm)	16 1/2"(419mm)	X3VD-5278-	SNP			3351.52	
	84"(2134mm)	16 1/2"(419mm)	X3VD-5284-	SNP			3484.33	
	90"(2286mm)	16 1/2"(419mm)	X3VD-5290-	SNP			3617.14	
	96"(2438mm)	16 1/2"(419mm)	X3VD-5296-	SNP			3749.95	

Masters Series

Vertical Storage Units with Hinged Doors


Height	Width	Depth	Number	①	②	Wood Group A	Group B
Wood — Letter Depth							
52 1/2"(1334mm)	30"(762mm)	14"(356mm)	X4VL-5230-	SNW	■	\$2412.80	\$2493.92
	36"(914mm)	14"(356mm)	X4VL-5236-	SNW	■	2587.52	2679.12
	42"(1067mm)	14"(356mm)	X4VL-5242-	S	■ W	2772.64	2874.72
	48"(1219mm)	14"(356mm)	X4VL-5248-	S	■ W	2947.36	3059.92
	54"(1372mm)	14"(356mm)	X4VL-5254-	S	■ W	3122.08	3245.12
	60"(1524mm)	14"(356mm)	X4VL-5260-	SNW	■	3296.80	3430.32
	66"(1676mm)	14"(356mm)	X4VL-5266-	SNW	■	3471.52	3615.52
	72"(1829mm)	14"(356mm)	X4VL-5272-	SNW	■	3646.24	3800.72
	78"(1981mm)	14"(356mm)	X4VL-5278-	SNW	■	3831.36	3996.32
	84"(2134mm)	14"(356mm)	X4VL-5284-	SNW	■	4006.08	4181.52
	90"(2286mm)	14"(356mm)	X4VL-5290-	SNW	■	4180.80	4366.72
	96"(2438mm)	14"(356mm)	X4VL-5296-	SNW	■	4355.52	4551.92
Wood — Legal Depth							
52 1/2"(1334mm)	30"(762mm)	16 1/2"(419mm)	X4VD-5230-	SNW	■	\$2553.20	\$2642.74
	36"(914mm)	16 1/2"(419mm)	X4VD-5236-	SNW	■	2727.92	2827.94
	42"(1067mm)	16 1/2"(419mm)	X4VD-5242-	S	■ W	2913.04	3023.54
	48"(1219mm)	16 1/2"(419mm)	X4VD-5248-	S	■ W	3087.76	3208.74
	54"(1372mm)	16 1/2"(419mm)	X4VD-5254-	S	■ W	3262.48	3393.94
	60"(1524mm)	16 1/2"(419mm)	X4VD-5260-	SNW	■	3437.20	3579.14
	66"(1676mm)	16 1/2"(419mm)	X4VD-5266-	SNW	■	3611.92	3764.34
	72"(1829mm)	16 1/2"(419mm)	X4VD-5272-	SNW	■	3786.64	3949.54
	78"(1981mm)	16 1/2"(419mm)	X4VD-5278-	SNW	■	3971.76	4145.14
	84"(2134mm)	16 1/2"(419mm)	X4VD-5284-	SNW	■	4146.48	4330.34
	90"(2286mm)	16 1/2"(419mm)	X4VD-5290-	SNW	■	4321.20	4515.54
	96"(2438mm)	16 1/2"(419mm)	X4VD-5296-	SNW	■	4495.92	4700.74

This page intentionally blank


Masters Series

Vertical Storage Units with Sliding Door


Vertical Storage Unit — One-High with Sliding Door




30" and 36" widths



42", 48" and 54" widths



60", 66" and 72" widths



X3RL-NP
X3RD-NP
X4RL-NW
X4RD-NW
X5RL-NL
X5RD-NL
78", 84", 90" and 96" widths

Features

- Includes storage cabinet(s) with one sliding door, 2"(51mm) integrated light valance, vertical supports and attachment material.
- Units 30"-72"(762mm-1829mm) wide include two equal width sections divided by one inset intermediate center support.
- Units 78"-96"(1981mm-2438mm) wide include three equal width sections divided by two inset intermediate center supports.
- Sliding door width is equal to one section width (one-half or one-third of unit width).
- Includes internally mounted sliding door track top and bottom with bumpers at each end.
- Locks not available.
- 23 3/8"(594mm) clearance between top of worksurface and bottom of light valance.
- Standard unfinished two-piece back.
- The underside of the cabinet and front of lower section:
—Laminate/Paint - the underside of the cabinet and front of lower section is finished.
—Wood - the underside of the cabinet is finished, the lower section is unfinished.
- Unfinished clearcoat wireway scallop in bottom center of back panel.
- Shipped assembled.
- Available on RUSH.

To Order, Specify:

- 1) Product number.
- 2) Finish code (laminate, paint, or wood).
- 3) Laminate edge trim color (if laminate specified).

Specification Tips

- Designed to stack on equal width credenza, two-high storage cabinet or two-high lateral file. Refer to Stack-on Application Rules in Specification Guide.
- Accommodates separately specified tackboards and lighting accessories.
- Aligns with five-high storage units.
- Not designed for application where back of unit is visible.

Masters Series

Vertical Storage Units with Sliding Door

Height	Width	Depth	Number	Laminate A	B	Paint A
Laminate — Letter Depth						
39 7/8"(1013mm)	30"(762mm)	14"(356mm)	X5RL-4030-NSNL	1229.80	1284.36	
	36"(914mm)	14"(356mm)	X5RL-4036-NSNL	1311.18	1372.25	
	42"(1067mm)	14"(356mm)	X5RL-4042-NSNL	1402.96	1470.54	
	48"(1219mm)	14"(356mm)	X5RL-4048-NSNL	1484.34	1558.43	
	54"(1372mm)	14"(356mm)	X5RL-4054-NSNL	1565.72	1646.32	
	60"(1524mm)	14"(356mm)	X5RL-4060-NSNL	1647.10	1734.21	
	66"(1676mm)	14"(356mm)	X5RL-4066-NSNL	1728.48	1822.10	
	72"(1829mm)	14"(356mm)	X5RL-4072-NSNL	1809.86	1909.99	
	78"(1981mm)	14"(356mm)	X5RL-4078-NSNL	1901.64	2008.28	
	84"(2134mm)	14"(356mm)	X5RL-4084-NSNL	1983.02	2096.17	
	90"(2286mm)	14"(356mm)	X5RL-4090-NSNL	2064.40	2184.06	
	96"(2438mm)	14"(356mm)	X5RL-4096-NSNL	2145.78	2271.95	
Laminate — Legal Depth						
39 7/8"(1013mm)	30"(762mm)	16 1/2"(419mm)	X5RD-4030-NSNL	1333.80	1396.68	
	36"(914mm)	16 1/2"(419mm)	X5RD-4036-NSNL	1415.18	1484.57	
	42"(1067mm)	16 1/2"(419mm)	X5RD-4042-NSNL	1506.96	1582.86	
	48"(1219mm)	16 1/2"(419mm)	X5RD-4048-NSNL	1588.34	1670.75	
	54"(1372mm)	16 1/2"(419mm)	X5RD-4054-NSNL	1669.72	1758.64	
	60"(1524mm)	16 1/2"(419mm)	X5RD-4060-NSNL	1751.10	1846.53	
	66"(1676mm)	16 1/2"(419mm)	X5RD-4066-NSNL	1832.48	1934.42	
	72"(1829mm)	16 1/2"(419mm)	X5RD-4072-NSNL	1913.86	2022.31	
	78"(1981mm)	16 1/2"(419mm)	X5RD-4078-NSNL	2005.64	2120.60	
	84"(2134mm)	16 1/2"(419mm)	X5RD-4084-NSNL	2087.02	2208.49	
	90"(2286mm)	16 1/2"(419mm)	X5RD-4090-NSNL	2168.40	2296.38	
	96"(2438mm)	16 1/2"(419mm)	X5RD-4096-NSNL	2249.78	2384.27	
Paint — Letter Depth						
39 7/8"(1013mm)	30"(762mm)	14"(356mm)	X3RL-4030-NSNP		1679.60	
	36"(914mm)	14"(356mm)	X3RL-4036-NSNP		1772.58	
	42"(1067mm)	14"(356mm)	X3RL-4042-NSNP		1875.96	
	48"(1219mm)	14"(356mm)	X3RL-4048-NSNP		1968.94	
	54"(1372mm)	14"(356mm)	X3RL-4054-NSNP		2061.92	
	60"(1524mm)	14"(356mm)	X3RL-4060-NSNP		2154.90	
	66"(1676mm)	14"(356mm)	X3RL-4066-NSNP		2247.88	
	72"(1829mm)	14"(356mm)	X3RL-4072-NSNP		2340.86	
	78"(1981mm)	14"(356mm)	X3RL-4078-NSNP		2444.24	
	84"(2134mm)	14"(356mm)	X3RL-4084-NSNP		2537.22	
	90"(2286mm)	14"(356mm)	X3RL-4090-NSNP		2630.20	
	96"(2438mm)	14"(356mm)	X3RL-4096-NSNP		2723.18	
Paint — Legal Depth						
39 7/8"(1013mm)	30"(762mm)	16 1/2"(419mm)	X3RD-4030-NSNP		1799.20	
	36"(914mm)	16 1/2"(419mm)	X3RD-4036-NSNP		1892.18	
	42"(1067mm)	16 1/2"(419mm)	X3RD-4042-NSNP		1995.56	
	48"(1219mm)	16 1/2"(419mm)	X3RD-4048-NSNP		2088.54	
	54"(1372mm)	16 1/2"(419mm)	X3RD-4054-NSNP		2181.52	
	60"(1524mm)	16 1/2"(419mm)	X3RD-4060-NSNP		2274.50	
	66"(1676mm)	16 1/2"(419mm)	X3RD-4066-NSNP		2367.48	
	72"(1829mm)	16 1/2"(419mm)	X3RD-4072-NSNP		2460.46	
	78"(1981mm)	16 1/2"(419mm)	X3RD-4078-NSNP		2563.84	
	84"(2134mm)	16 1/2"(419mm)	X3RD-4084-NSNP		2656.82	
	90"(2286mm)	16 1/2"(419mm)	X3RD-4090-NSNP		2749.80	
	96"(2438mm)	16 1/2"(419mm)	X3RD-4096-NSNP		2842.78	

Masters Series

Vertical Storage Units with Sliding Door


Height	Width	Depth	Number	Wood Group A	Group B
Wood — Letter Depth					
39 7/8"(1013mm)	30"(762mm)	14"(356mm)	X4RL-4030-NSNW	\$1736.80	\$1777.36
	36"(914mm)	14"(356mm)	X4RL-4036-NSNW	1861.60	1909.65
	42"(1067mm)	14"(356mm)	X4RL-4042-NSNW	1996.80	2052.34
	48"(1219mm)	14"(356mm)	X4RL-4048-NSNW	2121.60	2184.63
	54"(1372mm)	14"(356mm)	X4RL-4054-NSNW	2246.40	2316.92
	60"(1524mm)	14"(356mm)	X4RL-4060-NSNW	2371.20	2449.21
	66"(1676mm)	14"(356mm)	X4RL-4066-NSNW	2496.00	2581.50
	72"(1829mm)	14"(356mm)	X4RL-4072-NSNW	2620.80	2713.79
	78"(1981mm)	14"(356mm)	X4RL-4078-NSNW	2756.00	2856.48
	84"(2134mm)	14"(356mm)	X4RL-4084-NSNW	2880.80	2988.77
	90"(2286mm)	14"(356mm)	X4RL-4090-NSNW	3005.60	3121.06
	96"(2438mm)	14"(356mm)	X4RL-4096-NSNW	3130.40	3253.35
Wood — Legal Depth					
39 7/8"(1013mm)	30"(762mm)	16 1/2"(419mm)	X4RD-4030-NSNW	\$1877.20	\$1926.18
	36"(914mm)	16 1/2"(419mm)	X4RD-4036-NSNW	2002.00	2058.47
	42"(1067mm)	16 1/2"(419mm)	X4RD-4042-NSNW	2137.20	2201.16
	48"(1219mm)	16 1/2"(419mm)	X4RD-4048-NSNW	2262.00	2333.45
	54"(1372mm)	16 1/2"(419mm)	X4RD-4054-NSNW	2386.80	2465.74
	60"(1524mm)	16 1/2"(419mm)	X4RD-4060-NSNW	2511.60	2598.03
	66"(1676mm)	16 1/2"(419mm)	X4RD-4066-NSNW	2636.40	2730.32
	72"(1829mm)	16 1/2"(419mm)	X4RD-4072-NSNW	2761.20	2862.61
	78"(1981mm)	16 1/2"(419mm)	X4RD-4078-NSNW	2896.40	3005.30
	84"(2134mm)	16 1/2"(419mm)	X4RD-4084-NSNW	3021.20	3137.59
	90"(2286mm)	16 1/2"(419mm)	X4RD-4090-NSNW	3146.00	3269.88
	96"(2438mm)	16 1/2"(419mm)	X4RD-4096-NSNW	3270.80	3402.17

This page intentionally blank


Masters Series

Vertical Storage Units with Sliding Door


Vertical Storage Unit — Two-High with Sliding Door




30" and 36" widths



42", 48" and 54" widths



60", 66" and 72" widths



78", 84", 90" and 96" widths

X3RL-NP
X3RD-NP
X4RL-NW
X4RD-NW
X5RL-NL
X5RD-NL

Features

- Includes storage cabinet(s) with one sliding door, 2"(51mm) integrated light valance, one adjustable shelf, vertical supports and attachment material.
 - Units 30"-72"(762mm-1829mm) wide include two equal width sections divided by one inset intermediate center support.
 - Units 78"-96"(1981mm-2438mm) wide include three equal width sections divided by two inset intermediate center supports.
 - Sliding door width is equal to one section width (one-half or one-third of unit width).
 - Includes internally mounted sliding door track top and bottom with bumpers at each end.
 - Locks not available.
 - 23 3/8"(594mm) clearance between top of worksurface and bottom of light valance.
 - Standard unfinished two-piece back.
 - The underside of the cabinet and front of lower section:
–Laminate/Paint - the underside of the cabinet and front of lower section is finished.
–Wood - the underside of the cabinet is finished, the lower section is unfinished.
 - Unfinished clearcoat wireway scallop in bottom center of back panel.
 - One interior 3/4"(19mm) thick wood shelf with $\pm 1\frac{1}{4}''$ (32mm) adjustment range.
 - Shipped assembled.
- Available on RUSH.

To Order, Specify:

- 1) Product number.
- 2) Finish code (laminate, paint, or wood).
- 3) Laminate edge trim color (if laminate specified).

Specification Tips

- Designed to stack on equal width credenza, two-high storage cabinet or two-high lateral file. Refer to Stack-on Application Rules in Specification Guide.
- Accommodates separately specified tackboards and lighting accessories.
- Aligns with six-high storage units.
- Not designed for application where back of unit is visible.

Masters Series

Vertical Storage Units with Sliding Door

Height	Width	Depth	Number	Laminate A	B	Paint A
Laminate — Letter Depth						
52 1/2"(1334mm)	30"(762mm)	14"(356mm)	X5RL-5230-NSNL	1435.20	1505.98	
	36"(914mm)	14"(356mm)	X5RL-5236-NSNL	1540.50	1619.87	
	42"(1067mm)	14"(356mm)	X5RL-5242-NSNL	1656.20	1744.16	
	48"(1219mm)	14"(356mm)	X5RL-5248-NSNL	1761.50	1858.05	
	54"(1372mm)	14"(356mm)	X5RL-5254-NSNL	1866.80	1971.94	
	60"(1524mm)	14"(356mm)	X5RL-5260-NSNL	1972.10	2085.83	
	66"(1676mm)	14"(356mm)	X5RL-5266-NSNL	2077.40	2199.72	
	72"(1829mm)	14"(356mm)	X5RL-5272-NSNL	2182.70	2313.61	
	78"(1981mm)	14"(356mm)	X5RL-5278-NSNL	2298.40	2437.90	
	84"(2134mm)	14"(356mm)	X5RL-5284-NSNL	2403.70	2551.79	
	90"(2286mm)	14"(356mm)	X5RL-5290-NSNL	2509.00	2665.68	
	96"(2438mm)	14"(356mm)	X5RL-5296-NSNL	2614.30	2779.57	
Laminate — Legal Depth						
52 1/2"(1334mm)	30"(762mm)	16 1/2"(419mm)	X5RD-5230-NSNL	1539.20	1618.30	
	36"(914mm)	16 1/2"(419mm)	X5RD-5236-NSNL	1644.50	1732.19	
	42"(1067mm)	16 1/2"(419mm)	X5RD-5242-NSNL	1760.20	1856.48	
	48"(1219mm)	16 1/2"(419mm)	X5RD-5248-NSNL	1865.50	1970.37	
	54"(1372mm)	16 1/2"(419mm)	X5RD-5254-NSNL	1970.80	2084.26	
	60"(1524mm)	16 1/2"(419mm)	X5RD-5260-NSNL	2076.10	2198.15	
	66"(1676mm)	16 1/2"(419mm)	X5RD-5266-NSNL	2181.40	2312.04	
	72"(1829mm)	16 1/2"(419mm)	X5RD-5272-NSNL	2286.70	2425.93	
	78"(1981mm)	16 1/2"(419mm)	X5RD-5278-NSNL	2402.40	2550.22	
	84"(2134mm)	16 1/2"(419mm)	X5RD-5284-NSNL	2507.70	2664.11	
	90"(2286mm)	16 1/2"(419mm)	X5RD-5290-NSNL	2613.00	2778.00	
	96"(2438mm)	16 1/2"(419mm)	X5RD-5296-NSNL	2718.30	2891.89	
Paint — Letter Depth						
52 1/2"(1334mm)	30"(762mm)	14"(356mm)	X3RL-5230-NSNP		1954.16	
	36"(914mm)	14"(356mm)	X3RL-5236-NSNP		2079.38	
	42"(1067mm)	14"(356mm)	X3RL-5242-NSNP		2215.00	
	48"(1219mm)	14"(356mm)	X3RL-5248-NSNP		2340.22	
	54"(1372mm)	14"(356mm)	X3RL-5254-NSNP		2465.44	
	60"(1524mm)	14"(356mm)	X3RL-5260-NSNP		2590.66	
	66"(1676mm)	14"(356mm)	X3RL-5266-NSNP		2715.88	
	72"(1829mm)	14"(356mm)	X3RL-5272-NSNP		2841.10	
	78"(1981mm)	14"(356mm)	X3RL-5278-NSNP		2976.72	
	84"(2134mm)	14"(356mm)	X3RL-5284-NSNP		3101.94	
	90"(2286mm)	14"(356mm)	X3RL-5290-NSNP		3227.16	
	96"(2438mm)	14"(356mm)	X3RL-5296-NSNP		3352.38	
Paint — Legal Depth						
52 1/2"(1334mm)	30"(762mm)	16 1/2"(419mm)	X3RD-5230-NSNP		2073.76	
	36"(914mm)	16 1/2"(419mm)	X3RD-5236-NSNP		2198.98	
	42"(1067mm)	16 1/2"(419mm)	X3RD-5242-NSNP		2334.60	
	48"(1219mm)	16 1/2"(419mm)	X3RD-5248-NSNP		2459.82	
	54"(1372mm)	16 1/2"(419mm)	X3RD-5254-NSNP		2585.04	
	60"(1524mm)	16 1/2"(419mm)	X3RD-5260-NSNP		2710.26	
	66"(1676mm)	16 1/2"(419mm)	X3RD-5266-NSNP		2835.48	
	72"(1829mm)	16 1/2"(419mm)	X3RD-5272-NSNP		2960.70	
	78"(1981mm)	16 1/2"(419mm)	X3RD-5278-NSNP		3096.32	
	84"(2134mm)	16 1/2"(419mm)	X3RD-5284-NSNP		3221.54	
	90"(2286mm)	16 1/2"(419mm)	X3RD-5290-NSNP		3346.76	
	96"(2438mm)	16 1/2"(419mm)	X3RD-5296-NSNP		3471.98	

Masters Series

Vertical Storage Units with Sliding Door


Height	Width	Depth	Number	Wood Group A	Group B
Wood — Letter Depth					
52 1/2"(1334mm)	30"(762mm)	14"(356mm)	X4RL-5230-NSNW	\$2048.80	\$2108.08
	36"(914mm)	14"(356mm)	X4RL-5236-NSNW	2210.00	2278.95
	42"(1067mm)	14"(356mm)	X4RL-5242-NSNW	2381.60	2460.22
	48"(1219mm)	14"(356mm)	X4RL-5248-NSNW	2542.80	2631.09
	54"(1372mm)	14"(356mm)	X4RL-5254-NSNW	2704.00	2801.96
	60"(1524mm)	14"(356mm)	X4RL-5260-NSNW	2865.20	2972.83
	66"(1676mm)	14"(356mm)	X4RL-5266-NSNW	3026.40	3143.70
	72"(1829mm)	14"(356mm)	X4RL-5272-NSNW	3187.60	3314.57
	78"(1981mm)	14"(356mm)	X4RL-5278-NSNW	3359.20	3495.84
	84"(2134mm)	14"(356mm)	X4RL-5284-NSNW	3520.40	3666.71
	90"(2286mm)	14"(356mm)	X4RL-5290-NSNW	3681.60	3837.58
	96"(2438mm)	14"(356mm)	X4RL-5296-NSNW	3842.80	4008.45
Wood — Legal Depth					
52 1/2"(1334mm)	30"(762mm)	16 1/2"(419mm)	X4RD-5230-NSNW	\$2189.20	\$2256.90
	36"(914mm)	16 1/2"(419mm)	X4RD-5236-NSNW	2350.40	2427.77
	42"(1067mm)	16 1/2"(419mm)	X4RD-5242-NSNW	2522.00	2609.04
	48"(1219mm)	16 1/2"(419mm)	X4RD-5248-NSNW	2683.20	2779.91
	54"(1372mm)	16 1/2"(419mm)	X4RD-5254-NSNW	2844.40	2950.78
	60"(1524mm)	16 1/2"(419mm)	X4RD-5260-NSNW	3005.60	3121.65
	66"(1676mm)	16 1/2"(419mm)	X4RD-5266-NSNW	3166.80	3292.52
	72"(1829mm)	16 1/2"(419mm)	X4RD-5272-NSNW	3328.00	3463.39
	78"(1981mm)	16 1/2"(419mm)	X4RD-5278-NSNW	3499.60	3644.66
	84"(2134mm)	16 1/2"(419mm)	X4RD-5284-NSNW	3660.80	3815.53
	90"(2286mm)	16 1/2"(419mm)	X4RD-5290-NSNW	3822.00	3986.40
	96"(2438mm)	16 1/2"(419mm)	X4RD-5296-NSNW	3983.20	4157.27

This page intentionally blank


Masters Series

Vertical Storage Units with Glass Hinged Doors


Vertical Storage Unit — One-High with Glass Hinged Doors




X3SL-NT
X3SD-NT
X4SL-NT
X4SD-NT
X5SL-NT
X5SD-NT
30" and 36" widths



X3SL-LT
X3SD-LT
X4SL-LT
X4SD-LT
X5SL-LT
X5SD-LT
42", 48" and 54" widths
(Left-hand single swing door shown)



X3SL-NT
X3SD-NT
X4SL-NT
X4SD-NT
X5SL-NT
X5SD-NT
60", 66" and 72" widths



X3SL-NT
X3SD-NT
X4SL-NT
X4SD-NT
X5SL-NT
X5SD-NT
78", 84", 90" and 96" widths

Features

- Includes storage cabinet(s) with glass doors, 2"(51mm) integrated light valance, vertical supports and attachment material.
- 42"(1067mm), 48"(1219mm) and 54"(1372mm) wide units available with choice of left or right door swing for single door.
- 23 3/8"(594mm) clearance between top of worksurface and bottom of light valance.
- Locks not available.
- Glass door includes metal frame with metallic powdercoat finish on back side of door.
- The underside of the cabinet and front of lower section:
–Laminate/Paint - the underside of the cabinet and front of lower section is finished.
–Wood - the underside of the cabinet is finished, the lower section is unfinished.
- Standard unfinished two-piece back.
- Unfinished clearcoat wireway scallop in bottom center of back panel.
- Shipped assembled.

Specification Tips

- Designed to stack on equal width credenza, two-high storage cabinet or two-high lateral file. Refer to Stack-on Application Rules in Specification Guide.
- Accommodates separately specified tackboards and lighting accessories.
- Aligns with five-high storage units.
- Not designed for application where back of unit is visible.

To Order, Specify:

- 1) Product number, including:

① Single Door Swing Orientation:

(42", 48" and 54" wide only)

L Left-hand

R Right-hand

- 2) Finish code (laminate, paint, or wood).

- 3) Laminate edge trim color (if laminate specified).

- 4) Glass code.

- 5) Trim color for glass frame (required - metallic paint only).

Masters Series

Vertical Storage Units with Glass Hinged Doors

Height	Width	Depth	Number	①	Laminate A Glass				Laminate B Glass			
					A	C	D	F	A	C	D	F
Letter Depth												
39 7/8"(1013mm)	30"(762mm)	14"(356mm)	X5SL-4030-NSNT		\$1580.80	\$1742.30	\$1850.05	\$1997.06	\$1622.40	\$1783.90	\$1891.65	\$2038.66
	36"(914mm)	14"(356mm)	X5SL-4036-NSNT		1680.64	1848.92	1961.19	2113.28	1728.48	1896.76	2009.03	2161.12
	42"(1067mm)	14"(356mm)	X5SL-4042-NS T		1790.88	1965.94	2082.73	2239.90	1844.96	2020.02	2136.81	2293.98
	48"(1219mm)	14"(356mm)	X5SL-4048-NS T		1890.72	2072.56	2193.87	2356.12	1951.04	2132.88	2254.19	2416.44
	54"(1372mm)	14"(356mm)	X5SL-4054-NS T		1990.56	2179.18	2305.01	2472.34	2057.12	2245.74	2371.57	2538.90
	60"(1524mm)	14"(356mm)	X5SL-4060-NSNT		2090.40	2285.80	2416.15	2588.56	2163.20	2358.60	2488.95	2661.36
	66"(1676mm)	14"(356mm)	X5SL-4066-NSNT		2190.24	2392.42	2527.29	2704.78	2269.28	2471.46	2606.33	2783.82
	72"(1829mm)	14"(356mm)	X5SL-4072-NSNT		2290.08	2499.04	2638.43	2821.00	2375.36	2584.32	2723.71	2906.28
	78"(1981mm)	14"(356mm)	X5SL-4078-NSNT		2400.32	2616.06	2759.97	2947.62	2491.84	2707.58	2851.49	3039.14
	84"(2134mm)	14"(356mm)	X5SL-4084-NSNT		2500.16	2722.68	2871.11	3063.84	2597.92	2820.44	2968.87	3161.60
	90"(2286mm)	14"(356mm)	X5SL-4090-NSNT		2600.00	2829.30	2982.25	3180.06	2704.00	2933.30	3086.25	3284.06
	96"(2438mm)	14"(356mm)	X5SL-4096-NSNT		2699.84	2935.92	3093.39	3296.28	2810.08	3046.16	3203.63	3406.52
Legal Depth												
39 7/8"(1013mm)	30"(762mm)	16 1/2"(419mm)	X5SD-4030-NSNT		\$1684.80	\$1846.30	\$1954.05	\$2101.06	\$1734.72	\$1896.22	\$2003.97	\$2150.98
	36"(914mm)	16 1/2"(419mm)	X5SD-4036-NSNT		1784.64	1952.92	2065.19	2217.28	1840.80	2009.08	2121.35	2273.44
	42"(1067mm)	16 1/2"(419mm)	X5SD-4042-NS T		1894.88	2069.94	2186.73	2343.90	1957.28	2132.34	2249.13	2406.30
	48"(1219mm)	16 1/2"(419mm)	X5SD-4048-NS T		1994.72	2176.56	2297.87	2460.12	2063.36	2245.20	2366.51	2528.76
	54"(1372mm)	16 1/2"(419mm)	X5SD-4054-NS T		2094.56	2283.18	2409.01	2576.34	2169.44	2358.06	2483.89	2651.22
	60"(1524mm)	16 1/2"(419mm)	X5SD-4060-NSNT		2194.40	2389.80	2520.15	2692.56	2275.52	2470.92	2601.27	2773.68
	66"(1676mm)	16 1/2"(419mm)	X5SD-4066-NSNT		2294.24	2496.42	2631.29	2808.78	2381.60	2583.78	2718.65	2896.14
	72"(1829mm)	16 1/2"(419mm)	X5SD-4072-NSNT		2394.08	2603.04	2742.43	2925.00	2487.68	2696.64	2836.03	3018.60
	78"(1981mm)	16 1/2"(419mm)	X5SD-4078-NSNT		2504.32	2720.06	2863.97	3051.62	2604.16	2819.90	2963.81	3151.46
	84"(2134mm)	16 1/2"(419mm)	X5SD-4084-NSNT		2604.16	2826.68	2975.11	3167.84	2710.24	2932.76	3081.19	3273.92
	90"(2286mm)	16 1/2"(419mm)	X5SD-4090-NSNT		2704.00	2933.30	3086.25	3284.06	2816.32	3045.62	3198.57	3396.38
	96"(2438mm)	16 1/2"(419mm)	X5SD-4096-NSNT		2803.84	3039.92	3197.39	3400.28	2922.40	3158.48	3315.95	3518.84
Paint A Glass												
Height	Width	Depth	Number	①	A	C	D	F	A	C	D	F
Letter Depth												
39 7/8"(1013mm)	30"(762mm)	14"(356mm)	X3SL-4030-NSNT		\$1970.80	\$2132.30	\$2240.05	\$2387.06				
	36"(914mm)	14"(356mm)	X3SL-4036-NSNT		2081.04	2249.32	2361.59	2513.68				
	42"(1067mm)	14"(356mm)	X3SL-4042-NS T		2201.68	2376.74	2493.53	2650.70				
	48"(1219mm)	14"(356mm)	X3SL-4048-NS T		2311.92	2493.76	2615.07	2777.32				
	54"(1372mm)	14"(356mm)	X3SL-4054-NS T		2422.16	2610.78	2736.61	2903.94				
	60"(1524mm)	14"(356mm)	X3SL-4060-NSNT		2532.40	2727.80	2858.15	3030.56				
	66"(1676mm)	14"(356mm)	X3SL-4066-NSNT		2642.64	2844.82	2979.69	3157.18				
	72"(1829mm)	14"(356mm)	X3SL-4072-NSNT		2752.88	2961.84	3101.23	3283.80				
	78"(1981mm)	14"(356mm)	X3SL-4078-NSNT		2873.52	3089.26	3233.17	3420.82				
	84"(2134mm)	14"(356mm)	X3SL-4084-NSNT		2983.76	3206.28	3354.71	3547.44				
	90"(2286mm)	14"(356mm)	X3SL-4090-NSNT		3094.00	3323.30	3476.25	3674.06				
	96"(2438mm)	14"(356mm)	X3SL-4096-NSNT		3204.24	3440.32	3597.79	3800.68				
Legal Depth												
39 7/8"(1013mm)	30"(762mm)	16 1/2"(419mm)	X3SD-4030-NSNT		\$2090.40	\$2251.90	\$2359.65	\$2506.66				
	36"(914mm)	16 1/2"(419mm)	X3SD-4036-NSNT		2200.64	2368.92	2481.19	2633.28				
	42"(1067mm)	16 1/2"(419mm)	X3SD-4042-NS T		2321.28	2496.34	2613.13	2770.30				
	48"(1219mm)	16 1/2"(419mm)	X3SD-4048-NS T		2431.52	2613.36	2734.67	2896.92				
	54"(1372mm)	16 1/2"(419mm)	X3SD-4054-NS T		2541.76	2730.38	2856.21	3023.54				
	60"(1524mm)	16 1/2"(419mm)	X3SD-4060-NSNT		2652.00	2847.40	2977.75	3150.16				
	66"(1676mm)	16 1/2"(419mm)	X3SD-4066-NSNT		2762.24	2964.42	3099.29	3276.78				
	72"(1829mm)	16 1/2"(419mm)	X3SD-4072-NSNT		2872.48	3081.44	3220.83	3403.40				
	78"(1981mm)	16 1/2"(419mm)	X3SD-4078-NSNT		2993.12	3208.86	3352.77	3540.42				
	84"(2134mm)	16 1/2"(419mm)	X3SD-4084-NSNT		3103.36	3325.88	3474.31	3667.04				
	90"(2286mm)	16 1/2"(419mm)	X3SD-4090-NSNT		3213.60	3442.90	3595.85	3793.66				
	96"(2438mm)	16 1/2"(419mm)	X3SD-4096-NSNT		3323.84	3559.92	3717.39	3920.28				

Masters Series

Vertical Storage Units with Glass Hinged Doors

Height	Width	Depth	Number	①	Wood Group A				Wood Group B				
					Glass	A	C	D	F	Glass	A	C	D
Letter Depth													
39 7/8"(1013mm)	30"(762mm)	14"(356mm)	X4SL-4030-NSNT		\$1996.80	\$2158.30	\$2266.05	\$2413.06	\$2021.76	\$2183.26	\$2291.01	\$2438.02	
	36"(914mm)	14"(356mm)	X4SL-4036-NSNT		2138.24	2306.52	2418.79	2570.88	2170.38	2338.66	2450.93	2603.02	
	42"(1067mm)	14"(356mm)	X4SL-4042-NS T		2290.08	2465.14	2581.93	2739.10	2329.40	2504.46	2621.25	2778.42	
	48"(1219mm)	14"(356mm)	X4SL-4048-NS T		2431.52	2613.36	2734.67	2896.92	2478.02	2659.86	2781.17	2943.42	
	54"(1372mm)	14"(356mm)	X4SL-4054-NS T		2572.96	2761.58	2887.41	3054.74	2626.64	2815.26	2941.09	3108.42	
	60"(1524mm)	14"(356mm)	X4SL-4060-NSNT		2714.40	2909.80	3040.15	3212.56	2775.26	2970.66	3101.01	3273.42	
	66"(1676mm)	14"(356mm)	X4SL-4066-NSNT		2855.84	3058.02	3192.89	3370.38	2923.88	3126.06	3260.93	3438.42	
	72"(1829mm)	14"(356mm)	X4SL-4072-NSNT		2997.28	3206.24	3345.63	3528.20	3072.50	3281.46	3420.85	3603.42	
	78"(1981mm)	14"(356mm)	X4SL-4078-NSNT		3149.12	3364.86	3508.77	3696.42	3231.52	3447.26	3591.17	3778.82	
	84"(2134mm)	14"(356mm)	X4SL-4084-NSNT		3290.56	3513.08	3661.51	3854.24	3380.14	3602.66	3751.09	3943.82	
	90"(2286mm)	14"(356mm)	X4SL-4090-NSNT		3432.00	3661.30	3814.25	4012.06	3528.76	3758.06	3911.01	4108.82	
	96"(2438mm)	14"(356mm)	X4SL-4096-NSNT		3573.44	3809.52	3966.99	4169.88	3677.38	3913.46	4070.93	4273.82	
Legal Depth													
39 7/8"(1013mm)	30"(762mm)	16 1/2"(419mm)	X4SD-4030-NSNT		\$2137.20	\$2298.70	\$2406.45	\$2553.46	\$2170.58	\$2332.08	\$2439.83	\$2586.84	
	36"(914mm)	16 1/2"(419mm)	X4SD-4036-NSNT		2278.64	2446.92	2559.19	2711.28	2319.20	2487.48	2599.75	2751.84	
	42"(1067mm)	16 1/2"(419mm)	X4SD-4042-NS T		2430.48	2605.54	2722.33	2879.50	2478.22	2653.28	2770.07	2927.24	
	48"(1219mm)	16 1/2"(419mm)	X4SD-4048-NS T		2571.92	2753.76	2875.07	3037.32	2626.84	2808.68	2929.99	3092.24	
	54"(1372mm)	16 1/2"(419mm)	X4SD-4054-NS T		2713.36	2901.98	3027.81	3195.14	2775.46	2964.08	3089.91	3257.24	
	60"(1524mm)	16 1/2"(419mm)	X4SD-4060-NSNT		2854.80	3050.20	3180.55	3352.96	2924.08	3119.48	3249.83	3422.24	
	66"(1676mm)	16 1/2"(419mm)	X4SD-4066-NSNT		2996.24	3198.42	3333.29	3510.78	3072.70	3274.88	3409.75	3587.24	
	72"(1829mm)	16 1/2"(419mm)	X4SD-4072-NSNT		3137.68	3346.64	3486.03	3668.60	3221.32	3430.28	3569.67	3752.24	
	78"(1981mm)	16 1/2"(419mm)	X4SD-4078-NSNT		3289.52	3505.26	3649.17	3836.82	3380.34	3596.08	3739.99	3927.64	
	84"(2134mm)	16 1/2"(419mm)	X4SD-4084-NSNT		3430.96	3653.48	3801.91	3994.64	3528.96	3751.48	3899.91	4092.64	
	90"(2286mm)	16 1/2"(419mm)	X4SD-4090-NSNT		3572.40	3801.70	3954.65	4152.46	3677.58	3906.88	4059.83	4257.64	
	96"(2438mm)	16 1/2"(419mm)	X4SD-4096-NSNT		3713.84	3949.92	4107.39	4310.28	3826.20	4062.28	4219.75	4422.64	


This page intentionally blank

Masters Series


Vertical Storage Units with Glass Hinged Doors

Vertical Storage Unit —


Two-High with Glass Hinged Doors




X3SL-NT
X3SD-NT
X4SL-NT
X4SD-NT
X5SL-NT
X5SD-NT
30" and 36" widths



X3SL-LT
X3SD-LT
X4SL-LT
X4SD-LT
X5SL-LT
X5SD-LT
42", 48" and 54" widths
(Left-hand single swing door shown)



X3SL-NT
X3SD-NT
X4SL-NT
X4SD-NT
X5SL-NT
X5SD-NT
60", 66" and 72" widths



X3SL-NT
X3SD-NT
X4SL-NT
X4SD-NT
X5SL-NT
X5SD-NT
78", 84", 90" and 96" widths

Features

- Includes storage cabinet(s) with glass doors, 2"(51mm) integrated light valance, one adjustable shelf, vertical supports and attachment material.
- 42"(1067mm), 48"(1219mm) and 54"(1372mm) wide units available with choice of left or right door swing for single door.
- 23 3/8"(594mm) clearance between top of worksurface and bottom of light valance.
- Locks not available.
- Glass door includes metal frame with metallic powdercoat finish on back side of door.
- The underside of the cabinet and front of lower section:
 - Laminate/Paint - the underside of the cabinet and front of lower section is finished.
 - Wood - the underside of the cabinet is finished, the lower section is unfinished.
- Standard unfinished two-piece back.
- Unfinished clearcoat wireway scallop in bottom center of back panel.
- One interior 3/4"(19mm) thick wood shelf with ±1 1/4"(32mm) adjustment range.
- Shipped assembled.

Specification Tips

- Designed to stack on equal width credenza, two-high storage cabinet or two-high lateral file. Refer to Stack-on Application Rules in Specification Guide.
- Accommodates separately specified tackboards and lighting accessories.
- Aligns with six-high storage units.
- Not designed for application where back of unit is visible.

To Order, Specify:

1) Product number, including:

① Single Door Swing Orientation:

(42", 48" and 54" wide only)

L Left-hand

R Right-hand

2) Finish code (laminate, paint, or wood).

3) Laminate edge trim color (if laminate specified).

4) Glass code.

5) Trim color for glass frame (required - metallic paint only).

Masters Series

Vertical Storage Units with Glass Hinged Doors

Height	Width	Depth	Number	①	Laminate A Glass				Laminate B Glass			
					A	C	D	F	A	C	D	F
Letter Depth												
52 1/2"(1334mm)	30"(762mm)	14"(356mm)	X5SL-5230-NSNT		\$2066.48	\$2325.52	\$2498.35	\$2718.30	\$2121.60	\$2380.64	\$2553.47	\$2773.42
	36"(914mm)	14"(356mm)	X5SL-5236-NSNT		2190.24	2456.06	2633.41	2858.44	2253.68	2519.50	2696.85	2921.88
	42"(1067mm)	14"(356mm)	X5SL-5242-NS T		2324.40	2597.00	2778.87	3008.98	2396.16	2668.76	2850.63	3080.74
	48"(1219mm)	14"(356mm)	X5SL-5248-NS T		2448.16	2727.54	2913.93	3149.12	2528.24	2807.62	2994.01	3229.20
	54"(1372mm)	14"(356mm)	X5SL-5254-NS T		2571.92	2858.08	3048.99	3289.26	2660.32	2946.48	3137.39	3377.66
	60"(1524mm)	14"(356mm)	X5SL-5260-NSNT		2695.68	2988.62	3184.05	3429.40	2792.40	3085.34	3280.77	3526.12
	66"(1676mm)	14"(356mm)	X5SL-5266-NSNT		2819.44	3119.16	3319.11	3569.54	2924.48	3224.20	3424.15	3674.58
	72"(1829mm)	14"(356mm)	X5SL-5272-NSNT		2943.20	3249.70	3454.17	3709.68	3056.56	3363.06	3567.53	3823.04
	78"(1981mm)	14"(356mm)	X5SL-5278-NSNT		3077.36	3390.64	3599.63	3860.22	3199.04	3512.32	3721.31	3981.90
	84"(2134mm)	14"(356mm)	X5SL-5284-NSNT		3201.12	3521.18	3734.69	4000.36	3331.12	3651.18	3864.69	4130.36
	90"(2286mm)	14"(356mm)	X5SL-5290-NSNT		3324.88	3651.72	3869.75	4140.50	3463.20	3790.04	4008.07	4278.82
	96"(2438mm)	14"(356mm)	X5SL-5296-NSNT		3448.64	3782.26	4004.81	4280.64	3595.28	3928.90	4151.45	4427.28
Legal Depth												
52 1/2"(1334mm)	30"(762mm)	16 1/2"(419mm)	X5SD-5230-NSNT		\$2170.48	\$2429.52	\$2602.35	\$2822.30	\$2233.92	\$2492.96	\$2665.79	\$2885.74
	36"(914mm)	16 1/2"(419mm)	X5SD-5236-NSNT		2294.24	2560.06	2737.41	2962.44	2366.00	2631.82	2809.17	3034.20
	42"(1067mm)	16 1/2"(419mm)	X5SD-5242-NS T		2428.40	2701.00	2882.87	3112.98	2508.48	2781.08	2962.95	3193.06
	48"(1219mm)	16 1/2"(419mm)	X5SD-5248-NS T		2552.16	2831.54	3017.93	3253.12	2640.56	2919.94	3106.33	3341.52
	54"(1372mm)	16 1/2"(419mm)	X5SD-5254-NS T		2675.92	2962.08	3152.99	3393.26	2772.64	3058.80	3249.71	3489.98
	60"(1524mm)	16 1/2"(419mm)	X5SD-5260-NSNT		2799.68	3092.62	3288.05	3533.40	2904.72	3197.66	3393.09	3638.44
	66"(1676mm)	16 1/2"(419mm)	X5SD-5266-NSNT		2923.44	3223.16	3423.11	3673.54	3036.80	3336.52	3536.47	3786.90
	72"(1829mm)	16 1/2"(419mm)	X5SD-5272-NSNT		3047.20	3353.70	3558.17	3813.68	3168.88	3475.38	3679.85	3935.36
	78"(1981mm)	16 1/2"(419mm)	X5SD-5278-NSNT		3181.36	3494.64	3703.63	3964.22	3311.36	3624.64	3833.63	4094.22
	84"(2134mm)	16 1/2"(419mm)	X5SD-5284-NSNT		3305.12	3625.18	3838.69	4104.36	3443.44	3763.50	3977.01	4242.68
	90"(2286mm)	16 1/2"(419mm)	X5SD-5290-NSNT		3428.88	3755.72	3973.75	4244.50	3575.52	3902.36	4120.39	4391.14
	96"(2438mm)	16 1/2"(419mm)	X5SD-5296-NSNT		3552.64	3886.26	4108.81	4384.64	3707.60	4041.22	4263.77	4539.60
Paint A Glass												
Height	Width	Depth	Number	①	A	C	D	F				
Letter Depth												
52 1/2"(1334mm)	30"(762mm)	14"(356mm)	X3SL-5230-NSNT		\$2513.68	\$2772.72	\$2945.55	\$3165.50				
	36"(914mm)	14"(356mm)	X3SL-5236-NSNT		2656.16	2921.98	3099.33	3324.36				
	42"(1067mm)	14"(356mm)	X3SL-5242-NS T		2809.04	3081.64	3263.51	3493.62				
	48"(1219mm)	14"(356mm)	X3SL-5248-NS T		2951.52	3230.90	3417.29	3652.48				
	54"(1372mm)	14"(356mm)	X3SL-5254-NS T		3094.00	3380.16	3571.07	3811.34				
	60"(1524mm)	14"(356mm)	X3SL-5260-NSNT		3236.48	3529.42	3724.85	3970.20				
	66"(1676mm)	14"(356mm)	X3SL-5266-NSNT		3378.96	3678.68	3878.63	4129.06				
	72"(1829mm)	14"(356mm)	X3SL-5272-NSNT		3521.44	3827.94	4032.41	4287.92				
	78"(1981mm)	14"(356mm)	X3SL-5278-NSNT		3674.32	3987.60	4196.59	4457.18				
	84"(2134mm)	14"(356mm)	X3SL-5284-NSNT		3816.80	4136.86	4350.37	4616.04				
	90"(2286mm)	14"(356mm)	X3SL-5290-NSNT		3959.28	4286.12	4504.15	4774.90				
	96"(2438mm)	14"(356mm)	X3SL-5296-NSNT		4101.76	4435.38	4657.93	4933.76				
Legal Depth												
52 1/2"(1334mm)	30"(762mm)	16 1/2"(419mm)	X3SD-5230-NSNT		\$2633.28	\$2892.32	\$3065.15	\$3285.10				
	36"(914mm)	16 1/2"(419mm)	X3SD-5236-NSNT		2775.76	3041.58	3218.93	3443.96				
	42"(1067mm)	16 1/2"(419mm)	X3SD-5242-NS T		2928.64	3201.24	3383.11	3613.22				
	48"(1219mm)	16 1/2"(419mm)	X3SD-5248-NS T		3071.12	3350.50	3536.89	3772.08				
	54"(1372mm)	16 1/2"(419mm)	X3SD-5254-NS T		3213.60	3499.76	3690.67	3930.94				
	60"(1524mm)	16 1/2"(419mm)	X3SD-5260-NSNT		3356.08	3649.02	3844.45	4089.80				
	66"(1676mm)	16 1/2"(419mm)	X3SD-5266-NSNT		3498.56	3798.28	3998.23	4248.66				
	72"(1829mm)	16 1/2"(419mm)	X3SD-5272-NSNT		3641.04	3947.54	4152.01	4407.52				
	78"(1981mm)	16 1/2"(419mm)	X3SD-5278-NSNT		3793.92	4107.20	4316.19	4576.78				
	84"(2134mm)	16 1/2"(419mm)	X3SD-5284-NSNT		3936.40	4256.46	4469.97	4735.64				
	90"(2286mm)	16 1/2"(419mm)	X3SD-5290-NSNT		4078.88	4405.72	4623.75	4894.50				
	96"(2438mm)	16 1/2"(419mm)	X3SD-5296-NSNT		4221.36	4554.98	4777.53	5053.36				

Masters Series

Vertical Storage Units with Glass Hinged Doors


Height	Width	Depth	Number	①	Wood Group A				Wood Group B				
					Glass	A	C	D	F	Glass	A	C	D
Letter Depth													
52 1/2"(1334mm)	30"(762mm)	14"(356mm)	X4SL-5230-NSNT		\$2570.88	\$2829.92	\$3002.75	\$3222.70	\$2611.44	\$2870.48	\$3043.31	\$3263.26	
	36"(914mm)	14"(356mm)	X4SL-5236-NSNT		2748.72	3014.54	3191.89	3416.92	2798.64	3064.46	3241.81	3466.84	
	42"(1067mm)	14"(356mm)	X4SL-5242-NS T		2936.96	3209.56	3391.43	3621.54	2996.24	3268.84	3450.71	3680.82	
	48"(1219mm)	14"(356mm)	X4SL-5248-NS T		3114.80	3394.18	3580.57	3815.76	3183.44	3462.82	3649.21	3884.40	
	54"(1372mm)	14"(356mm)	X4SL-5254-NS T		3292.64	3578.80	3769.71	4009.98	3370.64	3656.80	3847.71	4087.98	
	60"(1524mm)	14"(356mm)	X4SL-5260-NSNT		3470.48	3763.42	3958.85	4204.20	3557.84	3850.78	4046.21	4291.56	
	66"(1676mm)	14"(356mm)	X4SL-5266-NSNT		3648.32	3948.04	4147.99	4398.42	3745.04	4044.76	4244.71	4495.14	
	72"(1829mm)	14"(356mm)	X4SL-5272-NSNT		3826.16	4132.66	4337.13	4592.64	3932.24	4238.74	4443.21	4698.72	
	78"(1981mm)	14"(356mm)	X4SL-5278-NSNT		4014.40	4327.68	4536.67	4797.26	4129.84	4443.12	4652.11	4912.70	
	84"(2134mm)	14"(356mm)	X4SL-5284-NSNT		4192.24	4512.30	4725.81	4991.48	4317.04	4637.10	4850.61	5116.28	
	90"(2286mm)	14"(356mm)	X4SL-5290-NSNT		4370.08	4696.92	4914.95	5185.70	4504.24	4831.08	5049.11	5319.86	
	96"(2438mm)	14"(356mm)	X4SL-5296-NSNT		4547.92	4881.54	5104.09	5379.92	4691.44	5025.06	5247.61	5523.44	
Legal Depth													
52 1/2"(1334mm)	30"(762mm)	16 1/2"(419mm)	X4SD-5230-NSNT		\$2711.28	\$2970.32	\$3143.15	\$3363.10	\$2760.26	\$3019.30	\$3192.13	\$3412.08	
	36"(914mm)	16 1/2"(419mm)	X4SD-5236-NSNT		2889.12	3154.94	3332.29	3557.32	2947.46	3213.28	3390.63	3615.66	
	42"(1067mm)	16 1/2"(419mm)	X4SD-5242-NS T		3077.36	3349.96	3531.83	3761.94	3145.06	3417.66	3599.53	3829.64	
	48"(1219mm)	16 1/2"(419mm)	X4SD-5248-NS T		3255.20	3534.58	3720.97	3956.16	3332.26	3611.64	3798.03	4033.22	
	54"(1372mm)	16 1/2"(419mm)	X4SD-5254-NS T		3433.04	3719.20	3910.11	4150.38	3519.46	3805.62	3996.53	4236.80	
	60"(1524mm)	16 1/2"(419mm)	X4SD-5260-NSNT		3610.88	3903.82	4099.25	4344.60	3706.66	3999.60	4195.03	4440.38	
	66"(1676mm)	16 1/2"(419mm)	X4SD-5266-NSNT		3788.72	4088.44	4288.39	4538.82	3893.86	4193.58	4393.53	4643.96	
	72"(1829mm)	16 1/2"(419mm)	X4SD-5272-NSNT		3966.56	4273.06	4477.53	4733.04	4081.06	4387.56	4592.03	4847.54	
	78"(1981mm)	16 1/2"(419mm)	X4SD-5278-NSNT		4154.80	4468.08	4677.07	4937.66	4278.66	4591.94	4800.93	5061.52	
	84"(2134mm)	16 1/2"(419mm)	X4SD-5284-NSNT		4332.64	4652.70	4866.21	5131.88	4465.86	4785.92	4999.43	5265.10	
	90"(2286mm)	16 1/2"(419mm)	X4SD-5290-NSNT		4510.48	4837.32	5055.35	5326.10	4653.06	4979.90	5197.93	5468.68	
	96"(2438mm)	16 1/2"(419mm)	X4SD-5296-NSNT		4688.32	5021.94	5244.49	5520.32	4840.26	5173.88	5396.43	5672.26	

This page intentionally blank


Masters Series

Vertical Storage Units with Glass Sliding Door


Vertical Storage Unit — One-High with Glass Sliding Door




30" and 36" widths



42", 48" and 54" widths



60", 66" and 72" widths



78", 84", 90" and 96" widths

X3LL-NT
X3LD-NT
X4LL-NT
X4LD-NT
X5LL-NT
X5LD-NT

Features

- Includes storage cabinet(s) with one glass sliding door, 2"(51mm) integrated light valance, vertical supports and attachment material.
- Units 30"-72"(762mm-1829mm) wide include two equal width sections divided by one inset intermediate center support.
- Units 78"-96"(1981mm-2438mm) wide include three equal width sections divided by two inset intermediate center supports.
- Locks not available.
- Glass door includes metal frame with metallic powdercoat finish on back side of door.
- Includes internally mounted sliding door track top and bottom with bumpers at each end.
- 23 3/8"(594mm) clearance between top of worksurface and bottom of light valance.
- The underside of the cabinet and front of lower section:
–Laminate/Paint - the underside of the cabinet and front of lower section is finished.
–Wood - the underside of the cabinet is finished, the lower section is unfinished.
- Standard unfinished two-piece back.
- Unfinished clearcoat wireway scallop in bottom center of back panel.
- Shipped assembled.

To Order, Specify:

- 1) Product number.
- 2) Finish code (laminate, paint, or wood).
- 3) Laminate edge trim color (if laminate specified).
- 4) Glass code.
- 5) Trim color for glass frame (required - metallic paint only).

Masters Series

Vertical Storage Units with Glass Sliding Door

Height	Width	Depth	Number	Laminate A Glass				Laminate B Glass			
				A	C	D	F	A	C	D	F
Letter Depth											
39 7/8"(1013mm)	30"(762mm)	14"(356mm)	X5LL-4030-NSNT	\$1404.00	\$1510.59	\$1581.70	\$1661.40	\$1445.60	\$1552.19	\$1623.30	\$1703.00
	36"(914mm)	14"(356mm)	X5LL-4036-NSNT	1500.72	1613.12	1688.11	1773.10	1548.56	1660.96	1735.95	1820.94
	42"(1067mm)	14"(356mm)	X5LL-4042-NSNT	1607.84	1726.05	1804.92	1895.20	1661.92	1780.13	1859.00	1949.28
	48"(1219mm)	14"(356mm)	X5LL-4048-NSNT	1704.56	1828.58	1911.33	2006.90	1764.88	1888.90	1971.65	2067.22
	54"(1372mm)	14"(356mm)	X5LL-4054-NSNT	1801.28	1931.11	2017.74	2118.60	1867.84	1997.67	2084.30	2185.16
	60"(1524mm)	14"(356mm)	X5LL-4060-NSNT	1898.00	2033.64	2124.15	2230.30	1970.80	2106.44	2196.95	2303.10
	66"(1676mm)	14"(356mm)	X5LL-4066-NSNT	1994.72	2136.17	2230.56	2342.00	2073.76	2215.21	2309.60	2421.04
	72"(1829mm)	14"(356mm)	X5LL-4072-NSNT	2091.44	2238.70	2336.97	2453.70	2176.72	2323.98	2422.25	2538.98
	78"(1981mm)	14"(356mm)	X5LL-4078-NSNT	2198.56	2351.63	2453.78	2575.80	2290.08	2443.15	2545.30	2667.32
	84"(2134mm)	14"(356mm)	X5LL-4084-NSNT	2295.28	2454.16	2560.19	2687.50	2393.04	2551.92	2657.95	2785.26
	90"(2286mm)	14"(356mm)	X5LL-4090-NSNT	2392.00	2556.69	2666.60	2799.20	2496.00	2660.69	2770.60	2903.20
	96"(2438mm)	14"(356mm)	X5LL-4096-NSNT	2488.72	2659.22	2773.01	2910.90	2598.96	2769.46	2883.25	3021.14
Legal Depth											
39 7/8"(1013mm)	30"(762mm)	16 1/2"(419mm)	X5LD-4030-NSNT	\$1508.00	\$1614.59	\$1685.70	\$1765.40	\$1557.92	\$1664.51	\$1735.62	\$1815.32
	36"(914mm)	16 1/2"(419mm)	X5LD-4036-NSNT	1604.72	1717.12	1792.11	1877.10	1660.88	1773.28	1848.27	1933.26
	42"(1067mm)	16 1/2"(419mm)	X5LD-4042-NSNT	1711.84	1830.05	1908.92	1999.20	1774.24	1892.45	1971.32	2061.60
	48"(1219mm)	16 1/2"(419mm)	X5LD-4048-NSNT	1808.56	1932.58	2015.33	2110.90	1877.20	2001.22	2083.97	2179.54
	54"(1372mm)	16 1/2"(419mm)	X5LD-4054-NSNT	1905.28	2035.11	2121.74	2222.60	1980.16	2109.99	2196.62	2297.48
	60"(1524mm)	16 1/2"(419mm)	X5LD-4060-NSNT	2002.00	2137.64	2228.15	2334.30	2083.12	2218.76	2309.27	2415.42
	66"(1676mm)	16 1/2"(419mm)	X5LD-4066-NSNT	2098.72	2240.17	2334.56	2446.00	2186.08	2327.53	2421.92	2533.36
	72"(1829mm)	16 1/2"(419mm)	X5LD-4072-NSNT	2195.44	2342.70	2440.97	2557.70	2289.04	2436.30	2534.57	2651.30
	78"(1981mm)	16 1/2"(419mm)	X5LD-4078-NSNT	2302.56	2455.63	2557.78	2679.80	2402.40	2555.47	2657.62	2779.64
	84"(2134mm)	16 1/2"(419mm)	X5LD-4084-NSNT	2399.28	2558.16	2664.19	2791.50	2505.36	2664.24	2770.27	2897.58
	90"(2286mm)	16 1/2"(419mm)	X5LD-4090-NSNT	2496.00	2660.69	2770.60	2903.20	2608.32	2773.01	2882.92	3015.52
	96"(2438mm)	16 1/2"(419mm)	X5LD-4096-NSNT	2592.72	2763.22	2877.01	3014.90	2711.28	2881.78	2995.57	3133.46
Paint A Glass											
Height	Width	Depth	Number	A	C	D	F				
Letter Depth											
39 7/8"(1013mm)	30"(762mm)	14"(356mm)	X3LL-4030-NSNT	\$1794.00	\$1900.59	\$1971.70	\$2051.40				
	36"(914mm)	14"(356mm)	X3LL-4036-NSNT	1901.12	2013.52	2088.51	2173.50				
	42"(1067mm)	14"(356mm)	X3LL-4042-NSNT	2018.64	2136.85	2215.72	2306.00				
	48"(1219mm)	14"(356mm)	X3LL-4048-NSNT	2125.76	2249.78	2332.53	2428.10				
	54"(1372mm)	14"(356mm)	X3LL-4054-NSNT	2232.88	2362.71	2449.34	2550.20				
	60"(1524mm)	14"(356mm)	X3LL-4060-NSNT	2340.00	2475.64	2566.15	2672.30				
	66"(1676mm)	14"(356mm)	X3LL-4066-NSNT	2447.12	2588.57	2682.96	2794.40				
	72"(1829mm)	14"(356mm)	X3LL-4072-NSNT	2554.24	2701.50	2799.77	2916.50				
	78"(1981mm)	14"(356mm)	X3LL-4078-NSNT	2671.76	2824.83	2926.98	3049.00				
	84"(2134mm)	14"(356mm)	X3LL-4084-NSNT	2778.88	2937.76	3043.79	3171.10				
	90"(2286mm)	14"(356mm)	X3LL-4090-NSNT	2886.00	3050.69	3160.60	3293.20				
	96"(2438mm)	14"(356mm)	X3LL-4096-NSNT	2993.12	3163.62	3277.41	3415.30				
Legal Depth											
39 7/8"(1013mm)	30"(762mm)	16 1/2"(419mm)	X3LD-4030-NSNT	\$1913.60	\$2020.19	\$2091.30	\$2171.00				
	36"(914mm)	16 1/2"(419mm)	X3LD-4036-NSNT	2020.72	2133.12	2208.11	2293.10				
	42"(1067mm)	16 1/2"(419mm)	X3LD-4042-NSNT	2138.24	2256.45	2335.32	2425.60				
	48"(1219mm)	16 1/2"(419mm)	X3LD-4048-NSNT	2245.36	2369.38	2452.13	2547.70				
	54"(1372mm)	16 1/2"(419mm)	X3LD-4054-NSNT	2352.48	2482.31	2568.94	2669.80				
	60"(1524mm)	16 1/2"(419mm)	X3LD-4060-NSNT	2459.60	2595.24	2685.75	2791.90				
	66"(1676mm)	16 1/2"(419mm)	X3LD-4066-NSNT	2566.72	2708.17	2802.56	2914.00				
	72"(1829mm)	16 1/2"(419mm)	X3LD-4072-NSNT	2673.84	2821.10	2919.37	3036.10				
	78"(1981mm)	16 1/2"(419mm)	X3LD-4078-NSNT	2791.36	2944.43	3046.58	3168.60				
	84"(2134mm)	16 1/2"(419mm)	X3LD-4084-NSNT	2898.48	3057.36	3163.39	3290.70				
	90"(2286mm)	16 1/2"(419mm)	X3LD-4090-NSNT	3005.60	3170.29	3280.20	3412.80				
	96"(2438mm)	16 1/2"(419mm)	X3LD-4096-NSNT	3112.72	3283.22	3397.01	3534.90				

Masters Series

Vertical Storage Units with Glass Sliding Door


Height	Width	Depth	Number	Wood Group A				Wood Group B			
				Glass	A	C	D	F	Glass	A	C
Letter Depth											
39 7/8"(1013mm)	30"(762mm)	14"(356mm)	X4LL-4030-NSNT	\$1820.00	\$1926.59	\$1997.70	\$2077.40	\$1844.96	\$1951.55	\$2022.66	\$2102.36
	36"(914mm)	14"(356mm)	X4LL-4036-NSNT	1958.32	2070.72	2145.71	2230.70	1990.46	2102.86	2177.85	2262.84
	42"(1067mm)	14"(356mm)	X4LL-4042-NSNT	2107.04	2225.25	2304.12	2394.40	2146.36	2264.57	2343.44	2433.72
	48"(1219mm)	14"(356mm)	X4LL-4048-NSNT	2245.36	2369.38	2452.13	2547.70	2291.86	2415.88	2498.63	2594.20
	54"(1372mm)	14"(356mm)	X4LL-4054-NSNT	2383.68	2513.51	2600.14	2701.00	2437.36	2567.19	2653.82	2754.68
	60"(1524mm)	14"(356mm)	X4LL-4060-NSNT	2522.00	2657.64	2748.15	2854.30	2582.86	2718.50	2809.01	2915.16
	66"(1676mm)	14"(356mm)	X4LL-4066-NSNT	2660.32	2801.77	2896.16	3007.60	2728.36	2869.81	2964.20	3075.64
	72"(1829mm)	14"(356mm)	X4LL-4072-NSNT	2798.64	2945.90	3044.17	3160.90	2873.86	3021.12	3119.39	3236.12
	78"(1981mm)	14"(356mm)	X4LL-4078-NSNT	2947.36	3100.43	3202.58	3324.60	3029.76	3182.83	3284.98	3407.00
	84"(2134mm)	14"(356mm)	X4LL-4084-NSNT	3085.68	3244.56	3350.59	3477.90	3175.26	3334.14	3440.17	3567.48
	90"(2286mm)	14"(356mm)	X4LL-4090-NSNT	3224.00	3388.69	3498.60	3631.20	3320.76	3485.45	3595.36	3727.96
	96"(2438mm)	14"(356mm)	X4LL-4096-NSNT	3362.32	3532.82	3646.61	3784.50	3466.26	3636.76	3750.55	3888.44
Legal Depth											
39 7/8"(1013mm)	30"(762mm)	16 1/2"(419mm)	X4LD-4030-NSNT	\$1960.40	\$2066.99	\$2138.10	\$2217.80	\$1993.78	\$2100.37	\$2171.48	\$2251.18
	36"(914mm)	16 1/2"(419mm)	X4LD-4036-NSNT	2098.72	2211.12	2286.11	2371.10	2139.28	2251.68	2326.67	2411.66
	42"(1067mm)	16 1/2"(419mm)	X4LD-4042-NSNT	2247.44	2365.65	2444.52	2534.80	2295.18	2413.39	2492.26	2582.54
	48"(1219mm)	16 1/2"(419mm)	X4LD-4048-NSNT	2385.76	2509.78	2592.53	2688.10	2440.68	2564.70	2647.45	2743.02
	54"(1372mm)	16 1/2"(419mm)	X4LD-4054-NSNT	2524.08	2653.91	2740.54	2841.40	2586.18	2716.01	2802.64	2903.50
	60"(1524mm)	16 1/2"(419mm)	X4LD-4060-NSNT	2662.40	2798.04	2888.55	2994.70	2957.83	2867.32	2957.83	3063.98
	66"(1676mm)	16 1/2"(419mm)	X4LD-4066-NSNT	2800.72	2942.17	3036.56	3148.00	2877.18	3018.63	3113.02	3224.46
	72"(1829mm)	16 1/2"(419mm)	X4LD-4072-NSNT	2939.04	3086.30	3184.57	3301.30	3022.68	3169.94	3268.21	3384.94
	78"(1981mm)	16 1/2"(419mm)	X4LD-4078-NSNT	3087.76	3240.83	3342.98	3465.00	3178.58	3331.65	3433.80	3555.82
	84"(2134mm)	16 1/2"(419mm)	X4LD-4084-NSNT	3226.08	3384.96	3490.99	3618.30	3324.08	3482.96	3588.99	3716.30
	90"(2286mm)	16 1/2"(419mm)	X4LD-4090-NSNT	3364.40	3529.09	3639.00	3771.60	3469.58	3634.27	3744.18	3876.78
	96"(2438mm)	16 1/2"(419mm)	X4LD-4096-NSNT	3502.72	3673.22	3787.01	3924.90	3615.08	3785.58	3899.37	4037.26

This page intentionally blank


Masters Series

Vertical Storage Units with Glass Sliding Door


**Vertical Storage Unit —
Two-High with Glass Sliding
Door**




30" and 36" widths



42", 48" and 54" widths



60", 66" and 72" widths



78", 84", 90" and 96" widths

X3LL-NT
X3LD-NT
X4LL-NT
X4LD-NT
X5LL-NT
X5LD-NT

Features

- Includes storage cabinet(s) with one glass sliding door, 2"(51mm) integrated light valance, one adjustable shelf, vertical supports and attachment material.
- Unfinished clearcoat wireway scallop in bottom center of back panel.
- Units 30"-72"(762mm-1829mm) wide include two equal width sections divided by one inset intermediate center support.
- Units 78"-96"(1981mm-2438mm) wide include three equal width sections divided by two inset intermediate center supports.
- Sliding door width is equal to one section width (one-half or one-third of unit width).
- Locks not available.
- Glass door includes metal frame with metallic powdercoat finish on back side of door.
- Includes internally mounted sliding door track top and bottom with bumpers at each end.
- 23 3/8"(594mm) clearance between top of worksurface and bottom of light valance.
- The underside of the cabinet and front of lower section:
—Laminate/Paint - the underside of the cabinet and front of lower section is finished.
—Wood - the underside of the cabinet is finished, the lower section is unfinished.
- Standard unfinished two-piece back.
- One interior 3/4"(19mm) thick wood shelf with $\pm 1\frac{1}{4}''$ (32mm) adjustment range.
- Shipped assembled.

To Order, Specify:

- 1) Product number.
- 2) Finish code (laminate, paint, or wood).
- 3) Laminate edge trim color (if laminate specified).
- 4) Glass code.
- 5) Trim color for glass frame (required - metallic paint only).

Specification Tips

- Designed to stack on equal width credenza, two-high storage cabinet or two-high lateral file. Refer to Stack-on Application Rules in Specification Guide.
- Accommodates separately specified tackboards and lighting accessories.
- Aligns with six-high storage units.
- Only back-painted glass available as standard; specifying alternate glass may allow for the light valance and hardware to be visible.
- Not designed for application where back of unit is visible.

Masters Series

Vertical Storage Units with Glass Sliding Door

Height	Width	Depth	Number	①	Laminate A				Laminate B				
					Glass	A	C	D	F	Glass	A	C	D
Letter Depth													
52 1/2"(1334mm)	30"(762mm)	14"(356mm)	X5LL-5230-NSNT		\$1783.60	\$1954.78	\$2069.00	\$2207.40	\$1838.72	\$2009.90	\$2124.12	\$2262.52	
36"(914mm)	14"(356mm)	X5LL-5236-NSNT		1904.24	2081.23	2199.33	2343.02	1967.68	2144.67	2262.77	2406.46		
42"(1067mm)	14"(356mm)	X5LL-5242-NSNT		2035.28	2218.08	2340.06	2489.04	2107.04	2289.84	2411.82	2560.80		
48"(1219mm)	14"(356mm)	X5LL-5248-NSNT		2155.92	2344.53	2470.39	2624.66	2236.00	2424.61	2550.47	2704.74		
54"(1372mm)	14"(356mm)	X5LL-5254-NSNT		2276.56	2470.98	2600.72	2760.28	2364.96	2559.38	2689.12	2848.68		
60"(1524mm)	14"(356mm)	X5LL-5260-NSNT		2397.20	2597.43	2731.05	2895.90	2493.92	2694.15	2827.77	2992.62		
66"(1676mm)	14"(356mm)	X5LL-5266-NSNT		2517.84	2723.88	2861.38	3031.52	2622.88	2828.92	2966.42	3136.56		
72"(1829mm)	14"(356mm)	X5LL-5272-NSNT		2638.48	2850.33	2991.71	3167.14	2751.84	2963.69	3105.07	3280.50		
78"(1981mm)	14"(356mm)	X5LL-5278-NSNT		2769.52	2987.18	3132.44	3313.16	2891.20	3108.86	3254.12	3434.84		
84"(2134mm)	14"(356mm)	X5LL-5284-NSNT		2890.16	3113.63	3262.77	3448.78	3020.16	3243.63	3392.77	3578.78		
90"(2286mm)	14"(356mm)	X5LL-5290-NSNT		3010.80	3240.08	3393.10	3584.40	3149.12	3378.40	3531.42	3722.72		
96"(2438mm)	14"(356mm)	X5LL-5296-NSNT		3131.44	3366.53	3523.43	3720.02	3278.08	3513.17	3670.07	3866.66		
Legal Depth													
52 1/2"(1334mm)	30"(762mm)	16 1/2"(419mm)	X5LD-5230-NSNT		\$1887.60	\$2058.78	\$2173.00	\$2311.40	\$1951.04	\$2122.22	\$2236.44	\$2374.84	
36"(914mm)	16 1/2"(419mm)	X5LD-5236-NSNT		2008.24	2185.23	2303.33	2447.02	2080.00	2256.99	2375.09	2518.78		
42"(1067mm)	16 1/2"(419mm)	X5LD-5242-NSNT		2139.28	2322.08	2444.06	2593.04	2219.36	2402.16	2524.14	2673.12		
48"(1219mm)	16 1/2"(419mm)	X5LD-5248-NSNT		2259.92	2448.53	2574.39	2728.66	2348.32	2536.93	2662.79	2817.06		
54"(1372mm)	16 1/2"(419mm)	X5LD-5254-NSNT		2380.56	2574.98	2704.72	2864.28	2477.28	2671.70	2801.44	2961.00		
60"(1524mm)	16 1/2"(419mm)	X5LD-5260-NSNT		2501.20	2701.43	2835.05	2999.90	2606.24	2806.47	2940.09	3104.94		
66"(1676mm)	16 1/2"(419mm)	X5LD-5266-NSNT		2621.84	2827.88	2965.38	3135.52	2735.20	2941.24	3078.74	3248.88		
72"(1829mm)	16 1/2"(419mm)	X5LD-5272-NSNT		2742.48	2954.33	3095.71	3271.14	2864.16	3076.01	3217.39	3392.82		
78"(1981mm)	16 1/2"(419mm)	X5LD-5278-NSNT		2873.52	3091.18	3236.44	3417.16	3003.52	3221.18	3366.44	3547.16		
84"(2134mm)	16 1/2"(419mm)	X5LD-5284-NSNT		2994.16	3217.63	3366.77	3552.78	3132.48	3355.95	3505.09	3691.10		
90"(2286mm)	16 1/2"(419mm)	X5LD-5290-NSNT		3114.80	3344.08	3497.10	3688.40	3261.44	3490.72	3643.74	3835.04		
96"(2438mm)	16 1/2"(419mm)	X5LD-5296-NSNT		3235.44	3470.53	3627.43	3824.02	3390.40	3625.49	3782.39	3978.98		
Paint A													
Height	Width	Depth	Number	①	Glass	A	C	D	F				
Letter Depth													
52 1/2"(1334mm)	30"(762mm)	14"(356mm)	X3LL-5230-NSNT		\$2230.80	\$2401.98	\$2516.20	\$2654.60					
36"(914mm)	14"(356mm)	X3LL-5236-NSNT		2370.16	2547.15	2665.25	2808.94						
42"(1067mm)	14"(356mm)	X3LL-5242-NSNT		2519.92	2702.72	2824.70	2973.68						
48"(1219mm)	14"(356mm)	X3LL-5248-NSNT		2659.28	2847.89	2973.75	3128.02						
54"(1372mm)	14"(356mm)	X3LL-5254-NSNT		2798.64	2993.06	3122.80	3282.36						
60"(1524mm)	14"(356mm)	X3LL-5260-NSNT		2938.00	3138.23	3271.85	3436.70						
66"(1676mm)	14"(356mm)	X3LL-5266-NSNT		3077.36	3283.40	3420.90	3591.04						
72"(1829mm)	14"(356mm)	X3LL-5272-NSNT		3216.72	3428.57	3569.95	3745.38						
78"(1981mm)	14"(356mm)	X3LL-5278-NSNT		3366.48	3584.14	3729.40	3910.12						
84"(2134mm)	14"(356mm)	X3LL-5284-NSNT		3505.84	3729.31	3878.45	4064.46						
90"(2286mm)	14"(356mm)	X3LL-5290-NSNT		3645.20	3874.48	4027.50	4218.80						
96"(2438mm)	14"(356mm)	X3LL-5296-NSNT		3784.56	4019.65	4176.55	4373.14						
Legal Depth													
52 1/2"(1334mm)	30"(762mm)	16 1/2"(419mm)	X3LD-5230-NSNT		\$2350.40	\$2521.58	\$2635.80	\$2774.20					
36"(914mm)	16 1/2"(419mm)	X3LD-5236-NSNT		2489.76	2666.75	2784.85	2928.54						
42"(1067mm)	16 1/2"(419mm)	X3LD-5242-NSNT		2639.52	2822.32	2944.30	3093.28						
48"(1219mm)	16 1/2"(419mm)	X3LD-5248-NSNT		2778.88	2967.49	3093.35	3247.62						
54"(1372mm)	16 1/2"(419mm)	X3LD-5254-NSNT		2918.24	3112.66	3242.40	3401.96						
60"(1524mm)	16 1/2"(419mm)	X3LD-5260-NSNT		3057.60	3257.83	3391.45	3556.30						
66"(1676mm)	16 1/2"(419mm)	X3LD-5266-NSNT		3196.96	3403.00	3540.50	3710.64						
72"(1829mm)	16 1/2"(419mm)	X3LD-5272-NSNT		3336.32	3548.17	3689.55	3864.98						
78"(1981mm)	16 1/2"(419mm)	X3LD-5278-NSNT		3486.08	3703.74	3849.00	4029.72						
84"(2134mm)	16 1/2"(419mm)	X3LD-5284-NSNT		3625.44	3848.91	3998.05	4184.06						
90"(2286mm)	16 1/2"(419mm)	X3LD-5290-NSNT		3764.80	3994.08	4147.10	4338.40						
96"(2438mm)	16 1/2"(419mm)	X3LD-5296-NSNT		3904.16	4139.25	4296.15	4492.74						





Masters Series

Vertical Storage Units with Glass Sliding Door

Height	Width	Depth	Number	①	Wood Group A				Wood Group B				
					Glass	A	C	D	F	Glass	A	C	D
Letter Depth													
52 1/2"(1334mm)	30"(762mm)	14"(356mm)	X4LL-5230-NSNT		\$2288.00	\$2459.18	\$2573.40	\$2711.80	\$2328.56	\$2499.74	\$2613.96	\$2752.36	
	36"(914mm)	14"(356mm)	X4LL-5236-NSNT		2462.72	2639.71	2757.81	2901.50	2512.64	2689.63	2807.73	2951.42	
	42"(1067mm)	14"(356mm)	X4LL-5242-NSNT		2647.84	2830.64	2952.62	3101.60	2707.12	2889.92	3011.90	3160.88	
	48"(1219mm)	14"(356mm)	X4LL-5248-NSNT		2822.56	3011.17	3137.03	3291.30	2891.20	3079.81	3205.67	3359.94	
	54"(1372mm)	14"(356mm)	X4LL-5254-NSNT		2997.28	3191.70	3321.44	3481.00	3075.28	3269.70	3399.44	3559.00	
	60"(1524mm)	14"(356mm)	X4LL-5260-NSNT		3172.00	3372.23	3505.85	3670.70	3259.36	3459.59	3593.21	3758.06	
	66"(1676mm)	14"(356mm)	X4LL-5266-NSNT		3346.72	3552.76	3690.26	3860.40	3443.44	3649.48	3786.98	3957.12	
	72"(1829mm)	14"(356mm)	X4LL-5272-NSNT		3521.44	3733.29	3874.67	4050.10	3627.52	3839.37	3980.75	4156.18	
	78"(1981mm)	14"(356mm)	X4LL-5278-NSNT		3706.56	3924.22	4069.48	4250.20	3822.00	4039.66	4184.92	4365.64	
	84"(2134mm)	14"(356mm)	X4LL-5284-NSNT		3881.28	4104.75	4253.89	4439.90	4006.08	4229.55	4378.69	4564.70	
	90"(2286mm)	14"(356mm)	X4LL-5290-NSNT		4056.00	4285.28	4438.30	4629.60	4190.16	4419.44	4572.46	4763.76	
	96"(2438mm)	14"(356mm)	X4LL-5296-NSNT		4230.72	4465.81	4622.71	4819.30	4374.24	4609.33	4766.23	4962.82	
Legal Depth													
52 1/2"(1334mm)	30"(762mm)	16 1/2"(419mm)	X4LD-5230-NSNT		\$2428.40	\$2599.58	\$2713.80	\$2852.20	\$2477.38	\$2648.56	\$2762.78	\$2901.18	
	36"(914mm)	16 1/2"(419mm)	X4LD-5236-NSNT		2603.12	2780.11	2898.21	3041.90	2661.46	2838.45	2956.55	3100.24	
	42"(1067mm)	16 1/2"(419mm)	X4LD-5242-NSNT		2788.24	2971.04	3093.02	3242.00	2855.94	3038.74	3160.72	3309.70	
	48"(1219mm)	16 1/2"(419mm)	X4LD-5248-NSNT		2962.96	3151.57	3277.43	3431.70	3040.02	3228.63	3354.49	3508.76	
	54"(1372mm)	16 1/2"(419mm)	X4LD-5254-NSNT		3137.68	3332.10	3461.84	3621.40	3224.10	3418.52	3548.26	3707.82	
	60"(1524mm)	16 1/2"(419mm)	X4LD-5260-NSNT		3312.40	3512.63	3646.25	3811.10	3408.18	3608.41	3742.03	3906.88	
	66"(1676mm)	16 1/2"(419mm)	X4LD-5266-NSNT		3487.12	3693.16	3830.66	4000.80	3592.26	3798.30	3935.80	4105.94	
	72"(1829mm)	16 1/2"(419mm)	X4LD-5272-NSNT		3661.84	3873.69	4015.07	4190.50	3776.34	3988.19	4129.57	4305.00	
	78"(1981mm)	16 1/2"(419mm)	X4LD-5278-NSNT		3846.96	4064.62	4209.88	4390.60	3970.82	4188.48	4333.74	4514.46	
	84"(2134mm)	16 1/2"(419mm)	X4LD-5284-NSNT		4021.68	4245.15	4394.29	4580.30	4154.90	4378.37	4527.51	4713.52	
	90"(2286mm)	16 1/2"(419mm)	X4LD-5290-NSNT		4196.40	4425.68	4578.70	4770.00	4338.98	4568.26	4721.28	4912.58	
	96"(2438mm)	16 1/2"(419mm)	X4LD-5296-NSNT		4371.12	4606.21	4763.11	4959.70	4523.06	4758.15	4915.05	5111.64	

Masters Series

Tackboards for Vertical Storage Units

Tackboards — Vertical Storage Units — FabricMTVD
30"-60" wideMTVD
66"-96" wide**Tackboards — Vertical Storage Units — Fabric and Slat Rail**MTSV
30"-60" wideMTSV
66"-96" wide

	Height	Width	Number	Fabric Grade		
				A	B	C
MTVD	24"(610mm)	27 1/2"(699mm)	MTVD-2430	214.72	\$239.91	\$268.45
	33 1/2"(851mm)	MTVD-2436	229.28	256.65	287.67	
	39 1/2"(1003mm)	MTVD-2442	243.84	273.39	306.89	
	45 1/2"(1156mm)	MTVD-2448	258.40	290.13	326.11	
	51 1/2"(1308mm)	MTVD-2454	272.96	306.87	345.33	
	57 1/2"(1461mm)	MTVD-2460	287.52	323.61	364.55	
	63 1/2"(1613mm)	MTVD-2466	367.53	422.66	485.16	
	69 1/2"(1765mm)	MTVD-2472	400.80	460.92	529.08	
	75 1/2"(1918mm)	MTVD-2478	434.07	499.18	573.00	
	81 1/2"(2070mm)	MTVD-2484	467.34	537.44	616.92	
	87 1/2"(2223mm)	MTVD-2490	500.61	575.70	660.84	
	93 1/2"(2375mm)	MTVD-2496	533.88	613.96	704.76	

Feature

- Tackboards over 60"(1524mm) wide include two fabric sections.
- Available on RUSH.

To Order, Specify:

- 1) Product number.
- 2) Fabric code.

Specification Tips

- Designed to mount on lower back panel of vertical storage unit.
- Tackboard widths are nominal; Catalog Number indicates width of Vertical Storage Unit for which the tackboard is to be used.

Tackboards — Vertical Storage Units — Fabric and Slat Rail

MTSV	24"(610mm)	27 1/2"(699mm)	MTSV-2430	\$377.30	\$389.10	\$396.95
	33 1/2"(851mm)	MTSV-2436	401.91	414.37	422.77	
	39 1/2"(1003mm)	MTSV-2442	426.52	439.64	448.59	
	45 1/2"(1156mm)	MTSV-2448	451.13	464.91	474.41	
	51 1/2"(1308mm)	MTSV-2454	475.74	490.18	500.23	
	57 1/2"(1461mm)	MTSV-2460	500.35	515.45	526.05	
	63 1/2"(1613mm)	MTSV-2466	573.25	592.26	606.58	
	69 1/2"(1765mm)	MTSV-2472	620.25	640.81	656.23	
	75 1/2"(1918mm)	MTSV-2478	667.25	689.36	705.88	
	81 1/2"(2070mm)	MTSV-2484	714.25	737.91	755.53	
	87 1/2"(2223mm)	MTSV-2490	761.25	786.46	805.18	
	93 1/2"(2375mm)	MTSV-2496	800.94	840.66	872.65	

Features

- Includes fabric covered tackboard(s) with slat rail.
- Tackboards over 60"(1524mm) wide include two fabric sections.
- Optional slat rail is one full-width section.

To Order, Specify:

- 1) Product number.
- 2) Fabric code.
- 3) Trim code for slat rail.


Specification Tips

- Designed to mount on lower back panel of vertical storage unit.
- Slat rail accommodates separately specified Jump Stuff slat rail tools.
- Tackboard widths are nominal; Catalog Number indicates width of Vertical Storage Unit for which the tackboard is to be used.


Masters Series

Overhead Storage Units Open


Overhead Storage Units — One-High Open




30" and 36" widths



42", 48" and 54" widths



60", 66" and 72" widths



78", 84", 90" and 96" widths

ULNL-SN
ULND-SN
UXNL-SN
UXND-SN
UYNL-SN
UYND-SN

Features

- Includes storage cabinet(s) with 2"(51mm) integrated light valance and 4"(102mm) French cleat with anti-dislodgement feature.
- Shipped assembled.
- Available on RUSH.

Specification Tips

- Accommodates separately specified tackboards and lighting accessories.
- Must be properly anchored to a structural wall.
- Anchors are not provided, must be field supplied.

To Order, Specify:

- 1) Product number.
- 2) Finish code (laminate, paint, or wood).
- 3) Laminate edge trim color (if laminate specified).

Masters Series

Overhead Storage Units Open

Height	Width	Depth	Number	Laminate A	B	Paint A
Laminate — Letter Depth						
16 9/16"(421mm)	30"(762mm)	14"(356mm)	ULNL-1730-NSN	\$ 748.80	\$ 790.40	
	36"(914mm)	14"(356mm)	ULNL-1736-NSN	826.80	874.64	
	42"(1067mm)	14"(356mm)	ULNL-1742-NSN	915.20	969.28	
	48"(1219mm)	14"(356mm)	ULNL-1748-NSN	993.20	1053.52	
	54"(1372mm)	14"(356mm)	ULNL-1754-NSN	1071.20	1137.76	
	60"(1524mm)	14"(356mm)	ULNL-1760-NSN	1149.20	1222.00	
	66"(1676mm)	14"(356mm)	ULNL-1766-NSN	1227.20	1306.24	
	72"(1829mm)	14"(356mm)	ULNL-1772-NSN	1305.20	1390.48	
	78"(1981mm)	14"(356mm)	ULNL-1778-NSN	1393.60	1485.12	
	84"(2134mm)	14"(356mm)	ULNL-1784-NSN	1471.60	1569.36	
	90"(2286mm)	14"(356mm)	ULNL-1790-NSN	1549.60	1653.60	
	96"(2438mm)	14"(356mm)	ULNL-1796-NSN	1627.60	1737.84	
Laminate — Legal Depth						
16 9/16"(421mm)	30"(762mm)	16 1/2"(419mm)	ULND-1730-NSN	\$ 852.80	\$ 902.72	
	36"(914mm)	16 1/2"(419mm)	ULND-1736-NSN	930.80	986.96	
	42"(1067mm)	16 1/2"(419mm)	ULND-1742-NSN	1019.20	1081.60	
	48"(1219mm)	16 1/2"(419mm)	ULND-1748-NSN	1097.20	1165.84	
	54"(1372mm)	16 1/2"(419mm)	ULND-1754-NSN	1175.20	1250.08	
	60"(1524mm)	16 1/2"(419mm)	ULND-1760-NSN	1253.20	1334.32	
	66"(1676mm)	16 1/2"(419mm)	ULND-1766-NSN	1331.20	1418.56	
	72"(1829mm)	16 1/2"(419mm)	ULND-1772-NSN	1409.20	1502.80	
	78"(1981mm)	16 1/2"(419mm)	ULND-1778-NSN	1497.60	1597.44	
	84"(2134mm)	16 1/2"(419mm)	ULND-1784-NSN	1575.60	1681.68	
	90"(2286mm)	16 1/2"(419mm)	ULND-1790-NSN	1653.60	1765.92	
	96"(2438mm)	16 1/2"(419mm)	ULND-1796-NSN	1731.60	1850.16	
Paint — Letter Depth						
16 9/16"(421mm)	30"(762mm)	14"(356mm)	UYNL-1730-NSN		\$1138.80	
	36"(914mm)	14"(356mm)	UYNL-1736-NSN		1227.20	
	42"(1067mm)	14"(356mm)	UYNL-1742-NSN		1326.00	
	48"(1219mm)	14"(356mm)	UYNL-1748-NSN		1414.40	
	54"(1372mm)	14"(356mm)	UYNL-1754-NSN		1502.80	
	60"(1524mm)	14"(356mm)	UYNL-1760-NSN		1591.20	
	66"(1676mm)	14"(356mm)	UYNL-1766-NSN		1679.60	
	72"(1829mm)	14"(356mm)	UYNL-1772-NSN		1768.00	
	78"(1981mm)	14"(356mm)	UYNL-1778-NSN		1866.80	
	84"(2134mm)	14"(356mm)	UYNL-1784-NSN		1955.20	
	90"(2286mm)	14"(356mm)	UYNL-1790-NSN		2043.60	
	96"(2438mm)	14"(356mm)	UYNL-1796-NSN		2132.00	
Paint — Legal Depth						
16 9/16"(421mm)	30"(762mm)	16 1/2"(419mm)	UYND-1730-NSN		\$1258.40	
	36"(914mm)	16 1/2"(419mm)	UYND-1736-NSN		1346.80	
	42"(1067mm)	16 1/2"(419mm)	UYND-1742-NSN		1445.60	
	48"(1219mm)	16 1/2"(419mm)	UYND-1748-NSN		1534.00	
	54"(1372mm)	16 1/2"(419mm)	UYND-1754-NSN		1622.40	
	60"(1524mm)	16 1/2"(419mm)	UYND-1760-NSN		1710.80	
	66"(1676mm)	16 1/2"(419mm)	UYND-1766-NSN		1799.20	
	72"(1829mm)	16 1/2"(419mm)	UYND-1772-NSN		1887.60	
	78"(1981mm)	16 1/2"(419mm)	UYND-1778-NSN		1986.40	
	84"(2134mm)	16 1/2"(419mm)	UYND-1784-NSN		2074.80	
	90"(2286mm)	16 1/2"(419mm)	UYND-1790-NSN		2163.20	
	96"(2438mm)	16 1/2"(419mm)	UYND-1796-NSN		2251.60	

Masters Series

Overhead Storage Units Open

Height	Width	Depth	Number	Wood Group A	Group B
Wood — Letter Depth					
16 9/16"(421mm)	30"(762mm)	14"(356mm)	UXNL-1730-NSN	■ \$1164.80	\$1189.76
	36"(914mm)	14"(356mm)	UXNL-1736-NSN	■ 1284.40	1316.54
	42"(1067mm)	14"(356mm)	UXNL-1742-NSN	■ 1414.40	1453.72
	48"(1219mm)	14"(356mm)	UXNL-1748-NSN	■ 1534.00	1580.50
	54"(1372mm)	14"(356mm)	UXNL-1754-NSN	■ 1653.60	1707.28
	60"(1524mm)	14"(356mm)	UXNL-1760-NSN	■ 1773.20	1834.06
	66"(1676mm)	14"(356mm)	UXNL-1766-NSN	■ 1892.80	1960.84
	72"(1829mm)	14"(356mm)	UXNL-1772-NSN	■ 2012.40	2087.62
	78"(1981mm)	14"(356mm)	UXNL-1778-NSN	■ 2142.40	2224.80
	84"(2134mm)	14"(356mm)	UXNL-1784-NSN	■ 2262.00	2351.58
	90"(2286mm)	14"(356mm)	UXNL-1790-NSN	■ 2381.60	2478.36
	96"(2438mm)	14"(356mm)	UXNL-1796-NSN	■ 2501.20	2605.14
Wood — Legal Depth					
16 9/16"(421mm)	30"(762mm)	16 1/2"(419mm)	UXND-1730-NSN	■ \$1305.20	\$1338.58
	36"(914mm)	16 1/2"(419mm)	UXND-1736-NSN	■ 1424.80	1465.36
	42"(1067mm)	16 1/2"(419mm)	UXND-1742-NSN	■ 1554.80	1602.54
	48"(1219mm)	16 1/2"(419mm)	UXND-1748-NSN	■ 1674.40	1729.32
	54"(1372mm)	16 1/2"(419mm)	UXND-1754-NSN	■ 1794.00	1856.10
	60"(1524mm)	16 1/2"(419mm)	UXND-1760-NSN	■ 1913.60	1982.88
	66"(1676mm)	16 1/2"(419mm)	UXND-1766-NSN	■ 2033.20	2109.66
	72"(1829mm)	16 1/2"(419mm)	UXND-1772-NSN	■ 2152.80	2236.44
	78"(1981mm)	16 1/2"(419mm)	UXND-1778-NSN	■ 2282.80	2373.62
	84"(2134mm)	16 1/2"(419mm)	UXND-1784-NSN	■ 2402.40	2500.40
	90"(2286mm)	16 1/2"(419mm)	UXND-1790-NSN	■ 2522.00	2627.18
	96"(2438mm)	16 1/2"(419mm)	UXND-1796-NSN	■ 2641.60	2753.96


This page intentionally blank

Masters Series


Overhead Storage Units Open

Overhead Storage Units —


Two-High Open




30" and 36" widths



42", 48" and 54" widths



60", 66" and 72" widths



78", 84", 90" and 96" widths

ULNL-SN

ULND-SN

UXNL-SN

UXND-SN

UYNL-SN

UYND-SN

Features

- Includes storage cabinet(s) with 2"(51mm) integrated light valance, one adjustable shelf and 4"(102mm) French cleat with anti-dislodgement feature.
- Shipped assembled.
- Available on RUSH.

To Order, Specify:

- 1) Product number.
- 2) Finish code (laminate, paint, or wood).
- 3) Laminate edge trim color (if laminate specified).

Specification Tips

- Accommodates separately specified tackboards and lighting accessories.
- Must be properly anchored to a structural wall.
- Anchors are not provided, must be field supplied.

Masters Series

Overhead Storage Units Open

Height	Width	Depth	Number	Laminate A	B	Paint A
Laminate — Letter Depth						
29 1/8"(740mm)	30"(762mm)	14"(356mm)	ULNL-2930-NSN	\$ 911.76	\$ 966.20	
	36"(914mm)	14"(356mm)	ULNL-2936-NSN	1013.68	1076.44	
	42"(1067mm)	14"(356mm)	ULNL-2942-NSN	1126.00	1197.08	
	48"(1219mm)	14"(356mm)	ULNL-2948-NSN	1227.92	1307.32	
	54"(1372mm)	14"(356mm)	ULNL-2954-NSN	1329.84	1417.56	
	60"(1524mm)	14"(356mm)	ULNL-2960-NSN	1431.76	1527.80	
	66"(1676mm)	14"(356mm)	ULNL-2966-NSN	1533.68	1638.04	
	72"(1829mm)	14"(356mm)	ULNL-2972-NSN	1635.60	1748.28	
	78"(1981mm)	14"(356mm)	ULNL-2978-NSN	1747.92	1868.92	
	84"(2134mm)	14"(356mm)	ULNL-2984-NSN	1849.84	1979.16	
	90"(2286mm)	14"(356mm)	ULNL-2990-NSN	1951.76	2089.40	
	96"(2438mm)	14"(356mm)	ULNL-2996-NSN	2053.68	2199.64	
Laminate — Legal Depth						
29 1/8"(740mm)	30"(762mm)	16 1/2"(419mm)	ULND-2930-NSN	\$1015.76	\$1078.52	
	36"(914mm)	16 1/2"(419mm)	ULND-2936-NSN	1117.68	1188.76	
	42"(1067mm)	16 1/2"(419mm)	ULND-2942-NSN	1230.00	1309.40	
	48"(1219mm)	16 1/2"(419mm)	ULND-2948-NSN	1331.92	1419.64	
	54"(1372mm)	16 1/2"(419mm)	ULND-2954-NSN	1433.84	1529.88	
	60"(1524mm)	16 1/2"(419mm)	ULND-2960-NSN	1535.76	1640.12	
	66"(1676mm)	16 1/2"(419mm)	ULND-2966-NSN	1637.68	1750.36	
	72"(1829mm)	16 1/2"(419mm)	ULND-2972-NSN	1739.60	1860.60	
	78"(1981mm)	16 1/2"(419mm)	ULND-2978-NSN	1851.92	1981.24	
	84"(2134mm)	16 1/2"(419mm)	ULND-2984-NSN	1953.84	2091.48	
	90"(2286mm)	16 1/2"(419mm)	ULND-2990-NSN	2055.76	2201.72	
	96"(2438mm)	16 1/2"(419mm)	ULND-2996-NSN	2157.68	2311.96	
Paint — Letter Depth						
29 1/8"(740mm)	30"(762mm)	14"(356mm)	UYNL-2930-NSN		\$1356.24	
	36"(914mm)	14"(356mm)	UYNL-2936-NSN		1476.88	
	42"(1067mm)	14"(356mm)	UYNL-2942-NSN		1607.92	
	48"(1219mm)	14"(356mm)	UYNL-2948-NSN		1728.56	
	54"(1372mm)	14"(356mm)	UYNL-2954-NSN		1849.20	
	60"(1524mm)	14"(356mm)	UYNL-2960-NSN		1969.84	
	66"(1676mm)	14"(356mm)	UYNL-2966-NSN		2090.48	
	72"(1829mm)	14"(356mm)	UYNL-2972-NSN		2211.12	
	78"(1981mm)	14"(356mm)	UYNL-2978-NSN		2342.16	
	84"(2134mm)	14"(356mm)	UYNL-2984-NSN		2462.80	
	90"(2286mm)	14"(356mm)	UYNL-2990-NSN		2583.44	
	96"(2438mm)	14"(356mm)	UYNL-2996-NSN		2704.08	
Paint — Legal Depth						
29 1/8"(740mm)	30"(762mm)	16 1/2"(419mm)	UYND-2930-NSN		\$1475.84	
	36"(914mm)	16 1/2"(419mm)	UYND-2936-NSN		1596.48	
	42"(1067mm)	16 1/2"(419mm)	UYND-2942-NSN		1727.52	
	48"(1219mm)	16 1/2"(419mm)	UYND-2948-NSN		1848.16	
	54"(1372mm)	16 1/2"(419mm)	UYND-2954-NSN		1968.80	
	60"(1524mm)	16 1/2"(419mm)	UYND-2960-NSN		2089.44	
	66"(1676mm)	16 1/2"(419mm)	UYND-2966-NSN		2210.08	
	72"(1829mm)	16 1/2"(419mm)	UYND-2972-NSN		2330.72	
	78"(1981mm)	16 1/2"(419mm)	UYND-2978-NSN		2461.76	
	84"(2134mm)	16 1/2"(419mm)	UYND-2984-NSN		2582.40	
	90"(2286mm)	16 1/2"(419mm)	UYND-2990-NSN		2703.04	
	96"(2438mm)	16 1/2"(419mm)	UYND-2996-NSN		2823.68	

Masters Series

Overhead Storage Units Open


Height	Width	Depth	Number	Wood Group A	Group B
Wood — Letter Depth					
29 1/8"(740mm)	30"(762mm)	14"(356mm)	UXNL-2930-NSN	■ \$1411.76	\$1451.60
	36"(914mm)	14"(356mm)	UXNL-2936-NSN	■ 1567.76	1616.96
	42"(1067mm)	14"(356mm)	UXNL-2942-NSN	■ 1734.16	1792.72
	48"(1219mm)	14"(356mm)	UXNL-2948-NSN	■ 1890.16	1958.08
	54"(1372mm)	14"(356mm)	UXNL-2954-NSN	■ 2046.16	2123.44
	60"(1524mm)	14"(356mm)	UXNL-2960-NSN	■ 2202.16	2288.80
	66"(1676mm)	14"(356mm)	UXNL-2966-NSN	■ 2358.16	2454.16
	72"(1829mm)	14"(356mm)	UXNL-2972-NSN	■ 2514.16	2619.52
	78"(1981mm)	14"(356mm)	UXNL-2978-NSN	■ 2680.56	2795.28
	84"(2134mm)	14"(356mm)	UXNL-2984-NSN	■ 2836.56	2960.64
	90"(2286mm)	14"(356mm)	UXNL-2990-NSN	■ 2992.56	3126.00
	96"(2438mm)	14"(356mm)	UXNL-2996-NSN	■ 3148.56	3291.36
Wood — Legal Depth					
29 1/8"(740mm)	30"(762mm)	16 1/2"(419mm)	UXND-2930-NSN	■ \$1552.16	\$1600.42
	36"(914mm)	16 1/2"(419mm)	UXND-2936-NSN	■ 1708.16	1765.78
	42"(1067mm)	16 1/2"(419mm)	UXND-2942-NSN	■ 1874.56	1941.54
	48"(1219mm)	16 1/2"(419mm)	UXND-2948-NSN	■ 2030.56	2106.90
	54"(1372mm)	16 1/2"(419mm)	UXND-2954-NSN	■ 2186.56	2272.26
	60"(1524mm)	16 1/2"(419mm)	UXND-2960-NSN	■ 2342.56	2437.62
	66"(1676mm)	16 1/2"(419mm)	UXND-2966-NSN	■ 2498.56	2602.98
	72"(1829mm)	16 1/2"(419mm)	UXND-2972-NSN	■ 2654.56	2768.34
	78"(1981mm)	16 1/2"(419mm)	UXND-2978-NSN	■ 2820.96	2944.10
	84"(2134mm)	16 1/2"(419mm)	UXND-2984-NSN	■ 2976.96	3109.46
	90"(2286mm)	16 1/2"(419mm)	UXND-2990-NSN	■ 3132.96	3274.82
	96"(2438mm)	16 1/2"(419mm)	UXND-2996-NSN	■ 3288.96	3440.18

This page intentionally blank


Masters Series

Overhead Storage Units with Hinged Doors


Overhead Storage Units — One-High with Hinged Doors




ULOL-SN
ULOD-SN
UXOL-SN
UXOD-SN
UYOL-SN
UYOD-SN
30" and 36" widths



ULOL-SL
ULOD-SL
UXOL-SL
UXOD-SL
UYOL-SL
UYOD-SL
42", 48" and 54" widths
(Left-hand single door swing shown)



ULOL-SN
ULOD-SN
UXOL-SN
UXOD-SN
UYOL-SN
UYOD-SN
60", 66" and 72" widths



ULOL-SN
ULOD-SN
UXOL-SN
UXOD-SN
UYOL-SN
UYOD-SN
78", 84", 90" and 96" widths

Features

- Includes storage cabinet(s) with hinged doors, 2"(51mm) integrated light valance and 4"(102mm) French cleat with anti-dislodgement feature.
- 42"(1067mm), 48"(1219mm) and 54"(1372mm) wide units available with choice of left or right door swing for single door.
- Common keys within each unit.
- Lock plug is available in black or chrome.
- For lock options, refer to Lock Program Price List.
- Shipped assembled.
- Available on RUSH.

Specification Tips

- Accommodates separately specified tackboards and lighting accessories.
- Must be properly anchored to a structural wall.
- Anchors are not provided, must be field supplied.

To Order, Specify:

- 1) Product number.

① Lock Option:

N No Lock

L Lock

30"-36", add \$118.05 list

42"-72", add \$236.09 list

78"-96", add \$354.14 list

② Single Door Swing Orientation:

(42", 48" and 54" wide only)

L Left-hand

R Right-hand

- 2) Finish code (laminate, paint, or wood).

- 3) Laminate edge trim color (if laminate specified).

- 4) Trim color for lock (if specified).

Masters Series

Overhead Storage Units with Hinged Doors

Height	Width	Depth	Number	①	②	Laminate A	B	Paint A
Laminate — Letter Depth								
16 9/16"(421mm)	30"(762mm)	14"(356mm)	ULOL-1730-	SN	■	\$1003.60	\$1065.58	
	36"(914mm)	14"(356mm)	ULOL-1736-	SN	■	1093.77	1163.02	
	42"(1067mm)	14"(356mm)	ULOL-1742-	S	■	1194.34	1270.86	
	48"(1219mm)	14"(356mm)	ULOL-1748-	S	■	1284.51	1368.30	
	54"(1372mm)	14"(356mm)	ULOL-1754-	S	■	1374.68	1465.74	
	60"(1524mm)	14"(356mm)	ULOL-1760-	SN	■	1464.85	1563.18	
	66"(1676mm)	14"(356mm)	ULOL-1766-	SN	■	1555.02	1660.62	
	72"(1829mm)	14"(356mm)	ULOL-1772-	SN	■	1645.19	1758.06	
	78"(1981mm)	14"(356mm)	ULOL-1778-	SN	■	1745.76	1865.90	
	84"(2134mm)	14"(356mm)	ULOL-1784-	SN	■	1835.93	1963.34	
	90"(2286mm)	14"(356mm)	ULOL-1790-	SN	■	1926.10	2060.78	
	96"(2438mm)	14"(356mm)	ULOL-1796-	SN	■	2016.27	2158.22	
Laminate — Legal Depth								
16 9/16"(421mm)	30"(762mm)	16 1/2"(419mm)	ULOD-1730-	SN	■	\$1107.60	\$1177.90	
	36"(914mm)	16 1/2"(419mm)	ULOD-1736-	SN	■	1197.77	1275.34	
	42"(1067mm)	16 1/2"(419mm)	ULOD-1742-	S	■	1298.34	1383.18	
	48"(1219mm)	16 1/2"(419mm)	ULOD-1748-	S	■	1388.51	1480.62	
	54"(1372mm)	16 1/2"(419mm)	ULOD-1754-	S	■	1478.68	1578.06	
	60"(1524mm)	16 1/2"(419mm)	ULOD-1760-	SN	■	1568.85	1675.50	
	66"(1676mm)	16 1/2"(419mm)	ULOD-1766-	SN	■	1659.02	1772.94	
	72"(1829mm)	16 1/2"(419mm)	ULOD-1772-	SN	■	1749.19	1870.38	
	78"(1981mm)	16 1/2"(419mm)	ULOD-1778-	SN	■	1849.76	1978.22	
	84"(2134mm)	16 1/2"(419mm)	ULOD-1784-	SN	■	1939.93	2075.66	
	90"(2286mm)	16 1/2"(419mm)	ULOD-1790-	SN	■	2030.10	2173.10	
	96"(2438mm)	16 1/2"(419mm)	ULOD-1796-	SN	■	2120.27	2270.54	
Paint — Letter Depth								
16 9/16"(421mm)	30"(762mm)	14"(356mm)	UYOL-1730-	SN			\$1459.12	
	36"(914mm)	14"(356mm)	UYOL-1736-	SN			1559.69	
	42"(1067mm)	14"(356mm)	UYOL-1742-	S			1670.66	
	48"(1219mm)	14"(356mm)	UYOL-1748-	S			1771.23	
	54"(1372mm)	14"(356mm)	UYOL-1754-	S			1871.80	
	60"(1524mm)	14"(356mm)	UYOL-1760-	SN			1972.37	
	66"(1676mm)	14"(356mm)	UYOL-1766-	SN			2072.94	
	72"(1829mm)	14"(356mm)	UYOL-1772-	SN			2173.51	
	78"(1981mm)	14"(356mm)	UYOL-1778-	SN			2284.48	
	84"(2134mm)	14"(356mm)	UYOL-1784-	SN			2385.05	
	90"(2286mm)	14"(356mm)	UYOL-1790-	SN			2485.62	
	96"(2438mm)	14"(356mm)	UYOL-1796-	SN			2586.19	
Paint — Legal Depth								
16 9/16"(421mm)	30"(762mm)	16 1/2"(419mm)	UYOD-1730-	SN			\$1578.72	
	36"(914mm)	16 1/2"(419mm)	UYOD-1736-	SN			1679.29	
	42"(1067mm)	16 1/2"(419mm)	UYOD-1742-	S			1790.26	
	48"(1219mm)	16 1/2"(419mm)	UYOD-1748-	S			1890.83	
	54"(1372mm)	16 1/2"(419mm)	UYOD-1754-	S			1991.40	
	60"(1524mm)	16 1/2"(419mm)	UYOD-1760-	SN			2091.97	
	66"(1676mm)	16 1/2"(419mm)	UYOD-1766-	SN			2192.54	
	72"(1829mm)	16 1/2"(419mm)	UYOD-1772-	SN			2293.11	
	78"(1981mm)	16 1/2"(419mm)	UYOD-1778-	SN			2404.08	
	84"(2134mm)	16 1/2"(419mm)	UYOD-1784-	SN			2504.65	
	90"(2286mm)	16 1/2"(419mm)	UYOD-1790-	SN			2605.22	
	96"(2438mm)	16 1/2"(419mm)	UYOD-1796-	SN			2705.79	

Masters Series

Overhead Storage Units with Hinged Doors


Height	Width	Depth	Number	①	②	Wood Group A	Group B
Wood — Letter Depth							
16 9/16"(421mm)	30"(762mm)	14"(356mm)	UXOL-1730-	SN	■	\$1580.80	\$1630.72
36"(914mm)	14"(356mm)	UXOL-1736-	SN	■	1719.12	1777.34	
42"(1067mm)	14"(356mm)	UXOL-1742-	S	■	1867.84	1934.36	
48"(1219mm)	14"(356mm)	UXOL-1748-	S	■	2006.16	2080.98	
54"(1372mm)	14"(356mm)	UXOL-1754-	S	■	2144.48	2227.60	
60"(1524mm)	14"(356mm)	UXOL-1760-	SN	■	2282.80	2374.22	
66"(1676mm)	14"(356mm)	UXOL-1766-	SN	■	2421.12	2520.84	
72"(1829mm)	14"(356mm)	UXOL-1772-	SN	■	2559.44	2667.46	
78"(1981mm)	14"(356mm)	UXOL-1778-	SN	■	2708.16	2824.48	
84"(2134mm)	14"(356mm)	UXOL-1784-	SN	■	2846.48	2971.10	
90"(2286mm)	14"(356mm)	UXOL-1790-	SN	■	2984.80	3117.72	
96"(2438mm)	14"(356mm)	UXOL-1796-	SN	■	3123.12	3264.34	
Wood — Legal Depth							
16 9/16"(421mm)	30"(762mm)	16 1/2"(419mm)	UXOD-1730-	SN	■	\$1721.20	\$1779.54
36"(914mm)	16 1/2"(419mm)	UXOD-1736-	SN	■	1859.52	1926.16	
42"(1067mm)	16 1/2"(419mm)	UXOD-1742-	S	■	2008.24	2083.18	
48"(1219mm)	16 1/2"(419mm)	UXOD-1748-	S	■	2146.56	2229.80	
54"(1372mm)	16 1/2"(419mm)	UXOD-1754-	S	■	2284.88	2376.42	
60"(1524mm)	16 1/2"(419mm)	UXOD-1760-	SN	■	2423.20	2523.04	
66"(1676mm)	16 1/2"(419mm)	UXOD-1766-	SN	■	2561.52	2669.66	
72"(1829mm)	16 1/2"(419mm)	UXOD-1772-	SN	■	2699.84	2816.28	
78"(1981mm)	16 1/2"(419mm)	UXOD-1778-	SN	■	2848.56	2973.30	
84"(2134mm)	16 1/2"(419mm)	UXOD-1784-	SN	■	2986.88	3119.92	
90"(2286mm)	16 1/2"(419mm)	UXOD-1790-	SN	■	3125.20	3266.54	
96"(2438mm)	16 1/2"(419mm)	UXOD-1796-	SN	■	3263.52	3413.16	

This page intentionally blank


Masters Series

Overhead Storage Units with Hinged Doors


Overhead Storage Units — One and One-Half High with Hinged Doors




30"-36"



42"-54"



60"-72"



78"-96"

ULOL-SN
ULOD-SN
UYOL-SN
UYOD-SN
UXOL-SN
UXOD-SN
ULOL-SL
ULOD-SL
UYOL-SL
UYOD-SL
UXOL-SL
UXOD-SL

Features

- Includes storage cabinet(s) with hinged doors, 3.25"(83mm) cubbies, 2"(51mm) integrated light valance and 4"(102mm) French cleat with anti-dislodgement feature.
- 42"(1067mm), 48"(1219mm) and 54"(1372mm) wide units available with choice of left or right door swing for single door.
- Common keys within each unit.
- Lock plug is available in black or chrome.
- For lock options, refer to Lock Program Price List.
- Shipped assembled.

Specification Tips

- Accommodates separately specified tackboards and lighting accessories.
- Must be properly anchored to a structural wall.
- Anchors are not provided, must be field supplied.

To Order, Specify:

- 1) Product number, including:

① Lock Option:

N No Lock

L Lock

30"-36", add \$118.05 list

42"-72", add \$236.09 list

78"-96", add \$354.14 list

② Single Door Swing Orientation:

(42", 48" and 54" wide only)

L Left-hand

R Right-hand

- 2) Finish code (laminate, paint, or wood).

- 3) Laminate edge trim color (if laminate specified).

- 4) Trim color for lock (if specified).

Masters Series

Overhead Storage Units with Hinged Doors

Height	Width	Depth	Number	①	②	Laminate A	B	Paint A
Laminate — Letter Depth								
21"(533mm)	14"(356mm)	30"(762mm)	ULOL-2130-	SN		\$1111.44	\$1181.78	
		36"(914mm)	ULOL-2136-	SN		1225.53	1305.22	
		42"(1067mm)	ULOL-2142-	S		1350.02	1439.06	
		48"(1219mm)	ULOL-2148-	S		1464.11	1562.50	
		54"(1372mm)	ULOL-2154-	S		1578.20	1685.94	
		60"(1524mm)	ULOL-2160-	SN		1692.29	1809.38	
		66"(1676mm)	ULOL-2166-	SN		1806.38	1932.82	
		72"(1829mm)	ULOL-2172-	SN		1920.47	2056.26	
		78"(1981mm)	ULOL-2178-	SN		2044.96	2190.10	
		84"(2134mm)	ULOL-2184-	SN		2159.05	2313.54	
		90"(2286mm)	ULOL-2190-	SN		2273.14	2436.98	
		96"(2438mm)	ULOL-2196-	SN		2387.23	2560.42	
Laminate — Legal Depth								
21"(533mm)	16 1/2"(419mm)	30"(762mm)	ULOD-2130-	SN		\$1215.44	\$1294.10	
		36"(914mm)	ULOD-2136-	SN		1329.53	1417.54	
		42"(1067mm)	ULOD-2142-	S		1454.02	1551.38	
		48"(1219mm)	ULOD-2148-	S		1568.11	1674.82	
		54"(1372mm)	ULOD-2154-	S		1682.20	1798.26	
		60"(1524mm)	ULOD-2160-	SN		1796.29	1921.70	
		66"(1676mm)	ULOD-2166-	SN		1910.38	2045.14	
		72"(1829mm)	ULOD-2172-	SN		2024.47	2168.58	
		78"(1981mm)	ULOD-2178-	SN		2148.96	2302.42	
		84"(2134mm)	ULOD-2184-	SN		2263.05	2425.86	
		90"(2286mm)	ULOD-2190-	SN		2377.14	2549.30	
		96"(2438mm)	ULOD-2196-	SN		2491.23	2672.74	
Paint — Letter Depth								
21"(533mm)	14"(356mm)	30"(762mm)	UYOL-2130-	SN			\$1578.68	
		36"(914mm)	UYOL-2136-	SN			1711.49	
		42"(1067mm)	UYOL-2142-	S			1854.70	
		48"(1219mm)	UYOL-2148-	S			1987.51	
		54"(1372mm)	UYOL-2154-	S			2120.32	
		60"(1524mm)	UYOL-2160-	SN			2253.13	
		66"(1676mm)	UYOL-2166-	SN			2385.94	
		72"(1829mm)	UYOL-2172-	SN			2518.75	
		78"(1981mm)	UYOL-2178-	SN			2661.96	
		84"(2134mm)	UYOL-2184-	SN			2794.77	
		90"(2286mm)	UYOL-2190-	SN			2927.58	
		96"(2438mm)	UYOL-2196-	SN			3060.39	
Paint — Legal Depth								
21"(533mm)	16 1/2"(419mm)	30"(762mm)	UYOD-2130-	SN			\$1698.28	
		36"(914mm)	UYOD-2136-	SN			1831.09	
		42"(1067mm)	UYOD-2142-	S			1974.30	
		48"(1219mm)	UYOD-2148-	S			2107.11	
		54"(1372mm)	UYOD-2154-	S			2239.92	
		60"(1524mm)	UYOD-2160-	SN			2372.73	
		66"(1676mm)	UYOD-2166-	SN			2505.54	
		72"(1829mm)	UYOD-2172-	SN			2638.35	
		78"(1981mm)	UYOD-2178-	SN			2781.56	
		84"(2134mm)	UYOD-2184-	SN			2914.37	
		90"(2286mm)	UYOD-2190-	SN			3047.18	
		96"(2438mm)	UYOD-2196-	SN			3179.99	

Masters Series

Overhead Storage Units with Hinged Doors


Height	Width	Depth	Number	①	②	Wood Group A	Group B
Wood — Letter Depth							
21"(533mm)	14"(356mm)	30"(762mm)	UXOL-2130-	SN		\$1745.44	\$1805.28
		36"(914mm)	UXOL-2136-	SN		1920.16	1990.48
		42"(1067mm)	UXOL-2142-	S	SN	2105.28	2186.08
		48"(1219mm)	UXOL-2148-	S	SN	2280.00	2371.28
		54"(1372mm)	UXOL-2154-	S	SN	2454.72	2556.48
		60"(1524mm)	UXOL-2160-	SN		2629.44	2741.68
		66"(1676mm)	UXOL-2166-	SN		2804.16	2926.88
		72"(1829mm)	UXOL-2172-	SN		2978.88	3112.08
		78"(1981mm)	UXOL-2178-	SN		3164.00	3307.68
		84"(2134mm)	UXOL-2184-	SN		3338.72	3492.88
		90"(2286mm)	UXOL-2190-	SN		3513.44	3678.08
		96"(2438mm)	UXOL-2196-	SN		3688.16	3863.28
Wood — Legal Depth							
21"(533mm)	16 1/2"(419mm)	30"(762mm)	UXOD-2130-	SN		\$1885.84	\$1954.10
		36"(914mm)	UXOD-2136-	SN		2060.56	2139.30
		42"(1067mm)	UXOD-2142-	S	SN	2245.68	2334.90
		48"(1219mm)	UXOD-2148-	S	SN	2420.40	2520.10
		54"(1372mm)	UXOD-2154-	S	SN	2595.12	2705.30
		60"(1524mm)	UXOD-2160-	SN		2769.84	2890.50
		66"(1676mm)	UXOD-2166-	SN		2944.56	3075.70
		72"(1829mm)	UXOD-2172-	SN		3119.28	3260.90
		78"(1981mm)	UXOD-2178-	SN		3304.40	3456.50
		84"(2134mm)	UXOD-2184-	SN		3479.12	3641.70
		90"(2286mm)	UXOD-2190-	SN		3653.84	3826.90
		96"(2438mm)	UXOD-2196-	SN		3828.56	4012.10

This page intentionally blank


Masters Series

Overhead Storage Units with Hinged Doors


Overhead Storage Units — Two-High with Hinged Doors




ULOL-SN
ULOD-SN
UXOL-SN
UXOD-SN
UYOL-SN
UYOD-SN
30" and 36" widths



ULOL-SL
ULOD-SL
UXOL-SL
UXOD-SL
UYOL-SL
UYOD-SL
42", 48" and 54" widths
(Left-hand single door swing shown)



ULOL-SN
ULOD-SN
UXOL-SN
UXOD-SN
UYOL-SN
UYOD-SN
60", 66" and 72" widths



ULOL-SN
ULOD-SN
UXOL-SN
UXOD-SN
UYOL-SN
UYOD-SN
78", 84", 90" and 96" widths

Features

- Includes storage cabinet(s) with hinged doors, 2"(51mm) integrated light valance, one adjustable shelf and 4"(102mm) French cleat with anti-dislodgement feature.
- 42"(1067mm), 48"(1219mm) and 54"(1372mm) wide units available with choice of left or right door swing for single door.
- Common keys within each unit.
- Lock plug is available in black or chrome.
- For lock options, refer to Lock Program Price List.
- Shipped assembled.

Available on RUSH.

Specification Tips

- Accommodates separately specified tackboards and lighting accessories.
- Must be properly anchored to a structural wall.
- Anchors are not provided, must be field supplied.

To Order, Specify:

- 1) Product number, including:

① Lock Option:

N No Lock

L Lock
30"-36", add \$118.05 list
42"-72", add \$236.09 list
78"-96", add \$354.14 list

② Single Door Swing Orientation:

(42", 48" and 54" wide only)

L Left-hand

R Right-hand

- 2) Finish code (laminate, paint, or wood).

- 3) Laminate edge trim color (if laminate specified).

- 4) Trim color for lock (if specified).

Masters Series

Overhead Storage Units with Hinged Doors

Height	Width	Depth	Number	1	2	Laminate A	B	Paint A
Laminate — Letter Depth								
29 1/8"(740mm)	30"(762mm)	14"(356mm)	ULOL-2930-	SN	■	\$1327.12	\$1414.18	
	36"(914mm)	14"(356mm)	ULOL-2936-	SN	■	1441.21	1537.62	
	42"(1067mm)	14"(356mm)	ULOL-2942-	S	■	1565.70	1671.46	
	48"(1219mm)	14"(356mm)	ULOL-2948-	S	■	1679.79	1794.90	
	54"(1372mm)	14"(356mm)	ULOL-2954-	S	■	1793.88	1918.34	
	60"(1524mm)	14"(356mm)	ULOL-2960-	SN	■	1907.97	2041.78	
	66"(1676mm)	14"(356mm)	ULOL-2966-	SN	■	2022.06	2165.22	
	72"(1829mm)	14"(356mm)	ULOL-2972-	SN	■	2136.15	2288.66	
	78"(1981mm)	14"(356mm)	ULOL-2978-	SN	■	2260.64	2422.50	
	84"(2134mm)	14"(356mm)	ULOL-2984-	SN	■	2374.73	2545.94	
	90"(2286mm)	14"(356mm)	ULOL-2990-	SN	■	2488.82	2669.38	
	96"(2438mm)	14"(356mm)	ULOL-2996-	SN	■	2602.91	2792.82	
Laminate — Legal Depth								
29 1/8"(740mm)	30"(762mm)	16 1/2"(419mm)	ULOD-2930-	SN	■	\$1431.12	\$1526.50	
	36"(914mm)	16 1/2"(419mm)	ULOD-2936-	SN	■	1545.21	1649.94	
	42"(1067mm)	16 1/2"(419mm)	ULOD-2942-	S	■	1669.70	1783.78	
	48"(1219mm)	16 1/2"(419mm)	ULOD-2948-	S	■	1783.79	1907.22	
	54"(1372mm)	16 1/2"(419mm)	ULOD-2954-	S	■	1897.88	2030.66	
	60"(1524mm)	16 1/2"(419mm)	ULOD-2960-	SN	■	2011.97	2154.10	
	66"(1676mm)	16 1/2"(419mm)	ULOD-2966-	SN	■	2126.06	2277.54	
	72"(1829mm)	16 1/2"(419mm)	ULOD-2972-	SN	■	2240.15	2400.98	
	78"(1981mm)	16 1/2"(419mm)	ULOD-2978-	SN	■	2364.64	2534.82	
	84"(2134mm)	16 1/2"(419mm)	ULOD-2984-	SN	■	2478.73	2658.26	
	90"(2286mm)	16 1/2"(419mm)	ULOD-2990-	SN	■	2592.82	2781.70	
	96"(2438mm)	16 1/2"(419mm)	ULOD-2996-	SN	■	2706.91	2905.14	
Paint — Letter Depth								
29 1/8"(740mm)	30"(762mm)	14"(356mm)	UYOL-2930-	SN			\$1817.80	
	36"(914mm)	14"(356mm)	UYOL-2936-	SN			1950.61	
	42"(1067mm)	14"(356mm)	UYOL-2942-	S			2093.82	
	48"(1219mm)	14"(356mm)	UYOL-2948-	S			2226.63	
	54"(1372mm)	14"(356mm)	UYOL-2954-	S			2359.44	
	60"(1524mm)	14"(356mm)	UYOL-2960-	SN			2492.25	
	66"(1676mm)	14"(356mm)	UYOL-2966-	SN			2625.06	
	72"(1829mm)	14"(356mm)	UYOL-2972-	SN			2757.87	
	78"(1981mm)	14"(356mm)	UYOL-2978-	SN			2901.08	
	84"(2134mm)	14"(356mm)	UYOL-2984-	SN			3033.89	
	90"(2286mm)	14"(356mm)	UYOL-2990-	SN			3166.70	
	96"(2438mm)	14"(356mm)	UYOL-2996-	SN			3299.51	
Paint — Legal Depth								
29 1/8"(740mm)	30"(762mm)	16 1/2"(419mm)	UYOD-2930-	SN			\$1937.40	
	36"(914mm)	16 1/2"(419mm)	UYOD-2936-	SN			2070.21	
	42"(1067mm)	16 1/2"(419mm)	UYOD-2942-	S			2213.42	
	48"(1219mm)	16 1/2"(419mm)	UYOD-2948-	S			2346.23	
	54"(1372mm)	16 1/2"(419mm)	UYOD-2954-	S			2479.04	
	60"(1524mm)	16 1/2"(419mm)	UYOD-2960-	SN			2611.85	
	66"(1676mm)	16 1/2"(419mm)	UYOD-2966-	SN			2744.66	
	72"(1829mm)	16 1/2"(419mm)	UYOD-2972-	SN			2877.47	
	78"(1981mm)	16 1/2"(419mm)	UYOD-2978-	SN			3020.68	
	84"(2134mm)	16 1/2"(419mm)	UYOD-2984-	SN			3153.49	
	90"(2286mm)	16 1/2"(419mm)	UYOD-2990-	SN			3286.30	
	96"(2438mm)	16 1/2"(419mm)	UYOD-2996-	SN			3419.11	

Masters Series

Overhead Storage Units with Hinged Doors


Height	Width	Depth	Number	①	②	Wood Group A	Wood Group B
Wood — Letter Depth							
29 1/8"(740mm)	30"(762mm)	14"(356mm)	UXOL-2930-	SN	■	\$2074.72	\$2154.40
36"(914mm)	14"(356mm)	UXOL-2936-	SN	■	■	2249.44	2339.60
42"(1067mm)	14"(356mm)	UXOL-2942-	S	■	■	2434.56	2535.20
48"(1219mm)	14"(356mm)	UXOL-2948-	S	■	■	2609.28	2720.40
54"(1372mm)	14"(356mm)	UXOL-2954-	S	■	■	2784.00	2905.60
60"(1524mm)	14"(356mm)	UXOL-2960-	SN	■	■	2958.72	3090.80
66"(1676mm)	14"(356mm)	UXOL-2966-	SN	■	■	3133.44	3276.00
72"(1829mm)	14"(356mm)	UXOL-2972-	SN	■	■	3308.16	3461.20
78"(1981mm)	14"(356mm)	UXOL-2978-	SN	■	■	3493.28	3656.80
84"(2134mm)	14"(356mm)	UXOL-2984-	SN	■	■	3668.00	3842.00
90"(2286mm)	14"(356mm)	UXOL-2990-	SN	■	■	3842.72	4027.20
96"(2438mm)	14"(356mm)	UXOL-2996-	SN	■	■	4017.44	4212.40
Wood — Legal Depth							
29 1/8"(740mm)	30"(762mm)	16 1/2"(419mm)	UXOD-2930-	SN	■	\$2215.12	\$2303.22
36"(914mm)	16 1/2"(419mm)	UXOD-2936-	SN	■	■	2389.84	2488.42
42"(1067mm)	16 1/2"(419mm)	UXOD-2942-	S	■	■	2574.96	2684.02
48"(1219mm)	16 1/2"(419mm)	UXOD-2948-	S	■	■	2749.68	2869.22
54"(1372mm)	16 1/2"(419mm)	UXOD-2954-	S	■	■	2924.40	3054.42
60"(1524mm)	16 1/2"(419mm)	UXOD-2960-	SN	■	■	3099.12	3239.62
66"(1676mm)	16 1/2"(419mm)	UXOD-2966-	SN	■	■	3273.84	3424.82
72"(1829mm)	16 1/2"(419mm)	UXOD-2972-	SN	■	■	3448.56	3610.02
78"(1981mm)	16 1/2"(419mm)	UXOD-2978-	SN	■	■	3633.68	3805.62
84"(2134mm)	16 1/2"(419mm)	UXOD-2984-	SN	■	■	3808.40	3990.82
90"(2286mm)	16 1/2"(419mm)	UXOD-2990-	SN	■	■	3983.12	4176.02
96"(2438mm)	16 1/2"(419mm)	UXOD-2996-	SN	■	■	4157.84	4361.22

This page intentionally blank


Masters Series

Overhead Storage Units with Sliding Door


Overhead Storage Units — One-High with Sliding Door




30" and 36" widths



42", 48" and 54" widths



60", 66" and 72" widths



78", 84", 90" and 96" widths

ULRL-SN
ULRD-SN
UXRL-SN
UXRD-SN
UYRL-SN
UYRD-SN

Features

- Includes storage cabinet(s) with one sliding door, 2"(51mm) integrated light valance and 4"(102mm) French cleat with anti-dislodgement feature.
- Units 30"-72"(762mm-1829mm) wide include two equal width sections divided by one inset intermediate center support.
- Units 78"-96"(1981mm-2438mm) wide include three equal width sections divided by two inset intermediate center supports.
- Sliding door width is equal to one section width (one-half or one-third of unit width).
- Locks not available.
- Includes internally mounted sliding door track top and bottom with bumpers at each end.
- Shipped assembled.
- Available on RUSH.

To Order, Specify:

- 1) Product number.
- 2) Finish code (laminate, paint, or wood).
- 3) Laminate edge trim color (if laminate specified).

Specification Tips

- Accommodates separately specified tackboards and lighting accessories.
- Must be properly anchored to a structural wall.
- Anchors are not provided, must be field supplied.

Masters Series

Overhead Storage Units with Sliding Door

Height	Width	Depth	Number	Laminate A	B	Paint A
Laminate — Letter Depth						
16 9/16"(421mm)	30"(762mm)	14"(356mm)	ULRL-1730-NSN	\$ 917.80	\$ 972.36	
	36"(914mm)	14"(356mm)	ULRL-1736-NSN	999.18	1060.25	
	42"(1067mm)	14"(356mm)	ULRL-1742-NSN	1090.96	1158.54	
	48"(1219mm)	14"(356mm)	ULRL-1748-NSN	1172.34	1246.43	
	54"(1372mm)	14"(356mm)	ULRL-1754-NSN	1253.72	1334.32	
	60"(1524mm)	14"(356mm)	ULRL-1760-NSN	1335.10	1422.21	
	66"(1676mm)	14"(356mm)	ULRL-1766-NSN	1416.48	1510.10	
	72"(1829mm)	14"(356mm)	ULRL-1772-NSN	1497.86	1597.99	
	78"(1981mm)	14"(356mm)	ULRL-1778-NSN	1589.64	1696.28	
	84"(2134mm)	14"(356mm)	ULRL-1784-NSN	1671.02	1784.17	
	90"(2286mm)	14"(356mm)	ULRL-1790-NSN	1752.40	1872.06	
	96"(2438mm)	14"(356mm)	ULRL-1796-NSN	1833.78	1959.95	
Laminate — Legal Depth						
16 9/16"(421mm)	30"(762mm)	16 1/2"(419mm)	ULRD-1730-NSN	\$1021.80	\$1084.68	
	36"(914mm)	16 1/2"(419mm)	ULRD-1736-NSN	1103.18	1172.57	
	42"(1067mm)	16 1/2"(419mm)	ULRD-1742-NSN	1194.96	1270.86	
	48"(1219mm)	16 1/2"(419mm)	ULRD-1748-NSN	1276.34	1358.75	
	54"(1372mm)	16 1/2"(419mm)	ULRD-1754-NSN	1357.72	1446.64	
	60"(1524mm)	16 1/2"(419mm)	ULRD-1760-NSN	1439.10	1534.53	
	66"(1676mm)	16 1/2"(419mm)	ULRD-1766-NSN	1520.48	1622.42	
	72"(1829mm)	16 1/2"(419mm)	ULRD-1772-NSN	1601.86	1710.31	
	78"(1981mm)	16 1/2"(419mm)	ULRD-1778-NSN	1693.64	1808.60	
	84"(2134mm)	16 1/2"(419mm)	ULRD-1784-NSN	1775.02	1896.49	
	90"(2286mm)	16 1/2"(419mm)	ULRD-1790-NSN	1856.40	1984.38	
	96"(2438mm)	16 1/2"(419mm)	ULRD-1796-NSN	1937.78	2072.27	
Paint — Letter Depth						
16 9/16"(421mm)	30"(762mm)	14"(356mm)	UYRL-1730-NSN		\$1367.60	
	36"(914mm)	14"(356mm)	UYRL-1736-NSN		1460.58	
	42"(1067mm)	14"(356mm)	UYRL-1742-NSN		1563.96	
	48"(1219mm)	14"(356mm)	UYRL-1748-NSN		1656.94	
	54"(1372mm)	14"(356mm)	UYRL-1754-NSN		1749.92	
	60"(1524mm)	14"(356mm)	UYRL-1760-NSN		1842.90	
	66"(1676mm)	14"(356mm)	UYRL-1766-NSN		1935.88	
	72"(1829mm)	14"(356mm)	UYRL-1772-NSN		2028.86	
	78"(1981mm)	14"(356mm)	UYRL-1778-NSN		2132.24	
	84"(2134mm)	14"(356mm)	UYRL-1784-NSN		2225.22	
	90"(2286mm)	14"(356mm)	UYRL-1790-NSN		2318.20	
	96"(2438mm)	14"(356mm)	UYRL-1796-NSN		2411.18	
Paint — Legal Depth						
16 9/16"(421mm)	30"(762mm)	16 1/2"(419mm)	UYRD-1730-NSN		\$1487.20	
	36"(914mm)	16 1/2"(419mm)	UYRD-1736-NSN		1580.18	
	42"(1067mm)	16 1/2"(419mm)	UYRD-1742-NSN		1683.56	
	48"(1219mm)	16 1/2"(419mm)	UYRD-1748-NSN		1776.54	
	54"(1372mm)	16 1/2"(419mm)	UYRD-1754-NSN		1869.52	
	60"(1524mm)	16 1/2"(419mm)	UYRD-1760-NSN		1962.50	
	66"(1676mm)	16 1/2"(419mm)	UYRD-1766-NSN		2055.48	
	72"(1829mm)	16 1/2"(419mm)	UYRD-1772-NSN		2148.46	
	78"(1981mm)	16 1/2"(419mm)	UYRD-1778-NSN		2251.84	
	84"(2134mm)	16 1/2"(419mm)	UYRD-1784-NSN		2344.82	
	90"(2286mm)	16 1/2"(419mm)	UYRD-1790-NSN		2437.80	
	96"(2438mm)	16 1/2"(419mm)	UYRD-1796-NSN		2530.78	

Masters Series

Overhead Storage Units with Sliding Door


Height	Width	Depth	Number	Wood Group A	Group B
Wood — Letter Depth					
16 9/16"(421mm)	30"(762mm)	14"(356mm)	UXRL-1730-NSN	\$1424.80	\$1465.36
36"(914mm)	14"(356mm)	UXRL-1736-NSN	\$1549.60	1597.65	
42"(1067mm)	14"(356mm)	UXRL-1742-NSN	\$1684.80	1740.34	
48"(1219mm)	14"(356mm)	UXRL-1748-NSN	\$1809.60	1872.63	
54"(1372mm)	14"(356mm)	UXRL-1754-NSN	\$1934.40	2004.92	
60"(1524mm)	14"(356mm)	UXRL-1760-NSN	\$2059.20	2137.21	
66"(1676mm)	14"(356mm)	UXRL-1766-NSN	\$2184.00	2269.50	
72"(1829mm)	14"(356mm)	UXRL-1772-NSN	\$2308.80	2401.79	
78"(1981mm)	14"(356mm)	UXRL-1778-NSN	\$2444.00	2544.48	
84"(2134mm)	14"(356mm)	UXRL-1784-NSN	\$2568.80	2676.77	
90"(2286mm)	14"(356mm)	UXRL-1790-NSN	\$2693.60	2809.06	
96"(2438mm)	14"(356mm)	UXRL-1796-NSN	\$2818.40	2941.35	
Wood — Legal Depth					
16 9/16"(421mm)	30"(762mm)	16 1/2"(419mm)	UXRD-1730-NSN	\$1565.20	\$1614.18
36"(914mm)	16 1/2"(419mm)	UXRD-1736-NSN	\$1690.00	1746.47	
42"(1067mm)	16 1/2"(419mm)	UXRD-1742-NSN	\$1825.20	1889.16	
48"(1219mm)	16 1/2"(419mm)	UXRD-1748-NSN	\$1950.00	2021.45	
54"(1372mm)	16 1/2"(419mm)	UXRD-1754-NSN	\$2074.80	2153.74	
60"(1524mm)	16 1/2"(419mm)	UXRD-1760-NSN	\$2199.60	2286.03	
66"(1676mm)	16 1/2"(419mm)	UXRD-1766-NSN	\$2324.40	2418.32	
72"(1829mm)	16 1/2"(419mm)	UXRD-1772-NSN	\$2449.20	2550.61	
78"(1981mm)	16 1/2"(419mm)	UXRD-1778-NSN	\$2584.40	2693.30	
84"(2134mm)	16 1/2"(419mm)	UXRD-1784-NSN	\$2709.20	2825.59	
90"(2286mm)	16 1/2"(419mm)	UXRD-1790-NSN	\$2834.00	2957.88	
96"(2438mm)	16 1/2"(419mm)	UXRD-1796-NSN	\$2958.80	3090.17	

This page intentionally blank


Masters Series

Overhead Storage Units with Sliding Door


Overhead Storage Units — One and One-Half High with Sliding Door




30" & 36"



42", 48", & 54"



60", 66", & 72"



78", 84", 90" & 96"

ULRL-SN
ULRD-SN
UXRL-SN
UXRD-SN
UYRL-SN
UYRD-SN

Features

- Includes storage cabinet(s) with one sliding door, 3.25"(83mm) cubbies, 2"(51mm) integrated light valance and 4"(102mm) French cleat with anti-dislodgement feature.
- Units 30"-72"(762mm-1829mm) wide include two equal width sections divided by one inset intermediate center support.
- Units 78"-96"(1981mm-2438mm) wide include three equal width sections divided by two inset intermediate center supports.
- Sliding door width is equal to one section width (one-half or one-third of unit width).
- Locks not available.
- Includes internally mounted sliding door track top and bottom with bumpers at each end.
- Shipped assembled.

Specification Tips

- Accommodates separately specified tackboards and lighting accessories.
- Must be properly anchored to a structural wall.
- Anchors are not provided, must be field supplied.

To Order, Specify:

- Product number.
- Finish code (laminate, paint, or wood).
- Laminate edge trim color (if laminate specified).

Masters Series

Overhead Storage Units with Sliding Door

Height	Depth	Width	Number	Laminate A	B	Paint A
Laminate — Letter Depth						
21"(533mm)	14"(356mm)	30"(762mm)	ULRL-2130-NSN	\$ 982.80	1042.52	
		36"(914mm)	ULRL-2136-NSN	1088.10	1156.41	
		42"(1067mm)	ULRL-2142-NSN	1203.80	1280.70	
		48"(1219mm)	ULRL-2148-NSN	1309.10	1394.59	
		54"(1372mm)	ULRL-2154-NSN	1414.40	1508.48	
		60"(1524mm)	ULRL-2160-NSN	1519.70	1622.37	
		66"(1676mm)	ULRL-2166-NSN	1625.00	1736.26	
		72"(1829mm)	ULRL-2172-NSN	1730.30	1850.15	
		78"(1981mm)	ULRL-2178-NSN	1846.00	1974.44	
		84"(2134mm)	ULRL-2184-NSN	1951.30	2088.33	
		90"(2286mm)	ULRL-2190-NSN	2056.60	2202.22	
		96"(2438mm)	ULRL-2196-NSN	2161.90	2316.11	
Laminate — Legal Depth						
21"(533mm)	16 1/2"(419mm)	30"(762mm)	ULRD-2130-NSN	\$1086.80	1154.84	
		36"(914mm)	ULRD-2136-NSN	1192.10	1268.73	
		42"(1067mm)	ULRD-2142-NSN	1307.80	1393.02	
		48"(1219mm)	ULRD-2148-NSN	1413.10	1506.91	
		54"(1372mm)	ULRD-2154-NSN	1518.40	1620.80	
		60"(1524mm)	ULRD-2160-NSN	1623.70	1734.69	
		66"(1676mm)	ULRD-2166-NSN	1729.00	1848.58	
		72"(1829mm)	ULRD-2172-NSN	1834.30	1962.47	
		78"(1981mm)	ULRD-2178-NSN	1950.00	2086.76	
		84"(2134mm)	ULRD-2184-NSN	2055.30	2200.65	
		90"(2286mm)	ULRD-2190-NSN	2160.60	2314.54	
		96"(2438mm)	ULRD-2196-NSN	2265.90	2428.43	
Paint — Letter Depth						
21"(533mm)	14"(356mm)	30"(762mm)	UYRL-2130-NSN			\$1454.56
		36"(914mm)	UYRL-2136-NSN			1579.78
		42"(1067mm)	UYRL-2142-NSN			1715.40
		48"(1219mm)	UYRL-2148-NSN			1840.62
		54"(1372mm)	UYRL-2154-NSN			1965.84
		60"(1524mm)	UYRL-2160-NSN			2091.06
		66"(1676mm)	UYRL-2166-NSN			2216.28
		72"(1829mm)	UYRL-2172-NSN			2341.50
		78"(1981mm)	UYRL-2178-NSN			2477.12
		84"(2134mm)	UYRL-2184-NSN			2602.34
		90"(2286mm)	UYRL-2190-NSN			2727.56
		96"(2438mm)	UYRL-2196-NSN			2852.78
Paint — Legal Depth						
21"(533mm)	16 1/2"(419mm)	30"(762mm)	UYRD-2130-NSN			\$1574.16
		36"(914mm)	UYRD-2136-NSN			1699.38
		42"(1067mm)	UYRD-2142-NSN			1835.00
		48"(1219mm)	UYRD-2148-NSN			1960.22
		54"(1372mm)	UYRD-2154-NSN			2085.44
		60"(1524mm)	UYRD-2160-NSN			2210.66
		66"(1676mm)	UYRD-2166-NSN			2335.88
		72"(1829mm)	UYRD-2172-NSN			2461.10
		78"(1981mm)	UYRD-2178-NSN			2596.72
		84"(2134mm)	UYRD-2184-NSN			2721.94
		90"(2286mm)	UYRD-2190-NSN			2847.16
		96"(2438mm)	UYRD-2196-NSN			2972.38

Masters Series

Overhead Storage Units with Sliding Door


Height	Depth	Width	Number	Wood Group A	Group B
Wood — Letter Depth					
21"(533mm)	14"(356mm)	30"(762mm)	UXRL-2130-NSN	\$1523.60	\$1570.12
		36"(914mm)	UXRL-2136-NSN	1684.80	1740.99
		42"(1067mm)	UXRL-2142-NSN	1856.40	1922.26
		48"(1219mm)	UXRL-2148-NSN	2017.60	2093.13
		54"(1372mm)	UXRL-2154-NSN	2178.80	2264.00
		60"(1524mm)	UXRL-2160-NSN	2340.00	2434.87
		66"(1676mm)	UXRL-2166-NSN	2501.20	2605.74
		72"(1829mm)	UXRL-2172-NSN	2662.40	2776.61
		78"(1981mm)	UXRL-2178-NSN	2834.00	2957.88
		84"(2134mm)	UXRL-2184-NSN	2995.20	3128.75
		90"(2286mm)	UXRL-2190-NSN	3156.40	3299.62
		96"(2438mm)	UXRL-2196-NSN	3317.60	3470.49
Wood — Legal Depth					
21"(533mm)	16 1/2"(419mm)	30"(762mm)	UXRD-2130-NSN	\$1664.00	\$1718.94
		36"(914mm)	UXRD-2136-NSN	1825.20	1889.81
		42"(1067mm)	UXRD-2142-NSN	1996.80	2071.08
		48"(1219mm)	UXRD-2148-NSN	2158.00	2241.95
		54"(1372mm)	UXRD-2154-NSN	2319.20	2412.82
		60"(1524mm)	UXRD-2160-NSN	2480.40	2583.69
		66"(1676mm)	UXRD-2166-NSN	2641.60	2754.56
		72"(1829mm)	UXRD-2172-NSN	2802.80	2925.43
		78"(1981mm)	UXRD-2178-NSN	2974.40	3106.70
		84"(2134mm)	UXRD-2184-NSN	3135.60	3277.57
		90"(2286mm)	UXRD-2190-NSN	3296.80	3448.44
		96"(2438mm)	UXRD-2196-NSN	3458.00	3619.31

This page intentionally blank


Masters Series

Overhead Storage Units with Sliding Door


Overhead Storage Units — Two-High with Sliding Door




30" and 36" widths



42", 48" and 54" widths



60", 66" and 72" widths



78", 84", 90" and 96" widths

ULRL-SN

ULRD-SN

UXRL-SN

UXRD-SN

UYRL-SN

UYRD-SN

Features

- Includes storage cabinet(s) with one sliding door, 2"(51mm) integrated light valance, one adjustable shelf and 4"(102mm) French cleat with anti-dislodgement feature.
- Units 30"-72"(762mm-1829mm) wide include two equal width sections divided by one inset intermediate center support.
- Units 78"-96"(1981mm-2438mm) wide include three equal width sections divided by two inset intermediate center supports.
- Sliding door width is equal to one section width (one-half or one-third of unit width).
- Locks not available.
- Includes internally mounted sliding door track top and bottom with bumpers at each end.
- Shipped assembled.
- Available on RUSH.

To Order, Specify:

- 1) Product number.
- 2) Finish code (laminate, paint, or wood).
- 3) Laminate edge trim color (if laminate specified).

Specification Tips

- Accommodates separately specified tackboards and lighting accessories.
- Must be properly anchored to a structural wall.
- Anchors are not provided, must be field supplied.

Masters Series

Overhead Storage Units with Sliding Door

Height	Width	Depth	Number	Laminate A	B	Paint A
Laminate — Letter Depth						
29 1/8"(740mm)	30"(762mm)	14"(356mm)	ULRL-2930-NSN	■	\$1112.80	\$1182.84
	36"(914mm)	14"(356mm)	ULRL-2936-NSN	■	1218.10	1296.73
	42"(1067mm)	14"(356mm)	ULRL-2942-NSN	■	1333.80	1421.02
	48"(1219mm)	14"(356mm)	ULRL-2948-NSN	■	1439.10	1534.91
	54"(1372mm)	14"(356mm)	ULRL-2954-NSN	■	1544.40	1648.80
	60"(1524mm)	14"(356mm)	ULRL-2960-NSN	■	1649.70	1762.69
	66"(1676mm)	14"(356mm)	ULRL-2966-NSN	■	1755.00	1876.58
	72"(1829mm)	14"(356mm)	ULRL-2972-NSN	■	1860.30	1990.47
	78"(1981mm)	14"(356mm)	ULRL-2978-NSN	■	1976.00	2114.76
	84"(2134mm)	14"(356mm)	ULRL-2984-NSN	■	2081.30	2228.65
	90"(2286mm)	14"(356mm)	ULRL-2990-NSN	■	2186.60	2342.54
	96"(2438mm)	14"(356mm)	ULRL-2996-NSN	■	2291.90	2456.43
Laminate — Legal Depth						
29 1/8"(740mm)	30"(762mm)	16 1/2"(419mm)	ULRD-2930-NSN	■	\$1216.80	\$1295.16
	36"(914mm)	16 1/2"(419mm)	ULRD-2936-NSN	■	1322.10	1409.05
	42"(1067mm)	16 1/2"(419mm)	ULRD-2942-NSN	■	1437.80	1533.34
	48"(1219mm)	16 1/2"(419mm)	ULRD-2948-NSN	■	1543.10	1647.23
	54"(1372mm)	16 1/2"(419mm)	ULRD-2954-NSN	■	1648.40	1761.12
	60"(1524mm)	16 1/2"(419mm)	ULRD-2960-NSN	■	1753.70	1875.01
	66"(1676mm)	16 1/2"(419mm)	ULRD-2966-NSN	■	1859.00	1988.90
	72"(1829mm)	16 1/2"(419mm)	ULRD-2972-NSN	■	1964.30	2102.79
	78"(1981mm)	16 1/2"(419mm)	ULRD-2978-NSN	■	2080.00	2227.08
	84"(2134mm)	16 1/2"(419mm)	ULRD-2984-NSN	■	2185.30	2340.97
	90"(2286mm)	16 1/2"(419mm)	ULRD-2990-NSN	■	2290.60	2454.86
	96"(2438mm)	16 1/2"(419mm)	ULRD-2996-NSN	■	2395.90	2568.75
Paint — Letter Depth						
29 1/8"(740mm)	30"(762mm)	14"(356mm)	UYRL-2930-NSN			\$1628.48
	36"(914mm)	14"(356mm)	UYRL-2936-NSN			1753.70
	42"(1067mm)	14"(356mm)	UYRL-2942-NSN			1889.32
	48"(1219mm)	14"(356mm)	UYRL-2948-NSN			2014.54
	54"(1372mm)	14"(356mm)	UYRL-2954-NSN			2139.76
	60"(1524mm)	14"(356mm)	UYRL-2960-NSN			2264.98
	66"(1676mm)	14"(356mm)	UYRL-2966-NSN			2390.20
	72"(1829mm)	14"(356mm)	UYRL-2972-NSN			2515.42
	78"(1981mm)	14"(356mm)	UYRL-2978-NSN			2651.04
	84"(2134mm)	14"(356mm)	UYRL-2984-NSN			2776.26
	90"(2286mm)	14"(356mm)	UYRL-2990-NSN			2901.48
	96"(2438mm)	14"(356mm)	UYRL-2996-NSN			3026.70
Paint — Legal Depth						
29 1/8"(740mm)	30"(762mm)	16 1/2"(419mm)	UYRD-2930-NSN			\$1748.08
	36"(914mm)	16 1/2"(419mm)	UYRD-2936-NSN			1873.30
	42"(1067mm)	16 1/2"(419mm)	UYRD-2942-NSN			2008.92
	48"(1219mm)	16 1/2"(419mm)	UYRD-2948-NSN			2134.14
	54"(1372mm)	16 1/2"(419mm)	UYRD-2954-NSN			2259.36
	60"(1524mm)	16 1/2"(419mm)	UYRD-2960-NSN			2384.58
	66"(1676mm)	16 1/2"(419mm)	UYRD-2966-NSN			2509.80
	72"(1829mm)	16 1/2"(419mm)	UYRD-2972-NSN			2635.02
	78"(1981mm)	16 1/2"(419mm)	UYRD-2978-NSN			2770.64
	84"(2134mm)	16 1/2"(419mm)	UYRD-2984-NSN			2895.86
	90"(2286mm)	16 1/2"(419mm)	UYRD-2990-NSN			3021.08
	96"(2438mm)	16 1/2"(419mm)	UYRD-2996-NSN			3146.30

Masters Series

Overhead Storage Units with Sliding Door


Height	Width	Depth	Number	Wood Group A	Group B
Wood — Letter Depth					
29 1/8"(740mm)	30"(762mm)	14"(356mm)	UXRL-2930-NSN	■ \$1721.20	\$1779.64
36"(914mm)	14"(356mm)	UXRL-2936-NSN	■ 1882.40	1950.51	
42"(1067mm)	14"(356mm)	UXRL-2942-NSN	■ 2054.00	2131.78	
48"(1219mm)	14"(356mm)	UXRL-2948-NSN	■ 2215.20	2302.65	
54"(1372mm)	14"(356mm)	UXRL-2954-NSN	■ 2376.40	2473.52	
60"(1524mm)	14"(356mm)	UXRL-2960-NSN	■ 2537.60	2644.39	
66"(1676mm)	14"(356mm)	UXRL-2966-NSN	■ 2698.80	2815.26	
72"(1829mm)	14"(356mm)	UXRL-2972-NSN	■ 2860.00	2986.13	
78"(1981mm)	14"(356mm)	UXRL-2978-NSN	■ 3031.60	3167.40	
84"(2134mm)	14"(356mm)	UXRL-2984-NSN	■ 3192.80	3338.27	
90"(2286mm)	14"(356mm)	UXRL-2990-NSN	■ 3354.00	3509.14	
96"(2438mm)	14"(356mm)	UXRL-2996-NSN	■ 3515.20	3680.01	
Wood — Legal Depth					
29 1/8"(740mm)	30"(762mm)	16 1/2"(419mm)	UXRD-2930-NSN	■ \$1861.60	\$1928.46
36"(914mm)	16 1/2"(419mm)	UXRD-2936-NSN	■ 2022.80	2099.33	
42"(1067mm)	16 1/2"(419mm)	UXRD-2942-NSN	■ 2194.40	2280.60	
48"(1219mm)	16 1/2"(419mm)	UXRD-2948-NSN	■ 2355.60	2451.47	
54"(1372mm)	16 1/2"(419mm)	UXRD-2954-NSN	■ 2516.80	2622.34	
60"(1524mm)	16 1/2"(419mm)	UXRD-2960-NSN	■ 2678.00	2793.21	
66"(1676mm)	16 1/2"(419mm)	UXRD-2966-NSN	■ 2839.20	2964.08	
72"(1829mm)	16 1/2"(419mm)	UXRD-2972-NSN	■ 3000.40	3134.95	
78"(1981mm)	16 1/2"(419mm)	UXRD-2978-NSN	■ 3172.00	3316.22	
84"(2134mm)	16 1/2"(419mm)	UXRD-2984-NSN	■ 3333.20	3487.09	
90"(2286mm)	16 1/2"(419mm)	UXRD-2990-NSN	■ 3494.40	3657.96	
96"(2438mm)	16 1/2"(419mm)	UXRD-2996-NSN	■ 3655.60	3828.83	

This page intentionally blank


Masters Series

Overhead Storage Units with Glass Hinged Doors


Overhead Storage Units — One-High with Glass Hinged Doors




ULML-SN
ULMD-SN
UXML-SN
UXMD-SN
UYML-SN
UYMD-SN
30" and 36" widths



ULML-SL
ULMD-SL
UXML-SL
UXMD-SL
UYML-SL
UYMD-SL
42", 48" and 54" widths
(Left-hand single door swing shown)



ULML-SN
ULMD-SN
UXML-SN
UXMD-SN
UYML-SN
UYMD-SN
60", 66" and 72" widths



ULML-SN
ULMD-SN
UXML-SN
UXMD-SN
UYML-SN
UYMD-SN
78", 84", 90" and 96" widths

Features

- Includes storage cabinet(s) with glass doors, 2"(51mm) integrated light valance and 4"(102mm) French cleat with anti-dislodgement feature.
- 42"(1067mm), 48"(1219mm) and 54"(1372mm) wide units available with choice of left or right door swing for single door.
- Locks not available.
- Glass door includes metal frame with metallic powdercoat finish on back side of door.
- Shipped assembled.

Specification Tips

- Accommodates separately specified tackboards and lighting accessories.
- Must be properly anchored to a structural wall.
- Anchors are not provided, must be field supplied.

To Order, Specify:

1) Product number.

① Single Door Swing Orientation:

(42", 48" and 54" wide only)

L Left-hand

R Right-hand

2) Finish code (laminate, paint, or wood).

3) Laminate edge trim color (if laminate specified).

4) Glass code.

5) Trim color for glass frame (required - metallic paint only).

Masters Series

Overhead Storage Units with Glass Hinged Doors

Height	Width	Depth	Number	①	Laminate A Glass				Laminate B Glass			
					A	C	D	F	A	C	D	F
Letter Depth												
16 9/16"(421mm)	30"(762mm)	14"(356mm)	ULML-1730-NSN		\$1268.80	\$1430.30	\$1538.05	\$1685.06	\$1310.40	\$1471.90	\$1579.65	\$1726.66
36"(914mm)	14"(356mm)	ULML-1736-NSN			1368.64	1536.92	1649.19	1802.38	1416.48	1584.76	1697.03	1850.22
42"(1067mm)	14"(356mm)	ULML-1742-NS			1478.88	1653.94	1770.73	1930.10	1532.96	1708.02	1824.81	1984.18
48"(1219mm)	14"(356mm)	ULML-1748-NS			1578.72	1760.56	1881.87	2047.42	1639.04	1820.88	1942.19	2107.74
54"(1372mm)	14"(356mm)	ULML-1754-NS			1678.56	1867.18	1993.01	2164.74	1745.12	1933.74	2059.57	2231.30
60"(1524mm)	14"(356mm)	ULML-1760-NSN			1778.40	1973.80	2104.15	2282.06	1851.20	2046.60	2176.95	2354.86
66"(1676mm)	14"(356mm)	ULML-1766-NSN			1878.24	2080.42	2215.29	2399.38	1957.28	2159.46	2294.33	2478.42
72"(1829mm)	14"(356mm)	ULML-1772-NSN			1978.08	2187.04	2326.43	2516.70	2063.36	2272.32	2411.71	2601.98
78"(1981mm)	14"(356mm)	ULML-1778-NSN			2088.32	2304.06	2447.97	2644.42	2179.84	2395.58	2539.49	2735.94
84"(2134mm)	14"(356mm)	ULML-1784-NSN			2188.16	2410.68	2559.11	2761.74	2285.92	2508.44	2656.87	2859.50
90"(2286mm)	14"(356mm)	ULML-1790-NSN			2288.00	2517.30	2670.25	2879.06	2392.00	2621.30	2774.25	2983.06
96"(2438mm)	14"(356mm)	ULML-1796-NSN			2387.84	2623.92	2781.39	2996.38	2498.08	2734.16	2891.63	3106.62
Legal Depth												
16 9/16"(421mm)	30"(762mm)	16 1/2"(419mm)	ULMD-1730-NSN		\$1372.80	\$1534.30	\$1642.05	\$1789.06	\$1422.72	\$1584.22	\$1691.97	\$1838.98
36"(914mm)	16 1/2"(419mm)	ULMD-1736-NSN			1472.64	1640.92	1753.19	1906.38	1528.80	1697.08	1809.35	1962.54
42"(1067mm)	16 1/2"(419mm)	ULMD-1742-NS			1582.88	1757.94	1874.73	2034.10	1645.28	1820.34	1937.13	2096.50
48"(1219mm)	16 1/2"(419mm)	ULMD-1748-NS			1682.72	1864.56	1985.87	2151.42	1751.36	1933.20	2054.51	2220.06
54"(1372mm)	16 1/2"(419mm)	ULMD-1754-NS			1782.56	1971.18	2097.01	2268.74	1857.44	2046.06	2171.89	2343.62
60"(1524mm)	16 1/2"(419mm)	ULMD-1760-NSN			1882.40	2077.80	2208.15	2386.06	1963.52	2158.92	2289.27	2467.18
66"(1676mm)	16 1/2"(419mm)	ULMD-1766-NSN			1982.24	2184.42	2319.29	2503.38	2069.60	2271.78	2406.65	2590.74
72"(1829mm)	16 1/2"(419mm)	ULMD-1772-NSN			2082.08	2291.04	2430.43	2620.70	2175.68	2384.64	2524.03	2714.30
78"(1981mm)	16 1/2"(419mm)	ULMD-1778-NSN			2192.32	2408.06	2551.97	2748.42	2292.16	2507.90	2651.81	2848.26
84"(2134mm)	16 1/2"(419mm)	ULMD-1784-NSN			2292.16	2514.68	2663.11	2865.74	2398.24	2620.76	2769.19	2971.82
90"(2286mm)	16 1/2"(419mm)	ULMD-1790-NSN			2392.00	2621.30	2774.25	2983.06	2504.32	2733.62	2886.57	3095.38
96"(2438mm)	16 1/2"(419mm)	ULMD-1796-NSN			2491.84	2727.92	2885.39	3100.38	2610.40	2846.48	3003.95	3218.94

Height	Width	Depth	Number	①	Paint A Glass			
					A	C	D	F
Letter Depth								
16 9/16"(421mm)	30"(762mm)	14"(356mm)	UYML-1730-NSN		\$1658.80	\$1820.30	\$1928.05	\$2075.06
36"(914mm)	14"(356mm)	UYML-1736-NSN			1769.04	1937.32	2049.59	2202.78
42"(1067mm)	14"(356mm)	UYML-1742-NS			1889.68	2064.74	2181.53	2340.90
48"(1219mm)	14"(356mm)	UYML-1748-NS			1999.92	2181.76	2303.07	2468.62
54"(1372mm)	14"(356mm)	UYML-1754-NS			2110.16	2298.78	2424.61	2596.34
60"(1524mm)	14"(356mm)	UYML-1760-NSN			2220.40	2415.80	2546.15	2724.06
66"(1676mm)	14"(356mm)	UYML-1766-NSN			2330.64	2532.82	2667.69	2851.78
72"(1829mm)	14"(356mm)	UYML-1772-NSN			2440.88	2649.84	2789.23	2979.50
78"(1981mm)	14"(356mm)	UYML-1778-NSN			2561.52	2777.26	2921.17	3117.62
84"(2134mm)	14"(356mm)	UYML-1784-NSN			2671.76	2894.28	3042.71	3245.34
90"(2286mm)	14"(356mm)	UYML-1790-NSN			2782.00	3011.30	3164.25	3373.06
96"(2438mm)	14"(356mm)	UYML-1796-NSN			2892.24	3128.32	3285.79	3500.78
Legal Depth								
16 9/16"(421mm)	30"(762mm)	16 1/2"(419mm)	UYMD-1730-NSN		\$1778.40	\$1939.90	\$2047.65	\$2194.66
36"(914mm)	16 1/2"(419mm)	UYMD-1736-NSN			1888.64	2056.92	2169.19	2322.38
42"(1067mm)	16 1/2"(419mm)	UYMD-1742-NS			2009.28	2184.34	2301.13	2460.50
48"(1219mm)	16 1/2"(419mm)	UYMD-1748-NS			2119.52	2301.36	2422.67	2588.22
54"(1372mm)	16 1/2"(419mm)	UYMD-1754-NS			2229.76	2418.38	2544.21	2715.94
60"(1524mm)	16 1/2"(419mm)	UYMD-1760-NSN			2340.00	2535.40	2665.75	2843.66
66"(1676mm)	16 1/2"(419mm)	UYMD-1766-NSN			2450.24	2652.42	2787.29	2971.38
72"(1829mm)	16 1/2"(419mm)	UYMD-1772-NSN			2560.48	2769.44	2908.83	3099.10
78"(1981mm)	16 1/2"(419mm)	UYMD-1778-NSN			2681.12	2896.86	3040.77	3237.22
84"(2134mm)	16 1/2"(419mm)	UYMD-1784-NSN			2791.36	3013.88	3162.31	3364.94
90"(2286mm)	16 1/2"(419mm)	UYMD-1790-NSN			2901.60	3130.90	3283.85	3492.66
96"(2438mm)	16 1/2"(419mm)	UYMD-1796-NSN			3011.84	3247.92	3405.39	3620.38

Masters Series

Overhead Storage Units with Glass Hinged Doors


Height	Width	Depth	Number	①	Wood Group A				Wood Group B				
					Glass	A	C	D	F	Glass	A	C	D
Letter Depth													
16 9/16"(421mm)	30"(762mm)	14"(356mm)	UXML-1730-NSN		\$1684.80	\$1846.30	\$1954.05	\$2101.06	\$1709.76	\$1871.26	\$1979.01	\$2126.02	
	36"(914mm)	14"(356mm)	UXML-1736-NSN		1826.24	1994.52	2106.79	2259.98	1858.38	2026.66	2138.93	2292.12	
	42"(1067mm)	14"(356mm)	UXML-1742-NS		1978.08	2153.14	2269.93	2429.30	2017.40	2192.46	2309.25	2468.62	
	48"(1219mm)	14"(356mm)	UXML-1748-NS		2119.52	2301.36	2422.67	2588.22	2166.02	2347.86	2469.17	2634.72	
	54"(1372mm)	14"(356mm)	UXML-1754-NS		2260.96	2449.58	2575.41	2747.14	2314.64	2503.26	2629.09	2800.82	
	60"(1524mm)	14"(356mm)	UXML-1760-NSN		2402.40	2597.80	2728.15	2906.06	2463.26	2658.66	2789.01	2966.92	
	66"(1676mm)	14"(356mm)	UXML-1766-NSN		2543.84	2746.02	2880.89	3064.98	2611.88	2814.06	2948.93	3133.02	
	72"(1829mm)	14"(356mm)	UXML-1772-NSN		2685.28	2894.24	3033.63	3223.90	2760.50	2969.46	3108.85	3299.12	
	78"(1981mm)	14"(356mm)	UXML-1778-NSN		2837.12	3052.86	3196.77	3393.22	2919.52	3135.26	3279.17	3475.62	
	84"(2134mm)	14"(356mm)	UXML-1784-NSN		2978.56	3201.08	3349.51	3552.14	3068.14	3290.66	3439.09	3641.72	
	90"(2286mm)	14"(356mm)	UXML-1790-NSN		3120.00	3349.30	3502.25	3711.06	3216.76	3446.06	3599.01	3807.82	
	96"(2438mm)	14"(356mm)	UXML-1796-NSN		3261.44	3497.52	3654.99	3869.98	3365.38	3601.46	3758.93	3973.92	
Legal Depth													
16 9/16"(421mm)	30"(762mm)	16 1/2"(419mm)	UXMD-1730-NSN		\$1825.20	\$1986.70	\$2094.45	\$2241.46	\$1858.58	\$2020.08	\$2127.83	\$2274.84	
	36"(914mm)	16 1/2"(419mm)	UXMD-1736-NSN		1966.64	2134.92	2247.19	2400.38	2007.20	2175.48	2287.75	2440.94	
	42"(1067mm)	16 1/2"(419mm)	UXMD-1742-NS		2118.48	2293.54	2410.33	2569.70	2166.22	2341.28	2458.07	2617.44	
	48"(1219mm)	16 1/2"(419mm)	UXMD-1748-NS		2259.92	2441.76	2563.07	2728.62	2314.84	2496.68	2617.99	2783.54	
	54"(1372mm)	16 1/2"(419mm)	UXMD-1754-NS		2401.36	2589.98	2715.81	2887.54	2463.46	2652.08	2777.91	2949.64	
	60"(1524mm)	16 1/2"(419mm)	UXMD-1760-NSN		2542.80	2738.20	2868.55	3046.46	2612.08	2807.48	2937.83	3115.74	
	66"(1676mm)	16 1/2"(419mm)	UXMD-1766-NSN		2684.24	2886.42	3021.29	3205.38	2760.70	2962.88	3097.75	3281.84	
	72"(1829mm)	16 1/2"(419mm)	UXMD-1772-NSN		2825.68	3034.64	3174.03	3364.30	2909.32	3118.28	3257.67	3447.94	
	78"(1981mm)	16 1/2"(419mm)	UXMD-1778-NSN		2977.52	3193.26	3337.17	3533.62	3068.34	3284.08	3427.99	3624.44	
	84"(2134mm)	16 1/2"(419mm)	UXMD-1784-NSN		3118.96	3341.48	3489.91	3692.54	3216.96	3439.48	3587.91	3790.54	
	90"(2286mm)	16 1/2"(419mm)	UXMD-1790-NSN		3260.40	3489.70	3642.65	3851.46	3365.58	3594.88	3747.83	3956.64	
	96"(2438mm)	16 1/2"(419mm)	UXMD-1796-NSN		3401.84	3637.92	3795.39	4010.38	3514.20	3750.28	3907.75	4122.74	

This page intentionally blank


Masters Series

Overhead Storage Units with Glass Hinged Doors


Overhead Storage Units — One and One-Half High with Glass Hinged Doors




30"-36"



42"-54"



60"-72"



78"-96"

ULML-SN
ULMD-SN
UXML-SN
UXMD-SN
UYML-SN
UYMD-SN
ULML-SL
ULMD-SL
UXML-SL
UXMD-SL
UYML-SL
UYMD-SL

Features

- Includes storage cabinet(s) with non-locking glass doors, 3.25"(83mm) cubbies, 2"(51mm) integrated light valance and 4"(102mm) French cleat with anti-dislodgement feature.
- 42"(1067mm), 48"(1219mm) and 54"(1372mm) wide units available with choice of left or right door swing for single door.
- Locks not available.
- Glass door includes metal frame with metallic powdercoat finish on back side of door.
- Shipped assembled.

Specification Tips

- Accommodates separately specified tackboards and lighting accessories.
- Must be properly anchored to a structural wall.
- Anchors are not provided, must be field supplied.

To Order, Specify:

- 1) Product number.

① Single Door Swing Orientation:

(42", 48" and 54" wide only)

L Left-hand

R Right-hand

- 2) Finish code (laminate, paint, or wood).

- 3) Laminate edge trim color (if laminate specified).

- 4) Glass code.

- 5) Trim color for glass frame (required - metallic paint only).

Masters Series

Overhead Storage Units with Glass Hinged Doors

Height	Width	Depth	Number	①	Laminate A Glass				Laminate B Glass			
					A	C	D	F	A	C	D	F
Letter Depth												
21"(533mm)	14"(356mm)	30"(762mm)	ULML-2130-NSN		\$1422.60	\$1614.98	\$1743.33	\$1913.42	\$1468.48	\$1660.86	\$1789.21	\$1959.30
		36"(914mm)	ULML-2136-NSN		1546.36	1745.52	1878.39	2054.66	1600.56	1799.72	1932.59	1932.59
		42"(1067mm)	ULML-2142-NS		1680.52	1886.46	2023.85	2206.30	1743.04	1948.98	2086.37	2268.82
		48"(1219mm)	ULML-2148-NS		1804.28	2017.00	2158.91	2347.54	1875.12	2087.84	2229.75	2418.38
		54"(1372mm)	ULML-2154-NS		1928.04	2147.54	2293.97	2488.78	2007.20	2226.70	2373.13	2567.94
		60"(1524mm)	ULML-2160-NSN		2051.80	2278.08	2429.03	2630.02	2139.28	2365.56	2516.51	2717.50
		66"(1676mm)	ULML-2166-NSN		2175.56	2408.62	2564.09	2771.26	2271.36	2504.42	2659.89	2867.06
		72"(1829mm)	ULML-2172-NSN		2299.32	2539.16	2699.15	2912.50	2403.44	2643.28	2803.27	3016.62
		78"(1981mm)	ULML-2178-NSN		2433.48	2680.10	2844.61	3064.14	2545.92	2792.54	2957.05	3176.58
		84"(2134mm)	ULML-2184-NSN		2557.24	2810.64	2979.67	3205.38	2678.00	2931.40	3100.43	3326.14
		90"(2286mm)	ULML-2190-NSN		2681.00	2941.18	3114.73	3346.62	2810.08	3070.26	3243.81	3475.70
		96"(2438mm)	ULML-2196-NSN		2804.76	3071.72	3249.79	3487.86	2942.16	3209.12	3387.19	3625.26
Legal Depth												
21"(533mm)	16 1/2"(419mm)	30"(762mm)	ULMD-2130-NSN		\$1526.60	\$1718.98	\$1847.33	\$2017.42	\$1580.80	\$1773.18	\$1901.53	\$2071.62
		36"(914mm)	ULMD-2136-NSN		1650.36	1849.52	1982.39	2158.66	1712.88	1912.04	2044.91	2221.18
		42"(1067mm)	ULMD-2142-NS		1784.52	1990.46	2127.85	2310.30	1855.36	2061.30	2198.69	2381.14
		48"(1219mm)	ULMD-2148-NS		1908.28	2121.00	2262.91	2451.54	1987.44	2200.16	2342.07	2530.70
		54"(1372mm)	ULMD-2154-NS		2032.04	2251.54	2397.97	2592.78	2119.52	2339.02	2485.45	2680.26
		60"(1524mm)	ULMD-2160-NSN		2155.80	2382.08	2533.03	2734.02	2251.60	2477.88	2628.83	2829.82
		66"(1676mm)	ULMD-2166-NSN		2279.56	2512.62	2668.09	2875.26	2383.68	2616.74	2772.21	2979.38
		72"(1829mm)	ULMD-2172-NSN		2403.32	2643.16	2803.15	3016.50	2515.76	2755.60	2915.59	3128.94
		78"(1981mm)	ULMD-2178-NSN		2537.48	2784.10	2948.61	3168.14	2658.24	2904.86	3069.37	3288.90
		84"(2134mm)	ULMD-2184-NSN		2661.24	2914.64	3083.67	3309.38	2790.32	3043.72	3212.75	3438.46
		90"(2286mm)	ULMD-2190-NSN		2785.00	3045.18	3218.73	3450.62	2922.40	3182.58	3356.13	3588.02
		96"(2438mm)	ULMD-2196-NSN		2908.76	3175.72	3353.79	3591.86	3054.48	3321.44	3499.51	3737.58

Height	Width	Depth	Number	①	Paint A Glass				Paint B Glass			
					A	C	D	F	A	C	D	F
Letter Depth												
21"(533mm)	14"(356mm)	30"(762mm)	UYML-2130-NSN		\$1830.76	\$2023.14	\$2151.49	\$2321.58				
		36"(914mm)	UYML-2136-NSN		1973.24	2172.40	2305.27	2481.54				
		42"(1067mm)	UYML-2142-NS		2126.12	2332.06	2469.45	2651.90				
		48"(1219mm)	UYML-2148-NS		2268.60	2481.32	2623.23	2811.86				
		54"(1372mm)	UYML-2154-NS		2411.08	2630.58	2777.01	2971.82				
		60"(1524mm)	UYML-2160-NSN		2553.56	2779.84	2930.79	3131.78				
		66"(1676mm)	UYML-2166-NSN		2696.04	2929.10	3084.57	3291.74				
		72"(1829mm)	UYML-2172-NSN		2838.52	3078.36	3238.35	3451.70				
		78"(1981mm)	UYML-2178-NSN		2991.40	3238.02	3402.53	3622.06				
		84"(2134mm)	UYML-2184-NSN		3133.88	3387.28	3556.31	3782.02				
		90"(2286mm)	UYML-2190-NSN		3276.36	3536.54	3710.09	3941.98				
		96"(2438mm)	UYML-2196-NSN		3418.84	3685.80	3863.87	4101.94				
Legal Depth												
21"(533mm)	16 1/2"(419mm)	30"(762mm)	UYMD-2130-NSN		\$1950.36	\$2142.74	\$2271.09	\$2441.18				
		36"(914mm)	UYMD-2136-NSN		2092.84	2292.00	2424.87	2601.14				
		42"(1067mm)	UYMD-2142-NS		2245.72	2451.66	2589.05	2771.50				
		48"(1219mm)	UYMD-2148-NS		2388.20	2600.92	2742.83	2931.46				
		54"(1372mm)	UYMD-2154-NS		2530.68	2750.18	2896.61	3091.42				
		60"(1524mm)	UYMD-2160-NSN		2673.16	2899.44	3050.39	3251.38				
		66"(1676mm)	UYMD-2166-NSN		2815.64	3048.70	3204.17	3411.34				
		72"(1829mm)	UYMD-2172-NSN		2958.12	3197.96	3357.95	3571.30				
		78"(1981mm)	UYMD-2178-NSN		3111.00	3357.62	3522.13	3741.66				
		84"(2134mm)	UYMD-2184-NSN		3253.48	3506.88	3675.91	3901.62				
		90"(2286mm)	UYMD-2190-NSN		3395.96	3656.14	3829.69	4061.58				
		96"(2438mm)	UYMD-2196-NSN		3538.44	3805.40	3983.47	4221.54				

Masters Series

Overhead Storage Units with Glass Hinged Doors

Height	Width	Depth	Number	①	Wood Group A				Wood Group B				
					Glass	A	C	D	F	Glass	A	C	D
Letter Depth													
21"(533mm)	14"(356mm)	30"(762mm)	UXML-2130-NSN		\$1866.60	\$2058.98	\$2187.33	\$2357.42	\$1896.52	\$2088.90	\$2217.25	\$2387.34	
		36"(914mm)	UXML-2136-NSN		2044.44	2243.60	2376.47	2552.74	2083.72	2282.88	2415.75	2592.02	
		42"(1067mm)	UXML-2142-NS		2232.68	2438.62	2576.01	2758.46	2281.32	2487.26	2624.65	2807.10	
		48"(1219mm)	UXML-2148-NS		2410.52	2623.24	2765.15	2953.78	2468.52	2681.24	2823.15	3011.78	
		54"(1372mm)	UXML-2154-NS		2588.36	2807.86	2954.29	3149.10	2655.72	2875.22	3021.65	3216.46	
		60"(1524mm)	UXML-2160-NSN		2766.20	2992.48	3143.43	3344.42	2842.92	3069.20	3220.15	3421.14	
		66"(1676mm)	UXML-2166-NSN		2944.04	3177.10	3332.57	3539.74	3030.12	3263.18	3418.65	3625.82	
		72"(1829mm)	UXML-2172-NSN		3121.88	3361.72	3521.71	3735.06	3217.32	3457.16	3617.15	3830.50	
		78"(1981mm)	UXML-2178-NSN		3310.12	3556.74	3721.25	3940.78	3414.92	3661.54	3826.05	4045.58	
		84"(2134mm)	UXML-2184-NSN		3487.96	3741.36	3910.39	4136.10	3602.12	3855.52	4024.55	4250.26	
		90"(2286mm)	UXML-2190-NSN		3665.80	3925.98	4099.53	4331.42	3789.32	4049.50	4223.05	4454.94	
		96"(2438mm)	UXML-2196-NSN		3843.64	4110.60	4288.67	4526.74	3976.52	4243.48	4421.55	4659.62	
Legal Depth													
21"(533mm)	16 1/2"(419mm)	30"(762mm)	UXMD-2130-NSN		\$2007.00	\$2199.38	\$2327.73	\$2497.82	\$2045.34	\$2237.72	\$2366.07	\$2536.16	
		36"(914mm)	UXMD-2136-NSN		2184.84	2384.00	2516.87	2693.14	2232.54	2431.70	2564.57	2740.84	
		42"(1067mm)	UXMD-2142-NS		2373.08	2579.02	2716.41	2898.86	2430.14	2636.08	2773.47	2955.92	
		48"(1219mm)	UXMD-2148-NS		2550.92	2763.64	2905.55	3094.18	2617.34	2830.06	2971.97	3160.60	
		54"(1372mm)	UXMD-2154-NS		2728.76	2948.26	3094.69	3289.50	2804.54	3024.04	3170.47	3365.28	
		60"(1524mm)	UXMD-2160-NSN		2906.60	3132.88	3283.83	3484.82	2991.74	3218.02	3368.97	3569.96	
		66"(1676mm)	UXMD-2166-NSN		3084.44	3317.50	3472.97	3680.14	3178.94	3412.00	3567.47	3774.64	
		72"(1829mm)	UXMD-2172-NSN		3262.28	3502.12	3662.11	3875.46	3366.14	3605.98	3765.97	3979.32	
		78"(1981mm)	UXMD-2178-NSN		3450.52	3697.14	3861.65	4081.18	3563.74	3810.36	3974.87	4194.40	
		84"(2134mm)	UXMD-2184-NSN		3628.36	3881.76	4050.79	4276.50	3750.94	4004.34	4173.37	4399.08	
		90"(2286mm)	UXMD-2190-NSN		3806.20	4066.38	4239.93	4471.82	3938.14	4198.32	4371.87	4603.76	
		96"(2438mm)	UXMD-2196-NSN		3984.04	4251.00	4429.07	4667.14	4125.34	4392.30	4570.37	4808.44	


This page intentionally blank

Masters Series


Overhead Storage Units with Glass Hinged Doors

Overhead Storage Units —


Two-High with Glass Hinged Doors




ULML-SN
ULMD-SN
UXML-SN
UXMD-SN
UYML-SN
UYMD-SN
30" and 36" widths



ULML-SL
ULMD-SL
UXML-SL
UXMD-SL
UYML-SL
UYMD-SL
42", 48" and 54" widths
(Left-hand single door swing shown)



ULML-SN
ULMD-SN
UXML-SN
UXMD-SN
UYML-SN
UYMD-SN
60", 66" and 72" widths



ULML-SN
ULMD-SN
UXML-SN
UXMD-SN
UYML-SN
UYMD-SN
78", 84", 90" and 96" widths

Features

- Includes storage cabinet(s) with glass doors, 2"(51mm) integrated light valance, one adjustable shelf and 4"(102mm) French cleat with anti-dislodgement feature.
- 42"(1067mm), 48"(1219mm) and 54"(1372mm) wide units available with choice of left or right door swing for single door.
- One interior 3/4"(19mm) thick wood shelf with $\pm 1\frac{1}{4}''$ (32mm) adjustment range.
- Locks not available.
- Glass door includes metal frame with metallic powdercoat finish on back side of door.
- Shipped assembled.

Specification Tips

- Accommodates separately specified tackboards and lighting accessories.
- Must be properly anchored to a structural wall.
- Anchors are not provided, must be field supplied.

To Order, Specify:

1) Product number.

① Single Door Swing Orientation:

(42", 48" and 54" wide only)

L Left-hand

R Right-hand

2) Finish code (laminate, paint, or wood).

3) Laminate edge trim color (if laminate specified).

4) Glass code.

5) Trim color for glass frame (required - metallic paint only).

Masters Series

Overhead Storage Units with Glass Hinged Doors

Height	Width	Depth	Number	①	Laminate A Glass				Laminate B Glass			
					A	C	D	F	A	C	D	F
Letter Depth												
29 1/8"(740mm)	30"(762mm)	14"(356mm)	ULML-2930-NSN		\$1730.20	\$1984.34	\$2153.89	\$2370.14	\$1784.64	\$2038.78	\$2208.33	\$2424.58
36"(914mm)	14"(356mm)	ULML-2936-NSN			1853.96	2114.88	2288.95	2511.38	1916.72	2177.64	2351.71	2574.14
42"(1067mm)	14"(356mm)	ULML-2942-NS			1988.12	2255.82	2434.41	2663.02	2059.20	2326.90	2505.49	2734.10
48"(1219mm)	14"(356mm)	ULML-2948-NS			2111.88	2386.36	2569.47	2804.26	2191.28	2465.76	2648.87	2883.66
54"(1372mm)	14"(356mm)	ULML-2954-NS			2235.64	2516.90	2704.53	2945.50	2323.36	2604.62	2792.25	3033.22
60"(1524mm)	14"(356mm)	ULML-2960-NSN			2359.40	2647.44	2839.59	3086.74	2455.44	2743.48	2935.63	3182.78
66"(1676mm)	14"(356mm)	ULML-2966-NSN			2483.16	2777.98	2974.65	3227.98	2587.52	2882.34	3079.01	3332.34
72"(1829mm)	14"(356mm)	ULML-2972-NSN			2606.92	2908.52	3109.71	3369.22	2719.60	3021.20	3222.39	3481.90
78"(1981mm)	14"(356mm)	ULML-2978-NSN			2741.08	3049.46	3255.17	3520.86	2862.08	3170.46	3376.17	3641.86
84"(2134mm)	14"(356mm)	ULML-2984-NSN			2864.84	3180.00	3390.23	3662.10	2994.16	3309.32	3519.55	3791.42
90"(2286mm)	14"(356mm)	ULML-2990-NSN			2988.60	3310.54	3525.29	3803.34	3126.24	3448.18	3662.93	3940.98
96"(2438mm)	14"(356mm)	ULML-2996-NSN			3112.36	3441.08	3660.35	3944.58	3258.32	3587.04	3806.31	4090.54
Legal Depth												
29 1/8"(740mm)	30"(762mm)	16 1/2"(419mm)	ULMD-2930-NSN		\$1834.20	\$2088.34	\$2257.89	\$2474.14	\$1896.96	\$2151.10	\$2320.65	\$2536.90
36"(914mm)	16 1/2"(419mm)	ULMD-2936-NSN			1957.96	2218.88	2392.95	2615.38	2029.04	2289.96	2464.03	2686.46
42"(1067mm)	16 1/2"(419mm)	ULMD-2942-NS			2092.12	2359.82	2538.41	2767.02	2171.52	2439.22	2617.81	2846.42
48"(1219mm)	16 1/2"(419mm)	ULMD-2948-NS			2215.88	2490.36	2673.47	2908.26	2303.60	2578.08	2761.19	2995.98
54"(1372mm)	16 1/2"(419mm)	ULMD-2954-NS			2339.64	2620.90	2808.53	3049.50	2435.68	2716.94	2904.57	3145.54
60"(1524mm)	16 1/2"(419mm)	ULMD-2960-NSN			2463.40	2751.44	2943.59	3190.74	2567.76	2855.80	3047.95	3295.10
66"(1676mm)	16 1/2"(419mm)	ULMD-2966-NSN			2587.16	2881.98	3078.65	3331.98	2699.84	2994.66	3191.33	3444.66
72"(1829mm)	16 1/2"(419mm)	ULMD-2972-NSN			2710.92	3012.52	3213.71	3473.22	2831.92	3133.52	3334.71	3594.22
78"(1981mm)	16 1/2"(419mm)	ULMD-2978-NSN			2845.08	3153.46	3359.17	3624.86	2974.40	3282.78	3488.49	3754.18
84"(2134mm)	16 1/2"(419mm)	ULMD-2984-NSN			2968.84	3284.00	3494.23	3766.10	3106.48	3421.64	3631.87	3903.74
90"(2286mm)	16 1/2"(419mm)	ULMD-2990-NSN			3092.60	3414.54	3629.29	3907.34	3238.56	3560.50	3775.25	4053.30
96"(2438mm)	16 1/2"(419mm)	ULMD-2996-NSN			3216.36	3545.08	3764.35	4048.58	3370.64	3699.36	3918.63	4202.86

Height	Width	Depth	Number	①	Paint A Glass				F			
					A	C	D	F	A	C	D	F
Letter Depth												
29 1/8"(740mm)	30"(762mm)	14"(356mm)	UYML-2930-NSN		\$2174.68	\$2428.82	\$2598.37	\$2814.62				
36"(914mm)	14"(356mm)	UYML-2936-NSN			2317.16	2578.08	2752.15	2974.58				
42"(1067mm)	14"(356mm)	UYML-2942-NS			2470.04	2737.74	2916.33	3144.94				
48"(1219mm)	14"(356mm)	UYML-2948-NS			2612.52	2887.00	3070.11	3304.90				
54"(1372mm)	14"(356mm)	UYML-2954-NS			2755.00	3036.26	3223.89	3464.86				
60"(1524mm)	14"(356mm)	UYML-2960-NSN			2897.48	3185.52	3377.67	3624.82				
66"(1676mm)	14"(356mm)	UYML-2966-NSN			3039.96	3334.78	3531.45	3784.78				
72"(1829mm)	14"(356mm)	UYML-2972-NSN			3182.44	3484.04	3685.23	3944.74				
78"(1981mm)	14"(356mm)	UYML-2978-NSN			3335.32	3643.70	3849.41	4115.10				
84"(2134mm)	14"(356mm)	UYML-2984-NSN			3477.80	3792.96	4003.19	4275.06				
90"(2286mm)	14"(356mm)	UYML-2990-NSN			3620.28	3942.22	4156.97	4435.02				
96"(2438mm)	14"(356mm)	UYML-2996-NSN			3762.76	4091.48	4310.75	4594.98				
Legal Depth												
29 1/8"(740mm)	30"(762mm)	16 1/2"(419mm)	UYMD-2930-NSN		\$2294.28	\$2548.42	\$2717.97	\$2934.22				
36"(914mm)	16 1/2"(419mm)	UYMD-2936-NSN			2436.76	2697.68	2871.75	3094.18				
42"(1067mm)	16 1/2"(419mm)	UYMD-2942-NS			2589.64	2857.34	3035.93	3264.54				
48"(1219mm)	16 1/2"(419mm)	UYMD-2948-NS			2732.12	3006.60	3189.71	3424.50				
54"(1372mm)	16 1/2"(419mm)	UYMD-2954-NS			2874.60	3155.86	3343.49	3584.46				
60"(1524mm)	16 1/2"(419mm)	UYMD-2960-NSN			3017.08	3305.12	3497.27	3744.42				
66"(1676mm)	16 1/2"(419mm)	UYMD-2966-NSN			3159.56	3454.38	3651.05	3904.38				
72"(1829mm)	16 1/2"(419mm)	UYMD-2972-NSN			3302.04	3603.64	3804.83	4064.34				
78"(1981mm)	16 1/2"(419mm)	UYMD-2978-NSN			3454.92	3763.30	3969.01	4234.70				
84"(2134mm)	16 1/2"(419mm)	UYMD-2984-NSN			3597.40	3912.56	4122.79	4394.66				
90"(2286mm)	16 1/2"(419mm)	UYMD-2990-NSN			3739.88	4061.82	4276.57	4554.62				
96"(2438mm)	16 1/2"(419mm)	UYMD-2996-NSN			3882.36	4211.08	4430.35	4714.58				

Masters Series

Overhead Storage Units with Glass Hinged Doors


Height	Width	Depth	Number	①	Wood Group A				Wood Group B			
					Glass	A	C	D	F	Glass	A	C
Letter Depth												
29 1/8"(740mm)	30"(762mm)	14"(356mm)	UXML-2930-NSN		\$2230.20	\$2484.34	\$2653.89	\$2870.14	\$2270.04	\$2524.18	\$2693.73	\$2909.98
	36"(914mm)	14"(356mm)	UXML-2936-NSN		2408.04	2668.96	2843.03	3065.46	2457.24	2718.16	2892.23	3114.66
	42"(1067mm)	14"(356mm)	UXML-2942-NS		2596.28	2863.98	3042.57	3271.18	2654.84	2922.54	3101.13	3329.74
	48"(1219mm)	14"(356mm)	UXML-2948-NS		2774.12	3048.60	3231.71	3466.50	2842.04	3116.52	3299.63	3534.42
	54"(1372mm)	14"(356mm)	UXML-2954-NS		2951.96	3233.22	3420.85	3661.82	3029.24	3310.50	3498.13	3739.10
	60"(1524mm)	14"(356mm)	UXML-2960-NSN		3129.80	3417.84	3609.99	3857.14	3216.44	3504.48	3696.63	3943.78
	66"(1676mm)	14"(356mm)	UXML-2966-NSN		3307.64	3602.46	3799.13	4052.46	3403.64	3698.46	3895.13	4148.46
	72"(1829mm)	14"(356mm)	UXML-2972-NSN		3485.48	3787.08	3988.27	4247.78	3590.84	3892.44	4093.63	4353.14
	78"(1981mm)	14"(356mm)	UXML-2978-NSN		3673.72	3982.10	4187.81	4453.50	3788.44	4096.82	4302.53	4568.22
	84"(2134mm)	14"(356mm)	UXML-2984-NSN		3851.56	4166.72	4376.95	4648.82	3975.64	4290.80	4501.03	4772.90
	90"(2286mm)	14"(356mm)	UXML-2990-NSN		4029.40	4351.34	4566.09	4844.14	4162.84	4484.78	4699.53	4977.58
	96"(2438mm)	14"(356mm)	UXML-2996-NSN		4207.24	4535.96	4755.23	5039.46	4350.04	4678.76	4898.03	5182.26
Legal Depth												
29 1/8"(740mm)	30"(762mm)	16 1/2"(419mm)	UXMD-2930-NSN		\$2370.60	\$2624.74	\$2794.29	\$3010.54	\$2418.86	\$2673.00	\$2842.55	\$3058.80
	36"(914mm)	16 1/2"(419mm)	UXMD-2936-NSN		2548.44	2809.36	2983.43	3205.86	2606.06	2866.98	3041.05	3263.48
	42"(1067mm)	16 1/2"(419mm)	UXMD-2942-NS		2736.68	3004.38	3182.97	3411.58	2803.66	3071.36	3249.95	3478.56
	48"(1219mm)	16 1/2"(419mm)	UXMD-2948-NS		2914.52	3189.00	3372.11	3606.90	2990.86	3265.34	3448.45	3683.24
	54"(1372mm)	16 1/2"(419mm)	UXMD-2954-NS		3092.36	3373.62	3561.25	3802.22	3178.06	3459.32	3646.95	3887.92
	60"(1524mm)	16 1/2"(419mm)	UXMD-2960-NSN		3270.20	3558.24	3750.39	3997.54	3365.26	3653.30	3845.45	4092.60
	66"(1676mm)	16 1/2"(419mm)	UXMD-2966-NSN		3448.04	3742.86	3939.53	4192.86	3552.46	3847.28	4043.95	4297.28
	72"(1829mm)	16 1/2"(419mm)	UXMD-2972-NSN		3625.88	3927.48	4128.67	4388.18	3739.66	4041.26	4242.45	4501.96
	78"(1981mm)	16 1/2"(419mm)	UXMD-2978-NSN		3814.12	4122.50	4328.21	4593.90	3937.26	4245.64	4451.35	4717.04
	84"(2134mm)	16 1/2"(419mm)	UXMD-2984-NSN		3991.96	4307.12	4517.35	4789.22	4124.46	4439.62	4649.85	4921.72
	90"(2286mm)	16 1/2"(419mm)	UXMD-2990-NSN		4169.80	4491.74	4706.49	4984.54	4311.66	4633.60	4848.35	5126.40
	96"(2438mm)	16 1/2"(419mm)	UXMD-2996-NSN		4347.64	4676.36	4895.63	5179.86	4498.86	4827.58	5046.85	5331.08

This page intentionally blank


Masters Series

Overhead Storage Units with Glass Sliding Door


Overhead Storage Units — One-High with Glass Sliding Door




30" and 36" widths



42", 48" and 54" widths



60", 66" and 72" widths



78", 84", 90" and 96" widths

ULLL-SN
ULLD-SN
UXLL-SN
UXLD-SN
UYLL-SN
UYLD-SN

Features

- Includes storage cabinet(s) with one glass sliding door, 2"(51mm) integrated light valance and 4"(102mm) French cleat with anti-dislodgement feature.
- Units 30"-72"(762mm-1829mm) wide include two equal width sections divided by one inset intermediate center support.
- Units 78"-96"(1981mm-2438mm) wide include three equal width sections divided by two inset intermediate center supports.
- Sliding door width equal to one section width (one-half or one-third of unit width).
- Locks not available.
- Glass door includes metal frame with metallic powdercoat finish on back side of door.
- Includes internally mounted sliding door track top and bottom with bumpers at each end.
- Shipped assembled.

To Order, Specify:

- Product number.
- Finish code (laminate, paint, or wood).
- Laminate edge trim color (if laminate specified).
- Glass code.
- Trim color for glass frame (required - metallic paint only).

Specification Tips

- Accommodates separately specified tackboards and lighting accessories.
- Must be properly anchored to a structural wall.
- Anchors are not provided, must be field supplied.
- Only back-painted glass available as standard; specifying alternate glass may allow for the light valance and hardware to be visible.

Masters Series

Overhead Storage Units with Glass Sliding Door

Height	Width	Depth	Number	Laminate A Glass				Laminate B Glass			
				A	C	D	F	A	C	D	F
Letter Depth											
16 9/16"(421mm)	30"(762mm)	14"(356mm)	ULLL-1730-NSN	\$1092.00	\$1198.59	\$1269.70	\$1366.74	\$1133.60	\$1240.19	\$1311.30	\$1408.34
	36"(914mm)	14"(356mm)	ULLL-1736-NSN	1188.72	1301.12	1376.11	1478.44	1188.72	1301.12	1423.95	1526.28
	42"(1067mm)	14"(356mm)	ULLL-1742-NSN	1295.84	1414.05	1492.92	1600.54	1295.84	1414.05	1547.00	1654.62
	48"(1219mm)	14"(356mm)	ULLL-1748-NSN	1392.56	1516.58	1599.33	1712.24	1392.56	1516.58	1659.65	1772.56
	54"(1372mm)	14"(356mm)	ULLL-1754-NSN	1489.28	1619.11	1705.74	1823.94	1489.28	1619.11	1772.30	1890.50
	60"(1524mm)	14"(356mm)	ULLL-1760-NSN	1586.00	1721.64	1812.15	1935.64	1586.00	1721.64	1884.95	2008.44
	66"(1676mm)	14"(356mm)	ULLL-1766-NSN	1682.72	1824.17	1918.56	2047.34	1761.76	1903.21	1997.60	2126.38
	72"(1829mm)	14"(356mm)	ULLL-1772-NSN	1779.44	1926.70	2024.97	2159.04	1864.72	2011.98	2110.25	2244.32
	78"(1981mm)	14"(356mm)	ULLL-1778-NSN	1886.56	2039.63	2141.78	2281.14	1978.08	2131.15	2141.78	2372.66
	84"(2134mm)	14"(356mm)	ULLL-1784-NSN	1983.28	2142.16	2248.19	2392.84	2081.04	2239.92	2248.19	2490.60
	90"(2286mm)	14"(356mm)	ULLL-1790-NSN	2080.00	2244.69	2354.60	2504.54	2184.00	2348.69	2354.60	2608.54
	96"(2438mm)	14"(356mm)	ULLL-1796-NSN	2176.72	2347.22	2461.01	2616.24	2286.96	2457.46	2461.01	2726.48
Legal Depth											
16 9/16"(421mm)	30"(762mm)	16 1/2"(419mm)	ULLD-1730-NSN	\$1196.00	\$1302.59	\$1373.70	\$1470.74	\$1245.92	\$1352.51	\$1423.62	\$1520.66
	36"(914mm)	16 1/2"(419mm)	ULLD-1736-NSN	1292.72	1405.12	1480.11	1582.44	1348.88	1461.28	1480.11	1638.60
	42"(1067mm)	16 1/2"(419mm)	ULLD-1742-NSN	1399.84	1518.05	1596.92	1704.54	1462.24	1580.45	1596.92	1766.94
	48"(1219mm)	16 1/2"(419mm)	ULLD-1748-NSN	1496.56	1620.58	1703.33	1816.24	1565.20	1689.22	1703.33	1884.88
	54"(1372mm)	16 1/2"(419mm)	ULLD-1754-NSN	1593.28	1723.11	1809.74	1927.94	1668.16	1797.99	1809.74	2002.82
	60"(1524mm)	16 1/2"(419mm)	ULLD-1760-NSN	1690.00	1825.64	1916.15	2039.64	1771.12	1906.76	1916.15	2120.76
	66"(1676mm)	16 1/2"(419mm)	ULLD-1766-NSN	1786.72	1928.17	2022.56	2151.34	1874.08	2015.53	2022.56	2238.70
	72"(1829mm)	16 1/2"(419mm)	ULLD-1772-NSN	1883.44	2030.70	2128.97	2263.04	1977.04	2124.30	2128.97	2356.64
	78"(1981mm)	16 1/2"(419mm)	ULLD-1778-NSN	1990.56	2143.63	2245.78	2385.14	2090.40	2243.47	2245.78	2484.98
	84"(2134mm)	16 1/2"(419mm)	ULLD-1784-NSN	2087.28	2246.16	2352.19	2496.84	2193.36	2352.24	2352.19	2602.92
	90"(2286mm)	16 1/2"(419mm)	ULLD-1790-NSN	2184.00	2348.69	2458.60	2608.54	2296.32	2461.01	2458.60	2720.86
	96"(2438mm)	16 1/2"(419mm)	ULLD-1796-NSN	2280.72	2451.22	2565.01	2720.24	2399.28	2569.78	2565.01	2838.80
Paint A Glass											
Height	Width	Depth	Number	A	C	D	F				
Letter Depth											
16 9/16"(421mm)	30"(762mm)	14"(356mm)	UYLL-1730-NSN	\$1482.00	\$1588.59	\$1659.70	\$1756.74				
	36"(914mm)	14"(356mm)	UYLL-1736-NSN	1589.12	1701.52	1776.51	1878.84				
	42"(1067mm)	14"(356mm)	UYLL-1742-NSN	1706.64	1824.85	1903.72	2011.34				
	48"(1219mm)	14"(356mm)	UYLL-1748-NSN	1813.76	1937.78	2020.53	2133.44				
	54"(1372mm)	14"(356mm)	UYLL-1754-NSN	1920.88	2050.71	2137.34	2255.54				
	60"(1524mm)	14"(356mm)	UYLL-1760-NSN	2028.00	2163.64	2254.15	2377.64				
	66"(1676mm)	14"(356mm)	UYLL-1766-NSN	2135.12	2276.57	2370.96	2499.74				
	72"(1829mm)	14"(356mm)	UYLL-1772-NSN	2242.24	2389.50	2487.77	2621.84				
	78"(1981mm)	14"(356mm)	UYLL-1778-NSN	2359.76	2512.83	2614.98	2754.34				
	84"(2134mm)	14"(356mm)	UYLL-1784-NSN	2466.88	2625.76	2731.79	2876.44				
	90"(2286mm)	14"(356mm)	UYLL-1790-NSN	2574.00	2738.69	2848.60	2998.54				
	96"(2438mm)	14"(356mm)	UYLL-1796-NSN	2681.12	2851.62	2965.41	3120.64				
Legal Depth											
16 9/16"(421mm)	30"(762mm)	16 1/2"(419mm)	UYLD-1730-NSN	\$1601.60	\$1708.19	\$1779.30	\$1876.34				
	36"(914mm)	16 1/2"(419mm)	UYLD-1736-NSN	1708.72	1821.12	1896.11	1998.44				
	42"(1067mm)	16 1/2"(419mm)	UYLD-1742-NSN	1826.24	1944.45	2023.32	2130.94				
	48"(1219mm)	16 1/2"(419mm)	UYLD-1748-NSN	1933.36	2057.38	2140.13	2253.04				
	54"(1372mm)	16 1/2"(419mm)	UYLD-1754-NSN	2040.48	2170.31	2256.94	2375.14				
	60"(1524mm)	16 1/2"(419mm)	UYLD-1760-NSN	2147.60	2283.24	2373.75	2497.24				
	66"(1676mm)	16 1/2"(419mm)	UYLD-1766-NSN	2254.72	2396.17	2490.56	2619.34				
	72"(1829mm)	16 1/2"(419mm)	UYLD-1772-NSN	2361.84	2509.10	2607.37	2741.44				
	78"(1981mm)	16 1/2"(419mm)	UYLD-1778-NSN	2479.36	2632.43	2734.58	2873.94				
	84"(2134mm)	16 1/2"(419mm)	UYLD-1784-NSN	2586.48	2745.36	2851.39	2996.04				
	90"(2286mm)	16 1/2"(419mm)	UYLD-1790-NSN	2693.60	2858.29	2968.20	3118.14				
	96"(2438mm)	16 1/2"(419mm)	UYLD-1796-NSN	2800.72	2971.22	3085.01	3240.24				

Masters Series

Overhead Storage Units with Glass Sliding Door

Height	Width	Depth	Number	Wood Group A				Wood Group B			
				Glass	A	C	D	F	Glass	A	C
Letter Depth											
16 9/16"(421mm)	30"(762mm)	14"(356mm)	UXLL-1730-NSN	\$1508.00	\$1614.59	\$1685.70	\$1782.74	\$1532.96	\$1639.55	\$1710.66	\$1807.70
	36"(914mm)	14"(356mm)	UXLL-1736-NSN	1646.32	1758.72	1833.71	1936.04	1678.46	1790.86	1865.85	1968.18
	42"(1067mm)	14"(356mm)	UXLL-1742-NSN	1795.04	1913.25	1992.12	2099.74	1834.36	1952.57	2031.44	2139.06
	48"(1219mm)	14"(356mm)	UXLL-1748-NSN	1933.36	2057.38	2140.13	2253.04	1979.86	2103.88	2186.63	2299.54
	54"(1372mm)	14"(356mm)	UXLL-1754-NSN	2071.68	2201.51	2288.14	2406.34	2125.36	2255.19	2341.82	2460.02
	60"(1524mm)	14"(356mm)	UXLL-1760-NSN	2210.00	2345.64	2436.15	2559.64	2270.86	2406.50	2497.01	2620.50
	66"(1676mm)	14"(356mm)	UXLL-1766-NSN	2348.32	2489.77	2584.16	2712.94	2416.36	2557.81	2652.20	2780.98
	72"(1829mm)	14"(356mm)	UXLL-1772-NSN	2486.64	2633.90	2732.17	2866.24	2561.86	2709.12	2807.39	2941.46
	78"(1981mm)	14"(356mm)	UXLL-1778-NSN	2635.36	2788.43	2890.58	3029.94	2717.76	2870.83	2972.98	3112.34
	84"(2134mm)	14"(356mm)	UXLL-1784-NSN	2773.68	2932.56	3038.59	3183.24	2863.26	3022.14	3128.17	3272.82
	90"(2286mm)	14"(356mm)	UXLL-1790-NSN	2912.00	3076.69	3186.60	3336.54	3008.76	3173.45	3283.36	3433.30
	96"(2438mm)	14"(356mm)	UXLL-1796-NSN	3050.32	3220.82	3334.61	3489.84	3154.26	3324.76	3438.55	3593.78
Legal Depth											
16 9/16"(421mm)	30"(762mm)	16 1/2"(419mm)	UXLD-1730-NSN	\$1648.40	\$1754.99	\$1826.10	\$1923.14	\$1681.78	\$1788.37	\$1859.48	\$1956.52
	36"(914mm)	16 1/2"(419mm)	UXLD-1736-NSN	1786.72	1899.12	1974.11	2076.44	1827.28	1939.68	2014.67	2117.00
	42"(1067mm)	16 1/2"(419mm)	UXLD-1742-NSN	1935.44	2053.65	2132.52	2240.14	1983.18	2101.39	2180.26	2287.88
	48"(1219mm)	16 1/2"(419mm)	UXLD-1748-NSN	2073.76	2197.78	2280.53	2393.44	2128.68	2252.70	2335.45	2448.36
	54"(1372mm)	16 1/2"(419mm)	UXLD-1754-NSN	2212.08	2341.91	2428.54	2546.74	2274.18	2404.01	2490.64	2608.84
	60"(1524mm)	16 1/2"(419mm)	UXLD-1760-NSN	2350.40	2486.04	2576.55	2700.04	2419.68	2555.32	2645.83	2769.32
	66"(1676mm)	16 1/2"(419mm)	UXLD-1766-NSN	2488.72	2630.17	2724.56	2853.34	2565.18	2706.63	2801.02	2929.80
	72"(1829mm)	16 1/2"(419mm)	UXLD-1772-NSN	2627.04	2774.30	2872.57	3006.64	2710.68	2857.94	2956.21	3090.28
	78"(1981mm)	16 1/2"(419mm)	UXLD-1778-NSN	2775.76	2928.83	3030.98	3170.34	2866.58	3019.65	3121.80	3261.16
	84"(2134mm)	16 1/2"(419mm)	UXLD-1784-NSN	2914.08	3072.96	3178.99	3323.64	3012.08	3170.96	3276.99	3421.64
	90"(2286mm)	16 1/2"(419mm)	UXLD-1790-NSN	3052.40	3217.09	3327.00	3476.94	3157.58	3322.27	3432.18	3582.12
	96"(2438mm)	16 1/2"(419mm)	UXLD-1796-NSN	3190.72	3361.22	3475.01	3630.24	3303.08	3473.58	3587.37	3742.60

This page intentionally blank

Masters Series


Overhead Storage Units with Glass Sliding Door

Overhead Storage Units —


One and One-Half High Glass Sliding Door




30" & 36"



42", 48", & 54"



60", 66", & 72"



78", 84", 90" & 96"

ULLL-SN
ULLD-SN
UXLL-SN
UXLD-SN
UYLL-SN
UYLD-SN

Features

- Includes storage cabinet(s) with one non-locking glass sliding door, 3.25"(83mm) cubbies, 2"(51mm) integrated light valance and 4"(102mm) French cleat with anti-dislodgement feature.
- Units 30"-72"(762mm-1829mm) wide include two equal width sections divided by one inset intermediate center support.
- Units 78"-96"(1981mm-2438mm) wide include three equal width sections divided by two inset intermediate center supports.
- Sliding door width equal to one section width (one-half or one-third of unit width).
- Locks not available.
- Glass door includes metal frame with metallic powdercoat finish on back side of door.
- Includes internally mounted sliding door track top and bottom with bumpers at each end.
- Shipped assembled.

To Order, Specify:

- Product number.
- Finish code (laminate, paint, or wood).
- Laminate edge trim color (if laminate specified).
- Glass code.
- Trim color for glass frame (required - metallic paint only).

Specification Tips

- Accommodates separately specified tackboards and lighting accessories.
- Must be properly anchored to a structural wall.
- Anchors are not provided, must be field supplied.
- Only back-painted glass available as standard; specifying alternate glass may allow for the light valance and hardware to be visible.

Masters Series

Overhead Storage Units with Glass Sliding Door

Height	Width	Depth	Number	Laminate A Glass				Laminate B Glass			
				A	C	D	F	A	C	D	F
Letter Depth											
21"(533mm)	14"(356mm)	30"(762mm)	ULLL-2130-NSN	\$1212.20	\$1339.23	\$1423.98	\$1539.62	\$1258.08	\$1385.11	\$1469.86	\$1585.50
		36"(914mm)	ULLL-2136-NSN	1332.84	1465.68	1554.31	1675.24	1387.04	1519.88	1608.51	1729.44
		42"(1067mm)	ULLL-2142-NSN	1463.88	1602.53	1695.04	1821.26	1526.40	1665.05	1757.56	1883.78
		48"(1219mm)	ULLL-2148-NSN	1584.52	1728.98	1825.37	1956.88	1655.36	1799.82	1896.21	2027.72
		54"(1372mm)	ULLL-2154-NSN	1705.16	1855.43	1955.70	2092.50	1784.32	1934.59	2034.86	2171.66
		60"(1524mm)	ULLL-2160-NSN	1825.80	1981.88	2086.03	2228.12	1913.28	2069.36	2173.51	2315.60
		66"(1676mm)	ULLL-2166-NSN	1946.44	2108.33	2216.36	2363.74	2042.24	2204.13	2312.16	2459.54
		72"(1829mm)	ULLL-2172-NSN	2067.08	2234.78	2346.69	2499.36	2171.20	2338.90	2450.81	2603.48
		78"(1981mm)	ULLL-2178-NSN	2198.12	2371.63	2487.42	2645.38	2310.56	2484.07	2599.86	2757.82
		84"(2134mm)	ULLL-2184-NSN	2318.76	2498.08	2617.75	2781.00	2439.52	2618.84	2738.51	2901.76
		90"(2286mm)	ULLL-2190-NSN	2439.40	2624.53	2748.08	2916.62	2568.48	2753.61	2877.16	3045.70
		96"(2438mm)	ULLL-2196-NSN	2560.04	2750.98	2878.41	3052.24	2697.44	2888.38	3015.81	3189.64
Legal Depth											
21"(533mm)	16 1/2"(419mm)	30"(762mm)	ULLD-2130-NSN	\$1316.20	\$1443.23	\$1527.98	\$1643.62	\$1370.40	\$1497.43	\$1582.18	\$1697.82
		36"(914mm)	ULLD-2136-NSN	1436.84	1569.68	1658.31	1779.24	1499.36	1632.20	1720.83	1841.76
		42"(1067mm)	ULLD-2142-NSN	1567.88	1706.53	1799.04	1925.26	1638.72	1777.37	1869.88	1996.10
		48"(1219mm)	ULLD-2148-NSN	1688.52	1832.98	1929.37	2060.88	1767.68	1912.14	2008.53	2140.04
		54"(1372mm)	ULLD-2154-NSN	1809.16	1959.43	2059.70	2196.50	1896.64	2046.91	2147.18	2283.98
		60"(1524mm)	ULLD-2160-NSN	1929.80	2085.88	2190.03	2332.12	2025.60	2181.68	2285.83	2427.92
		66"(1676mm)	ULLD-2166-NSN	2050.44	2212.33	2320.36	2467.74	2154.56	2316.45	2424.48	2571.86
		72"(1829mm)	ULLD-2172-NSN	2171.08	2338.78	2450.69	2603.36	2283.52	2451.22	2563.13	2715.80
		78"(1981mm)	ULLD-2178-NSN	2302.12	2475.63	2591.42	2749.38	2422.88	2596.39	2712.18	2870.14
		84"(2134mm)	ULLD-2184-NSN	2422.76	2602.08	2721.75	2885.00	2551.84	2731.16	2850.83	3014.08
		90"(2286mm)	ULLD-2190-NSN	2543.40	2728.53	2852.08	3020.62	2680.80	2865.93	2989.48	3158.02
		96"(2438mm)	ULLD-2196-NSN	2664.04	2854.98	2982.41	3156.24	2809.76	3000.70	3128.13	3301.96

Height	Width	Depth	Number	Paint A Glass			
				A	C	D	F
Letter Depth							
21"(533mm)	14"(356mm)	30"(762mm)	UYLL-2130-NSN	\$1620.36	\$1747.39	\$1832.14	\$1947.78
		36"(914mm)	UYLL-2136-NSN	1759.72	1892.56	1981.19	2102.12
		42"(1067mm)	UYLL-2142-NSN	1909.48	2048.13	2140.64	2266.86
		48"(1219mm)	UYLL-2148-NSN	2048.84	2193.30	2289.69	2421.20
		54"(1372mm)	UYLL-2154-NSN	2188.20	2338.47	2438.74	2575.54
		60"(1524mm)	UYLL-2160-NSN	2327.56	2483.64	2587.79	2729.88
		66"(1676mm)	UYLL-2166-NSN	2466.92	2628.81	2736.84	2884.22
		72"(1829mm)	UYLL-2172-NSN	2606.28	2773.98	2885.89	3038.56
		78"(1981mm)	UYLL-2178-NSN	2756.04	2929.55	3045.34	3203.30
		84"(2134mm)	UYLL-2184-NSN	2895.40	3074.72	3194.39	3357.64
		90"(2286mm)	UYLL-2190-NSN	3034.76	3219.89	3343.44	3511.98
		96"(2438mm)	UYLL-2196-NSN	3174.12	3365.06	3492.49	3666.32
Legal Depth							
21"(533mm)	16 1/2"(419mm)	30"(762mm)	UYLD-2130-NSN	\$1739.96	\$1866.99	\$1951.74	\$2067.38
		36"(914mm)	UYLD-2136-NSN	1879.32	2012.16	2100.79	2221.72
		42"(1067mm)	UYLD-2142-NSN	2029.08	2167.73	2260.24	2386.46
		48"(1219mm)	UYLD-2148-NSN	2168.44	2312.90	2409.29	2540.80
		54"(1372mm)	UYLD-2154-NSN	2307.80	2458.07	2558.34	2695.14
		60"(1524mm)	UYLD-2160-NSN	2447.16	2603.24	2707.39	2849.48
		66"(1676mm)	UYLD-2166-NSN	2586.52	2748.41	2856.44	3003.82
		72"(1829mm)	UYLD-2172-NSN	2725.88	2893.58	3005.49	3158.16
		78"(1981mm)	UYLD-2178-NSN	2875.64	3049.15	3164.94	3322.90
		84"(2134mm)	UYLD-2184-NSN	3015.00	3194.32	3313.99	3477.24
		90"(2286mm)	UYLD-2190-NSN	3154.36	3339.49	3463.04	3631.58
		96"(2438mm)	UYLD-2196-NSN	3293.72	3484.66	3612.09	3785.92

Masters Series

Overhead Storage Units with Glass Sliding Door

Height	Width	Depth	Number	Wood Group A				Wood Group B			
				Glass	A	C	D	F	Glass	A	C
Letter Depth											
21"(533mm)	14"(356mm)	30"(762mm)	UXLL-2130-NSN	\$1656.20	\$1783.23	\$1867.98	\$1983.62	\$1686.12	\$1813.15	\$1897.90	\$2013.54
		36"(914mm)	UXLL-2136-NSN	1830.92	1963.76	2052.39	2173.32	1870.20	2003.04	2091.67	2212.60
		42"(1067mm)	UXLL-2142-NSN	2016.04	2154.69	2247.20	2373.42	2064.68	2203.33	2295.84	2422.06
		48"(1219mm)	UXLL-2148-NSN	2190.76	2335.22	2431.61	2563.12	2248.76	2393.22	2489.61	2621.12
		54"(1372mm)	UXLL-2154-NSN	2365.48	2515.75	2616.02	2752.82	2432.84	2583.11	2683.38	2820.18
		60"(1524mm)	UXLL-2160-NSN	2540.20	2696.28	2800.43	2942.52	2616.92	2773.00	2877.15	3019.24
		66"(1676mm)	UXLL-2166-NSN	2714.92	2876.81	2984.84	3132.22	2801.00	2962.89	3070.92	3218.30
		72"(1829mm)	UXLL-2172-NSN	2889.64	3057.34	3169.25	3321.92	2985.08	3152.78	3264.69	3417.36
		78"(1981mm)	UXLL-2178-NSN	3074.76	3248.27	3364.06	3522.02	3179.56	3353.07	3468.86	3626.82
		84"(2134mm)	UXLL-2184-NSN	3249.48	3428.80	3548.47	3711.72	3363.64	3542.96	3662.63	3825.88
		90"(2286mm)	UXLL-2190-NSN	3424.20	3609.33	3732.88	3901.42	3547.72	3732.85	3856.40	4024.94
		96"(2438mm)	UXLL-2196-NSN	3598.92	3789.86	3917.29	4091.12	3731.80	3922.74	4050.17	4224.00
Legal Depth											
21"(533mm)	16 1/2"(419mm)	30"(762mm)	UXLD-2130-NSN	\$1796.60	\$1923.63	\$2008.38	\$2124.02	\$1834.94	\$1961.97	\$2046.72	\$2162.36
		36"(914mm)	UXLD-2136-NSN	1971.32	2104.16	2192.79	2313.72	2019.02	2151.86	2240.49	2361.42
		42"(1067mm)	UXLD-2142-NSN	2156.44	2295.09	2387.60	2513.82	2213.50	2352.15	2444.66	2570.88
		48"(1219mm)	UXLD-2148-NSN	2331.16	2475.62	2572.01	2703.52	2397.58	2542.04	2638.43	2769.94
		54"(1372mm)	UXLD-2154-NSN	2505.88	2656.15	2756.42	2893.22	2581.66	2731.93	2832.20	2969.00
		60"(1524mm)	UXLD-2160-NSN	2680.60	2836.68	2940.83	3082.92	2765.74	2921.82	3025.97	3168.06
		66"(1676mm)	UXLD-2166-NSN	2855.32	3017.21	3125.24	3272.62	2949.82	3111.71	3219.74	3367.12
		72"(1829mm)	UXLD-2172-NSN	3030.04	3197.74	3309.65	3462.32	3133.90	3301.60	3413.51	3566.18
		78"(1981mm)	UXLD-2178-NSN	3215.16	3388.67	3504.46	3662.42	3328.38	3501.89	3617.68	3775.64
		84"(2134mm)	UXLD-2184-NSN	3389.88	3569.20	3688.87	3852.12	3512.46	3691.78	3811.45	3974.70
		90"(2286mm)	UXLD-2190-NSN	3564.60	3749.73	3873.28	4041.82	3696.54	3881.67	4005.22	4173.76
		96"(2438mm)	UXLD-2196-NSN	3739.32	3930.26	4057.69	4231.52	3880.62	4071.56	4198.99	4372.82


This page intentionally blank

Masters Series


Overhead Storage Units with Glass Sliding Door

Overhead Storage Units —


Two-High with Glass Sliding Door




30" and 36" widths



42", 48" and 54" widths



60", 66" and 72" widths



78", 84", 90" and 96" widths

ULLL-SN
ULLD-SN
UXLL-SN
UXLD-SN
UYLL-SN
UYLD-SN

Features

- Includes storage cabinet(s) with one glass sliding door, 2"(51mm) integrated light valance, one adjustable shelf and 4"(102mm) French cleat with anti-dislodgement feature.
- Units 30"-72"(762mm-1829mm) wide include two equal width sections divided by one inset intermediate center support.
- Units 78"-96"(1981mm-2438mm) wide include three equal width sections divided by two inset intermediate center supports.
- Sliding door width equal to one section width (one-half or one-third of unit width).
- One interior 3/4"(19mm) thick wood shelf with $\pm 1 \frac{1}{4}''$ (32mm) adjustment range.
- Locks not available.
- Glass door includes metal frame with metallic powdercoat finish on back side of door.
- Includes internally mounted sliding door track top and bottom with bumpers at each end.
- Shipped assembled.

To Order, Specify:

- Product number.
- Finish code (laminate, paint, or wood).
- Laminate edge trim color (if laminate specified).
- Glass code.
- Trim color for glass frame (required - metallic paint only).

Specification Tips

- Accommodates separately specified tackboards and lighting accessories.
- Must be properly anchored to a structural wall.
- Anchors are not provided, must be field supplied.
- Only back-painted glass available as standard; specifying alternate glass may allow for the light valance and hardware to be visible.

Masters Series

Overhead Storage Units with Glass Sliding Door

Height	Width	Depth	Number	Laminate A Glass				Laminate B Glass			
				A	C	D	F	A	C	D	F
Letter Depth											
29 1/8"(740mm)	30"(762mm)	14"(356mm)	ULLL-2930-NSN	\$1452.60	\$1620.51	\$1732.54	\$1885.38	\$1507.04	\$1674.95	\$1786.98	\$1939.82
36"(914mm)	14"(356mm)	ULLL-2936-NSN	1573.24	1746.96	1862.87	2021.00	1636.00	1809.72	1925.63	2083.76	
42"(1067mm)	14"(356mm)	ULLL-2942-NSN	1704.28	1883.81	2003.60	2167.02	1704.28	1954.89	2074.68	2238.10	
48"(1219mm)	14"(356mm)	ULLL-2948-NSN	1824.92	2010.26	2133.93	2302.64	1824.92	2089.66	2213.33	2382.04	
54"(1372mm)	14"(356mm)	ULLL-2954-NSN	1945.56	2136.71	2264.26	2438.26	1945.56	2224.43	2351.98	2525.98	
60"(1524mm)	14"(356mm)	ULLL-2960-NSN	2066.20	2263.16	2394.59	2573.88	2066.20	2359.20	2490.63	2669.92	
66"(1676mm)	14"(356mm)	ULLL-2966-NSN	2186.84	2389.61	2524.92	2709.50	2186.84	2493.97	2629.28	2813.86	
72"(1829mm)	14"(356mm)	ULLL-2972-NSN	2307.48	2516.06	2655.25	2845.12	2307.48	2628.74	2767.93	2957.80	
78"(1981mm)	14"(356mm)	ULLL-2978-NSN	2438.52	2652.91	2795.98	2991.14	2438.52	2773.91	2916.98	3112.14	
84"(2134mm)	14"(356mm)	ULLL-2984-NSN	2559.16	2779.36	2926.31	3126.76	2559.16	2908.68	3055.63	3256.08	
90"(2286mm)	14"(356mm)	ULLL-2990-NSN	2679.80	2905.81	3056.64	3262.38	2679.80	3043.45	3194.28	3400.02	
96"(2438mm)	14"(356mm)	ULLL-2996-NSN	2800.44	3032.26	3186.97	3398.00	2946.40	3178.22	3332.93	3543.96	
Legal Depth											
29 1/8"(740mm)	30"(762mm)	16 1/2"(419mm)	ULLD-2930-NSN	\$1556.60	\$1724.51	\$1836.54	\$1989.38	\$1619.36	\$1787.27	\$1899.30	\$2052.14
36"(914mm)	16 1/2"(419mm)	ULLD-2936-NSN	1677.24	1850.96	1966.87	2125.00	1748.32	1922.04	2037.95	2196.08	
42"(1067mm)	16 1/2"(419mm)	ULLD-2942-NSN	1808.28	1987.81	2107.60	2350.42	1887.68	2067.21	2187.00	2187.00	
48"(1219mm)	16 1/2"(419mm)	ULLD-2948-NSN	1928.92	2114.26	2237.93	2494.36	2016.64	2201.98	2325.65	2325.65	
54"(1372mm)	16 1/2"(419mm)	ULLD-2954-NSN	2049.56	2240.71	2368.26	2638.30	2145.60	2336.75	2464.30	2464.30	
60"(1524mm)	16 1/2"(419mm)	ULLD-2960-NSN	2170.20	2367.16	2498.59	2782.24	2274.56	2471.52	2602.95	2602.95	
66"(1676mm)	16 1/2"(419mm)	ULLD-2966-NSN	2290.84	2493.61	2628.92	2926.18	2403.52	2606.29	2741.60	2741.60	
72"(1829mm)	16 1/2"(419mm)	ULLD-2972-NSN	2411.48	2620.06	2759.25	3070.12	2532.48	2741.06	2880.25	2880.25	
78"(1981mm)	16 1/2"(419mm)	ULLD-2978-NSN	2542.52	2756.91	2899.98	3224.46	2671.84	2886.23	3029.30	3029.30	
84"(2134mm)	16 1/2"(419mm)	ULLD-2984-NSN	2663.16	2883.36	3030.31	3368.40	2800.80	3021.00	3167.95	3167.95	
90"(2286mm)	16 1/2"(419mm)	ULLD-2990-NSN	2783.80	3009.81	3160.64	3512.34	2929.76	3155.77	3306.60	3306.60	
96"(2438mm)	16 1/2"(419mm)	ULLD-2996-NSN	2904.44	3136.26	3290.97	3656.28	3058.72	3290.54	3445.25	3445.25	
Paint A Glass											
Height	Width	Depth	Number	A	C	D	F				
Letter Depth											
29 1/8"(740mm)	30"(762mm)	14"(356mm)	UYLL-2930-NSN	\$1897.08	\$2064.99	\$2177.02	\$2329.86				
36"(914mm)	14"(356mm)	UYLL-2936-NSN	2036.44	2210.16	2326.07	2484.20					
42"(1067mm)	14"(356mm)	UYLL-2942-NSN	2186.20	2365.73	2485.52	2648.94					
48"(1219mm)	14"(356mm)	UYLL-2948-NSN	2325.56	2510.90	2634.57	2803.28					
54"(1372mm)	14"(356mm)	UYLL-2954-NSN	2464.92	2656.07	2783.62	2957.62					
60"(1524mm)	14"(356mm)	UYLL-2960-NSN	2604.28	2801.24	2932.67	3111.96					
66"(1676mm)	14"(356mm)	UYLL-2966-NSN	2743.64	2946.41	3081.72	3266.30					
72"(1829mm)	14"(356mm)	UYLL-2972-NSN	2883.00	3091.58	3230.77	3420.64					
78"(1981mm)	14"(356mm)	UYLL-2978-NSN	3032.76	3247.15	3390.22	3585.38					
84"(2134mm)	14"(356mm)	UYLL-2984-NSN	3172.12	3392.32	3539.27	3739.72					
90"(2286mm)	14"(356mm)	UYLL-2990-NSN	3311.48	3537.49	3688.32	3894.06					
96"(2438mm)	14"(356mm)	UYLL-2996-NSN	3450.84	3682.66	3837.37	4048.40					
Legal Depth											
29 1/8"(740mm)	30"(762mm)	16 1/2"(419mm)	UYLD-2930-NSN	\$2016.68	\$2184.59	\$2296.62	\$2449.46				
36"(914mm)	16 1/2"(419mm)	UYLD-2936-NSN	2156.04	2329.76	2445.67	2603.80					
42"(1067mm)	16 1/2"(419mm)	UYLD-2942-NSN	2305.80	2485.33	2605.12	2768.54					
48"(1219mm)	16 1/2"(419mm)	UYLD-2948-NSN	2445.16	2630.50	2754.17	2922.88					
54"(1372mm)	16 1/2"(419mm)	UYLD-2954-NSN	2584.52	2775.67	2903.22	3077.22					
60"(1524mm)	16 1/2"(419mm)	UYLD-2960-NSN	2723.88	2920.84	3052.27	3231.56					
66"(1676mm)	16 1/2"(419mm)	UYLD-2966-NSN	2863.24	3066.01	3201.32	3385.90					
72"(1829mm)	16 1/2"(419mm)	UYLD-2972-NSN	3002.60	3211.18	3350.37	3540.24					
78"(1981mm)	16 1/2"(419mm)	UYLD-2978-NSN	3152.36	3366.75	3509.82	3704.98					
84"(2134mm)	16 1/2"(419mm)	UYLD-2984-NSN	3291.72	3511.92	3658.87	3859.32					
90"(2286mm)	16 1/2"(419mm)	UYLD-2990-NSN	3431.08	3657.09	3807.92	4013.66					
96"(2438mm)	16 1/2"(419mm)	UYLD-2996-NSN	3570.44	3802.26	3956.97	4168.00					

Masters Series



Overhead Storage Units with Glass Sliding Door

Height	Width	Depth	Number	Wood Group A				Wood Group B			
				Glass	A	C	D	F	Glass	A	C
Letter Depth											
29 1/8"(740mm)	30"(762mm)	14"(356mm)	UXLL-2930-NSN	\$1952.60	\$2120.51	\$2232.54	\$2385.38	\$1992.44	\$2160.35	\$2272.38	\$2425.22
	36"(914mm)	14"(356mm)	UXLL-2936-NSN	2127.32	2301.04	2416.95	2575.08	2176.52	2350.24	2466.15	2624.28
	42"(1067mm)	14"(356mm)	UXLL-2942-NSN	2312.44	2491.97	2611.76	2775.18	2371.00	2550.53	2670.32	2833.74
	48"(1219mm)	14"(356mm)	UXLL-2948-NSN	2487.16	2672.50	2796.17	2964.88	2555.08	2740.42	2864.09	3032.80
	54"(1372mm)	14"(356mm)	UXLL-2954-NSN	2661.88	2853.03	2980.58	3154.58	2739.16	2930.31	3057.86	3231.86
	60"(1524mm)	14"(356mm)	UXLL-2960-NSN	2836.60	3033.56	3164.99	3344.28	2923.24	3120.20	3251.63	3430.92
	66"(1676mm)	14"(356mm)	UXLL-2966-NSN	3011.32	3214.09	3349.40	3533.98	3107.32	3310.09	3445.40	3629.98
	72"(1829mm)	14"(356mm)	UXLL-2972-NSN	3186.04	3394.62	3533.81	3723.68	3291.40	3499.98	3639.17	3829.04
	78"(1981mm)	14"(356mm)	UXLL-2978-NSN	3371.16	3585.55	3728.62	3923.78	3485.88	3700.27	3843.34	4038.50
	84"(2134mm)	14"(356mm)	UXLL-2984-NSN	3545.88	3766.08	3913.03	4113.48	3669.96	3890.16	4037.11	4237.56
	90"(2286mm)	14"(356mm)	UXLL-2990-NSN	3720.60	3946.61	4097.44	4303.18	3854.04	4080.05	4230.88	4436.62
	96"(2438mm)	14"(356mm)	UXLL-2996-NSN	3895.32	4127.14	4281.85	4492.88	4038.12	4269.94	4424.65	4635.68
Legal Depth											
29 1/8"(740mm)	30"(762mm)	16 1/2"(419mm)	UXLD-2930-NSN	\$2093.00	\$2260.91	\$2372.94	\$2525.78	\$2141.26	\$2309.17	\$2421.20	\$2574.04
	36"(914mm)	16 1/2"(419mm)	UXLD-2936-NSN	2267.72	2441.44	2557.35	2715.48	2325.34	2499.06	2614.97	2773.10
	42"(1067mm)	16 1/2"(419mm)	UXLD-2942-NSN	2452.84	2632.37	2752.16	2915.58	2519.82	2699.35	2819.14	2982.56
	48"(1219mm)	16 1/2"(419mm)	UXLD-2948-NSN	2627.56	2812.90	2936.57	3105.28	2703.90	2889.24	3012.91	3181.62
	54"(1372mm)	16 1/2"(419mm)	UXLD-2954-NSN	2802.28	2993.43	3120.98	3294.98	2887.98	3079.13	3206.68	3380.68
	60"(1524mm)	16 1/2"(419mm)	UXLD-2960-NSN	2977.00	3173.96	3305.39	3484.68	3072.06	3269.02	3400.45	3579.74
	66"(1676mm)	16 1/2"(419mm)	UXLD-2966-NSN	3151.72	3354.49	3489.80	3674.38	3256.14	3458.91	3594.22	3778.80
	72"(1829mm)	16 1/2"(419mm)	UXLD-2972-NSN	3326.44	3535.02	3674.21	3864.08	3440.22	3648.80	3787.99	3977.86
	78"(1981mm)	16 1/2"(419mm)	UXLD-2978-NSN	3511.56	3725.95	3869.02	4064.18	3634.70	3849.09	3992.16	4187.32
	84"(2134mm)	16 1/2"(419mm)	UXLD-2984-NSN	3686.28	3906.48	4053.43	4253.88	3818.78	4038.98	4185.93	4386.38
	90"(2286mm)	16 1/2"(419mm)	UXLD-2990-NSN	3861.00	4087.01	4237.84	4443.58	4002.86	4228.87	4379.70	4585.44
	96"(2438mm)	16 1/2"(419mm)	UXLD-2996-NSN	4035.72	4267.54	4422.25	4633.28	4186.94	4418.76	4573.47	4784.50

Masters Series

Tackboards for Overhead Storage Units — One-High and Two-High

	Height	Width	Number	Fabric Grade			
				A	B	C	
Tackboards — Wall Mount Overhead Storage Units — Fabric	22"(559mm)	30"(762mm)	MTWD-2230	■	\$221.95	\$253.39	\$295.54
	36"(914mm)	MTWD-2236	■	237.61	271.09	316.72	
	42"(1067mm)	MTWD-2242	■	253.27	288.79	337.90	
	48"(1219mm)	MTWD-2248	■	268.93	306.49	359.08	
	54"(1372mm)	MTWD-2254	■	284.59	324.19	380.26	
	60"(1524mm)	MTWD-2260	■	300.25	341.89	401.44	
	66"(1676mm)	MTWD-2266	■	379.11	468.12	532.05	
	72"(1829mm)	MTWD-2272	■	404.67	500.40	568.65	
	78"(1981mm)	MTWD-2278	■	430.23	532.68	605.25	
	84"(2134mm)	MTWD-2284	■	455.79	564.96	641.85	
	90"(2286mm)	MTWD-2290	■	481.35	597.24	678.45	
	96"(2438mm)	MTWD-2296	■	506.91	629.52	715.05	

MTWD
30"-60" wideMTWD
66"-96" wide**Feature**



- Tackboards over 60"(1524mm) wide include two fabric sections.
- Available on RUSH.

To Order, Specify:

- 1) Product number.
- 2) Fabric code.

Specification Tips

- Designed to mount on wall below equal width overhead storage unit.
- Not for use with overhead storage units with cubbies.

**Tackboards — Wall Mount
Overhead Storage Units —
Fabric and Slat Rail**MTSW
30"-60" wideMTSW
66"-96" wide**Features**

- Includes fabric covered tackboard(s) with slat rail.
- Tackboards over 60"(1524mm) wide include two fabric sections. Optional slat rail is one full-width section.

To Order, Specify:

- 1) Product number.
- 2) Fabric code.
- 3) Trim code for slat rail.


Specification Tips

- Designed to mount on wall below equal width overhead storage unit.
- Slat rail accommodates separately specified Jump Stuff slat rail tools.
- Not for use with overhead storage units with cubbies.


Masters Series

Tackboards for Overhead Storage Units — One and One-Half High

	Height	Width	Number	Fabric Grade		
				A	B	C
Fabric Tackboards	18"(457mm)	30"(762mm)	MTWD-1830	■	\$191.95	\$219.23
	36"(914mm)	MTWD-1836	■	207.13	236.45	275.92
	42"(1067mm)	MTWD-1842	■	222.31	253.67	296.38
	48"(1219mm)	MTWD-1848	■	237.49	270.89	316.84
	54"(1372mm)	MTWD-1854	■	252.67	288.11	337.30
	60"(1524mm)	MTWD-1860	■	267.85	305.33	357.76
	66"(1676mm)	MTWD-1866	■	283.03	322.55	378.22
	72"(1829mm)	MTWD-1872	■	298.21	339.77	398.68
	78"(1981mm)	MTWD-1878	■	389.99	479.40	545.33
	84"(2134mm)	MTWD-1884	■	412.67	507.84	577.61
	90"(2286mm)	MTWD-1890	■	435.35	536.28	609.89
	96"(2438mm)	MTWD-1896	■	458.03	564.72	642.17



MTWD
30"-60" wide



MTWD
66"-96" wide

Features

- Includes fabric covered tackboard with attachment hardware.
- Tackboards over 60"(1524mm) wide include two fabric sections.
- Available on RUSH.


To Order, Specify:

- Product number.
- Fabric code.


Specification Tip

- Designed to mount on wall below equal width overhead storage unit.

Fabric and Slat Rail



MTSW
30"-60" wide



MTSW
66"-96" wide

Features

- Includes fabric covered tackboard(s) with slat rail and attachment hardware.
- Tackboards over 60"(1524mm) wide include two fabric sections. Optional slat rail is one full-width section.

To Order, Specify:

- Product number.
- Fabric code.
- Trim code for slat rail.



Specification Tips

- Designed to mount on wall below equal width overhead storage unit.
- Slat rail accommodates separately specified Jump Stuff slat rail tools.

Masters Series

Stack-On Bookcases

Height	Width	Depth	Number	Laminate A	B	Paint A	Wood Group A	Group B
Laminate — Letter Depth								
39 7/8"(1013mm)	30"(762mm)	14"(356mm)	X5KL-4030-NNSN	■	\$1312.84	\$1400.57		
	36"(914mm)	14"(356mm)	X5KL-4036-NNSN	■	1362.49	1451.43		
52 1/2"(1334mm)	30"(762mm)	14"(356mm)	X5KL-5230-NNSN	■	\$1793.85	\$1882.44		
	36"(914mm)	14"(356mm)	X5KL-5236-NNSN	■	1858.94	1948.74		
Laminate — Legal Depth								
39 7/8 "(1013mm)	30"(762mm)	16 1/2"(419mm)	X5KD-4030-NNSN	■	\$1345.93	\$1433.66		
	36"(914mm)	16 1/2"(419mm)	X5KD-4036-NNSN	■	1395.58	1484.52		
52 1/2"(1334mm)	30"(762mm)	16 1/2"(419mm)	X5KD-5230-NNSN	■	\$1837.97	\$1926.56		
	36"(914mm)	16 1/2"(419mm)	X5KD-5236-NNSN	■	1903.06	1992.86		
Paint — Letter Depth								
39 7/8"(1013mm)	30"(762mm)	14"(356mm)	X3KL-4030-NNSN				\$1659.25	
	36"(914mm)	14"(356mm)	X3KL-4036-NNSN				1708.90	
52 1/2"(1334mm)	30"(762mm)	14"(356mm)	X3KL-5230-NNSN				\$2140.26	
	36"(914mm)	14"(356mm)	X3KL-5236-NNSN				2205.35	
Paint — Legal Depth								
39 7/8 "(1013mm)	30"(762mm)	16 1/2"(419mm)	X3KD-4030-NNSN				\$1692.34	
	36"(914mm)	16 1/2"(419mm)	X3KD-4036-NNSN				1741.99	
52 1/2"(1334mm)	30"(762mm)	16 1/2"(419mm)	X3KD-5230-NNSN				\$2184.38	
	36"(914mm)	16 1/2"(419mm)	X3KD-5236-NNSN				2249.47	
Wood — Letter Depth								
39 7/8"(1013mm)	30"(762mm)	14"(356mm)	X4KL-4030-NNSN	■			\$1875.49	\$1950.51
	36"(914mm)	14"(356mm)	X4KL-4036-NNSN	■			1925.14	2005.67
52 1/2"(1334mm)	30"(762mm)	14"(356mm)	X4KL-5230-NNSN	■			\$2443.65	\$2541.84
	36"(914mm)	14"(356mm)	X4KL-5236-NNSN	■			2508.74	2612.44
Wood — Legal Depth								
39 7/8 "(1013mm)	30"(762mm)	16 1/2"(419mm)	X4KD-4030-NNSN	■			\$1908.58	\$1983.60
	36"(914mm)	16 1/2"(419mm)	X4KD-4036-NNSN	■			1958.23	2038.76
52 1/2"(1334mm)	30"(762mm)	16 1/2"(419mm)	X4KD-5230-NNSN	■			\$2487.77	\$2585.96
	36"(914mm)	16 1/2"(419mm)	X4KD-5236-NNSN	■			2552.86	2656.56

Stack-On Bookcase

X3KL-SN
X3KD-SN
X4KL-SN
X4KD-SN
X5KL-SN
X5KD-SN

Features

- Includes unfinished back, one fixed shelf, attachment material and one adjustable shelf for three-high or two adjustable shelves for four-high unit.
- Adjustable 3/4"(19mm) thick shelf has $\pm 1 \frac{1}{4}$ "(32mm) adjustment range.
- Bottom shelf is fixed.
- Shipped assembled.
- Available on RUSH.

To Order, Specify:

- 1) Product number.
- 2) Finish Code (Laminate, Paint or Wood).
- 3) Laminate edge trim color (if laminate specified).

Specification Tips



- 39 7/8"(1013mm) high aligns with five-high storage units.
- 52 1/2"(1334mm) high aligns with six-high storage units.
- See Stack-on Application Rules in Specification Guide.
- Not designed for application where back of unit is visible.

Masters Series

Stack-On Storage Cabinets with Hinged Doors

Height	Width	Depth	Number	①②	Laminate	Paint A	Wood Group A	Group B
Laminate — Letter Depth								
39 7/8"(1013mm)	30"(762mm)	14"(356mm)	X5CL-4030-	SL	\$1739.67	\$1853.24		
	36"(914mm)	14"(356mm)	X5CL-4036-	SL	1803.11	1916.68		
52 1/2"(1334mm)	30"(762mm)	14"(356mm)	X5CL-5230-	SL	\$2373.48	\$2487.05		
	36"(914mm)	14"(356mm)	X5CL-5236-	SL	2436.92	2550.49		
Laminate — Legal Depth								
39 7/8"(1013mm)	30"(762mm)	16 1/2"(419mm)	X5CD-4030-	SL	\$1794.83	\$1908.40		
	36"(914mm)	16 1/2"(419mm)	X5CD-4036-	SL	1858.27	1971.84		
52 1/2"(1334mm)	30"(762mm)	16 1/2"(419mm)	X5CD-5230-	SL	\$2428.64	\$2542.21		
	36"(914mm)	16 1/2"(419mm)	X5CD-5236-	SL	2492.08	2605.65		
Paint — Letter Depth								
39 7/8"(1013mm)	30"(762mm)	14"(356mm)	X3CL-4030-	SP		\$2174.47		
	36"(914mm)	14"(356mm)	X3CL-4036-	SP		2237.91		
52 1/2"(1334mm)	30"(762mm)	14"(356mm)	X3CL-5230-	SP		\$2808.28		
	36"(914mm)	14"(356mm)	X3CL-5236-	SP		2871.72		
Paint — Legal Depth								
39 7/8"(1013mm)	30"(762mm)	16 1/2"(419mm)	X3CD-4030-	SP		\$2229.63		
	36"(914mm)	16 1/2"(419mm)	X3CD-4036-	SP		2293.07		
52 1/2"(1334mm)	30"(762mm)	16 1/2"(419mm)	X3CD-5230-	SP		\$2863.44		
	36"(914mm)	16 1/2"(419mm)	X3CD-5236-	SP		2926.88		
Wood — Letter Depth								
39 7/8"(1013mm)	30"(762mm)	14"(356mm)	X4CL-4030-	SW		\$2509.30	\$2611.90	
	36"(914mm)	14"(356mm)	X4CL-4036-	SW		2572.74	2677.54	
52 1/2"(1334mm)	30"(762mm)	14"(356mm)	X4CL-5230-	SW		\$3143.11	\$3269.98	
	36"(914mm)	14"(356mm)	X4CL-5236-	SW		3206.55	3335.62	
Wood — Legal Depth								
39 7/8"(1013mm)	30"(762mm)	16 1/2"(419mm)	X4CD-4030-	SW		\$2564.46	\$2667.06	
	36"(914mm)	16 1/2"(419mm)	X4CD-4036-	SW		2627.90	2732.70	
52 1/2"(1334mm)	30"(762mm)	16 1/2"(419mm)	X4CD-5230-	SW		\$3198.27	\$3325.14	
	36"(914mm)	16 1/2"(419mm)	X4CD-5236-	SW		3261.71	3390.78	

Stack-On Storage Cabinet with Hinged Doors



X3CL-SW
X3CD-SW
X4CL-SW
X4CD-SW
X5CL-SW
X5CD-SW

Features

- Includes unfinished back, hinged doors with concealed hinges, attachment material, two adjustable shelves for three-high or three adjustable shelves for four-high unit.
- Adjustable 3/4"(19mm) thick shelf has $\pm 1 \frac{1}{4}$ "(32mm) adjustment range.
- Door pull options:
 - Finger pull option indicates door with touch latch.
 - Bar pulls available in powdercoat finish.
 - Linear and Classic pulls are available in satin nickel finish only.
 - Optional lock available; lock plug available in black or chrome.
 - For lock options, refer to Lock Program Price List.
 - Shipped assembled.
- Available on RUSH.

Specification Tips

- 39 7/8"(1013mm) high aligns with five-high storage units.
- 52 1/2"(1334mm) high aligns with six-high storage units.
- See Stack-on Application Rules in Specification Guide.
- Not designed for application where back of unit is visible.

To Order, Specify:

- 1) Product number, including:

① Pull Option:

- | | |
|---|----------------------------------|
| F | Finger (Touch latch) (Wood only) |
| B | Bar |
| 8 | Linear |
| 9 | Classic |

② Lock Option:

- | | |
|---|-------------------------|
| N | No Lock |
| L | Lock, add \$118.05 list |


- 2) Finish code (laminate, paint, or wood).

- 3) Laminate edge trim color (if laminate specified).

- 4) Trim color for bar pull (if specified).

- 5) Trim color for lock (if specified).

① Pull Styles





Masters Series

Stack-On Storage Cabinets with Glass Doors

Height	Width	Depth	Number	Laminate A				Laminate B				
				Glass	A	C	D	F	Glass	A	C	D
Letter Depth												
39 7/8"(1013mm)	30"(762mm)	14"(356mm)	X5JL-4030-NNST	\$1819.45	\$2385.41	\$2542.06	\$2855.38	\$1964.90	\$2530.86	\$2687.51	\$3000.83	
	36"(914mm)	14"(356mm)	X5JL-4036-NNST	1874.61	2440.57	2597.22	2910.54	2021.79	2587.75	2744.40	3057.72	
52 1/2"(1334mm)	30"(762mm)	14"(356mm)	X5JL-5230-NNST	\$2456.01	\$3021.97	\$3178.62	\$3491.94	\$2602.67	\$3168.63	\$3325.28	\$3638.60	
	36"(914mm)	14"(356mm)	X5JL-5236-NNST	2533.24	3099.20	3255.85	3569.17	2681.63	3247.59	3404.24	3717.56	
Legal Depth												
39 7/8"(1013mm)	30"(762mm)	16 1/2"(419mm)	X5JD-4030-NNST	\$1865.78	\$2431.74	\$2588.39	\$2901.71	\$2011.23	\$2577.19	\$2733.84	\$3047.16	
	36"(914mm)	16 1/2"(419mm)	X5JD-4036-NNST	1920.94	2486.90	2643.55	2956.87	2068.12	2634.08	2790.73	3104.05	
52 1/2"(1334mm)	30"(762mm)	16 1/2"(419mm)	X5JD-5230-NNST	\$2515.58	\$3081.54	\$3238.19	\$3551.51	\$2662.24	\$3228.20	\$3384.85	\$3698.17	
	36"(914mm)	16 1/2"(419mm)	X5JD-5236-NNST	2741.20	3307.16	3315.42	3315.42	2741.20	3307.16	3463.81	3777.13	

Height	Width	Depth	Number	Paint A				Paint B				
				Glass	A	C	D	F	Glass	A	C	D
Letter Depth												
39 7/8"(1013mm)	30"(762mm)	14"(356mm)	X3JL-4030-NNST	\$2311.28	\$2877.24	\$3033.89	\$3347.21					
	36"(914mm)	14"(356mm)	X3JL-4036-NNST	2366.44	2932.40	3089.05	3402.37					
52 1/2"(1334mm)	30"(762mm)	14"(356mm)	X3JL-5230-NNST	\$2947.84	\$3513.80	\$3670.45	\$3983.77					
	36"(914mm)	14"(356mm)	X3JL-5236-NNST	3025.07	3591.03	3747.68	4061.00					
Legal Depth												
39 7/8"(1013mm)	30"(762mm)	16 1/2"(419mm)	X3JD-4030-NNST	\$2357.61	\$2923.57	\$3080.22	\$3393.54					
	36"(914mm)	16 1/2"(419mm)	X3JD-4036-NNST	2412.77	2978.73	3135.38	3448.70					
52 1/2"(1334mm)	30"(762mm)	16 1/2"(419mm)	X3JD-5230-NNST	\$3007.41	\$3573.37	\$3730.02	\$4043.34					
	36"(914mm)	16 1/2"(419mm)	X3JD-5236-NNST	3084.64	3650.60	3807.25	4120.57					

Height	Width	Depth	Number	Wood Group A				Wood Group B				
				Glass	A	C	D	F	Glass	A	C	D
Letter Depth												
39 7/8"(1013mm)	30"(762mm)	14"(356mm)	X4JL-4030-NNST	\$2599.22	\$3165.18	\$3321.83	\$3635.15	\$2704.03	\$3269.99	\$3426.64	\$3739.96	
	36"(914mm)	14"(356mm)	X4JL-4036-NNST	2654.38	3220.34	3376.99	3690.31	2763.60	3329.56	3486.21	3799.53	
52 1/2"(1334mm)	30"(762mm)	14"(356mm)	X4JL-5230-NNST	\$3345.00	\$3910.96	\$4067.61	\$4380.93	\$3478.49	\$4044.45	\$4201.10	\$4514.42	
	36"(914mm)	14"(356mm)	X4JL-5236-NNST	3422.23	3988.19	4144.84	4458.16	3560.13	4126.09	4282.74	4596.06	
Legal Depth												
39 7/8"(1013mm)	30"(762mm)	16 1/2"(419mm)	X4JD-4030-NNST	\$2645.55	\$3211.51	\$3368.16	\$3681.48	\$2750.36	\$3316.32	\$3472.97	\$3786.29	
	36"(914mm)	16 1/2"(419mm)	X4JD-4036-NNST	2700.71	3266.67	3423.32	3736.64	2809.93	3375.89	3532.54	3845.86	
52 1/2"(1334mm)	30"(762mm)	16 1/2"(419mm)	X4JD-5230-NNST	\$3404.57	\$3970.53	\$4127.18	\$4440.50	\$3538.06	\$4104.02	\$4260.67	\$4573.99	
	36"(914mm)	16 1/2"(419mm)	X4JD-5236-NNST	3481.80	4047.76	4204.41	4517.73	3619.70	4185.66	4342.31	4655.63	

Stack-On Storage Cabinet with Features**Glass Doors**

X3JL-ST
X3JD-ST
X4JL-ST
X4JD-ST
X5JL-ST
X5JD-ST

Specification Tips

- 39 7/8"(1013mm) high aligns with five-high storage units.
- 52 1/2"(1334mm) high aligns with six-high storage units.
- Locks not available.
- See Stack-on Application Rules in Specification Guide.
- Not designed for application where back of unit is visible.

To Order, Specify:



- 1) Product number.
- 2) Finish code (laminate, paint, or wood).
- 3) Laminate edge trim color (if laminate specified).
- 4) Glass Code.
- 5) Trim color for glass frame (required metallic paint only).

Masters Series

Reception Stations


Height	Depth	Width		Number	1	2	3	4	Paint A Laminate A	B	Wood Group A	Group B
Laminate Top/Paint												
44 3/16"(1122mm)	82 3/8"(2092mm)	74 1/4"(1886mm)	Enclosure	XTLR-8272-JSS	Y				\$7637.68	\$7699.46		
29 1/8"(740mm)	72"(1829mm)	Desk										
18 1/8"(460mm)	48"(1219mm)	Return										
Wood												
44 3/16"(1122mm)	82 3/8"(2092mm)	74 1/4"(1886mm)	Enclosure	XZLR-8272-	SS	Y				\$7637.68	\$8095.52	
29 1/8"(740mm)	72"(1829mm)	Desk										
18 1/8"(460mm)	48"(1219mm)	Return										

L-Shaped Reception Station



XLLR-RB
XTLR-RB
XZLR-RB
(Right-hand shown)

④ Pull Styles



Features

- Includes gallery enclosure with transaction shelf, two worksurfaces, two pedestals, one grommet and attachment hardware.
- 1 3/16"(30mm) thick laminate worksurface with 3mm plastic edgeband applied to user edge only. All other components finished in paint.
- 1 3/16"(30mm) thick wood worksurface with a choice of profiled edge (Square, Bevel, Radius or Traditional) applied to user edge only. Double-cut veneers available with Square 3mm Radius edge only.
- Transaction shelf depth is 12"(305mm).
- Transaction shelf is 1 1/2"(38mm) thick with profiled edge both user and visitor sides.
- Pedestals are 15 1/2"(394mm) wide.
- Box drawers with one black plastic drawer divider per drawer and one black plastic pencil tray per pedestal.
- File drawer with integrated file hanging system:
 - Letter size front-to-back filing
 - Legal size side-to-side filing
- Box and file drawers with full extension slides.
- Drawer pull options:
 - Bar pulls available in powdercoat finish.
 - Linear and Classic pulls are available in satin nickel finish only.
- One lock standard for each pedestal.
- Lock plug is available in black or chrome.
- For lock options, refer to Lock Program Price List.
- Standard with 2"(51mm) grommet oriented to connection end of return; option of black or satin chrome finish.
- Glides provide 2"(51mm) adjustment range.
- Reception shell shipped unassembled, pedestals shipped assembled ready for field installation.

Specification Tips

- Handed design (left or right) based on orientation of return when seated at main worksurface.
- Accommodates separately specified center drawer.
- Specified edge profile is applied to both worksurface and countertop.

To Order, Specify:

- 1) Product number, including:

① Edge Option:

Wood:

- 1 Square
- 5 Bevel, add \$204.10 list
- 6 Radius, add \$204.10 list
- 7 Traditional, add \$204.10 list

② Storage Option:

- 56 One Box/Box/File and One File/File Black Miterfold
- ST One Box/Box/File and One File/File Wood, add \$171.80 list

③ Orientation:

- L Left-hand
- R Right-hand

④ Pull Option:



- F Finger (Wood only)
- B Bar
- 8 Linear
- 9 Classic

- Finish code for lower components (paint or wood).
- Laminate worksurface color (if paint option specified).
- Laminate edge trim for worksurface (if paint option specified).
- Trim color for bar pull (if specified).
- Trim color for locks and grommet (required).



Masters Series

Reception Stations

Height	Depth	Width	Number	1	2	3	4	Paint A Laminate A	B	Wood Group A	Group B
Laminate Top/Paint											
44 3/16"(1122mm)	100 1/2"(2553mm)	74 1/4"(1886mm)	Enclosure	XTUR-A172-JSS	Y			\$8675.82		\$8737.60	
	29 1/8"(740mm)	72"(1829mm)	Desk								
	18 1/8"(460mm)	48"(1219mm)	Return								
	18 1/8"(460mm)	72"(1829mm)	Credenza								
Wood											
44 3/16"(1122mm)	100 1/2"(2553mm)	74 1/4"(1886mm)	Enclosure	XZUR-A172-	SS	Y				\$8675.82	\$9133.66
	29 1/8"(740mm)	72"(1829mm)	Desk								
	18 1/8"(460mm)	48"(1219mm)	Return								
	18 1/8"(460mm)	72"(1829mm)	Credenza								

U-Shaped Reception Station

XLUR-RB
XYUR-RB
XZUR-RB
(Right-hand shown)


Tackboards — Reception Station L-Shaped and U-Shaped


X4TR

Features

- Includes gallery enclosure with transaction shelf, three worksurfaces, two pedestals, two grommets and attachment hardware.
- 1 3/16"(30mm) thick laminate worksurface with 3mm plastic edgeband applied to user edge only. All other components finished in paint.
- 1 3/16"(30mm) thick wood worksurface with a choice of profiled edge (Square, Bevel, Radius or Traditional) applied to user edge only. Double-cut veneers available with Square 3mm Radius edge only.
- Transaction shelf depth is 12"(305mm).
- Transaction shelf is 1 1/2"(38mm) thick with profiled edge both user and visitor sides.
- Pedestals are 15 1/2"(394mm) wide.
- Box drawers with one black plastic drawer divider per drawer and one black plastic pencil tray per pedestal.
- File drawer with integrated file hanging system:
 - Letter size front-to-back filing
 - Legal size side-to-side filing
- Box and file drawers with full extension slides.
- Drawer pull options:
 - Bar pulls available in powdercoat finish.
 - Linear and Classic pulls are available in satin nickel finish only.
- One lock standard for each pedestal.
- Lock plug is available in black or chrome.
- For lock options, refer to Lock Program Price List.
- Standard with 2"(51mm) grommet oriented to connection end of return; option of black or satin chrome finish.
- Glides provide 2"(51mm) adjustment range.
- Reception shell shipped unassembled, pedestals shipped assembled ready for field installation.

Specification Tips

- Handed design (left or right) based on orientation of return when seated at main worksurface.
- Accommodates separately specified center drawer.
- Specified edge profile is applied to both worksurface and countertop.

To Order, Specify:

- 1) Product number, including:

1 Edge Option:

Wood:

1 Square

5 Bevel, add \$272.50 list

6 Radius, add \$272.50 list

7 Traditional, add \$272.50 list

2 Storage Option:

56 One Box/Box/File and One File/File Black Miterfold

ST One Box/Box/File and One File/File Wood, add \$171.80 list

3 Orientation:

L Left-hand

R Right-hand

4 Pull Option:

F Finger (Wood only)

B Bar

8 Linear

9 Classic

2) Finish code for lower components (paint or wood).

3) Laminate worksurface color (if paint option specified).

4) Laminate edge trim for worksurface (if paint option specified).

5) Trim color for bar pull (if specified).

6) Trim color for locks and grommet (required).

Height	Depth	Width	Number	Fabric Grade A	B	C
12 1/2"(318mm)	7/8"(22mm)	72"(1829mm)	X4TR-1272	\$252.34	\$288.18	\$336.64

Features

- Includes fabric covered tackboard(s) to mount between reception desk worksurface and counter top.
- Tackboards are shipped in two equal width pieces.

To Order, Specify:

- 1) Product number.


- 2) Fabric code.

Masters Series

Common Storage Top — Rectangular

Depth	Width	Number ①	Laminate A	B	Wood Group A Edge Options 1	Wood Group B Edge Options 1	5,6,7
Laminate							
36 1/8"(918mm)	60"(1524mm)	XLWT-3660-JSNN	409.76	442.60			
	66"(1676mm)	XLWT-3666-JSNN	430.56	465.06			
	72"(1829mm)	XLWT-3672-JSNN	451.36	487.52			
	90"(2286mm)	XLWT-3690-JSNN	513.76	554.90			
	96"(2438mm)	XLWT-3696-JSNN	534.56	577.36			
	102"(2591mm)	XLWT-36A2-JSNN	555.36	599.82			
	108"(2743mm)	XLWT-36A8-JSNN	576.16	622.28			
Wood							
36 1/8"(918mm)	60"(1524mm)	XZWT-3660-SNSN			\$1048.32	\$1086.19	\$1154.59
	66"(1676mm)	XZWT-3666-SNSN			1092.00	1132.49	1200.89
	72"(1829mm)	XZWT-3672-SNSN			1135.68	1178.79	1247.19
	90"(2286mm)	XZWT-3690-SNSN			1266.72	1317.69	1386.09
	96"(2438mm)	XZWT-3696-SNSN			1310.40	1363.99	1432.39
	102"(2591mm)	XZWT-36A2-SNSN			1354.08	1410.29	1478.69
	108"(2743mm)	XZWT-36A8-SNSN			1397.76	1456.59	1524.99

**Common Storage Top with
Two Profiled Edges**



XLWT-SN
XZWT-SN

Features

- 1 3/16"(30mm) thick laminate worksurface with 3mm plastic edgeband applied to user and visitor edges only. Ends capped with 1mm thick plastic edgeband.
- 1 3/16"(30mm) thick wood worksurface with a choice of profiled edge (Square, Bevel, Radius or Traditional) applied to user and visitor edges. Double-cut veneers available with Square 3mm Radius edge only.
- Profiled two edges.
- Available on RUSH.

Specification Tip

- For use with two back-to-back 18"(457mm) deep (ganged) two-high storage cabinets or lateral files.

To Order, Specify:

- 1) Product number, including:

① Edge Option:

Wood:

1 Square ■

5 Bevel

6 Radius

7 Traditional

- 2) Finish code (laminate or wood).


- 3) Laminate edge trim color (if laminate specified).

This page intentionally blank

Masters Series

Modular Credenza Top

Modular Credenza Top with One Profiled Edge



XLWF
XTWF
XZWF

Features

- 1 3/16"(30mm) thick laminate worksurface with 3mm plastic edgeband applied to user and visitor edges only. Ends capped with 1mm thick plastic edgeband.
- 1 3/16"(30mm) thick wood worksurface with a choice of profiled edge (Square, Bevel, Radius or Traditional) applied to user and visitor edges. Double-cut veneers available with Square 3mm Radius edge only.
- Profiled one edge; intended for use as the front edge of an assembly.
- Wood worksurfaces 30"(762mm), 36"(914mm), 42"(1067mm) and 48"(1219mm) wide available with choice of grain direction; side-to-side (standard) or front-to-back.
- Available on RUSH.

Specification Tips

- For use with other separately specified modular components such as pedestals, end panels, mid-support panels, L-supports and attached storage units to assemble modular credenza units.
- See Modular Components Application in Specification Guide.

To Order, Specify:

- 1) Product number, including:

① Edge Option:

Wood:

- 1 Square
- 5 Bevel
- 6 Radius
- 7 Traditional

② Grain Direction:

(30", 36", 42" and 48" wide only)

- F Front-to-back
- S Side-to-side

- 2) Finish code (laminates or wood).

- 3) Laminate edge trim color (if laminate specified).

Masters Series

Modular Credenza Top

Depth	Width	Number	1	2	Laminate	A	B
19"(483mm)	30"(762mm)	XLWF-1930-JSNN	■	■	\$156.00	\$168.48	
	36"(914mm)	XLWF-1936-JSNN	■	■	176.80	190.94	
	42"(1067mm)	XLWF-1942-JSNN	■	■	197.60	213.40	
	48"(1219mm)	XLWF-1948-JSNN	■	■	218.40	235.86	
	54"(1372mm)	XLWF-1954-JSNN	■	■	239.20	258.32	
	60"(1524mm)	XLWF-1960-JSNN	■	■	260.00	280.78	
	66"(1676mm)	XLWF-1966-JSNN	■	■	280.80	303.24	
	72"(1829mm)	XLWF-1972-JSNN	■	■	301.60	325.70	
	78"(1981mm)	XLWF-1978-JSNN	■	■	322.40	348.16	
	84"(2134mm)	XLWF-1984-JSNN	■	■	343.20	370.62	
	90"(2286mm)	XLWF-1990-JSNN	■	■	364.00	393.08	
	96"(2438mm)	XLWF-1996-JSNN	■	■	384.80	415.54	
	102"(2591mm)	XLWF-19A2-JSNN	■	■	405.60	438.00	
	108"(2743mm)	XLWF-19A8-JSNN	■	■	426.40	460.46	
	114"(2896mm)	XLWF-19B4-JSNN	■	■	447.20	482.92	
	120"(3048mm)	XLWF-19C0-JSNN	■	■	468.00	505.38	
24"(610mm)	30"(762mm)	XLWF-2430-JSNN	■	■	\$197.60	\$213.43	
	36"(914mm)	XLWF-2436-JSNN	■	■	218.40	235.89	
	42"(1067mm)	XLWF-2442-JSNN	■	■	239.20	258.35	
	48"(1219mm)	XLWF-2448-JSNN	■	■	260.00	280.81	
	54"(1372mm)	XLWF-2454-JSNN	■	■	280.80	303.27	
	60"(1524mm)	XLWF-2460-JSNN	■	■	301.60	325.73	
	66"(1676mm)	XLWF-2466-JSNN	■	■	322.40	348.19	
	72"(1829mm)	XLWF-2472-JSNN	■	■	343.20	370.65	
	78"(1981mm)	XLWF-2478-JSNN	■	■	364.00	393.11	
	84"(2134mm)	XLWF-2484-JSNN	■	■	384.80	415.57	
	90"(2286mm)	XLWF-2490-JSNN	■	■	405.60	438.03	
	96"(2438mm)	XLWF-2496-JSNN	■	■	426.40	460.49	
	102"(2591mm)	XLWF-24A2-JSNN	■	■	447.20	482.95	
	108"(2743mm)	XLWF-24A8-JSNN	■	■	468.00	505.41	
	114"(2896mm)	XLWF-24B4-JSNN	■	■	488.80	527.87	
	120"(3048mm)	XLWF-24C0-JSNN	■	■	509.60	550.33	
30"(762mm)	30"(762mm)	XLWF-3030-JSNN	■	■	\$247.52	\$267.37	
	36"(914mm)	XLWF-3036-JSNN	■	■	268.32	289.83	
	42"(1067mm)	XLWF-3042-JSNN	■	■	289.12	312.29	
	48"(1219mm)	XLWF-3048-JSNN	■	■	309.92	334.75	
	54"(1372mm)	XLWF-3054-JSNN	■	■	330.72	357.21	
	60"(1524mm)	XLWF-3060-JSNN	■	■	351.52	379.67	
	66"(1676mm)	XLWF-3066-JSNN	■	■	372.32	402.13	
	72"(1829mm)	XLWF-3072-JSNN	■	■	393.12	424.59	
	78"(1981mm)	XLWF-3078-JSNN	■	■	413.92	447.05	
	84"(2134mm)	XLWF-3084-JSNN	■	■	434.72	469.51	
	90"(2286mm)	XLWF-3090-JSNN	■	■	455.52	491.97	
	96"(2438mm)	XLWF-3096-JSNN	■	■	476.32	514.43	
	102"(2591mm)	XLWF-30A2-JSNN	■	■	497.12	536.89	
	108"(2743mm)	XLWF-30A8-JSNN	■	■	517.92	559.35	
	114"(2896mm)	XLWF-30B4-JSNN	■	■	538.72	581.81	
	120"(3048mm)	XLWF-30C0-JSNN	■	■	559.52	604.27	

Masters Series


Modular Credenza Top

Depth	Width	Number	①	②	Wood Group A	Wood Group B	
					Edge Options 1	Edge Options 1 5,6,7	
19"(483mm)	30"(762mm)	XZWF-1930-	SN	N	\$ 322.40	\$ 332.38	\$ 400.78
	36"(914mm)	XZWF-1936-	SN	N	366.08	378.68	447.08
	42"(1067mm)	XZWF-1942-	SN	N	409.76	424.98	493.38
	48"(1219mm)	XZWF-1948-	SN	N	453.44	471.28	539.68
	54"(1372mm)	XZWF-1954-	SNSN		497.12	517.58	585.98
	60"(1524mm)	XZWF-1960-	SNSN		540.80	563.88	632.28
	66"(1676mm)	XZWF-1966-	SNSN		584.48	610.18	678.58
	72"(1829mm)	XZWF-1972-	SNSN		628.16	656.48	724.88
	78"(1981mm)	XZWF-1978-	SNSN		671.84	702.78	771.18
	84"(2134mm)	XZWF-1984-	SNSN		715.52	749.08	817.48
	90"(2286mm)	XZWF-1990-	SNSN		759.20	795.38	863.78
	96"(2438mm)	XZWF-1996-	SNSN		802.88	841.68	910.08
	102"(2591mm)	XZWF-19A2-	SNSN		846.56	887.98	956.38
	108"(2743mm)	XZWF-19A8-	SNSN		890.24	934.28	1002.68
	114"(2896mm)	XZWF-19B4-	SNSN		933.92	980.58	1048.98
	120"(3048mm)	XZWF-19C0-	SNSN		977.60	1026.88	1095.28
24"(610mm)	30"(762mm)	XZWF-2430-	SN	N	\$ 395.20	\$ 409.53	\$ 477.93
	36"(914mm)	XZWF-2436-	SN	N	438.88	455.83	524.23
	42"(1067mm)	XZWF-2442-	SN	N	482.56	502.13	570.53
	48"(1219mm)	XZWF-2448-	SN	N	526.24	548.43	616.83
	54"(1372mm)	XZWF-2454-	SNSN		569.92	594.73	663.13
	60"(1524mm)	XZWF-2460-	SNSN		613.60	641.03	709.43
	66"(1676mm)	XZWF-2466-	SNSN		657.28	687.33	755.73
	72"(1829mm)	XZWF-2472-	SNSN		700.96	733.63	802.03
	78"(1981mm)	XZWF-2478-	SNSN		744.64	779.93	848.33
	84"(2134mm)	XZWF-2484-	SNSN		788.32	826.23	894.63
	90"(2286mm)	XZWF-2490-	SNSN		832.00	872.53	940.93
	96"(2438mm)	XZWF-2496-	SNSN		875.68	918.83	987.23
	102"(2591mm)	XZWF-24A2-	SNSN		919.36	965.13	1033.53
	108"(2743mm)	XZWF-24A8-	SNSN		963.04	1011.43	1079.83
	114"(2896mm)	XZWF-24B4-	SNSN		1006.72	1057.73	1126.13
	120"(3048mm)	XZWF-24C0-	SNSN		1050.40	1104.03	1172.43
30"(762mm)	30"(762mm)	XZWF-3030-	SN	N	\$ 482.56	\$ 502.11	\$ 570.51
	36"(914mm)	XZWF-3036-	SN	N	526.24	548.41	616.81
	42"(1067mm)	XZWF-3042-	SN	N	569.92	594.71	663.11
	48"(1219mm)	XZWF-3048-	SN	N	613.60	641.01	709.41
	54"(1372mm)	XZWF-3054-	SNSN		657.28	687.31	755.71
	60"(1524mm)	XZWF-3060-	SNSN		700.96	733.61	802.01
	66"(1676mm)	XZWF-3066-	SNSN		744.64	779.91	848.31
	72"(1829mm)	XZWF-3072-	SNSN		788.32	826.21	894.61
	78"(1981mm)	XZWF-3078-	SNSN		832.00	872.51	940.91
	84"(2134mm)	XZWF-3084-	SNSN		875.68	918.81	987.21
	90"(2286mm)	XZWF-3090-	SNSN		919.36	965.11	1033.51
	96"(2438mm)	XZWF-3096-	SNSN		963.04	1011.41	1079.81
	102"(2591mm)	XZWF-30A2-	SNSN		1006.72	1057.71	1126.11
	108"(2743mm)	XZWF-30A8-	SNSN		1050.40	1104.01	1172.41
	114"(2896mm)	XZWF-30B4-	SNSN		1094.08	1150.31	1218.71
	120"(3048mm)	XZWF-30C0-	SNSN		1137.76	1196.61	1265.01

Masters Series

Modesty Panels

Height	Width	Number	①	Laminate A	B	Paint	Wood Group A	Group B
Laminate								
27 1/2"(699mm)	30"(762mm)	ULXF-2730-S	■	\$226.01	\$244.10			
	36"(914mm)	ULXF-2736-S	■	267.05	288.38			
	42"(1067mm)	ULXF-2742-S	■	308.09	332.66			
	48"(1219mm)	ULXF-2748-S	■	349.13	376.94			
	54"(1372mm)	ULXF-2754-S	■	390.17	421.22			
	60"(1524mm)	ULXF-2760-S	■	431.21	465.50			
	66"(1676mm)	ULXF-2766-S	■	472.25	509.78			
	72"(1829mm)	ULXF-2772-S	■	513.29	554.06			
	78"(1981mm)	ULXF-2778-S	■	554.33	598.34			
	84"(2134mm)	ULXF-2784-S	■	595.37	642.62			
	90"(2286mm)	ULXF-2790-S	■	636.41	686.90			
	96"(2438mm)	ULXF-2796-S	■	677.45	731.18			
	102"(2591mm)	ULXF-27A2-S	■	718.49	775.46			
	108"(2743mm)	ULXF-27A8-S	■	759.53	819.74			
	114"(2896mm)	ULXF-27B4-S	■	800.57	864.02			
	120"(3048mm)	ULXF-27C0-S	■	841.61	908.30			
Paint								
27 1/2"(699mm)	30"(762mm)	UYXF-2730-S	■			\$343.00		
	36"(914mm)	UYXF-2736-S	■			384.04		
	42"(1067mm)	UYXF-2742-S	■			425.08		
	48"(1219mm)	UYXF-2748-S	■			466.12		
	54"(1372mm)	UYXF-2754-S	■			507.16		
	60"(1524mm)	UYXF-2760-S	■			548.20		
	66"(1676mm)	UYXF-2766-S	■			589.24		
	72"(1829mm)	UYXF-2772-S	■			630.28		
	78"(1981mm)	UYXF-2778-S	■			671.32		
	84"(2134mm)	UYXF-2784-S	■			712.36		
	90"(2286mm)	UYXF-2790-S	■			753.40		
	96"(2438mm)	UYXF-2796-S	■			794.44		
	102"(2591mm)	UYXF-27A2-S	■			835.48		
	108"(2743mm)	UYXF-27A8-S	■			876.52		
	114"(2896mm)	UYXF-27B4-S	■			917.56		
	120"(3048mm)	UYXF-27C0-S	■			958.60		
Wood								
27 1/2"(699mm)	30"(762mm)	UXXF-2730-S	■			\$ 389.93	\$ 413.75	
	36"(914mm)	UXXF-2736-S	■			436.55	463.07	
	42"(1067mm)	UXXF-2742-S	■			483.17	512.39	
	48"(1219mm)	UXXF-2748-S	■			529.79	561.71	
	54"(1372mm)	UXXF-2754-S	■			576.41	611.03	
	60"(1524mm)	UXXF-2760-S	■			623.03	660.35	
	66"(1676mm)	UXXF-2766-S	■			669.65	709.67	
	72"(1829mm)	UXXF-2772-S	■			716.27	758.99	
	78"(1981mm)	UXXF-2778-S	■			762.89	808.31	
	84"(2134mm)	UXXF-2784-S	■			809.51	857.63	
	90"(2286mm)	UXXF-2790-S	■			856.13	906.95	
	96"(2438mm)	UXXF-2796-S	■			902.75	956.27	
	102"(2591mm)	UXXF-27A2-S	■			949.37	1005.59	
	108"(2743mm)	UXXF-27A8-S	■			995.99	1054.91	
	114"(2896mm)	UXXF-27B4-S	■			1042.61	1104.23	
	120"(3048mm)	UXXF-27C0-S	■			1089.23	1153.55	

Full Overlay Modesty PanelULXF-SS
UYXF-SS
UXXF-SS**Features**

- Includes 3/4"(19mm) thick modesty panel.
- Optional unfinished clearcoat wireway scallop available located at center of the top of the panel.
- Available on RUSH.

Specification Tips

- For use with separately specified modular components (worksurface and support panels) and attached storage units to assemble credenza units.
- Attachment hardware ships with storage units or end supports.
- See Modular Components Application in Specification Guide.
- Not intended to be used to create a return or run-off credenza. Freestanding applications only.

To Order, Specify:

1) Product number, including:

① Scallop Option:

N No Scallop ■

S Scallop ■


2) Finish code (laminate, paint, or wood).

3) Laminate edge trim color (if laminate specified).

Masters Series

Modesty Panels

Height	Depth	Width	Number	①	Laminate A	B	Paint A	Wood Group A 1	Wood Group A 2	Wood Group B 1	Wood Group B 2
Laminate											
25 1/2"(648mm)	10 1/8"(257mm)	24"(610mm)	ULXH-2624-SN2	■	\$321.71	\$347.45					
		30"(762mm)	ULXH-2630-SN2	■	359.06	387.47					
		36"(914mm)	ULXH-2636-SN2	■	396.41	427.49					
		42"(1067mm)	ULXH-2642-SN2	■	433.76	467.51					
		48"(1219mm)	ULXH-2648-SN2	■	471.11	507.53					
		54"(1372mm)	ULXH-2654-SN2	■	508.46	547.55					
		60"(1524mm)	ULXH-2660-SN2	■	545.81	587.57					
		66"(1676mm)	ULXH-2666-SN2	■	583.16	627.59					
Paint											
25 1/2"(648mm)	10 1/8"(257mm)	24"(610mm)	UYXH-2624-SN2				\$459.58				
		30"(762mm)	UYXH-2630-SN2				512.07				
		36"(914mm)	UYXH-2636-SN2				564.56				
		42"(1067mm)	UYXH-2642-SN2				617.05				
		48"(1219mm)	UYXH-2648-SN2				669.54				
		54"(1372mm)	UYXH-2654-SN2				722.03				
		60"(1524mm)	UYXH-2660-SN2				774.52				
		66"(1676mm)	UYXH-2666-SN2				827.01				
Wood											
25 1/2"(648mm)	10 1/8"(257mm)	24"(610mm)	UXXH-2624-SN	■			\$459.58	\$500.21	\$487.16	\$530.23	
		30"(762mm)	UXXH-2630-SN	■			512.07	554.00	542.81	585.88	
		36"(914mm)	UXXH-2636-SN	■			564.56	607.79	598.46	641.53	
		42"(1067mm)	UXXH-2642-SN	■			617.05	661.58	654.11	697.18	
		48"(1219mm)	UXXH-2648-SN	■			669.54	715.37	709.76	752.83	
		54"(1372mm)	UXXH-2654-SN	■			722.03	769.16	765.41	808.48	
		60"(1524mm)	UXXH-2660-SN	■			774.52	822.95	821.06	864.13	
		66"(1676mm)	UXXH-2666-SN	■			827.01	876.74	876.71	919.78	

Hinged Modesty Panel

ULXH-SN2
UYXH-SN2
UXXH-SN2

Features

- Includes 3/4"(19mm) thick modesty panel and attachment hardware.
- Allows for access to power or voice/data when used with other modular components to assemble modular credenza.
- Available on RUSH.

Specification Tips

- No wireway scallop included.
- For use with separately specified modular components (credenza top, L-support panels, intermediate T-supports, storage units, etc.) to assemble modular credenza.

To Order, Specify:

- 1) Product number, including:

① Finish Option (wood only):

- 1 ■ Finished one-side ■
2 ■ Finished two-sides ■


- 2) Finish code (laminate, paint, or wood).

- 3) Laminate edge trim color (if laminate specified).


Masters Series

Modular Components — End Panel

Height	Depth	Number	①	Laminate A	B	Paint A	Wood Group A	Group B
Laminate — Full Overlay Modesty Panel Application								
28"(711mm)	18 1/4"(464mm)	ULSE-2818-S	M	\$229.50	\$247.85			
	23 1/4"(591mm)	ULSE-2823-S	M	243.54	263.03			
	29 1/4"(743mm)	ULSE-2829-S	M	257.58	278.21			
Laminate — No Modesty Panel Application								
28"(711mm)	19"(483mm)	ULSE-2819-S	N	\$231.84	\$250.38			
	24"(610mm)	ULSE-2824-S	N	243.54	263.03			
	30"(762mm)	ULSE-2830-S	N	257.58	278.21			
Paint — Full Overlay Modesty Panel Application								
28"(711mm)	18 1/4"(464mm)	UYSE-2818-S	M			\$294.57		
	23 1/4"(591mm)	UYSE-2823-S	M			308.61		
	29 1/4"(743mm)	UYSE-2829-S	M			322.65		
Paint — No Modesty Panel Application								
28"(711mm)	19"(483mm)	UYSE-2819-S	N			\$296.91		
	24"(610mm)	UYSE-2824-S	N			308.61		
	30"(762mm)	UYSE-2830-S	N			322.65		
Wood — Full Overlay Modesty Panel Application								
28"(711mm)	18 1/4"(464mm)	UXSE-2818-S	M				\$327.20	\$340.44
	23 1/4"(591mm)	UXSE-2823-S	M				341.55	354.79
	29 1/4"(743mm)	UXSE-2829-S	M				354.78	368.02
Wood — No Modesty Panel Application								
28"(711mm)	19"(483mm)	UXSE-2819-S	N				\$327.20	\$340.44
	24"(610mm)	UXSE-2824-S	N				341.55	354.79
	30"(762mm)	UXSE-2830-S	N				354.78	368.02

End Panel

ULSE-LM (Left-hand shown left)
ULSE-RM (Right-hand shown right)
UTSE-LM (Left-hand shown left)
UTSE-RM (Right-hand shown right)
UXSE-LM (Left-hand shown left)
UXSE-RM (Right-hand shown right)



ULSE-LN (Left-hand shown left)
ULSE-RN (Right-hand shown right)
UTSE-LN (Left-hand shown left)
UTSE-RN (Right-hand shown right)
UXSE-LN (Left-hand shown left)
UXSE-RN (Right-hand shown right)

Features

- Includes 1 1/8"(29mm) thick support panel, glides and attachment hardware.
- Option of 19"(483mm), 24"(610mm) and 30"(762mm) full depth for use without modesty panel.
- Option of 18 1/4"(464mm), 23 1/4"(591mm) or 29 1/4"(743mm) for use with full overlay modesty panel.
- Provides full support for one end of equal depth worksurface.
- Glides provide 2"(51mm) adjustment range.
- Available on RUSH.

Specification Tips

- For use with other separately specified modular components, (credenza modular, worksurfaces, mid-support panels and modesty panels) to assemble modular shells and credenzas.
- If used to assemble a shell; the shell will not support two-high storage units.
- See Modular Components Application in Specification Guide.

To Order, Specify:

- 1) Product number, including:

① Orientation:

L Left-hand

R Right-hand


- 2) Finish code (laminate, paint or wood).

- 3) Laminate edge trim color (if laminate specified).

Masters Series

Modular Supports

L-Support




(Half-high)

Features

- Includes 1 1/8"(29mm) thick full depth end panel, 10"(254mm) wide support panel, glides (only two-high) and attachment hardware.
 - Includes 1 1/8"(29mm) thick full depth end panel, 14"(356mm) wide support panel and attachment hardware.
 - Option of 19"(483mm), 24"(610mm) and 30"(762mm) deep full end panel to provide full support at one end of worksurface.
 - Provides full support for one end of equal depth top.
 - Two-high L-support includes glides with 2"(51mm) adjustment range.
 - 30"(762mm) depth available in two-high only.
 - Designed to be used with hinged modesty panel.
- Available on RUSH.**


Specification Tips

- For use with other separately specified modular components (worksurfaces and mid-support panels) and attached storage units to assemble credenza units.
- Not designed for use with full overlay modesty panel.
- Wing leg inset from the back of the slab legs 4 3/16"(106mm).
- Not to be placed next to an attached storage unit.
- See Applications in Specification Guide.



(One-High)

XLGS-SL (Left-hand shown left)
 XLGS-SR (Right-hand shown right)
 XTGS-SL (Left-hand shown left)
 XTGS-SR (Right-hand shown right)
 XZGS-SL (Left-hand shown left)
 XZGS-SR (Right-hand shown right)



(Two-High)

ULSL-SL (Left-hand shown left)
 ULSL-SR (Right-hand shown right)
 UYSL-SL (Left-hand shown left)
 UYSL-SR (Right-hand shown right)
 UXSL-SL (Left-hand shown left)
 UXSL-SR (Right-hand shown right)

To Order, Specify:

- 1) Product number, including:

① Orientation:

L Left-hand

R Right-hand

- 2) Finish code (laminates, paint, or wood).

- 3) Laminate edge trim color (if laminate specified).

Masters Series

Modular Supports


Height	Depth	Width	Number	①	Laminate A	B	Paint A	Wood Group A	Group B
Laminate — Half-High									
6"(152mm)	19"(483mm)	9"(229mm)	XLGS-0619-S	■	\$226.20	\$291.97			
	24"(610mm)		XLGS-0624-S	■	239.20	332.82			
Laminate — One-High									
11 9/16"(294mm)	19"(483mm)	10 1/8"(257mm)	XLGS-1219-S	■	\$251.16	\$327.70			
	24"(610mm)	10 1/8"(257mm)	XLGS-1224-S	■	264.16	368.55			
Laminate — Two-High									
28"(711mm)	19"(483mm)	10 1/8"(257mm)	ULSL-2819-S	■	\$317.72	\$422.98			
	24"(610mm)	10 1/8"(257mm)	ULSL-2824-S	■	330.72	463.83			
	30"(762mm)	10 1/8"(257mm)	ULSL-2830-S	■	346.32	512.85			
Paint — Half-High									
6"(152mm)	19"(483mm)	9"(229mm)	XTGS-0619-S				\$299.00		
	24"(610mm)		XTGS-0624-S				312.00		
Paint — One-High									
11 9/16"(294mm)	19"(483mm)	10 1/8"(257mm)	XTGS-1219-S				\$323.96		
	24"(610mm)	10 1/8"(257mm)	XTGS-1224-S				336.96		
Paint — Two-High									
28"(711mm)	19"(483mm)	10 1/8"(257mm)	UYSL-2819-S				\$390.52		
	24"(610mm)	10 1/8"(257mm)	UYSL-2824-S				403.52		
	30"(762mm)	10 1/8"(257mm)	UYSL-2830-S				419.12		
Wood — Half-High									
6"(152mm)	19"(483mm)	9"(229mm)	XZGS-0619-S	■				\$333.84	\$340.27
	24"(610mm)		XZGS-0624-S	■				354.64	361.52
Wood — One-High									
11 9/16"(294mm)	19"(483mm)	10 1/8"(257mm)	XZGS-1219-S	■				\$374.40	\$381.76
	24"(610mm)	10 1/8"(257mm)	XZGS-1224-S	■				395.20	403.01
Wood — Two-High									
28"(711mm)	19"(483mm)	10 1/8"(257mm)	UXSL-2819-S	■				\$482.56	\$492.40
	24"(610mm)	10 1/8"(257mm)	UXSL-2824-S	■				503.36	513.65
	30"(762mm)	10 1/8"(257mm)	UXSL-2830-S	■				528.32	539.15

Masters Series

Modular Supports

Height	Depth	Width	Number	①	Laminate A	B	Paint A	Wood Group A	Group B
Laminate									
28"(711mm)	9"(229mm)	10 1/8 "(257mm)	ULSL-2810-S	<input checked="" type="checkbox"/>	\$294.32	\$349.45			
Paint									
28"(711mm)	9"(229mm)	10 1/8 "(257mm)	UYSL-2810-S				\$367.12		
Wood									
28"(711mm)	9"(229mm)	10 1/8 "(257mm)	UXSL-2810-S	<input checked="" type="checkbox"/>				\$445.12	\$454.15

Partial Depth L-Support Panels Features



ULSL-SL (Left-hand shown left)
ULSL-SR (Right-hand shown right)
UYSL-SL (Left-hand shown left)
UYSL-SR (Right-hand shown right)
UXSL-SL (Left-hand shown left)
UXSL-SR (Right-hand shown right)

Specification Tips

- For use with other separately specified modular components (worksurface, pedestals, mid-support panels and modesty panels) to assemble modular credenzas.
- Not designed for use with full overlay modesty panel.
- Wing leg inset from the back of the slab legs 4 3/16"(106mm).
- Not to be placed next to an attached storage unit.
- See Modular Components Application in Specification Guide.
- Two partial depth L-support panels may not be used to configure a freestanding desk or credenza shell. Use the full depth L-support panel for this application.

To Order, Specify:

- 1) Product number, including:

① Orientation:

L Left-hand

R Right-hand


- 2) Finish code (laminate, paint, or wood).

- 3) Laminate edge trim color (if laminate specified).


Masters Series

Modular Supports

Height	Depth	Width	Number	Laminate A	B	Paint A	Wood Group A	Group B
Laminate — Half-High								
6"(152mm)	15 1/8"(384mm)	19"(483mm)	XLFS-0619-SN	278.20	343.97			
		24"(610mm)	XLFS-0624-SN	291.20	384.82			
		30"(762mm)	XLFS-0630-SN	306.80	433.84			
		36"(914mm)	XLFS-0636-SN	322.40	482.86			
Laminate — One-High								
11 9/16"(294mm)	15 1/8"(384mm)	19"(483mm)	XLFS-1219-SN	303.16	379.70			
		24"(610mm)	XLFS-1224-SN	316.16	420.55			
		30"(762mm)	XLFS-1230-SN	331.76	469.57			
		36"(914mm)	XLFS-1236-SN	347.36	518.59			
Paint — Half-High								
6"(152mm)	15 1/8"(384mm)	19"(483mm)	XTFS-0619-SN			351.00		
		24"(610mm)	XTFS-0624-SN			364.00		
		30"(762mm)	XTFS-0630-SN			379.60		
		36"(914mm)	XTFS-0636-SN			395.20		
Paint — One-High								
11 9/16"(294mm)	15 1/8"(384mm)	19"(483mm)	XTFS-1219-SN			375.96		
		24"(610mm)	XTFS-1224-SN			388.96		
		30"(762mm)	XTFS-1230-SN			404.56		
		36"(914mm)	XTFS-1236-SN			420.16		
Wood — Half-High								
6"(152mm)	15 1/8"(384mm)	19"(483mm)	XZFS-0619-SN				385.84	392.27
		24"(610mm)	XZFS-0624-SN				406.64	413.52
		30"(762mm)	XZFS-0630-SN				431.60	439.02
		36"(914mm)	XZFS-0636-SN				456.56	464.52
Wood — One-High								
11 9/16"(294mm)	15 1/8"(384mm)	19"(483mm)	XZFS-1219-SN				426.40	433.76
		24"(610mm)	XZFS-1224-SN				447.20	455.01
		30"(762mm)	XZFS-1230-SN				472.16	480.51
		36"(914mm)	XZFS-1236-SN				497.12	506.01

T-Support

(Half-High)



(One-High)

XLFS-SN
XTFS-SN
XZFS-SN**Features**

- Includes 1 1/8"(29mm) thick and optional width back panel, 14"(356mm) wing panel and attachment hardware.
- Provides full support for one end of equal depth worksurface.
- All sides finished; top and bottom edges are not finished.
- Available on RUSH.

To Order, Specify:

- Product number.
- Finish code (laminate, paint, or wood).
- Laminate edge trim color (if laminate specified).

Specification Tips


- For use with other separately specified modular components.
- Stacked on top of modular component bench to provide support for separately specified modular credenza top.
- See Applications in Specification Guide.

Masters Series

Modular Supports

Height	Depth	Width	Number	Laminate A	B	Paint A	Wood Group A	Group B
Laminate								
28"(711mm)	9"(229mm)	10 1/8"(257mm)	ULSX-2811-SN	\$204.65	\$218.33			
Paint								
28"(711mm)	9"(229mm)	10 1/8"(257mm)	UYSX-2811-SN			\$259.26		
Wood								
28"(711mm)	9"(229mm)	10 1/8"(257mm)	UXSX-2811-SN				\$292.35	\$304.49

Intermediate T-Support



ULSX-SN
UYSX-SN
UXSX-SN

Features

- Includes 1 1/8"(29mm) thick and 10 1/8"(257mm) wide back panel, 10 1/8"(257mm) wing panel, glides and attachment hardware.
 - Provides intermediate support for hinged modesty panels.
 - Glides provide 2"(51mm) adjustment range.
- Available on RUSH.

Specification Tips

- For use with other separately specified modular components (worksurfaces, pedestals and hinged modesty panels) to assemble modular credenzas.
- Not for use with full overlay modesty panel.
- Provides intermediate support for worksurfaces with spans of 60"(1524mm) or greater of unsupported width.
- See Modular Components Application in Specification Guide.


To Order, Specify:

- Product number.
- Finish code (laminate, paint, or wood).
- Laminate edge trim color (if laminate specified).

Laminate

28"(711mm)	9"(229mm)	10 1/8 "(257mm)	ULSS-2810-S	\$190.32	\$245.45			
	14"(356mm)		ULSS-2814-S	200.72	278.13			
Paint								
28"(711mm)	9"(229mm)	10 1/8 "(257mm)	UYSS-2810-S			\$263.12		
	14"(356mm)		UYSS-2814-S			273.52		
Wood								
28"(711mm)	9"(229mm)	10 1/8 "(257mm)	UXSS-2810-S				\$341.12	\$350.15
	14"(356mm)		UXSS-2814-S				357.76	367.15

Mid-Support Panel



ULSS-S
UYSS-S
UXSS-S

Features

- Includes 1 1/8"(29mm) thick end panel, glides and attachment hardware.
 - Glides provide 2"(51mm) adjustment range.
- Available on RUSH.

Specification Tips

- For use with other separately specified modular components (worksurfaces, end panels and L-support panels) and attached storage units to assemble credenza units.
- Used to provide support when unsupported span of worksurface is 60"(1524mm) or greater.
- 10 1/8"(257mm) mid-support panel recommended for use under worksurfaces 19"(483mm) and 24"(610mm) deep.
- 14"(356mm) mid-support panel recommended for use under worksurfaces 30"(762mm) deep and greater.
- 2" x 2"(51mm x 51mm) wireway notch located at top edge one side of support panel.
- See Modular Components Application in Specification Guide.





To Order, Specify:

- Product number.
- Finish code (laminate, paint, or wood).
- Laminate edge trim color (if laminate specified).

Masters Series

Attached Pedestals

Height	Open Back Depth	Full Back Depth	Width	Number	①	②	③	Laminate A	B	Paint A	Wood Group A	Group B
Laminate — Letter Width												
28"(711mm)	18"(457mm)	18 3/4"(476mm)	15 1/2"(394mm)	X5PA-2818-		SS	L	■	\$777.03	\$ 905.74		
	23"(584mm)	23 3/4"(603mm)		X5PA-2823-		SS	L	■	810.08	938.79		
	29"(737mm)	29 3/4 "(756mm)		X5PA-2829-		SS	L	■	849.74	978.45		
Laminate — Legal Width												
28"(711mm)	18"(457mm)	18 3/4"(476mm)	18 3/4"(476mm)	X5PA-2818-		SS	L	■	\$962.52	\$1091.23		
	23"(584mm)	23 3/4"(603mm)		X5PA-2823-		SS	L	■	995.57	1124.28		
Paint — Letter Width												
28"(711mm)	18"(457mm)	18 3/4"(476mm)	15 1/2"(394mm)	X3PA-2818-		SS	P			\$1037.05		
	23"(584mm)	23 3/4"(603mm)		X3PA-2823-		SS	P			1070.10		
	29"(737mm)	29 3/4 "(756mm)		X3PA-2829-		SS	P			1109.76		
Paint — Legal Width												
28"(711mm)	18"(457mm)	18 3/4"(476mm)	18 3/4"(476mm)	X3PA-2818-		SS	P			\$1222.54		
	23"(584mm)	23 3/4"(603mm)		X3PA-2823-		SS	P			1255.59		
Wood — Letter Width												
28"(711mm)	18"(457mm)	18 3/4"(476mm)	15 1/2"(394mm)	X4PA-2818-		SS	W	■			\$1198.12	\$1207.79
	23"(584mm)	23 3/4"(603mm)		X4PA-2823-		SS	W	■			1231.17	1242.84
	29"(737mm)	29 3/4 "(756mm)		X4PA-2829-		SS	W	■			1270.83	1284.90
Wood — Legal Width												
28"(711mm)	18"(457mm)	18 3/4"(476mm)	18 3/4"(476mm)	X4PA-2818-		SS	W	■			\$1383.61	\$1398.24
	23"(584mm)	23 3/4"(603mm)		X4PA-2823-		SS	W	■			1416.66	1433.29

Attached PedestalsX3PA-NP
X4PA-NW
X5PA-NLX3PA-NP
X4PA-NW
X5PA-NLX3PA-NP
X4PA-NW
X5PA-NLX3PA-YP
X4PA-YW
X5PA-YL**Features**

- Includes case, unfinished top, optional full finished back, 3/4"(19mm) thick end panels and attachment hardware.
- Unfinished tops of pedestals 21"(533mm) and deeper include a 3"(76mm) or greater horizontal wireway gap.
- Factory installed full back option adds 3/4"(19mm) to the overall pedestal depth.
- Choice of letter width 15 1/2"(394mm) or legal width 18 3/4"(476mm) pedestal.
- Box drawer with one black plastic drawer divider per drawer and one black plastic pencil tray per pedestal.
- File drawer with an integrated file hanging system.
- Drawer pull options:
 - Bar pulls available in standard powdercoat finishes.
 - Linear and Classic available in brushed nickel finish only.
 - Finger pull option available with Wood Group B finishes.
- Box and file drawers have full extension slides.
- One lock standard per pedestal.
- Lock plug is available in black or chrome.
- For lock options, refer to Lock Program Price List.
- Glides provide 2"(51mm) adjustment range.
- Shipped assembled.
- Available on RUSH.

Specification Tips

- 18"(457mm) and 18 3/4"(476mm) deep pedestals for use under 19"(483mm) deep worksurfaces.
- 23"(584mm) and 23 3/4"(603mm) deep pedestals for use under 24"(610mm) deep worksurfaces.
- 29"(737mm) and 29 3/4"(756mm) deep pedestals for use under 30"(762mm) deep worksurfaces.
- Non-handed design, allows for pedestal to be installed left or right on site.
- Can be utilized with a pre-configured return; no back option must be specified.

To Order, Specify:

1) Product number, including:

1 Pedestal Drawer Option:

Letter Width (18", 23" and 29" depths)

5 Box/Box/File Black Miterfold ■

S Box/Box/File Wood, add \$83.54 list ■

6 File/File Black Miterfold ■

T File/File Wood, add \$83.54 list ■

Legal Width (18" and 23" depths)

8 Box/Box/File Black Miterfold ■

L Box/Box/File Wood, add \$183.87 list ■

9 File/File Black Miterfold ■

M File/File Wood, add \$183.87 list ■

2 Drawer Pull Option:

F Finger (Wood only)

B Bar ■

8 Linear ■

9 Classic ■

3 Back Option:

N No Back ■


Y Finished Laminate Back,
add \$190.86 list ■
Finished Paint Back, add \$201.35 list ■
Finished Wood Back, add \$232.78 list ■

2) Finish code (laminate, paint, or wood).

3) Laminate edge trim color (if laminate specified).

4) Trim color for bar pull (if specified).

5) Trim color for lock (required).





Masters Series

Mobile Pedestals

Height	Depth	Width	Number	①②	Laminate A	B	Paint A	Wood Group A	Group B
Laminate									
21 1/2"(546mm)	21"(533mm)	15 1/2"(394mm)	X5PM-2221-	<input checked="" type="checkbox"/> SSBL	\$1170.85	\$1299.56			
Paint									
21 1/2"(546mm)	21"(533mm)	15 1/2"(394mm)	X3PM-2221-	<input checked="" type="checkbox"/> SSBP			\$1430.87		
Wood									
21 1/2"(546mm)	21"(533mm)	15 1/2"(394mm)	X4PM-2221-	<input checked="" type="checkbox"/> SSBW				\$1627.24	\$1638.11

Mobile Pedestal



X3PM-BW
X4PM-BW
X5PM-BW

Features

- Includes case, finished top, finished back and casters.
 - Box drawer with one black plastic drawer divider per drawer and one black plastic pencil tray per pedestal.
 - File drawer with an integrated file hanging system.
 - Drawer pull options:
 - Bar pulls available in powdercoat finishes.
 - Linear and Classic pulls are available in satin nickel finish only.
 - Finger pull option available with Wood Group B finishes.
 - Box and file drawers have full extension slides.
 - One lock standard per pedestal.
 - Lock plug is available in black or chrome.
 - For lock options, refer to Lock Program Price List.
 - Casters: four black swivel with front two locking.
 - Shipped assembled; casters field installed.
- ◆ Available on RUSH.

To Order, Specify:

- 1) Product number, including:

① Pedestal Drawer Option:

- Box/File Black Miterfold
 Box/File Wood, add \$83.54 list

② Drawer Pull Option:

- F Finger (Wood only)
 B Bar
 8 Linear
 9 Classic

- 2) Finish code (laminate, paint, or wood).

- 3) Laminate edge trim color (if laminate specified).


- 4) Trim color for bar pull (if specified).

- 5) Trim color for lock (required).

Specification Tip

- Not designed to fit flush under a 19"(483mm) deep worksurface.




② Pull Styles



Masters Series

Attached Lateral File with Open Shelf

Height	Open Back Depth	Finished Back Depth	Width	Number	①	②	③	Laminate A	B	Paint A	Wood Group A	Group B
Laminate												
21 1/2"(546mm)	18"(457mm)	18 3/4"(476mm)	30"(762mm)	X5FV-1830-N					\$1035.75	1221.22		
			36"(914mm)	X5FV-1836-N					1170.76	1356.23		
23"(584mm)	23 3/4"(603mm)	30"(762mm)	X5FV-2330-N					1117.41	1302.88			
			36"(914mm)	X5FV-2336-N					1252.42	1437.89		
Paint												
21 1/2"(546mm)	18"(457mm)	18 3/4"(476mm)	30"(762mm)	X3FV-1830-N						\$1323.44		
			36"(914mm)	X3FV-1836-N						1458.45		
23"(584mm)	23 3/4"(603mm)	30"(762mm)	X3FV-2330-N							1425.80		
			36"(914mm)	X3FV-2336-N						1560.81		
Wood												
21 1/2"(546mm)	18"(457mm)	18 3/4"(476mm)	30"(762mm)	X4FV-1830-N							\$1398.54	\$1412.52
			36"(914mm)	X4FV-1836-N							1566.22	1582.16
23"(584mm)	23 3/4"(603mm)	30"(762mm)	X4FV-2330-N								1480.20	\$1499.08
			36"(914mm)	X4FV-2336-N							1647.88	1668.72

One and One-Half High Attached Lateral File with Shelf

X3FV-LW
X4FV-LW
X5FV-LW

Features

- Includes unfinished top, optional full finished back, adjustable shelf for two-high unit, glides and attachment hardware.
- Unfinished top of storage unit includes a 3"(76mm) horizontal wireway gap.
- Drawer pull options:
 - Bar pulls available in powdercoat finishes.
 - Linear and Classic pulls are available in satin nickel finish only.
 - Finger pull option available with Wood Group B finishes.
- Adjustable shelf depth for two-high sized to allow 1/2"(13mm) wireway at the rear of the cabinet.
- One 3/4"(19mm) thick adjustable shelf for two-high has ±1 1/4"(32mm) adjustment range.
- Factory installed full back option adds 3/4"(19mm) to the overall storage cabinet depth.
- Glides provide 2"(51mm) adjustment range.
- Shipped assembled.
- Available on RUSH.

Specification Tips

- Storage cabinet used as support for upper storage requires either a finished back or overlay modesty panel.
- 18"(457mm) and 18 3/4"(476mm) deep storage cabinets for use under 19"(483mm) deep worksurfaces.
- 23"(584mm) and 23 3/4"(603mm) deep storage cabinets for use under 24"(610mm) deep worksurfaces.
- Separately specified credenza top may be added to attached storage cabinet with finished back option for use as freestanding unit.

To Order, Specify:

1) Product number, including:

1 File Drawer Option:

Black Miterfold
 Wood, add \$76.22 list

2 Drawer Pull Option:

Finger (Wood only)
 Bar
 Linear
 Classic


3 Back Option:

No Back
 Finished Back, add \$255.87 list
2) Finish code (laminate, paint, or wood).
3) Laminate edge trim color (if laminate specified).
4) Trim color for bar pull (if specified).
5) Trim color for lock (required).


Masters Series

Attached Lateral Files


One-High, One and One-Half High and Two-High Attached Lateral Files





X3F1-LP
X4F1-LW
X5F1-LL
(Front view)




X3F1-LP
X4F1-LW
X5F1-LL
(Back view)




X3F1-LP
X4F1-LW
X5F1-LL
(Back view)



X3FB-LP
X4FB-LW
X5FB-LL



X3FA-LP
X4FA-LW
X5FA-LL
(Front view)



X3FA-LP
X4FA-LW
X5FA-LL
(Back view)

Features

- Includes case, unfinished top, optional full finished back, 3/4"(19mm) thick end panels, glides and attachment hardware.
 - Unfinished top of lateral file includes a 3"(76mm) horizontal wireway gap.
 - Factory installed finished back option adds 3/4"(19mm) to the overall lateral file depth.
 - File drawer with an integrated file hanging system.
 - Two file hanging bars included per file drawer.
 - File drawers have full extension slides with integrated anti-tip interlock feature.
 - Drawer pull options:
 - Bar pulls available in powdercoat finishes.
 - Linear and Classic pulls are available in satin nickel finish only.
 - Finger pull option available with Wood Group B finishes.
 - One lock standard per lateral file; includes dual lock bar system.
 - Lock plug is available in black or chrome.
 - For lock options, refer to Lock Program Price List.
 - Glides provide 2"(51mm) adjustment range.
 - Shipped assembled.
- ◆ Available on RUSH.

Specification Tips

- 18"(457mm) and 18 3/4"(476mm) deep lateral files for use under 19"(483mm) deep worksurfaces.
- 23"(584mm) and 23 3/4"(603mm) deep lateral files for use under 24"(610mm) deep worksurfaces.
- Two-High lateral files can be incorporated into a preconfigured return with a pedestal. No back option must be specified.
- See Planning Modular Components in Specification Guide for details.

To Order, Specify:

1) Product number, including:

① File Drawer Option:

- | | | |
|------------------------------------|-----------------|---|
| S | Black Miterfold | ◆ |
| W | Wood | ◆ |
| One-High, add \$50.09 list | | |
| One and One-Half, add \$76.22 list | | |
| Two-High, add \$101.25 list | | |


② Drawer Pull Option:

- | | | |
|----------|--------------------|---|
| F | Finger (Wood only) | ◆ |
| B | Bar | ◆ |
| 8 | Linear | ◆ |
| 9 | Classic | ◆ |

③ Back Option:

- | | | |
|--|---------------|---|
| N | No Back | ◆ |
| Y | Finished Back | ◆ |
| One-High, add \$247.17 list | | |
| One and One-Half, add \$255.87 list | | |
| Two-High, add \$263.49 list | | |
| 2) Finish code (laminates, paint, or wood). | | |
| 3) Laminate edge trim color (if laminate specified). | | |
| 4) Trim color for bar pull (if specified). | | |
| 5) Trim color for lock (required). | | |

② Pull Styles



Masters Series


Attached Lateral Files

Height	Open Back Depth	Full Back Depth	Width	Number	①	②	③	Laminate A	B	Paint A	Wood Group A	Group B
Laminate — One-High												
15 3/16"(386mm)	18"(457mm)	18 3/4"(476mm)	30"(762mm)	X5F1-1830-N	SS	LL	■	\$ 930.57	\$1096.05			
			36"(914mm)	X5F1-1836-N	SS	LL	■	1065.58	1231.06			
	23"(584mm)	23 3/4"(603mm)	30"(762mm)	X5F1-2330-N	SS	LL	■	\$1012.23	\$1177.71			
			36"(914mm)	X5F1-2336-N	SS	LL	■	1147.24	1312.72			
Laminate — One and One-Half High												
21 1/2"(546mm)	18"(457mm)	18 3/4"(476mm)	30"(762mm)	X5FB-1830-N	SS	LL	■	1035.75	1221.22			
			36"(914mm)	X5FB-1836-N	SS	LL	■	1170.76	1356.23			
	23"(584mm)	23 3/4"(603mm)	30"(762mm)	X5FB-2330-N	SS	LL	■	1117.41	1302.88			
			36"(914mm)	X5FB-2336-N	SS	LL	■	1252.42	1437.89			
Laminate — Two-High												
28"(711mm)	18"(457mm)	18 3/4"(476mm)	30"(762mm)	X5FA-1830-N	SS	LL	■	\$1198.10	\$1414.42			
			36"(914mm)	X5FA-1836-N	SS	LL	■	1333.11	1549.43			
	23"(584mm)	23 3/4"(603mm)	30"(762mm)	X5FA-2330-N	SS	LL	■	\$1279.76	\$1496.08			
			36"(914mm)	X5FA-2336-N	SS	LL	■	1414.77	1631.09			
Paint — One-High												
15 3/16"(386mm)	18"(457mm)	18 3/4"(476mm)	30"(762mm)	X3F1-1830-N	SS	LP			\$1255.91			
			36"(914mm)	X3F1-1836-N	SS	LP			1390.92			
	23"(584mm)	23 3/4"(603mm)	30"(762mm)	X3F1-2330-N	SS	LP			\$1358.27			
			36"(914mm)	X3F1-2336-N	SS	LP			1493.28			
Paint — One and One-Half High												
21 1/2"(546mm)	18"(457mm)	18 3/4"(476mm)	30"(762mm)	X3FB-1830-N	SS	LP			1442.12			
			36"(914mm)	X3FB-1836-N	SS	LP			1577.13			
	23"(584mm)	23 3/4"(603mm)	30"(762mm)	X3FB-2330-N	SS	LP			1544.48			
			36"(914mm)	X3FB-2336-N	SS	LP			1679.49			
Paint — Two-High												
28"(711mm)	18"(457mm)	18 3/4"(476mm)	30"(762mm)	X3FA-1830-N	SS	LP			\$1482.39			
			36"(914mm)	X3FA-1836-N	SS	LP			1617.40			
	23"(584mm)	23 3/4"(603mm)	30"(762mm)	X3FA-2330-N	SS	LP			\$1584.75			
			36"(914mm)	X3FA-2336-N	SS	LP			1719.76			
Wood — One-High												
15 3/16"(386mm)	18"(457mm)	18 3/4"(476mm)	30"(762mm)	X4F1-1830-N	SS	LW	■			\$1248.28	\$1253.24	
			36"(914mm)	X4F1-1836-N	SS	LW	■			1415.96	1422.88	
	23"(584mm)	23 3/4"(603mm)	30"(762mm)	X4F1-2330-N	SS	LW	■			\$1329.94	\$1339.80	
			36"(914mm)	X4F1-2336-N	SS	LW	■			1497.62	1509.44	
Wood — One and One-Half High												
21 1/2"(546mm)	18"(457mm)	18 3/4"(476mm)	30"(762mm)	X4FB-1830-N	SS	LW	■			\$1480.20	\$1494.18	
			36"(914mm)	X4FB-1836-N	SS	LW	■			1647.88	1663.82	
	23"(584mm)	23 3/4"(603mm)	30"(762mm)	X4FB-2330-N	SS	LW	■			1561.86	\$1580.74	
			36"(914mm)	X4FB-2336-N	SS	LW	■			1729.54	1750.38	
Wood — Two-High												
28"(711mm)	18"(457mm)	18 3/4"(476mm)	30"(762mm)	X4FA-1830-N	SS	LW	■			\$1630.46	\$1658.35	
			36"(914mm)	X4FA-1836-N	SS	LW	■			1798.14	1827.99	
	23"(584mm)	23 3/4"(603mm)	30"(762mm)	X4FA-2330-N	SS	LW	■			\$1712.12	\$1744.91	
			36"(914mm)	X4FA-2336-N	SS	LW	■			1879.80	1914.55	


Masters Series

Attached Storage Cabinets


One-High and Two-High Attached Open Cabinets




X3N1-NN
X4N1-NN
X5N1-NN
(Front view)




X3N1-NN
X4N1-NN
X5N1-NN
(Back view)



X3N1-NN
X4N1-NN
X5N1-NN
(Back view)



X3N2-NN
X4N2-NN
X5N2-NN
(Front view)



X3N2-NN
X4N2-NN
X5N2-NN
(Back view)

Features

- Includes unfinished top, optional full finished back, adjustable shelf for two-high unit, glides and attachment hardware.
 - Unfinished top of storage unit includes a 3"(76mm) horizontal wireway gap.
 - Adjustable shelf depth for two-high sized to allow 1/2"(13mm) wireway at the rear of the cabinet.
 - One 3/4"(19mm) thick adjustable shelf for two-high has $\pm 1\frac{1}{4}''$ (32mm) adjustment range.
 - Factory installed full back option adds 3/4"(19mm) to the overall storage cabinet depth.
 - Glides provide 2"(51mm) adjustment range.
 - Shipped assembled.
- Available on RUSH.**

Specification Tips

- Storage cabinet used as support for upper storage requires either a finished back or overlay modesty panel.
- 18"(457mm) and 18 3/4"(476mm) deep storage cabinets for use under 19"(483mm) deep worksurfaces.
- 23"(584mm) and 23 3/4"(603mm) deep storage cabinets for use under 24"(610mm) deep worksurfaces.
- Separately specified credenza top may be added to attached storage cabinet with finished back option for use as freestanding unit.

To Order, Specify:

1) Product number, including:

① Back Option:

N No Back

L Finished Laminate Back
One-High, add **\$247.17** list
Two-High, add **\$263.49** list

P Finished Paint Back
One-High, add **\$247.17** list
Two-High, add **\$263.49** list

W Finished Wood Back

One-High, add **\$247.17** list
Two-High, add **\$263.49** list

2) Finish code (laminate, paint, or wood).

3) Laminate edge trim color (if laminate specified).

Masters Series

Attached Storage Cabinets


Height	Open Back Depth	Finished Back Depth	Width	Number	①	Laminate A	B	Paint A	Wood Group A	Group B
Laminate — One-High										
15 3/16"(386mm)	18"(457mm)	18 3/4"(476mm)	30"(762mm)	X5N1-1830-NS	NN	\$ 810.16	\$ 925.61			
			36"(914mm)	X5N1-1836-NS	NN	865.32	980.77			
23"(584mm)	23 3/4"(603mm)	30"(762mm)	X5N1-2330-NS	NN	NN	\$ 869.73	\$ 985.18			
		36"(914mm)	X5N1-2336-NS	NN	NN	924.89	1040.34			
Laminate — Two-High										
28"(711mm)	18"(457mm)	18 3/4 "(476mm)	30"(762mm)	X5N2-1830-NS	NN	\$1020.60	\$1109.72			
			36"(914mm)	X5N2-1836-NS	NN	1094.51	1183.63			
23"(584mm)	23 3/4"(603mm)	30"(762mm)	X5N2-2330-NS	NN	NN	\$1093.41	\$1182.53			
		36"(914mm)	X5N2-2336-NS	NN	NN	1167.32	1256.44			
Paint — One-High										
15 3/16"(386mm)	18"(457mm)	18 3/4"(476mm)	30"(762mm)	X3N1-1830-NS	NN		\$1157.29			
			36"(914mm)	X3N1-1836-NS	NN		1212.45			
23"(584mm)	23 3/4"(603mm)	30"(762mm)	X3N1-2330-NS	NN	NN		\$1216.86			
		36"(914mm)	X3N1-2336-NS	NN	NN		1272.02			
Paint — Two-High										
28"(711mm)	18"(457mm)	18 3/4 "(476mm)	30"(762mm)	X3N2-1830-NS	NN		\$1302.92			
			36"(914mm)	X3N2-1836-NS	NN		1376.83			
23"(584mm)	23 3/4"(603mm)	30"(762mm)	X3N2-2330-NS	NN	NN		\$1375.73			
		36"(914mm)	X3N2-2336-NS	NN	NN		1449.64			
Wood — One-High										
15 3/16"(386mm)	18"(457mm)	18 3/4"(476mm)	30"(762mm)	X4N1-1830-NS	NN			\$1306.18	\$1411.02	
			36"(914mm)	X4N1-1836-NS	NN			1399.20	1506.30	
23"(584mm)	23 3/4"(603mm)	30"(762mm)	X4N1-2330-NS	NN	NN			\$1409.01	\$1516.45	
		36"(914mm)	X4N1-2336-NS	NN	NN			1502.03	1611.73	
Wood — Two-High										
28"(711mm)	18"(457mm)	18 3/4 "(476mm)	30"(762mm)	X4N2-1830-NS	NN			\$1484.95	\$1590.79	
			36"(914mm)	X4N2-1836-NS	NN			1558.86	1664.70	
23"(584mm)	23 3/4"(603mm)	30"(762mm)	X4N2-2330-NS	NN	NN			\$1557.76	\$1663.60	
		36"(914mm)	X4N2-2336-NS	NN	NN			1631.67	1737.51	

Masters Series


Attached Storage Cabinets

Height	Open Back Depth	Finished Back Depth	Width	Number	①	②	③	Laminate A	B	Paint A	Wood Group A	Group B
Laminate												
28"(711mm)	18"(457mm)	18 3/4"(476mm)	30"(762mm)	X5H2-1830-	S	S	L	\$1227.90	\$1326.11			
			36"(914mm)	X5H2-1836-	S	S	L	1296.30	1394.51			
23"(584mm)	23 3/4"(603mm)	30"(762mm)	X5H2-2330-	S	S	L	\$1292.99	\$1391.20				
			36"(914mm)	X5H2-2336-	S	S	L	1361.39	1459.60			
Paint												
28"(711mm)	18"(457mm)	18 3/4"(476mm)	30"(762mm)	X3H2-1830-	S	S	P		\$1553.36			
			36"(914mm)	X3H2-1836-	S	S	P		1621.76			
23"(584mm)	23 3/4"(603mm)	30"(762mm)	X3H2-2330-	S	S	P		\$1618.45				
			36"(914mm)	X3H2-2336-	S	S	P		1686.85			
Wood												
28"(711mm)	18"(457mm)	18 3/4"(476mm)	30"(762mm)	X4H2-1830-	S	S	W			\$1754.14	\$1823.88	
			36"(914mm)	X4H2-1836-	S	S	W			1826.95	1896.91	
23"(584mm)	23 3/4"(603mm)	30"(762mm)	X4H2-2330-	S	S	W			\$1831.37	\$1901.88		
			36"(914mm)	X4H2-2336-	S	S	W			1904.18	1974.91	


Two-High Cabinet with Doors



X3H2-LP
X4H2-LW
X5H2-LL
(Front view)



X3H2-LP
X4H2-LW
X5H2-LL
(Back view)



X3H2-LP
X4H2-LW
X5H2-LL
(Back view)

Features

- Includes case, unfinished top, optional full finished back, adjustable shelf, doors with concealed hinges, glides, and attachment hardware.
- Unfinished top of storage unit includes a 3"(76mm) horizontal wireway gap.
- One 3/4"(19mm) thick adjustable shelf has $\pm 1\frac{1}{4}''$ (32mm) adjustment range.
- Adjustable shelf depth sized to allow 1/2"(13mm) wireway at the rear of the cabinet.
- Factory installed finished wood back option adds 3/4"(19mm) to the overall storage cabinet depth.
- Door pull options:
 - Finger pull option indicates door with touch latch.
 - Bar pulls available in powdercoat finishes.
 - Linear and Classic pulls are available in satin nickel finish only.
- Optional lock available; lock plug available in black or chrome.
- For lock options, refer to Lock Program Price List.
- Glides provide 2"(51mm) adjustment range.
- Shipped assembled.
- Available on RUSH.

Specification Tips

- 18"(457mm) and 18 3/4"(476mm) deep storage cabinets for use under 19"(483mm) deep worksurfaces.
- 23"(584mm) and 23 3/4"(603mm) deep storage cabinets for use under 24"(610mm) deep worksurfaces.
- Separately specified worksurface may be added to attached storage cabinet with finished back option for use as freestanding two-high.

To Order, Specify:

1) Product number, including:

① Door Pull Option:

- F Finger (Touch latch)
B Bar
8 Linear
9 Classic


② Back Option:

- N No Back
L Finished Laminate Back, add \$226.16 list
P Finished Paint back, add \$226.16 list
W Finished Wood Back, add \$268.08 list

③ Lock Option:

- N No Lock
L Lock, add \$118.05 list
2) Finish code (laminate, paint, or wood).
3) Laminate edge trim color (if laminate specified).
4) Trim color for bar pull (if specified).
5) Trim color for lock (if specified).


① Pull Styles



Masters Series

Freestanding Cabinet Open

Height	Depth	Width	Number	Laminate A	B	Paint A	Wood Group A	Group B
Laminate								
41 5/8"(1057mm)	19"(483mm)	30"(762mm)	X5N3-1930-NSSNN	■	\$1333.64	\$1469.40		
		36"(914mm)	X5N3-1936-NSSNN	■	1379.97	1515.73		
	24"(610mm)	30"(762mm)	X5N3-2430-NSSNN	■	\$1736.32	\$1872.08		
		36"(914mm)	X5N3-2436-NSSNN	■	1782.65	1918.41		
Paint								
41 5/8"(1057mm)	19"(483mm)	30"(762mm)	X3N3-1930-NSSNN			\$1582.04		
		36"(914mm)	X3N3-1936-NSSNN			1628.37		
	24"(610mm)	30"(762mm)	X3N3-2430-NSSNN			\$1984.72		
		36"(914mm)	X3N3-2436-NSSNN			2031.05		
Wood								
41 5/8"(1057mm)	19"(483mm)	30"(762mm)	X4N3-1930-NSSNN	■			\$1819.23	\$1833.47
		36"(914mm)	X4N3-1936-NSSNN	■			1865.56	1879.80
	24"(610mm)	30"(762mm)	X4N3-2430-NSSNN	■			\$2221.91	\$2236.15
		36"(914mm)	X4N3-2436-NSSNN	■			2268.24	2282.48

Three-High Open Cabinet

X3N3-NN
X4N3-NN
X5N3-NN

Features

- Includes case, two adjustable shelves; inset unfinished back and glides.
- Adjustable 3/4"(19mm) thick shelf has $\pm 1 \frac{1}{4}''$ (32mm) adjustment range.
- Glides provide 2"(51mm) adjustment range.
- Shipped assembled.
- Available on RUSH.

To Order, Specify:

- 1) Product number.
- 2) Finish code (laminate, paint, or wood).
- 3) Laminate edge trim color (if laminate specified).

Specification Tips


- Not for use with stack-on storage unit.
- Includes 3/4"(19mm) proud kick plate.
- Not designed for application where back of unit is visible.

Masters Series

Freestanding Cabinets with Hinged Doors


Height	Depth	Width	Number	①	②	Laminate A	B	Paint A	Wood Group A	Group B
Laminate										
41 5/8"(1057mm)	19"(483mm)	30"(762mm)	X5H3-1930-	SS	L	\$1554.46	\$1652.67			
		36"(914mm)	X5H3-1936-	SS	L	1582.04	1680.25			
	24"(610mm)	30"(762mm)	X5H3-2430-	SS	L	\$1951.62	\$2049.83			
		36"(914mm)	X5H3-2436-	SS	L	1979.20	2077.41			
Paint										
41 5/8"(1057mm)	19"(483mm)	30"(762mm)	X3H3-1930-	SS	P		\$1879.92			
		36"(914mm)	X3H3-1936-	SS	P		1907.50			
	24"(610mm)	30"(762mm)	X3H3-2430-	SS	P		\$2277.08			
		36"(914mm)	X3H3-2436-	SS	P		2304.66			
Wood										
41 5/8"(1057mm)	19"(483mm)	30"(762mm)	X4H3-1930-	SS	W			\$2160.14	\$2242.85	
		36"(914mm)	X4H3-1936-	SS	W			2192.13	2275.06	
	24"(610mm)	30"(762mm)	X4H3-2430-	SS	W			\$2569.44	\$2652.92	
		36"(914mm)	X4H3-2436-	SS	W			2601.43	2685.13	

Three-High Cabinet with Hinged Doors



X3H3-LP
X4H3-LW
X5H3-LL

① Pull Styles



② Lock Option:

③ Specification Tips

- Includes case, doors with concealed hinges, one adjustable shelf and one fixed shelf; inset unfinished back and glides.
- Adjustable 3/4"(19mm) thick shelf has $\pm 1 \frac{1}{4}''$ (32mm) adjustment range.
- Door pull options:
 - Finger pull option indicates door with touch latch.
 - Bar pulls available in powdercoat finish.
 - Linear and Classic available in satin nickel finish only.
- Optional lock available; lock plug available in black or chrome.
- For lock options, refer to Lock Program Price List.
- Glides provide 2"(51mm) adjustment range.
- Shipped assembled.
- Available on RUSH.

- Not for use with stack-on storage unit.
- Not designed for application where back of unit is visible.

To Order, Specify:

- 1) Product number, including:

① Door Pull Option:

- | | |
|----------|----------------------|
| F | Finger (Touch latch) |
| B | Bar |
| 8 | Linear |
| 9 | Classic |

② Lock Option:

- | | |
|----------|-------------------------|
| N | No Lock |
| L | Lock, add \$118.05 list |

- 2) Finish code (laminate, paint, or wood).

- 3) Laminate edge trim color (if laminate specified).



- 4) Trim color for bar pull (if specified).

- 5) Trim color for lock (if specified).

Masters Series

Freestanding Lateral Files

Height	Depth	Width	Number	①②	Laminate A	B	Paint A	Wood Group A	Group B
Laminate									
41 5/8"(1057mm)	19"(483mm)	30"(762mm)	X5F3-1930-N	SSBLL	\$2014.41	\$2385.82			
		36"(914mm)	X5F3-1936-N	SSBLL	2149.42	2520.83			
	24"(610mm)	30"(762mm)	X5F3-2430-N	SSBLL	2096.07	2467.48			
		36"(914mm)	X5F3-2436-N	SSBLL	2231.08	2602.49			
55 5/16"(1405mm)	19"(483mm)	30"(762mm)	X5F4-1930-N	SSBLL	\$2448.09	\$2901.90			
		36"(914mm)	X5F4-1936-N	SSBLL	2583.10	3036.91			
	24"(610mm)	30"(762mm)	X5F4-2430-N	SSBLL	2529.75	2983.56			
		36"(914mm)	X5F4-2436-N	SSBLL	2664.76	3118.57			
Paint									
41 5/8"(1057mm)	19"(483mm)	30"(762mm)	X3F3-1930-N	SSBLP		\$2438.39			
		36"(914mm)	X3F3-1936-N	SSBLP		2573.40			
	24"(610mm)	30"(762mm)	X3F3-2430-N	SSBLP		2540.75			
		36"(914mm)	X3F3-2436-N	SSBLP		2675.76			
55 5/16"(1405mm)	19"(483mm)	30"(762mm)	X3F4-1930-N	SSBLP		\$2991.53			
		36"(914mm)	X3F4-1936-N	SSBLP		3126.54			
	24"(610mm)	30"(762mm)	X3F4-2430-N	SSBLP		3093.89			
		36"(914mm)	X3F4-2436-N	SSBLP		3228.90			
Wood									
41 5/8"(1057mm)	19"(483mm)	30"(762mm)	X4F3-1930-N	SSBLW		\$2796.62	\$2894.48		
		36"(914mm)	X4F3-1936-N	SSBLW		2964.30	3064.12		
	24"(610mm)	30"(762mm)	X4F3-2430-N	SSBLW		2878.28	2981.04		
		36"(914mm)	X4F3-2436-N	SSBLW		3045.96	3150.68		
55 5/16"(1405mm)	19"(483mm)	30"(762mm)	X4F4-1930-N	SSBLW		\$3416.17	\$3551.20		
		36"(914mm)	X4F4-1936-N	SSBLW		3583.85	3720.84		
	24"(610mm)	30"(762mm)	X4F4-2430-N	SSBLW		3497.83	3637.76		
		36"(914mm)	X4F4-2436-N	SSBLW		3665.51	3807.40		

Freestanding Lateral File – Three-High and Four-HighX3F3-LP
X4F3-LW
X5F3-LLX3F4-LP
X4F4-LW
X5F4-LL**Features**

- Includes finished top and case and three or four lateral file drawers; inset unfinished back and glides.
- File drawer with an integrated file hanging system.
- Two file hanging bars included per file drawer.
- File drawers have full extension slides with integrated anti-tip interlock feature.
- Drawer pull options:
 - Bar pulls available in powdercoat finishes.
 - Linear and Classic pulls are available in satin nickel finish only.
 - Finger pull option available with Wood Group B finishes.
- One lock standard per lateral file; includes dual lock bar system.
- Lock plug is available in black or chrome.
- For lock options, refer to Lock Program Price List.
- Glides provide 2"(51mm) adjustment range.
- Shipped assembled.
- Available on RUSH.

To Order, Specify:

- 1) Product number, including:

① File Drawer Option:

- S** Black Miterfold
- W** Wood
Three-High, add \$151.35 list
Four-High, add \$201.44 list

② Drawer Pull Option:


- F** Finger (Wood only)
- B** Bar
- 8** Linear
- 9** Classic

- 2) Finish code (laminate, paint, or wood).

- 3) Laminate edge trim color (if laminate specified).

- 4) Trim color for bar pull (if specified).



- 5) Trim color for lock (required).

② Pull Styles

Masters Series

Freestanding Lateral Files

Height	Depth	Width	Number	①	②	③	Laminate A	B	Paint A	Wood Group A	Group B
Laminate											
69"(1753mm)	19"(483mm)	30"(762mm)	X5F5-1930-N	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	SSB	L	■	\$3414.64	\$4074.52
		36"(914mm)	X5F5-1936-N	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	SSB	L	■	3549.65	4209.53
	24"(610mm)	30"(762mm)	X5F5-2430-N	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	SSB	L	■	3496.30	4156.18
		36"(914mm)	X5F5-2436-N	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	SSB	L	■	3631.31	4291.19
81 5/8 "(2073mm)	19"(483mm)	30"(762mm)	X5F6-1930-N	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	SSB	L	■	\$3692.08	\$4404.67
		36"(914mm)	X5F6-1936-N	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	SSB	L	■	3827.09	4539.68
	24"(610mm)	30"(762mm)	X5F6-2430-N	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	SSB	L	■	3773.74	4486.33
		36"(914mm)	X5F6-2436-N	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	SSB	L	■	3908.75	4621.34
Paint											
69"(1753mm)	19"(483mm)	30"(762mm)	X3F5-1930-N	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	SSB	P		\$4255.22	
		36"(914mm)	X3F5-1936-N	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	SSB	P		4390.23	
	24"(610mm)	30"(762mm)	X3F5-2430-N	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	SSB	P		4357.58	
		36"(914mm)	X3F5-2436-N	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	SSB	P		4492.59	
81 5/8 "(2073mm)	19"(483mm)	30"(762mm)	X3F6-1930-N	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	SSB	P		\$4605.84	
		36"(914mm)	X3F6-1936-N	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	SSB	P		4740.85	
	24"(610mm)	30"(762mm)	X3F6-2430-N	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	SSB	P		4708.20	
		36"(914mm)	X3F6-2436-N	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	SSB	P		4843.21	
Wood											
69"(1753mm)	19"(483mm)	30"(762mm)	X4F5-1930-N	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	SSB	W	■	\$4847.54	\$5075.54
		36"(914mm)	X4F5-1936-N	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	SSB	W	■	5015.22	5245.18
	24"(610mm)	30"(762mm)	X4F5-2430-N	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	SSB	W	■	4929.20	5162.10
		36"(914mm)	X4F5-2436-N	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	SSB	W	■	5096.88	5331.74
81 5/8 "(2073mm)	19"(483mm)	30"(762mm)	X4F6-1930-N	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	SSB	W	■	\$5243.89	\$5495.67
		36"(914mm)	X4F6-1936-N	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	SSB	W	■	5411.57	5665.31
	24"(610mm)	30"(762mm)	X4F6-2430-N	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	SSB	W	■	5325.55	5582.23
		36"(914mm)	X4F6-2436-N	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	SSB	W	■	5493.23	5751.87

Freestanding Lateral File – Five-High and Six-HighX3F5-LP
X4F5-LW
X5F5-LLX3F6-LP
X4F6-LW
X5F6-LL**Features**

- Includes finished top and case, four lateral file drawers and storage cabinet; inset unfinished back and glides.
- File drawer with an integrated file hanging system.
- Two file hanging bars included per file drawer.
- File drawers have full extension slides with integrated anti-tip interlock feature.
- Drawer pull options:
 - Bar pulls available in powdercoat finishes.
 - Linear and Classic pulls are available in satin nickel finish only.
 - Finger pull option includes touch latch on the storage cabinet doors and routed finger pull on cabinet drawers.
 - Finger pull option available with Wood Group B finishes.
- One lock standard per lateral file includes dual lock bar system; optional lock available for upper storage cabinet.
- Lock plug is available in black or chrome.
- For lock options, refer to Lock Program Price List.
- Six-high includes one adjustable shelf.
- Adjustable 3/4"(19mm) thick shelf has ±1 1/4"(32mm) adjustment range.
- Glides provide 2"(51mm) adjustment range.
- Shipped assembled.
- Available on RUSH.

Specification Tip

- Not designed for application where back of unit is visible.

To Order, Specify:

- 1) Product number, including:

① File Drawer Option:


- S Black Miterfold ■
 W Wood, add \$201.44 list ■

② Drawer Pull Option:

- F Finger (Touch latch) (Wood only)
 B Bar ■
 8 Linear ■
 9 Classic ■

③ Storage Cabinet Lock Option:



- N No Lock ■
 L Lock, add \$118.05 list ■
2) Finish code (laminate, paint, or wood).
3) Laminate edge trim color (if laminate specified).
4) Trim color for bar pull (if specified).
5) Trim color for lock (required).

② Pull Styles

Masters Series

Combination Units with Lateral File

Height	Depth	Width	Number	①	②	③	Laminate A	B	Paint A	Wood Group A	Group B
Laminate											
69"(1753mm)	19"(483mm)	30"(762mm)	X5M5-1930-N	SSB	L	■	\$2795.37	\$3019.04			
		36"(914mm)	X5M5-1936-N	SSB	L	■	3083.31	3312.77			
	24"(610mm)	30"(762mm)	X5M5-2430-N	SSB	L	■	2868.18	3091.85			
		36"(914mm)	X5M5-2436-N	SSB	L	■	3156.12	3385.58			
81 5/8"(2073mm)	19"(483mm)	30"(762mm)	X5M6-1930-N	SSB	L	■	\$2975.20	\$3198.87			
		36"(914mm)	X5M6-1936-N	SSB	L	■	3263.14	3492.60			
	24"(610mm)	30"(762mm)	X5M6-2430-N	SSB	L	■	3048.01	3271.68			
		36"(914mm)	X5M6-2436-N	SSB	L	■	3335.95	3565.41			
Paint											
69"(1753mm)	19"(483mm)	30"(762mm)	X3M5-1930-N	SSB	P				\$3546.88		
		36"(914mm)	X3M5-1936-N	SSB	P				3834.82		
	24"(610mm)	30"(762mm)	X3M5-2430-N	SSB	P				3619.69		
		36"(914mm)	X3M5-2436-N	SSB	P				3907.63		
81 5/8"(2073mm)	19"(483mm)	30"(762mm)	X3M6-1930-N	SSB	P				\$3726.71		
		36"(914mm)	X3M6-1936-N	SSB	P				4014.65		
	24"(610mm)	30"(762mm)	X3M6-2430-N	SSB	P				3799.52		
		36"(914mm)	X3M6-2436-N	SSB	P				4087.46		
Wood											
69"(1753mm)	19"(483mm)	30"(762mm)	X4M5-1930-N	SSB	W	■			\$4024.59	\$4262.89	
		36"(914mm)	X4M5-1936-N	SSB	W	■			4351.15	4591.75	
	24"(610mm)	30"(762mm)	X4M5-2430-N	SSB	W	■			4097.40	4335.70	
		36"(914mm)	X4M5-2436-N	SSB	W	■			4423.96	4664.56	
81 5/8"(2073mm)	19"(483mm)	30"(762mm)	X4M6-1930-N	SSB	W	■			\$4228.69	\$4468.10	
		36"(914mm)	X4M6-1936-N	SSB	W	■			4555.25	4796.96	
	24"(610mm)	30"(762mm)	X4M6-2430-N	SSB	W	■			4301.50	4540.91	
		36"(914mm)	X4M6-2436-N	SSB	W	■			4628.06	4869.77	

Combination UnitX3M5-LP
X4M5-LW
X5M5-LLX3M6-LP
X4M6-LW
X5M6-LL**Features**

- Includes two-high lateral file drawers, storage cabinet with two adjustable shelves, unfinished back, glides and concealed hinges.
 - Adjustable shelf has $\pm 1 \frac{1}{4}''$ (32mm) adjustment range.
 - File drawer with an integrated file hanging system.
 - File drawers have full extension slides with integrated anti-tip interlock feature.
 - Two file hanging bars included per file drawer.
 - Drawer/door pull options:
 - Bar pulls available in powdercoat finishes.
 - Linear and Classic pulls are available in satin nickel finish only.
 - Finger pull option includes touch latch on the storage cabinet doors and routed finger pull on cabinet drawers.
 - Finger pull option available with Wood Group B finishes.
 - One lock standard per lateral file includes dual lock bar system; Optional lock available for upper storage cabinet.
 - Common keys within each storage unit.
 - Lock plug is available in black or chrome.
 - For lock options, refer to Lock Program Price List.
 - Two adjustable shelves included in five-high. One fixed and two adjustable shelves included in six-high.
 - Adjustable shelf has $\pm 1 \frac{1}{4}''$ (32mm) adjustment range.
 - Glides provide 2''(51mm) adjustment range.
 - Lateral file shipped assembled.
- Available on RUSH.

Specification Tip

- Not designed for application where back of unit is visible.

To Order, Specify:

1) Product number, including:

① File Drawer Option:


- S** Black Miterfold ■
W Wood, add \$101.25 list □

② Drawer/Door Pull Option:

- F** Finger (Touch latch) (Wood only)
B Bar □
8 Linear □
9 Classic □

③ Storage Cabinet Lock Option:

- N** No Lock □
L Lock, add \$118.05 list □
2) Finish code (laminate, paint, or wood).
3) Laminate edge trim color (if laminate specified).
4) Trim color for bar pull (if specified).
5) Trim color for lock (required).


② Pull Styles

Masters Series


Wardrobes with Open Cabinet

Height	Depth	Width	Number	①	②	③	Laminate A	B	Paint A	Wood Group A	Group B
Laminate											
69"(1753mm)	19"(483mm)	30"(762mm)	X5W5-1930-	SS	L	■	\$2087.81	\$2133.65			
		36"(914mm)	X5W5-1936-	SS	L	■	2150.72	2196.56			
24"(610mm)	19"(483mm)	30"(762mm)	X5W5-2430-	SS	L	■	2768.50	2814.34			
		36"(914mm)	X5W5-2436-	SS	L	■	2831.41	2877.25			
81 5/8"(2073mm)	19"(483mm)	30"(762mm)	X5W6-1930-	SS	L	■	\$2596.40	\$2642.24			
		36"(914mm)	X5W6-1936-	SS	L	■	2659.31	2705.15			
24"(610mm)	19"(483mm)	30"(762mm)	X5W6-2430-	SS	L	■	3277.09	3322.93			
		36"(914mm)	X5W6-2436-	SS	L	■	3340.00	3385.84			
Paint											
69"(1753mm)	19"(483mm)	30"(762mm)	X3W5-1930-	SS	P				\$2809.99		
		36"(914mm)	X3W5-1936-	SS	P				2872.90		
24"(610mm)	19"(483mm)	30"(762mm)	X3W5-2430-	SS	P				3490.68		
		36"(914mm)	X3W5-2436-	SS	P				3553.59		
81 5/8"(2073mm)	19"(483mm)	30"(762mm)	X3W6-1930-	SS	P				\$3318.58		
		36"(914mm)	X3W6-1936-	SS	P				3381.49		
24"(610mm)	19"(483mm)	30"(762mm)	X3W6-2430-	SS	P				3999.27		
		36"(914mm)	X3W6-2436-	SS	P				4062.18		
Wood											
69"(1753mm)	19"(483mm)	30"(762mm)	X4W5-1930-	SS	W	■			\$3177.34	\$3319.70	
		36"(914mm)	X4W5-1936-	SS	W	■			3253.48	3419.03	
24"(610mm)	19"(483mm)	30"(762mm)	X4W5-2430-	SS	W	■			3952.91	4122.85	
		36"(914mm)	X4W5-2436-	SS	W	■			4029.05	4222.18	
81 5/8"(2073mm)	19"(483mm)	30"(762mm)	X4W6-1930-	SS	W	■			\$3752.13	\$3905.53	
		36"(914mm)	X4W6-1936-	SS	W	■			3828.27	4004.86	
24"(610mm)	19"(483mm)	30"(762mm)	X4W6-2430-	SS	W	■			4527.70	4708.68	
		36"(914mm)	X4W6-2436-	SS	W	■			4603.84	4808.01	

Wardrobe with Open Cabinet



X3W5-PL
X4W5-WL
X5W5-LL
(Left-hand shown)



X3W6-PL
X4W6-WL
X5W6-LL
(Left-hand shown)

Features

- Includes open storage with shelves, wardrobe with chrome coat rod, glides and door complete with concealed hinges.
- Case and door front finished; unfinished back.
- Handed left (L) or right (R) by door hinge orientation.
- Five-high includes one fixed shelf and three adjustable shelves.
- Six-high includes one fixed shelf and four adjustable shelves.
- Fixed shelf in the second position from the bottom.
- Adjustable shelf has $\pm 1 \frac{1}{4}''$ (32mm) adjustment range.
- Door pull options:
 - Finger pull option indicates door with touch latch.
 - Bar pulls available in powdercoat finishes.
 - Linear and Classic pulls are available in satin nickel finish only.
- Optional lock available; lock plug available in black or chrome.
- For lock options, refer to Lock Program Price List.
- Glides provide 1''(25mm) adjustment range.
- Shipped assembled.
- Available on RUSH.

Specification Tip

- Not designed for application where back of unit is visible.

To Order, Specify:

- Product number, including:

① Door Pull Option:

- | | |
|----------|----------------------|
| F | Finger (Touch latch) |
| B | Bar |
| 8 | Linear |
| 9 | Classic |

② Lock Option:

- | | |
|----------|-------------------------|
| N | No Lock |
| L | Lock, add \$118.05 list |

③ Wardrobe Orientation:

- | | |
|----------|------------|
| L | Left-hand |
| R | Right-hand |


- Finish code (laminate, paint, or wood).

- Laminate edge trim color (if laminate specified).

- Trim color for bar pull (if specified).

- Trim color for lock (if specified).



① Pull Styles



Masters Series

Wardrobes with Closed Storage Cabinet

Height	Depth	Width	Number	①	②	Laminate A	B	Paint A	Wood Group A	Group B
Laminate										
69"(1753mm)	19"(483mm)	30"(762mm)	X5X5-1930-	SS	L	\$2369.13	\$2414.97			
		36"(914mm)	X5X5-1936-	SS	L	2432.04	2477.88			
	24"(610mm)	30"(762mm)	X5X5-2430-	SS	L	3049.82	3095.66			
		36"(914mm)	X5X5-2436-	SS	L	3112.73	3158.57			
81 5/8 "(2073mm)	19"(483mm)	30"(762mm)	X5X6-1930-	SS	L	\$2877.72	\$2923.56			
		36"(914mm)	X5X6-1936-	SS	L	2940.63	2986.47			
	24"(610mm)	30"(762mm)	X5X6-2430-	SS	L	3558.41	3604.25			
		36"(914mm)	X5X6-2436-	SS	L	3621.32	3667.16			
Paint										
69"(1753mm)	19"(483mm)	30"(762mm)	X3X5-1930-	SS	P			\$3091.31		
		36"(914mm)	X3X5-1936-	SS	P			3154.22		
	24"(610mm)	30"(762mm)	X3X5-2430-	SS	P			3772.00		
		36"(914mm)	X3X5-2436-	SS	P			3834.91		
81 5/8 "(2073mm)	19"(483mm)	30"(762mm)	X3X6-1930-	SS	P			\$3599.90		
		36"(914mm)	X3X6-1936-	SS	P			3662.81		
	24"(610mm)	30"(762mm)	X3X6-2430-	SS	P			4280.59		
		36"(914mm)	X3X6-2436-	SS	P			4343.50		
Wood										
69"(1753mm)	19"(483mm)	30"(762mm)	X4X5-1930-	SS	W			\$3604.29	\$3746.65	
		36"(914mm)	X4X5-1936-	SS	W			3680.43	3845.98	
	24"(610mm)	30"(762mm)	X4X5-2430-	SS	W			4379.86	4549.80	
		36"(914mm)	X4X5-2436-	SS	W			4456.00	4649.13	
81 5/8 "(2073mm)	19"(483mm)	30"(762mm)	X4X6-1930-	SS	W			\$4179.08	\$4332.48	
		36"(914mm)	X4X6-1936-	SS	W			4255.22	4431.81	
	24"(610mm)	30"(762mm)	X4X6-2430-	SS	W			4954.65	5135.63	
		36"(914mm)	X4X6-2436-	SS	W			5030.79	5234.96	

Wardrobe with Closed Storage CabinetX3X5-LP
X4X5-LW
X5X5-LLX3X6-LP
X4X6-LW
X5X6-LL**Features**

- Includes wardrobe with chrome coat rod on left side, storage cabinet with shelves on right side, glides and doors with concealed hinges.
- Case and door front finished; unfinished back.
- Five-high includes one fixed shelf and three adjustable shelves.
- Six-high includes one fixed shelf and four adjustable shelves.
- Fixed shelf in the second position from the bottom.
- Adjustable shelf has $\pm 1\frac{1}{4}''$ (32mm) adjustment range.
- Door pull options:
 - Finger pull option indicates door with touch latch.
 - Bar pulls available in powdercoat finishes.
 - Linear and Classic pulls are available in satin nickel finish only.
 - Optional lock available; lock plug available in black or chrome.
 - For lock options, refer to Lock Program Price List.
 - Glides provide 1''(25mm) adjustment range.
 - Shipped assembled.
 - Available on RUSH.

Specification Tip

- Not designed for application where back of unit is visible.

To Order, Specify:

- 1) Product number, including:

① Door Pull Option:

- | | |
|----------|----------------------|
| F | Finger (Touch latch) |
| B | Bar |
| 8 | Linear |
| 9 | Classic |

② Lock Option:

- | | |
|----------|-------------------------|
| N | No Lock |
| L | Lock, add \$118.05 list |

- 2) Finish code (laminate, paint, or wood).

- 3) Laminate edge trim color (if laminate specified).

- 4) Trim color for bar pull (if specified).

- 5) Trim color for lock (if specified).

① Pull Styles



- | | | | |
|----------|----------------------|----------|---------|
| F | Finger (Touch latch) | B | Bar |
| 8 | Linear | 9 | Classic |

Masters Series

Personal Storage Towers with Valet

Height	Depth	Width	Number	①	②	③	④	Laminate A	B	Paint A	Wood Group A	Group B
Laminate												
69"(1753mm)	24"(610mm)	24"(610mm)	X5AD-6924-	SSS	L	■	■	\$2862.77	\$3150.48			
81 5/8"(2073mm)	24"(610mm)	24"(610mm)	X5AD-8124-	SSS	L	■	■	3471.75	3808.13			
Paint												
69"(1753mm)	24"(610mm)	24"(610mm)	X3AD-6924-	SSS	P	■	■			\$3600.95		
81 5/8"(2073mm)	24"(610mm)	24"(610mm)	X3AD-8124-	SSS	P	■	■			4209.93		
Wood												
69"(1753mm)	24"(610mm)	24"(610mm)	X4AD-6924-	SSS	W	■	■			\$4089.68	\$4334.60	
81 5/8"(2073mm)	24"(610mm)	24"(610mm)	X4AD-8124-	SSS	W	■	■			4778.10	5027.42	

Personal Storage Tower with F/F/F and Valet



X3AD-PL
X4AD-WL
X5AD-LL
(Left-hand shown)

Features

- Includes three file drawers, closed storage with two adjustable shelves, glides and valet with chrome coat rod.
- Case and door front finished; unfinished back.
- Five-high includes one adjustable shelf in the storage cabinet.
- Six-high includes two adjustable shelves in the storage cabinet and a removable hat shelf in the valet.
- Adjustable shelf has $\pm 1 \frac{1}{4}''$ (32mm) adjustment range.
- Two file hanging bars included per file drawer.
- File drawers have full extension slides.
- Drawer/door pull options:
 - Bar pulls available in powdercoat finishes.
 - Linear and Classic pulls are available in satin nickel finish only.
 - Finger pull option includes touch latch on the storage cabinet doors and routed finger pull on cabinet drawers.
 - Finger pull option available with Wood Group B finishes.
- Letter width 15 1/2"(394mm) pedestal.
- One lock standard for file drawers; optional lock available for upper storage cabinet and valet.
- Common keys within each storage unit.
- Lock plug is available in black or chrome.
- For lock options, refer to Lock Program Price List.
- Glides provide 1"(25mm) adjustment range.
- Shipped assembled.
- Available on RUSH.

Specification Tip

- Not designed for application where back of unit is visible.

To Order, Specify:

- Product number, including:

① Drawer Option:

- | | |
|----------|---------------------------|
| S | Black Miterfold ■ |
| W | Wood, add \$130.18 list ■ |

② Drawer/Door Pull Option:

- | | |
|----------|----------------------------------|
| F | Finger (Touch latch) (Wood only) |
| B | Bar ■ |
| 8 | Linear ■ |
| 9 | Classic ■ |

③ Storage Cabinet/Valet Lock Option:

- | | |
|----------|---------------------------|
| N | No Lock ■ |
| L | Lock, add \$236.10 list ■ |

④ Valet Door Hinge Orientation:

- | | |
|----------|--------------|
| L | Left-hand ■ |
| R | Right-hand ■ |


- Finish code (laminate, paint, or wood).

- Laminate edge trim color (if laminate specified).

- Trim color for bar pull (if specified).

- Trim color for lock (required).



② Pull Styles



Masters Series

Personal Storage Towers with Valet

Height	Depth	Width	Number	① ②	③ ④	Laminate A	B	Paint A	Wood Group A	Group B
Laminate										
69"(1753mm)	24"(610mm)	24"(610mm)	X5AF-6924-	SSS	L	■	\$2339.36	\$2614.41		
81 5/8"(2073mm)	24"(610mm)	24"(610mm)	X5AF-8124-	SSS	L	■	2856.77	3167.29		
Paint										
69"(1753mm)	24"(610mm)	24"(610mm)	X3AF-6924-	SSS	P	■		\$3442.08		
81 5/8"(2073mm)	24"(610mm)	24"(610mm)	X3AF-8124-	SSS	P	■		3959.49		
Wood										
69"(1753mm)	24"(610mm)	24"(610mm)	X4AF-6924-	SSS	W	■			\$3442.08	\$3648.27
81 5/8"(2073mm)	24"(610mm)	24"(610mm)	X4AF-8124-	SSS	W	■			3959.49	4196.67

Personal Storage Tower with**F/F Pedestal and Valet**

X3AF-PL
X4AF-WL
X5AF-LL
(Left-hand shown)

Features

- Includes two file drawers, closed storage with adjustable shelves, glides and wardrobe with chrome coat rod.
 - Case and door front finished; unfinished back.
 - Handed left (L) or right (R) based on valet door hinge orientation.
 - Five-high includes two adjustable shelves in the storage cabinet.
 - Six-high includes three adjustable shelves in the storage cabinet and one additional shelf in the valet.
 - Adjustable shelf has $\pm 1 \frac{1}{4}''$ (32mm) adjustment range.
 - Two file hanging bars included per file drawer.
 - File drawers have full extension slides.
 - Drawer and door pull options:
 - Bar pulls available in powdercoat finishes.
 - Linear and Classic pulls are available in satin nickel finish only.
 - Finger pull option includes touch latch on the storage cabinet doors and routed finger pull on cabinet drawers.
 - Finger pull option available with Wood Group B finishes.
 - Letter width 15 1/2"(394mm) pedestals.
 - One lock standard for file drawers; optional lock available for upper storage cabinet and valet.
 - Common keys within each storage unit.
 - Lock plug is available in black or chrome.
 - For lock options, refer to Lock Program Price List.
 - Glides provide 1"(25mm) adjustment range.
 - Shipped assembled.
- Available on RUSH.

Specification Tip

- Not designed for application where back of unit is visible.

To Order, Specify:

- 1) Product number, including:

1 Drawer Option:

- S** Black Miterfold ■
W Wood, add \$130.18 list ■

2 Drawer and Door Pull Options:

- F** Finger (Touch latch) (Wood only)
B Bar ■
8 Linear ■
9 Classic ■


3 Storage Cabinet/Valet Lock Option:

- N** No Lock ■
L Lock, add \$236.10 list ■

4 Valet Door Hinge Orientation:

- L** Left-hand ■
R Right-hand ■

- 2) Finish code (laminate, paint, or wood).
3) Laminate edge trim color (if laminate specified).
4) Trim color for bar pull (if specified).
5) Trim color for lock (required).





Masters Series

Storage Tower

Height	Depth	Width	Number	①	②	③	④	Laminate A	B	Paint A	Wood Group A	Group B
Laminate												
69"(1753mm)	19"(483mm)	15 1/2"(394mm)	X5ZF-6919-	SSS	L	SSS	L	\$2064.66	\$2317.75			
	24"(610mm)		X5ZF-6924-	SSS	L	SSS	L	2169.47	2430.94			
81 5/8"(2073mm)	19"(483mm)	15 1/2"(394mm)	X5ZF-8119-	SSS	L	SSS	L	\$2508.16	\$2796.72			
	24"(610mm)		X5ZF-8124-	SSS	L	SSS	L	2612.97	2909.91			
Paint												
69"(1753mm)	19"(483mm)	15 1/2"(394mm)	X3ZF-6919-	SSS	P	SSS	P		\$3167.38			
	24"(610mm)		X3ZF-6924-	SSS	P	SSS	P		3272.19			
81 5/8"(2073mm)	19"(483mm)	15 1/2"(394mm)	X3ZF-8119-	SSS	P	SSS	P		\$3610.88			
	24"(610mm)		X3ZF-8124-	SSS	P	SSS	P		3715.69			
Wood												
69"(1753mm)	19"(483mm)	15 1/2"(394mm)	X4ZF-6919-	SSS	W	SSS	W	\$3167.38	\$3357.14			
	24"(610mm)		X4ZF-6924-	SSS	W	SSS	W		3272.19			
81 5/8"(2073mm)	19"(483mm)	15 1/2"(394mm)	X4ZF-8119-	SSS	W	SSS	W	\$3610.88	\$3827.22			
	24"(610mm)		X4ZF-8124-	SSS	W	SSS	W		3715.69			

Storage Tower



X3ZF-PR
X4ZF-WR
X5ZF-LR
(Right-hand shown)

Features

- Includes two file drawers, closed storage with adjustable shelves and glides.
- Case and door front finished; unfinished back.
- Handed left (L) or right (R) based on closed storage door hinge orientation.
- Five-high includes two adjustable shelves in the storage cabinet.
- Six-high includes three adjustable shelves in the storage cabinet.
- Adjustable shelf has $\pm 1 \frac{1}{4}''$ (32mm) adjustment range.
- Two file hanging bars included per file drawer.
- File drawers have full extension slides.
- Drawer and door pull options:
 - Bar pulls available in powdercoat finishes.
 - Linear and Classic pulls are available in satin nickel finish only.
 - Finger pull option includes touch latch on the storage cabinet doors and routed finger pull on cabinet drawers.
 - Finger pull option available with Wood Group B finishes.
- Letter width 15 1/2"(394mm) pedestals.
- One lock standard for file drawers; optional lock available for upper storage cabinet and valet.
- Common keys within each storage unit.
- Lock plug is available in black or chrome.
- For lock options, refer to Lock Program Price List.
- Glides provide 1"(25mm) adjustment range.
- Shipped assembled.
- Available on RUSH.

Specification Tip

- Not designed for application where back of unit is visible.

To Order, Specify:

- Product number, including:

① Drawer Option:

- | | |
|----------|-------------------------|
| S | Black Miterfold |
| W | Wood, add \$130.18 list |

② Drawer and Door Pull Options:

- | | |
|----------|----------------------------------|
| F | Finger (Touch latch) (Wood only) |
| B | Bar |
| 8 | Linear |
| 9 | Classic |

③ Storage Cabinet Lock Option:

- | | |
|----------|-------------------------|
| N | No Lock |
| L | Lock, add \$118.05 list |

④ Storage Door Hinge Orientation:

- | | |
|----------|------------|
| L | Left-hand |
| R | Right-hand |


- Finish code (laminate, paint, or wood).

- Laminate edge trim color (if laminate specified).

- Trim color for bar pull (if specified).

- Trim color for lock (required).


② Pull Styles




Masters Series

Freestanding Wardrobe Tower

Height	Depth	Width	Number	①	②	③	Laminate A	B	Paint A	Wood Group A	Group B
Laminate											
69"(1753mm)	24"(610mm)	16"(406mm)	X5Y5-2416-	SS	L	■	\$1253.71	\$1299.55			
81 5/8"(2073mm)	24"(610mm)	16"(406mm)	X5Y6-2416-	SS	L	■	1762.30	1808.14			
Paint											
69"(1753mm)	24"(610mm)	16"(406mm)	X3Y5-2416-	SS	P	■			\$1975.89		
81 5/8"(2073mm)	24"(610mm)	16"(406mm)	X3Y6-2416-	SS	P	■			2484.48		
Wood											
69"(1753mm)	24"(610mm)	16"(406mm)	X4Y5-2416-	SS	W	■				\$2407.25	\$2523.08
81 5/8"(2073mm)	24"(610mm)	16"(406mm)	X4Y6-2416-	SS	W	■				2982.04	3108.91

Freestanding Wardrobe Tower**Tower**

X3Y5-PR
X4Y5-WR
X5Y5-LR



X3Y6-PR
X4Y6-WR
X5Y6-LR
(Right-hand shown)

Features

- Includes wardrobe cabinet with chrome coat rod; inset unfinished back and glides.
- Handed left (L) or right (R) by door hinge orientation.
- Case and door front finished; unfinished back.
- Door pull options:
 - Bar pulls available in powdercoat finishes.
 - Linear and Classic pulls are available in satin nickel finish only.
 - Finger pull option includes touch latch on the wardrobe door.
 - Optional lock available; lock plug available in black or chrome.
 - For lock options, refer to Lock Program Price List.
 - Glides provide 1"(25mm) adjustment range.
 - Shipped assembled.
- Available on RUSH.

Specification Tip

- Not designed for application where back of unit is visible.

To Order, Specify:

- 1) Product number, including:

① Door Pull Option:


- | | |
|---|----------------------|
| F | Finger (Touch latch) |
| B | Bar ■ |
| 8 | Linear ■ |
| 9 | Classic ■ |

② Lock Option:

- | | |
|---|---------------------------|
| N | No Lock ■ |
| L | Lock, add \$118.05 list ■ |

③ Door Hinge Orientation:


- | | |
|---|--------------|
| L | Left-hand ■ |
| R | Right-hand ■ |
- 2) Finish code (laminate, paint, or wood).
3) Laminate edge trim color (if laminate specified).
4) Trim color for bar pull (if specified).
5) Trim color for lock (if specified).

① Pull Styles


Masters Series

Bookcases


Bookcase — Two, Three, Four, Five and Six-High




ULB2-S
UXB2-S
UYB2-S




ULB3-S
UXB3-S
UYB3-S



ULB4-S
UXB4-S
UYB4-S



ULB5-S
UXB5-S
UYB5-S



ULB6-S
UXB6-S
UYB6-S

Features

- Includes bookcase with glides and finished top and shelves; inset unfinished back.
- Two-high includes one adjustable shelf.
- Three-high includes two adjustable shelves.
- Four-high includes two adjustable shelves and one fixed shelf.
- Five-high includes three adjustable shelves and one fixed shelf.
- Six-high includes four adjustable shelves and one fixed shelf.
- Adjustable 3/4"(19mm) thick shelf has $\pm 1\frac{1}{4}''$ (32mm) adjustment range.
- 3/4"(19mm) thick fixed shelf in the second position from the bottom.
- Glides provide 1"(25mm) adjustment range.
- Shipped assembled.
- Available on RUSH.

To Order, Specify:

- 1) Product number.
- 2) Finish code (laminate, paint, or wood).
- 3) Laminate edge trim color (if laminate, paint or wood specified).

Specification Tip

- Not designed for application where back of unit is visible.

Masters Series


Bookcases

Height	Depth	Width	Number	Laminate A	B	Paint A	Wood Group A	Group B
Laminate — Letter Depth								
28"(711mm)	14"(356mm)	30"(762mm)	ULB2-1430-S	\$ 692.17	\$ 747.99			
		36"(914mm)	ULB2-1436-S	723.06	778.88			
41 5/8"(1057mm)	14"(356mm)	30"(762mm)	ULB3-1430-S	714.15	769.97			
		36"(914mm)	ULB3-1436-S	763.79	819.61			
55 5/16"(1405mm)	14"(356mm)	30"(762mm)	ULB4-1430-S	727.52	783.34			
		36"(914mm)	ULB4-1436-S	794.82	850.64			
69"(1753mm)	14"(356mm)	30"(762mm)	ULB5-1430-S	922.55	978.37			
		36"(914mm)	ULB5-1436-S	1007.50	1063.32			
81 5/8"(2073mm)	14"(356mm)	30"(762mm)	ULB6-1430-S	1161.95	1217.77			
		36"(914mm)	ULB6-1436-S	1265.65	1321.47			
Laminate — Legal Depth								
28"(711mm)	16 1/2"(419mm)	30"(762mm)	ULB2-1730-S	\$ 723.06	\$ 778.88			
		36"(914mm)	ULB2-1736-S	753.95	809.77			
41 5/8"(1057mm)	16 1/2"(419mm)	30"(762mm)	ULB3-1730-S	763.79	819.61			
		36"(914mm)	ULB3-1736-S	813.43	869.25			
55 5/16"(1405mm)	16 1/2"(419mm)	30"(762mm)	ULB4-1730-S	794.82	850.64			
		36"(914mm)	ULB4-1736-S	862.12	917.94			
69"(1753mm)	16 1/2"(419mm)	30"(762mm)	ULB5-1730-S	1007.50	1063.32			
		36"(914mm)	ULB5-1736-S	1092.45	1148.27			
81 5/8"(2073mm)	16 1/2"(419mm)	30"(762mm)	ULB6-1730-S	1265.65	1321.47			
		36"(914mm)	ULB6-1736-S	1369.35	1425.17			
Paint — Letter Depth								
28"(711mm)	14"(356mm)	30"(762mm)	UYB2-1430-S			\$1053.59		
		36"(914mm)	UYB2-1436-S			1084.48		
41 5/8"(1057mm)	14"(356mm)	30"(762mm)	UYB3-1430-S			1291.89		
		36"(914mm)	UYB3-1436-S			1341.53		
55 5/16"(1405mm)	14"(356mm)	30"(762mm)	UYB4-1430-S			1532.40		
		36"(914mm)	UYB4-1436-S			1599.70		
69"(1753mm)	14"(356mm)	30"(762mm)	UYB5-1430-S			1770.69		
		36"(914mm)	UYB5-1436-S			1855.64		
81 5/8"(2073mm)	14"(356mm)	30"(762mm)	UYB6-1430-S			2010.09		
		36"(914mm)	UYB6-1436-S			2113.79		
Paint — Legal Depth								
28"(711mm)	16 1/2"(419mm)	30"(762mm)	UYB2-1730-S			\$1084.48		
		36"(914mm)	UYB2-1736-S			1115.37		
41 5/8"(1057mm)	16 1/2"(419mm)	30"(762mm)	UYB3-1730-S			1341.53		
		36"(914mm)	UYB3-1736-S			1391.17		
55 5/16"(1405mm)	16 1/2"(419mm)	30"(762mm)	UYB4-1730-S			1599.70		
		36"(914mm)	UYB4-1736-S			1667.00		
69"(1753mm)	16 1/2"(419mm)	30"(762mm)	UYB5-1730-S			1855.64		
		36"(914mm)	UYB5-1736-S			1940.59		
81 5/8"(2073mm)	16 1/2"(419mm)	30"(762mm)	UYB6-1730-S			2113.79		
		36"(914mm)	UYB6-1736-S			2217.49		
Wood — Letter Depth								
28"(711mm)	14"(356mm)	30"(762mm)	UXB2-1430-S				\$1185.97	\$1233.40
		36"(914mm)	UXB2-1436-S				1216.86	1266.49
41 5/8"(1057mm)	14"(356mm)	30"(762mm)	UXB3-1430-S				1459.57	1507.00
		36"(914mm)	UXB3-1436-S				1509.21	1558.84
55 5/16"(1405mm)	14"(356mm)	30"(762mm)	UXB4-1430-S				1733.18	1780.61
		36"(914mm)	UXB4-1436-S				1800.48	1850.11
69"(1753mm)	14"(356mm)	30"(762mm)	UXB5-1430-S				2004.56	2051.99
		36"(914mm)	UXB5-1436-S				2089.51	2139.14
81 5/8"(2073mm)	14"(356mm)	30"(762mm)	UXB6-1430-S				2278.17	2325.60
		36"(914mm)	UXB6-1436-S				2381.87	2431.50
Wood — Legal Depth								
28"(711mm)	16 1/2"(419mm)	30"(762mm)	UXB2-1730-S				\$1216.86	\$1266.49
		36"(914mm)	UXB2-1736-S				1247.75	1299.58
41 5/8"(1057mm)	16 1/2"(419mm)	30"(762mm)	UXB3-1730-S				1509.21	1558.84
		36"(914mm)	UXB3-1736-S				1558.85	1610.68
55 5/16"(1405mm)	16 1/2"(419mm)	30"(762mm)	UXB4-1730-S				1800.48	1850.11
		36"(914mm)	UXB4-1736-S				1867.78	1919.61
69"(1753mm)	16 1/2"(419mm)	30"(762mm)	UXB5-1730-S				2089.51	2139.14
		36"(914mm)	UXB5-1736-S				2174.46	2226.29
81 5/8"(2073mm)	16 1/2"(419mm)	30"(762mm)	UXB6-1730-S				2381.87	2431.50
		36"(914mm)	UXB6-1736-S				2485.57	2537.40

Masters Series

Tables and Presentation Board

	Height	Diameter	Number	Laminate ①	A	B	Wood Group A	Group B
Table — Round	29 1/4"(743mm)	42"(1067mm)	XLAM-4200-JS	\$2046.63	\$2107.30			
		48"(1219mm)	XLAM-4800-JS	2235.27	2292.34			
	29 1/4"(743mm)	42"(1067mm)	XZAM-4200- <input checked="" type="checkbox"/> S		\$2142.99	\$2229.24		
		48"(1219mm)	XZAM-4800- <input checked="" type="checkbox"/> S		2359.45	2458.54		



XZAM-1S

Features

- Includes round top and 27"(686mm) disc base.
- 1 3/16"(30mm) thick laminate worksurface with T-mold edgeband.
- 1 3/16"(30mm) thick wood worksurface with a choice of profiled edge (Square, Bevel, Radius or Traditional). Double-cut veneers available with Square 3mm Radius edge only.

To Order, Specify:

- 1) Product number, including:

① Edge Option:

Wood:

- 1 Square
- 5 Bevel, add \$202.34 list
- 6 Radius, add \$202.34 list
- 7 Traditional, add \$202.34 list


- 2) Finish code (laminate or wood).

- 3) Laminate edge trim color (if laminate specified).

- 4) Trim code for disc base.

Note: \$15.14 upcharge (list) for metallic or accent trim colors.

Height	Depth	Width	Number	Wood Finish Group	Tackboard Fabric Grade		D	E	F	G	
				A	B	C					
48"(1219mm)	5 3/8"(137mm)	48"(1219mm)	XZPB-4848	B	\$4166.92	\$4180.16	\$4191.19	\$4227.59	\$4254.07	\$4267.31	\$4325.78

Presentation Board

XZPB

Features

- Includes wood presentation board with hinged doors, tackboards on the insides of the doors, dry erase board, magnetic strip, and wall mount hardware.
- Fabric covered tackboards are attached in place on each door.
- Erasable writing surface on inside back panel.

To Order, Specify:

- 1) Product Number.

- 2) Finish code.



- 3) Fabric code.

Specification Tips

- Markers and Dry Eraser are not included.
- The following products are recommended to maintain the markerboard appearance:**
 - Dry erase marker kit (includes holder, four markers and eraser), order part# 7062-8001.
 - Markerboard cleaner and conditioner, order part# 7031-7001.
 - Markerboard spray cleaner, order part# 7031-7002.





Masters Series

Accessories

	Height	Width	Number	Price
Counterweight	18 3/4"(476mm)	14"(356mm)	UXWA-1914	\$55.16
				
UXWA Class RA – SIN 711-8; Discount Group IX				
	Features		To Order, Specify:	
	<ul style="list-style-type: none"> Includes counterweight and attachment hardware. Standard in painted black steel only 		1) Product number. (No finish specification required.)	
	Specification Tips			
	<ul style="list-style-type: none"> Not required for three-high, four-high, five-high or six-high freestanding lateral file cabinets. Required for use with one-high, one and one-half high and two-high attached lateral file with finished back and credenza top in a free-standing application. 			
Flush Mount Plate	Width	Depth	Number	Price
	4"(102mm)	3"(76mm)	ZUBF-0000-PN	\$21.63
ZUBF-0000-PN Class CA – SIN 711-1; Discount Group VIII				
	Features		To Order, Specify:	
	<ul style="list-style-type: none"> Includes one bracket and mounting screws. Mounts straight end of convergent worksurfaces or conference end worksurfaces to panel-hung worksurfaces. Standard in charcoal finish color only. Provides attachment of two worksurfaces at the same height. 		1) Product number. (No finish specification required.)	
	■ Available on RUSH.			
Tetra Bracket	Height	Width	Number	Price
	3.25"(83mm)	6.5"(165mm)	W111-5298	\$29.99
W111-5298				
	Features		To Order, Specify:	
	<ul style="list-style-type: none"> Includes bracket and hardware. Standard in black steel only. 		1) Product number. (No finish specification required.)	
	Specification Tip			
	<ul style="list-style-type: none"> Used to connect end panel to worksurface. 			




Masters Series

Accessories

	Height	Depth	Width	Number 	Price
Center Drawer  UXCD Class RA – SIN 711-1; Discount Group IX	1 7/8"(48mm)	17 1/2"(445mm)	24"(610mm)	UXCD-1824-	\$419.22
Features					To Order, Specify:
<ul style="list-style-type: none"> • Center drawer includes attachment hardware. • Hardwood front rail with routed pencil channels. • Drawer body is black miterfold. • Optional lock available in black or chrome. • For lock options, refer to Lock Program Price List. • Field installation required. 					1) Product number, including: ① Lock Option: <input checked="" type="checkbox"/> N No Lock <input type="checkbox"/> L Lock, add \$54.06 list
Specification Tip					2) Wood finish - Grade B Veneers only available. 3) Trim color for lock plug.
Pencil Tray  JPTA-6 Class FP – SIN 711-3; Discount Group XII	Letter Width 1 1/4"(32mm) Legal Width 1 1/4"(32mm)	5 1/2"(140mm) 5 1/2"(140mm)	12 7/8"(327mm) 16 9/32"(414mm)	JPTA-6 JPTA-9	\$27.04 \$33.70
Features					To Order, Specify:
<ul style="list-style-type: none"> • Includes one black plastic tray. • Suspends from sides of 6"(152mm) drawer and slides for drawer access. 					1) Product number. (No finish specification required.)
Pencil + Drawer  KUDP Class YA – SIN 711-1; Discount Group XIII	11"(279mm)	24"(610mm)	19 1/2"(495mm)	KUDP-2420 	\$308.59
Features					To Order, Specify:
<ul style="list-style-type: none"> • Multi-purpose drawer provides organization, hanging file along with laptop storage. • Knock-outs at rear of drawer provide electronic charging access while contents are locked. • Removable organizing tray. • Thin profile maximizes knee clearance under front of drawer. • Standard in black trim color with black locks. • For lock options, refer to Lock Program Price List. 					1) Product number. (No finish specification required.)
Specification Tip					<ul style="list-style-type: none"> • To be mounted below worksurfaces 24"(610mm) or deeper. ■ Available on RUSH.
File Bars  UXAH Class YA — SIN 711-8; Discount Group XIII	Width 30"(762mm) 36"(914mm)			Number	Price
Features					To Order, Specify:
<ul style="list-style-type: none"> • Includes one side-to-side hanging bar. • Allows for side-to-side letter filing in lateral file drawer. • Standard in black finish color only. 					1) Product number. (No finish specification required.)






Masters Series

Accessories

	Height	Inside Diameter	Outside Diameter	Number	Price
Grommet	5/8"(16mm)	1 3/4"(44mm)	2"(51mm)	UXAG-0002	\$33.09
Features					To Order, Specify:
<ul style="list-style-type: none"> Includes one cover. Must be field-installed; requires 1 3/4"(44mm) field drilled hole. Available on RUSH. 					1) Product number. 2) Trim color: black or chrome.
Specification Tip					Note: \$30.89 upcharge (list) for chrome.
 UXAG-0002 Class RA – SIN 711-8; Discount Group IX, Grade IV					
Enhanced Power Module	Height	Width	Depth	Cord Length	Number
With Plug					
3 1/2"(89mm)			3 1/2"(89mm) — 4 1/4"(108mm)	6'(1829mm)	EUD1-0000-1311V
				12'(3658mm)	EUD1-0000-1311W
Hardwire					
3 1/2"(89mm)			2 1/4"(57mm)	6'(1829mm)	EUD1-0000-C311V
Features					
<ul style="list-style-type: none"> Includes power module, mounting brackets and attachment hardware. Designed to deliver electrical and data access to the worksurface. Attaches to the back edge of the worksurface. Supplies three simplex outlets and multiple data jack adapters to accommodate most varieties of field supplied data jacks; also includes a blank data cover. Option of 15 amp (NEMA 5-15P) appliance power plug or hardwire application to connect to building power. Corded power module available with 15 amp - 6'(1829mm) or 12'(3658mm) long cord with plug. Hardwired power module available with 6'(1829mm) long flexible metal conduit feed with wires for hardwire application. Option of all black or anodized aluminum housing with white receptacles. 					
Specification Tip					
<ul style="list-style-type: none"> Accommodates worksurface thicknesses from 1 1/8"(29mm) to 2"(51mm). May be installed both above and below the worksurface. Accommodates tackboard or vertical storage unit back panel depth. For use with 120 volt 60 hertz power source only. Enhanced power module applications should be reviewed by local authorities (electrical inspector) prior to ordering. Requires field installation. 					
To Order, Specify:					
1) Product number, including:					
① Color Option:					
 EUD1-1311V  EUD1-C311V Class YA – GSA: SIN 711-1; Discount Group XIII					
 WUAW Class CA – SIN 711-1; Discount Group I					
	Length			Number	Price
15"(381mm)					
Features					
<ul style="list-style-type: none"> Includes package of 10. Mounts to bottom of worksurface. Black only. Available on RUSH. 					
To Order, Specify:					
1) Product number. (No finish specification required.)					
Column Base	Height	Diameter	Number	Price	
Painted					
28"(711mm)			XZEC-2804-NGB	\$218.44	
Chrome					
28"(711mm)			XZEC-2804-NGC	389.44	
Features					
<ul style="list-style-type: none"> Includes 4"(102mm) diameter column, 6"(152mm) diameter mounting plate, glide and attachment hardware. Allows for 3"(76mm) adjustment. Available on RUSH. 					
Specification Tip					
<ul style="list-style-type: none"> For use to provide support to separately specified modular worksurfaces; recommended for use with extended corner and radius ender worksurfaces. 					
To Order, Specify:					
1) Product number. 2) Trim color for Painted Column Base.					
XZEC-NGB					
Class RA – SIN 711-8; Discount Group IX, Grade IV					





Work Tools

Jump Stuff Slat Tile Tools

	Height	Depth	Width	Number	Price
Phone Shelf  DTPT-3	2 1/2"(64mm)	11 1/4"(286mm)	9"(229mm)	DTPT-3	\$77.98
Features	To Order, Specify:				
<ul style="list-style-type: none"> Includes phone shelf and bracket. Mounts on slat pad at 30° angle. Supports maximum of two reams (ten pounds/4.6 kilograms) of paper. <p>■ Available on RUSH.</p>	<ol style="list-style-type: none"> Product number. Translucent trim color. Trim color for bracket. Trim B, add \$2.23 list. 				
Phone Shelf Bracket  DTBS-3	1 1/2"(38mm)	11"(279mm)	7 1/2"(191mm)	DTBS-3	\$49.02
Feature	To Order, Specify:				
<ul style="list-style-type: none"> Used to convert DTPT-1 for mounting rail phone shelf to slat pad. <p>■ Available on RUSH.</p>	<ol style="list-style-type: none"> Product number. Trim color for bracket. Trim B, add \$2.23 list. 				
Personal Shelf  DTES-3	1 3/4"(44mm)	11"(279mm)	8"(203mm)	DTES-3	\$52.36
Features	To Order, Specify:				
<ul style="list-style-type: none"> Includes mounting bracket and personal shelf. Mounts on rail at 60° angle or horizontally. Can also be used as a horizontal freestanding tray. Supports maximum of two reams (ten pounds/4.6 kilograms) of paper. <p>■ Available on RUSH.</p>	<ol style="list-style-type: none"> Product number. Translucent trim color. Trim color for bracket. Trim B, add \$2.23 list. 				
Personal Shelf Bracket  DTAR-3				DTAR-3	\$34.54
Feature	To Order, Specify:				
<ul style="list-style-type: none"> Used in combination with DTPR-3 or DTES-3 for mounting rail personal shelf or paper sorter to slat pad. <p>■ Available on RUSH.</p>	<ol style="list-style-type: none"> Product number. Translucent trim color. Trim color for bracket. Trim B, add \$2.23 list. 				
Paper Sorter  DTPR-3	9 1/4"(235mm)	11"(279mm)	9"-12"(229mm-305mm)	DTPR-3	\$65.73
Features	To Order, Specify:				
<ul style="list-style-type: none"> Includes three dividers, one shelf, and mounting bracket. Mounts on slat pad. Can also be used as a horizontal freestanding tray. Supports maximum of two reams (ten pounds/4.6 kilograms) of paper. <p>■ Available on RUSH.</p>	<ol style="list-style-type: none"> Product number. Translucent trim color. Trim color for bracket. Trim B, add \$2.23 list. 				

Work Tools


Jump Stuff Slat Tile Tools

	Height	Depth	Width	Number	Price
Letter Tray	2 1/2"(64mm)	12"(305mm)	10 1/2"(267mm)	DTLT-2	\$23.40
					
DTLT-2					
Features	To Order, Specify:				
<ul style="list-style-type: none"> • Mounts on rail at 60° angle or horizontally. • Mounts on slat pad horizontally. • Can also be used in freestanding applications. • Use Letter Tray Stacking Brackets (DTLS-2) to convert to stacking letter trays. • Supports maximum of one ream (five pounds/2.3 kilograms) of paper. <p>■ Available on RUSH.</p>	1) Product number. 2) Translucent trim color.				
Letter Tray Stacking Kit	8"(203mm)	12"(305mm)	10 1/2"(267mm)	DTLS-2	\$60.16
					
DTLS-2					
Features	To Order, Specify:				
<ul style="list-style-type: none"> • Includes three letter trays and two stacking brackets. • Used in freestanding applications. <p>■ Available on RUSH.</p>	1) Product number. 2) Translucent trim color.				
Letter Tray Stacking Bracket	2 1/4"(57mm)	5"(127mm)	9 1/2"(241mm)	DTSB-1	\$16.71
					
DTSB-1					
Features	To Order, Specify:				
<ul style="list-style-type: none"> • Includes two stacking brackets. • Used in freestanding applications. <p>■ Available on RUSH.</p>	1) Product number. 2) Translucent trim color.				
Binder Bin	12 1/2"(318mm)	10 1/2"(267mm)	6 1/2"(165mm)	DTSB-3	\$47.90
					
DTSB-3					
Features	To Order, Specify:				
<ul style="list-style-type: none"> • Mounts on slat pad. Can also be used in freestanding applications. • Bin accommodates two 3"(76mm) thick binders. <p>■ Available on RUSH.</p>	1) Product number. 2) Translucent trim color.				

Masters Series

Lighting — Task


Adaptable Electronic Ballast Task Light



LUTS-16UEP



Adaptable Electronic Ballast Task Light (Starter Light)



LUTR



	Height	Depth	Width	Actual Width	Number	Price
Adaptable Electronic Ballast Task Light	1 3/8"(35mm)	4 1/4"(108mm)	24"(610mm)	19"(483mm)	LUTS-0024-16UEP	\$203.11
			30"(762mm)	25"(635mm)	LUTS-0030-16UEP	\$209.66
			42"(1067mm)	37"(940mm)	LUTS-0042-16UEP	\$222.76
			54"(1372mm)	49"(1245mm)	LUTS-0054-16UEP	\$235.86

Features

- Includes mounting brackets, black power cord, prismatic lens, low mercury content, T-8 optic fluorescent lamp with 3500K color temperature.
- Six foot cord is factory installed on right side; may be field-installed on the left-hand side 42"(1067mm) and 54"(1372mm) units.
- Nine foot cord is available as a specified option.
- Provides task lighting beneath shelves or overhead storage units.
- For use with 120 volt 60 hertz electrical systems only.**
- Available in charcoal only.

◆ Available on RUSH.

Specification Tips

- A task light may be of equal or less width than the unit to which it is attached but may not span across adjacent units.
- Task lights may be adjusted front-to-back.
- If task light is less than the width of the unit to which it is attached, it may also be adjusted side-to-side.
- Attaches to Adaptable, UniGroup Too, UniGroup, PLACES and Compose overhead and shelves.
- Attaches to counter tops and must be specified one width smaller than countertop width.

To Order, Specify:

- Product number.
(No finish specification required.)

Batwing Lens Specification:

To specify, replace P with B in the product number and add \$18.56 list.

Example: LUTS-0030-16UEB

Chicago Specification:

To specify, replace 1 with C in the product number and add \$85.18 list.

Example: LUTS-0030-C6UEP

Chicago only: Plug includes 3 AMP resettable circuit breaker.

9' Cord Option ◆

To specify, replace 6 with 9 in the product number and add \$37.13 list.

Example: LUTS-0030-19UEP

Height

Depth

Width

Description

Number

Price

1 3/8"(35mm)	4 1/4"(108mm)	42"(1067mm)	6' Cord	LUTR-0042-16UEP	\$243.51
		54"(1372mm)	9' Cord	LUTR-0042-19UEP	280.64
			6' Cord	LUTR-0054-16UEP	\$256.61
			9' Cord	LUTR-0054-19UEP	293.74

Features

- Includes mounting brackets, .33"(8mm) diameter black 3-prong power cord, prismatic lens, low mercury content, and T-8 fluorescent lamp with 3500K color temperature.
- Wired to accommodate the addition of add-on task light.
- Cord is factory installed on right side; may be field-installed on the left-hand side.
- Provides task lighting beneath shelves or overhead storage units.
- For use with 120 volt 60 hertz electrical systems only.**
- Available in charcoal only.

To Order, Specify:

- Product number.
(No finish specification required.)


Batwing Lens Specification:

To specify, replace P with B in the product number and add \$18.56 list.

Example: LUTR-0042-16UEB

Masters Series

Lighting — Task

Adaptable Electronic Ballast Task Light (Add-On Light)

LUTD



Note: Must be attached to a starter light or another add-on light.

Height	Depth	Width	Actual Width	Number	Price
1 3/8"(35mm)	4 1/4"(108mm)	42"(1067mm)	15" Linking Cord	LUTD-0042-11UEP	\$242.42
			48" Linking Cord	LUTD-0042-14UEP	247.88
		54"(1372mm)	15" Linking Cord	LUTD-0054-11UEP	\$255.52
			48" Linking Cord	LUTD-0054-14UEP	260.98

Features

- Includes mounting brackets, linking power cord, prismatic lens, low mercury content, and T-8 fluorescent lamp with 3500k color temperature.
- Does not include a power plug.
- Available in charcoal only.

Specification Tips

- A task light may be of equal or less width than the unit to which it is attached but may not span across adjacent units.
- Task lights may be adjusted front-to-back on metal shelf hanger bars.
- If task light is less than the width of the unit to which it is attached, it may also be adjusted side-to-side.
- A maximum of 5 task lights may be daisy chained together including the starter light and/or not to exceed 20' of overall task light run.
- Choose add-on light with appropriate linking cord length to eliminate excess cord.


To Order, Specify:

- Product number.
(No finish specification required.)

Batwing Lens Specification:



To specify, replace P with B in the product number and add \$18.56 list.

Example: LUTD-0042-11UEB



Masters Series


Lighting

	Fixture Length	Watts	Number	Price
Reed Premier™ Stand-Alone LED Task Light  LUTS-0017-19ULD5 	16.4"(417mm)	7.8	LUTS-0017-19ULD5	\$210.00
Features				To Order, Specify:
<ul style="list-style-type: none"> Includes 17"(432mm) LED fixture, 15 watt power supply with nine foot removable power cord. Standard in anodized (silver) color with white end caps. Height: 0.5"(12.7mm); Width: 2.0"(51mm); Length: 16.4"(417mm). 				1) Product number. (No finish specification required.)
Specification Tips				
<ul style="list-style-type: none"> For use with 120 volt, 60 hertz electrical system. Color Temp: 3500K. Color Rendition Index: 84 CRI. Rated Lifespan: 5 0,000 hour. Not intended for daisy chaining. Single touch on/off with continuous dimming from 15-100%. Includes screw and magnetic attachment hardware for steel, laminate and wood. Intended for use in horizontal applications. 				
Reed Premier™ Starter LED Task Light  LUTS-0017-12ULD6 	16.4"(417mm) 30.1"(765mm) 43.7"(1110mm) 57.4"(1458mm)	7.8 17.6 25.9 33.6	LUTS-0017-12ULD6 LUTS-0031-12ULD6 LUTS-0044-12ULD6 LUTS-0058-12ULD6	\$288.75 420.07 542.01 673.33
Features				To Order, Specify:
<ul style="list-style-type: none"> Includes LED fixture, 60 watt power supply with twelve foot removable power cord. Standard in anodized (silver) color with white end caps. Height: 0.5"(12.7mm); Width: 2.0"(51mm); Lengths: 16.4"(417mm), 30.1"(765mm), 43.7"(1110mm) or 57.4"(1458mm). 				1) Product number. (No finish specification required.)
Specification Tips				
<ul style="list-style-type: none"> For use with 120 volt, 60 hertz electrical system. Color Temp: 3500K. Color Rendition Index: 84 CRI. Rated Lifespan: 5 0,000 hour. Refer to the Specification Guide for a chart showing the total number of light fixtures that can be daisy chained together. Single touch on/off with continuous dimming from 15-100%. Includes screw and magnetic attachment hardware for steel, laminate and wood. Intended for use in horizontal applications. 				

Masters Series

Lighting

	Fixture Length	Watts	Number	Price
Reed Premier™	16.4"(417mm)	7.8	LUTD-0017-1NULDN	\$210.00
Add-On LED Task Light —	30.1"(765mm)	17.6	LUTD-0031-1NULDN	341.32
For Use with Reed Premier	43.7"(1110mm)	25.9	LUTD-0044-1NULDN	463.26
Starter LED Task Lights	57.4"(1458mm)	33.6	LUTD-0058-1NULDN	594.58



LUTD-0017-1NULDN


**Features**

- Includes LED fixture, 8"(203mm) and 30"(762mm) daisy chain cord.
- Standard in anodized (silver) color with white end caps.
- Height: 0.5"(12.7mm); Width: 2.0"(51mm); Lengths: 16.4"(417mm), 30.1"(765mm), 43.7"(1110mm) or 57.4"(1458mm).

To Order, Specify:

- 1) Product number.
(No finish specification required.)

Reed Premier™	LUTS-0000	\$236.25
Add-On Occupancy Sensor		



LUTS-0000

**Features**

- Includes occupancy sensor and attachment connector.
- Standard in anodized (silver) color with white end caps.
- Height: 0.7"(17.8mm); Width: 2.0"(51mm); Length: 2.3"(58mm).

To Order, Specify:

- 1) Product number.
(No finish specification required.)

Specification Tips


- For use with 120 volt, 60 hertz electrical system.
- Includes screw and magnetic attachment hardware for steel, laminate and wood.
- Intended for use in horizontal applications.

BRAZO


Haworth Collection

Design: Pablo Pardo — Imported from China

Base Diameter	Model	Number	①	Price
8 1/2"(216mm)	Desk	LBJ1-0026-19FLC	■	\$696.28
	Floor	LBJ2-0026-19FLC	■	837.68

Freestanding LightingLBJ1
Class CH

LBJ2

**Mounted Lighting**LBJ3
Class CH

LBJ4

**Grommet — For Use with BRAZO Grommet Mounted Light Only**WQAG
Class PT**Features**

- Includes base, adjustable height fixture, 26 1/2"(673mm) arm with LED light and clear lens, nine foot removable silvertone cord.
- Available in Brushed Aluminum, Gloss White, Anodized Black or Anodized Bronze finish colors.
- Features a LED light source with full dim control knob located on end of arm and 90° disbursement adjustment.
- 1.5 to 9 watts.
- Arm rotates 360°.
- Desk light adjustable height fixture range is 14"-22"(356mm-559mm) from desktop.
- Floor light adjustable height fixture range is 48"-56"(1219-1422mm) from floor.
- Base includes scratch-resistant bottom cover with side cord location.
- For use with 120 volt 60 hertz electrical system.**
- Can be used on any horizontal surface.
- Desk overall height range with arm extended at 180° is 41"(1041mm).
- Floor overall height range with arm extended at 180° is 74 3/4"(1899mm).
- Minor assembly required.

■ Available on RUSH.

To Order, Specify:

- 1) Product number, including:

① Finish Color

- | | |
|---|------------------------------------|
| N | Brushed Aluminum |
| W | Gloss White, add \$26.78 list. |
| B | Anodized Black, add \$26.78 list. |
| Z | Anodized Bronze, add \$26.78 list. |

**Grommet/Hole
Diameter**

3"(76mm)

1"(25mm)

Model

Grommet Mount

Fixed Mount

Number

LBJ3-0026-19GLC

LBJ4-0026-19GLC

①②**Price**

\$696.28

723.06

Features

- Grommet Mount includes adjustable height fixture, 26 1/2"(673mm) arm with LED light and clear lens, nine foot removable silvertone cord and attachment hardware. **Grommet ordered separately.**
- Fixed Mount includes adjustable height fixture, 26 1/2"(673mm) arm with LED light and clear lens, nine foot removable silvertone cord and attachment hardware with trim ring.
- Available in Brushed Aluminum, Gloss White, Anodized Black or Anodized Bronze finish colors.
- Features a LED light source with full dim control knob located on end of arm and 90° disbursement adjustment.
- 1.5 to 9 watts.
- Arm rotates 360°.
- Both mounted light adjustable height fixture range is 13"-21"(330mm-533mm) from desktop.
- For use with 120 volt 60 hertz electrical system.**
- Can be field installed on any horizontal surface.
- Overall height range with arm extended at 180° is 40"(1016mm).
- Minor assembly required.

Specification Tips

- Grommet Mount BRAZO requires a separately specified grommet.**
- Field drilling of surface required.

To Order, Specify:

- 1) Product number, including:

① Finish Color

- | | |
|---|------------------------------------|
| N | Brushed Aluminum |
| W | Gloss White, add \$26.78 list. |
| B | Anodized Black, add \$26.78 list. |
| Z | Anodized Bronze, add \$26.78 list. |

② Worksurface Thickness

- | | |
|---|---------------|
| S | 1 3/16"(30mm) |
| M | 2"(51mm) |
| Q | 3"(76mm) |

Top Thickness

1 3/16"(30mm)

2"(51mm)

3"(76mm)

Number

WQAG-0303-PSN

WQAG-0303-PMN

WQAG-0303-PQN

Price

\$29.46

29.46

29.46

Feature

- Includes one 3"(76mm) diameter grommet without cover.

Specification Tips

- Specify grommet to match product top thickness.
- Requires a 2 3/4"(70mm) diameter field drilled hole.
- For use with BRAZO Grommet Mounted Light only.

To Order, Specify:



- 1) Product number.

- 2) Trim color.

- | | |
|--------------------|---------------------------|
| Plaster | — TR-TW |
| Metallic Silver | — TR-LE, add \$5.90 list. |
| Metallic Champagne | — TR-MC, add \$5.90 list. |
| Metallic Gunmetal | — TR-MG, add \$5.90 list. |

LIM



Haworth Collection Lighting — LIM
Design: Pablo Pardo — Imported from China

Base/Mount	Number	Price
LIM L		
	Freestanding Block	LLL1-0022-19FLC \$593.44
	Freestanding Pivot	LLL2-0022-19FLC ▀ 536.67
	Freestanding Floor	LLL3-0022-19FLC 650.21
	Freestanding Add-On	LLL4-0022-19FLC 395.27
Features		
<ul style="list-style-type: none"> Includes base/mount, 22"(559mm) arm with LED light with a clear lens, nine foot removable silvertone cord, and one wire management clip. Features two-stage light control with 3.0 watt and 7.3 watt selection. For use with 120 volt 60 hertz electrical system. Minor assembly required. All lights use magnets to attach to base or brackets. 		
<ul style="list-style-type: none"> Freestanding Block: <ul style="list-style-type: none"> Available in Textured White, Textured Black and Brushed Aluminum. Arm rotates around magnetic connection between base and light arm. Desk light adjustable height fixture range is 12"-15.75"(305mm-400mm) from desktop. Base includes scratch-resistant bottom with cord management. Can be used on any horizontal surface. Freestanding Block Base size: 6.63"(168mm) height, 3"(76mm) width, 3.5"(89mm) depth. 		
<ul style="list-style-type: none"> Freestanding Pivot: <ul style="list-style-type: none"> Available in Textured White and Textured Black. Desk Pivot rotates 360° around the base. Arm rotates around magnetic connection between base and light arm. Pivot light does not have adjustable height. Base includes scratch-resistant bottom. Can be used on any horizontal surface. Freestanding Pivot Base size: 5"(127mm) height, 4.5"(114mm) width, 5.5"(140mm) depth. 		
<ul style="list-style-type: none"> Freestanding Floor: <ul style="list-style-type: none"> Available in Textured White and Textured Black. Arm rotates around magnetic connection between base and light arm. Floor light adjustable height fixture range is 13"-50.75"(330mm-1289mm) from floor. Base includes scratch-resistant bottom. Floor Base size: 38"(965mm) height, 9"(229mm) width, 9"(229mm) depth. 		
<ul style="list-style-type: none"> Freestanding Add-On: <ul style="list-style-type: none"> Available in Textured White, Textured Black and Brushed Aluminum. 		
<p>▀ Available on RUSH.</p>		
To Order, Specify: 1) Product number. 2) Trim color: Pivot/Floor available in: Textured White TR-L2 Textured Black TR-L3 Block/Add-On available in: Textured White TR-L2 Textured Black TR-L3 Brushed Aluminum, TR-L1 add \$27.85 list.		

LIM

Haworth Collection Lighting — LIM

Design: Pablo Pardo — Imported from China


Base/Mount	Average Height	Number	Price
LLC1	Worksurface Mount  LLC1	18 1/2"(470mm)	LLC1-0022-19WLC \$508.82
LLC2	Grommet Mount  LLC2	18 1/2"(470mm)	LLC2-0022-19GLC 508.82

Features

- Includes base/mount, 22"(559mm) arm with LED light with a clear lens, nine foot removable silvertone cord, and one wire management clip.
- Under Shelf attachment bracket painted to compliment the LED light.
- Features two-stage light control with 3.0 watt and 7.3 watt selection.
- **For use with 120 volt 60 hertz electrical system.**
- Minor assembly required.
- All lights use magnets to attach to base or brackets.
- **Worksurface Mount:**
 - Available in Brushed Aluminum, Textured White, Textured Black.
 - Arm rotates at Under Worksurface attachment bracket.
 - Light does not have adjustable height.
 - Flat Bracket is scratch-resistant.
 - Mount includes a 11"(279mm) flat bracket with adhesive.
- **Grommet Mount:**
 - Available in Brushed Aluminum, Textured White, Textured Black.
 - Arm rotates at Under Grommet attachment bracket.
 - Light does not have adjustable height.
 - Flat Bracket is scratch-resistant.
 - Mount includes Grommet configured flat brackets with adhesive.

To Order, Specify:

- 1) Product number.
- 2) Trim color:
Textured White TR-L2
Textured Black TR-L3
Brushed Aluminum, TR-L1 add **\$27.85** list

**LIM Y**Worksurface Mount
LLY1

Worksurface Mount	20.4"(518mm)	LLY1-0013-19WLC	\$847.32
-------------------	--------------	-----------------	-----------------

Features




- Includes base/mount, 14"(356mm) depth by 35"(889mm) width arm with LED light with a clear lens, nine foot removable silvertone cord, and one wire management clip.
- Features a LED light source with two levels of dim control.
- 1.5 to 9 watts.
- **For use with 120 volt 60 hertz electrical system.**
- Minor assembly required.
- Magnets are used to attach to base or brackets.
 - Arm does not rotate and uses fixed mount bracket.
 - Light does not have adjustable height.
 - Fixed mount bracket is scratch-resistant.
 - Mount includes bracket with hardware.

To Order, Specify:

- 1) Product number.
- 2) Trim color:
Textured White TR-L2
Textured Black TR-L3
Brushed Aluminum, TR-L1 add **\$27.85** list

LIM

Haworth Collection Lighting — LIM
Design: Pablo Pardo — Imported from China

	Base/Mount	Panel System	Number	Price
LIM Mounted				
	Slat LLM1	Slat/Rail	LLM1-0023-19MLC	\$424.19
	Belong Rail LLM1	Panel	LLM2-0023-19MLCN	\$424.19
	Panel LLM2	for PREMISE for Compose for UniGroup Too	LLM2-0023-19MLCZ LLM2-0023-19MLCE	424.19 424.19
Features				
<ul style="list-style-type: none"> • Includes base/mount, 23 1/4"(591mm) arm with LED light with a clear lens, nine foot removable silvertone cord, and one wire management clip. • Features two-stage light control with 3.0 watt and 7.3 watt selection. • <i>Overall height ranges dependent on the mount.</i> • For use with 120 volt 60 hertz electrical system. • Minor assembly required. • All lights use magnets to attach to base or brackets. • Slat: <ul style="list-style-type: none"> —Available in Textured White and Textured Black. —Rotates 180 degrees horizontally around the mount. —Slat Mount can be adjusted within the slat profiles – hooks into the second bottom slat and can be adjusted to the top slat off the slat tiles. —Mount is scratch-resistant. —Can be used on any Haworth slat tile. —Slat Tile Bracket size: 3"(76mm) height, 1"(25mm) width, 3"(76mm) depth. • Panel: <ul style="list-style-type: none"> —Available in Textured White and Textured Black. —Rotates 180 degrees horizontally around the mount. —Panel Mount can be adjusted within the panel slot profiles. —Mount is scratch-resistant. —Can be used on any Haworth Panel System. —Panel Mount Bracket size: 3"(76mm) height, 1"(25mm) width, 3"(76mm) depth. 				
To Order, Specify:				
1) Product number.				
2) Trim color:				
Textured White TR-L2				
Textured Black TR-L3				



LIM

Haworth Collection Lighting — LIM

Design: Pablo Pardo — Imported from China

Base/Mount	Number	Price
LIM Mounted		
Under Shelf Flat	LLU1-0023-19ULC	\$424.19
Under Shelf Proud	LLU2-0023-19ULC	424.19
Under Shelf Proud-Wood Casegoods	LLU3-0023-19ULC	424.19
Features		
<ul style="list-style-type: none"> Includes base/mount, 23 1/4"(510mm) arm with LED light with a clear lens, nine foot removable silvertone cord, and one wire management clip. Under Shelf attachment bracket painted to complement the LED light. Features two-stage light control with 3.0 watt and 7.3 watt selection. For use with 120 volt 60 hertz electrical system. Minor assembly required. All lights use magnets to attach to base or brackets. Under Shelf Flat: <ul style="list-style-type: none"> Available in Brushed Aluminum, Textured White, Textured Black. Arm rotates at Under Shelf attachment bracket. Slat Mount can be adjusted within the slat tile profiles. Flat Bracket is scratch-resistant. Under Shelf Mount includes a 11"(279mm) flat bracket with adhesive. Can be used on: Storage Box. Under Shelf Proud: <ul style="list-style-type: none"> Available in Brushed Aluminum, Textured White, Textured Black. Arm rotates at Under Shelf attachment bracket. Slat Mount can be adjusted within the slat tile profiles. Flat Bracket is scratch-resistant. Can be used on: Adaptable Upper Storage. Under Shelf Proud - Wood Casegoods: <ul style="list-style-type: none"> Available in Brushed Aluminum, Textured White, Textured Black. Arm rotates at Under Shelf attachment bracket. Slat Mount can be adjusted within the slat tile profiles. Flat Bracket is scratch-resistant. Under Shelf Mount includes a 11"(279mm) flat bracket. Can be used on: Wood Casegoods Vertical Storage Unit. 		
LLU1		
LLU2		
		

LIM Hardware	Base/Mount	Panel System	Units	Number	Price
LLH	Slat Mount Bracket		1	LLH1-0000	\$ 56.77
	Panel Mount Bracket	for PREMISE	1	LLH2-0000-N	\$ 56.77
		for Compose	1	LLH2-0000-Z	56.77
		for UniGroup Too	1	LLH2-0000-E	56.77
	Under Shelf Flat/Under Shelf Proud/Worksurface Bracket*		5	LLH3-0000	\$146.75
	Under Shelf Proud - Casegood Bracket		5	LLH4-0000	146.75
	Grommet Bracket		1	LLH5-0000	29.99
	Wire Management Clips		10	LLH6-0000	\$ 71.76

Features	To Order, Specify:
<ul style="list-style-type: none"> Hardware for use with LIM lights to provide additional attachment. Each bracket description correlates with the appropriate LIM light. Please specify accordingly. For use if greater user adjustment is required. Slat and Panel Mount available in Textured White and Textured Black. Under Shelf available in Textured White, Textured Black and Brushed Aluminum. Grommet bracket available in Textured White, Textured Black and Brushed Aluminum. Wire management clips are standard in White. 	<ol style="list-style-type: none"> Product number. Trim color for brackets: <ul style="list-style-type: none"> Textured White TR-L2 Textured Black TR-L3 Brushed Aluminum, TR-L1 add \$27.85 list
*Same brackets are used for Under Shelf Flat, Under Shelf Proud and Worksurface Mount C and Y LIM light applications.	

Masters Series — Finish Matrix

Wood Finish/Color Legend

Because of the natural properties of wood, variations of grain and finish color can be expected. Haworth carefully selects materials used in the manufacturing of products to ensure consistent and acceptable color.


Wood is susceptible to color change from exposure to UV rays. Haworth controls this by using surface finishes to reduce color change. However, change may be more evident in light-colored finishes.

All Haworth Wood Casegoods receive the Haworth EcoShield™ water-based, UV cured finish, except for York which receives a hand-applied, water-based finish.

EcoShield and hand-applied, water-based finished products are not designed to go together and are not recommended for use within the same space.

Masters Series has a water-based, UV cured EcoShield finish.

◆ Available on RUSH.

Wood Group	Veneer Type	Variety	Cutting Technique	Surface	Matching Technique	Grain Direction	Finish Name/Color		Specification Number
							Drawer/Door Front		
A	 Double Cut	Obeche	Double Cut	Open Pore	N/A	Vertical	Applegate	2P-RL	
							Beachwood	WL-RL	
							Butternut	2R-RL	
							Ebony	WJ-RE	
							Echo	2N-RL	
							Melba	WE-RT	
							Sorrel	WF-RC	
							Wenge	WC-R	
B*	 Natural	Cherry	Plain Sliced	Open Pore	Book Rotate on Tops Slip Match All Other Surfaces	Vertical	Amber on Cherry	VC-CA1	■
							American on Cherry	VC-W23	■
							Caramel Cherry	VC-W33	■
							Heritage Cherry	VC-W30	■
							Pacific Cherry	VC-W32	■
	 Natural	Maple	Plain Sliced	Open Pore	Book Rotate on Tops Slip Match All Other Surfaces	Vertical	Light Maple	VP-LM	■
							Natural Maple	VP-N	■
							Sand on Maple	VP-AD	■
	 Natural	Oak	Plain Sliced	Open Pore	Book Rotate on Tops Slip Match All Other Surfaces	Vertical	Natural Oak	VJ-W05	■
B*	 Natural	Walnut	Plain Sliced	Open Pore	Book Rotate on Tops Slip Match All Other Surfaces	Vertical	Espresso on Walnut	VR-W15	■
							Mahogany Satin on Walnut	VR-W21	■
							Naturally Walnut	VR-W12	■
							Retro on Walnut	VR-W31	■
	 Natural	Beech	Quarter Cut	Open Pore	Book Rotate on Tops Slip Match All Other Surfaces	Vertical	Beech	VT-W04	■
B*	 Quarter Cut	Anegre	Quarter Cut	Open Pore	N/A	Vertical	Espresso on QC Anegre	NP-W15	
							Golden on QC Anegre	NP-W08	
							Light on QC Anegre	NP-W07	
							Medium on QC Cherry	NX-U	
	 Quarter Cut	Cherry	Quarter Cut	Open Pore	N/A	Vertical	Natural QC Maple	NM-N	
							Espresso on QC Walnut	NW-W15	
B*	 Rift Cut	White Oak	Rift Cut	Open Pore	N/A	Vertical	Retro on QC Walnut	NW-W31	
							Espresso on Rift Cut White Oak	NR-W15	

*Finger pull (F) and profiled edges available in Wood Group B only.

Forest Stewardship Council (FSC) Statement:

In our continuing support of sustainable forestry and responsible purchasing, Haworth North America is offering FSC certified wood products at no up-charge. By providing FSC certified material, Haworth is supporting our client's green building goals and demonstrating our collective commitment to source materials more sustainably.

Haworth will provide to you the necessary FSC-Certified paperwork with your shipment. For more information, FAQs, and a complete FSC product list (including product exceptions), go to the Library and search FSC.

Alert:

These materials are current, however they are being considered for future obsolescence due to low volume.
Crown on Cherry VC-W24
Cordovan on Walnut VR-W13

Masters Series — Finish Matrix

	Grommets and Lock Plugs	Column Bases/ Disc Bases/ Stanchions	Table Legs, Bar Pulls	Glass Door Frames	Jump Stuff	Surface Materials	Edge Trim
Trim Colors							
Black	LR-BL						
Chrome	LR-BP						
Paint — Grade A							
Beige		TR-R	TR-R				
Chalk		TR-AK	TR-AK				
Charcoal		TR-K	TR-K				
Graphite		TR-J	TR-J				
Gray Tone		TR-G	TR-G				
Putty		TR-AA	TR-AA				
Smoke		TR-E	TR-E				
Smooth Paint — Grade A**							
Black						LN-F	
Polar						LN-PL	
Stormy						LN-SY	
Vapor						LN-VA	
Textured Paint — Grade A							
Cement		TR-TY	TR-TY				
Grout		TR-TG	TR-TG				
Pitch		TR-TF	TR-TF				
Plaster		TR-TW	TR-TW				
Metallic Paint — Grade B							
Champagne		TR-MC	TR-MC	TR-MC			
Silver		TR-LE	TR-LE	TR-LE			
Laminate - Solid — Grade A							
Beige					H-34	HP-34	
Chalk					H-AK	HP-AK	
Charcoal					H-8J	HP-8J	
Graphite					H-3J	HP-3J	
Gray Tone					H-62	HP-62	
Linen					H-WL	HP-WL	
Platinum					H-3P	HP-3P	
Smoke					H-3E	HP-3E	
Putty					H-AA	HP-AA	
Laminate - Wood — Grade A							
Maple					H-AE	HP-AE*	
Amber Cherry					H-AM	HP-AM*	
Laminate - Premium Wood Grain — Grade B							
Brazilwood					H-KA	HP-KA*	
Colombian Walnut					H-KG	HP-KG*	
New Age Oak					H-KC	HP-KC*	
River Cherry					H-KD	HP-KD*	
Sanara					H-KE	HP-KE*	
Williamsburg Cherry					H-KF	HP-KF*	
Metal Finishes — Grade D							
Chrome		KR-V					
Translucents							
Frost				TR-LQ			
Moon				TR-LY			
Shadow				TR-LU			
Glass Finish Group		Glass Finishes			Finish Code		
A	Clear Tempered			4G-01C			
C	Satin Etch Tempered			4G-E21			
D	Diffused - Laminated			4G-L01			
D	White Back-painted Standard			4G-SSW			
F	White Back-painted Low Iron Tempered			4G-SLW			

■ Available on RUSH.

*Round table with T-mold edge is not available with wood grain edge trim.

**Paint B metallic white not recommended is available and can be priced through Lynx.

Alert:

These materials are current, however they are being considered for future obsolescence due to low volume.

Barley Grain	H-DH
Oats Grain	H-DA
Wheat Grain	H-DE
Owl Nest	H-EK
Quail Nest	H-EC
Rhea Nest	H-ED
Robin Nest	H-EA
Grey Spex	H-22
White Spex	H-21
Gunmetal	TR-MG

Masters Series — Systems Fabrics/Color Legend

- To obtain fabric samples contact your authorized Haworth dealer.

(d) = Directional fabric

(n) = Non-directional fabric

- Fabric and finish availability as well as technical information are subject to change; Refer to Haworth.com/surfaces for current information.

■ Available on RUSH.

Fabric Grade: A (d)

HIGHLANDS
100% Recycled Polyester
(100% REPREVE®)
L6-AG Glen
L6-AH Heather
L6-AL Loch
L6-AM Moor
L6-AP Peat
L6-AT Thatch

Fabric Grade: A (d)

IOWA
52% Post Industrial
Recycled Polyester/
48% Post Consumer
Recycled Polyester
FZ-10 Badger ■
FZ-6 Bixby
FZ-3 Bobwhite ■
FZ-2 Cedar Rock ■
FZ-11 Clear Lake
FZ-13 Emerson
FZ-7 Gar
FZ-9 Honeycreek
FZ-1 Manawa ■
FZ-5 Rice Lake ■
FZ-4 Trappers Bay ■
FZ-12 Walnut Woods
FZ-8 Wapello ■

Fabric Grade: A (d)

POINT
100% Polyester
EE-0AG Compass
EE-0AC Decimal
EE-0AF Focal
EE-0AD Nib
EE-0AA Peak
EE-0AE Vertex

Fabric Grade: A (d)

SAVOY
51% Virgin Polyester/
49% Recycled Polyester
FJ-CC Apache
FJ-AD Balsam ■
FJ-AP Bisque ■
FJ-AE Blue Ridge ■
FJ-AA Blue Willow ■
FJ-CA Breaker
FJ-AR Chamois ■
FJ-AK Elephant ■
FJ-AL Glacier ■
FJ-AX Mango
FJ-AY Maya
FJ-AW Poplar
FJ-CD Raisen
FJ-AT Shallot ■
FJ-AM Stainless ■
FJ-AF Tempest

Fabric Grade: A (d)

STRIAE
42% Post Industrial
Recycled Polyester/
42% Post Consumer
Recycled Polyester/
16% Polyester
(84% REPREVE®)
C1-AJ Beam ■
C1-AM Band ■
C1-AH Element ■
C1-AF Fillet ■
C1-AC Moonlight ■
C1-AE Ray ■
C1-AK Ribbon ■
C1-AD Straws ■
C1-AA Stream ■
C1-AL Trace ■

Fabric Grade: A (d)

TAILORED
100% Post Consumer
Recycled Polyester
PY-AL Alter
PY-BU Buttons
PY-DR Draper
PY-FC French Chalk
PY-HE Hem
PY-MA Mannequin
PY-SE Seam
PY-SH Shears
PY-SU Suit
PY-TH Thread
PY-TR Tradition

Fabric Grade: A (d)

TATAMI
100% Polyester
W5-1 Agave ■
W5-2 Coir
W5-3 Geta
W5-4 Hemp ■
W5-5 Jute ■
W5-6 Kayar ■
W5-7 Kobe
W5-8 Saffron ■
W5-9 Sapporo
W5-10 Sisal
W5-12 Tabi
W5-11 Tesori ■

Fabric Grade: A (d)

TUSCAN
65% Post Industrial
Recycled Polyester/
35% Post Consumer
Recycled Polyester
(35% REPREVE®)
TK-AR Arno
TK-CA Carrara
TK-DA David
TK-ET Etruscan
TK-FL Florence
TK-LM Limoncello
TK-MA Masonry
TK-ME Medici
TK-TR Olive Tree
TK-PS Pisa
TK-RM Romanesque
TK-RU Rustic
TK-SE Siena

Fabric Grade: B (d)

CLASSIC
82% Recycled Polyester/
18% Polyester
(82% REPREVE®)
L5-AJ Art
L5-AG Car
L5-AF Comedy
L5-AH Design
L5-AD Drama
L5-AT Movie
L5-AA Musical
L5-AC Radio
L5-AS Song

Fabric Grade: B (d)

HUE
62% Antimony Free Polyester/
38% Virgin Polyester

6-BK Bark
6-ED Eddy
6-FR Froth
6-GK Ginko
6-LT Latte
6-LF Leaf
6-LM Lemon
6-MG Marigold
6-MR Marine
6-PP Poppy
6-RD Red
6-SS Seaside
6-SP Spring
6-ST Steam
6-TQ Turquoise
6-WP Wisp

Fabric Grade: B (d)

KIO
100% Recycled Polyester
ZR-6 Bennett ■
ZR-8 Cascade ■
ZR-7 Crew ■
ZR-5 FUD
ZR-3 Jeanlin
ZR-1 Jib
ZR-11 Reeds Lake
ZR-13 Regatta ■
ZR-10 Sailor ■
ZR-2 Senta ■
ZR-12 Smurf ■
ZR-9 TSJ ■
ZR-4 Yippi Kio ■

Fabric Grade: B (n)

PUZZLER
48% Post Industrial
Recycled Polyester/
52% Post Consumer
Recycled Polyester
7L-C Clue
7L-CR Cryptic
7L-E Enigma
7L-I Intrigue
7L-M Maze
7L-R Riddle

Fabric Grade: B (d)

RITZ
49% Post Industrial
Recycled Polyester/
51% Post Consumer
Recycled Polyester
(51% REPREVE®)
PV-BR Bravo
PV-BT Black Tie
PV-CA Candle Light
PV-CH Champagne
PV-CL Classy
PV-CT Class Act
PV-FR Formal
PV-VA Ovation
PV-WT White Tie

Fabric Grade: B

TRAFFIC
100% Recycled Polyester
WZ-9 Autoban
WZ-6 Country Drive
WZ-7 Freeway ■
WZ-5 Gridlock
WZ-1 Jam ■
WZ-3 Merge
WZ-8 Route 66 ■
WZ-4 Ticket
WZ-2 Yield

Masters Series — Systems Fabrics/Color Legend

Fabric Grade: C (d)

BIRDS NEST
 38% Post Industrial
 Recycled Polyester/
 20% Post Consumer
 Recycled Polyester/
 42% Recycled Polyester
 (20% REPREVE®)
 PH-CA Canary
 PH-EA Eagle
 PH-EG Egret
 PH-FA Falcon
 PH-HE Heron
 PH-HU Hummingbird
 PH-MD Morning Dove
 PH-NU Nuthatch
 PH-WL Owl
 PH-RA Raven
 PH-SA Sandpiper
 PH-ST Stork
 PH-SW Swan

Fabric Grade: C (d)

GEODE
 34% Post Industrial
 Recycled Polyester/
 26% Post Consumer
 Recycled Polyester/
 40% Recycled Polyester
 (26% REPREVE®)
 PR-BS Bismuth
 PR-CA Calcite
 PR-CT Citrine
 PR-CR Crystal
 PR-FL Fluorite
 PR-GA Galena
 PR-HL Hollow
 PR-MA Malachite
 PR-QU Quartz
 PR-WN Wonder

ALERT: These materials are current,
 however they are being considered for
 future obsolescence due to low volume.

Fabric Grade: B (d)

BISCOTTI
100% Recycled Polyester
 FN-AJ Atlantis
 FN-AE Copper
 FN-AW Curry
 FN-AT Fig
 FN-AL Fresco 
 FN-AX Icing
 FN-AR Macaroon
 FN-AF Maize
 FN-AG Opal Gray 
 FN-AD Pesto
 FN-AC Phoenician 
 FN-AH Sea Spray 
 FN-AA Shark
 FN-AN Silver Ash 
 FN-AP Torte
 FN-AM Wafer 

Fabric Grade: B (d)

LANDSCAPE
100%Recycled Polyester
 C2-AD Estate 
 C2-AH Harvest 
 C2-AJ Panorama 
 C2-AF Parkland 
 C2-AC Photograph 
 C2-AE Seaside 
 C2-AA Vista 

Fabric Grade: C (d)

MAYPOLE by Maharam
100%Polyester
 2D-004 Reed
 2D-003 Rush
 2D-006 Sway
 2D-001 Tone
 2D-005 Twirl
 2D-002 Waver

Fabric Grade: B

TRAX
 24% Post Industrial
 Recycled Polyester/
 76% Post Consumer
 Recycled Polyester
 W9-8 Back
 W9-5 Cover Your 
 W9-2 Eight 
 W9-4 Field
 W9-6 Railroad 
 W9-1 Sand 
 W9-7 Tire 
 W9-3 Trolley

Haworth+

For information on the Haworth+ Alliance Program, including images and product availability, please refer to:
Haworth.com > Surface Collection > Haworth+ Library

Customer's Own Material (COM)

For general Customer's Own Material information including: processes and forms, please refer to:
Haworth.com/surfaces > COM Section

For information on approved COM's, please refer to:
Haworth.com/surfaces > COM Library

For information on the Haworth+ Alliance Program, please refer to:
Haworth.com/surfaces > Haworth+ Library

Masters Series — COM Yardage Requirements

Procedure

To confirm approval of or request new approval for COM's, contact the **Haworth Inquiry Center (1.800.426.8562)**, or <http://hub.Haworth.com>, or www.haworth.com > surface collection > COM Library to determine if the COM you have selected has already been tested and approved for use on our product.

If the fabric is approved, and the directional orientation (directional rightway, directional railroad, or non-directional) of the tested fabric has been confirmed, then refer to the appropriate column in the chart for yardage requirements.

Steps to follow to calculate fabric usage:

- 1) Identify product type and size.
- 2) Determine method in which fabric is to be cut (directional rightway, directional railroad or non-directional).
- 3) Determine fabric roll width.
- 4) Find corresponding fabric usage value from the table.
- 5) Calculate fabric required using the formula below:

$$\text{Fabric usage} = \text{number of units} \times \text{number of sides with fabric} \times \text{fabric usage (from tables)} + C \text{ (constant).}$$




Constant

Product	C
Tackboards	1.5




- 6) Repeat steps 1-5 for each product type, size and fabric.
- 7) Add all values together to find total number of linear yards required for the order. Add the appropriate percentage shown below to the total yardage to accommodate fabric flaws, wrinkles and other imperfections.

Up to 500 yards	Add 10%
501 to 1000 yards	Add 5%
More than 1000 yards	Add 3%


Directional Rightway:




Directional Railroad:



Non-Directional:



Cut in either direction to give best yield.



Masters Series — COM Yardage Requirements

Masters Series Tackboard Fabric Usage

Nominal (Inches)	66 Inch Roll (Linear Yards)			54 Inch Roll (Linear Yards)			
Height	Width	Directional	Railroad	Non-directional	Directional	Railroad	Non-directional
Fabric Tackboards for Vertical Storage Units							
22" (559mm)	28" (711mm)	0.475	0.713		0.475	0.713	
	30" (762mm)	0.509	0.764		0.509	0.764	
	36" (914mm)	0.611	0.917		0.611	0.917	
	42" (1067mm)	0.713	1.069		0.713	1.069	
	48" (1219mm)	0.815	1.222		0.815	1.222	
	51" (1295mm)	0.866	1.299		0.866	1.299	
	57" (1448mm)	0.968	1.452		N/A	N/A	
	63" (1600mm)	1.069	1.604		N/A	N/A	
	69" (1753mm)	1.171	1.757		N/A	N/A	
	75" (1905mm)	1.273	1.910		N/A	N/A	
	81" (2057mm)	1.375	2.063		N/A	N/A	
	87" (2210mm)	1.477	2.215		N/A	N/A	
	93" (2362mm)	1.579	2.368		N/A	N/A	
Fabric Tackboards with Slat Rail for Vertical Storage Units							
22" (559mm)	28" (711mm)	0.302	0.454		0.302	0.454	
	30" (762mm)	0.324	0.486		0.324	0.486	
	36" (914mm)	0.389	0.583		0.389	0.583	
	42" (1067mm)	0.454	0.681		0.454	0.681	
	48" (1219mm)	0.519	0.778		0.519	0.778	
	51" (1295mm)	0.551	0.826		0.551	0.826	
	57" (1448mm)	0.616	0.924		N/A	N/A	
	63" (1600mm)	0.681	1.021		N/A	N/A	
	69" (1753mm)	0.745	1.118		N/A	N/A	
	75" (1905mm)	0.810	1.215		N/A	N/A	
	81" (2057mm)	0.875	1.313		N/A	N/A	
	87" (2210mm)	0.940	1.410		N/A	N/A	
	93" (2362mm)	1.005	1.507		N/A	N/A	
Fabric Tackboards for Overhead Storage Units							
24" (610mm)	30" (762mm)	0.556	0.833		0.556	0.833	
	31" (787mm)	0.574	0.861		0.574	0.861	
	36" (914mm)	0.667	1.000		0.667	1.000	
	37" (940mm)	0.685	1.028		0.685	1.028	
	42" (1067mm)	0.778	1.167		0.778	1.167	
	48" (1219mm)	0.889	1.333		0.889	1.333	
	54" (1372mm)	1.000	1.500		N/A	N/A	
	60" (1524mm)	1.110	1.667		N/A	N/A	
	66" (1676mm)	1.222	1.833		N/A	N/A	
	72" (1829mm)	1.333	2.000		N/A	N/A	
	78" (1981mm)	1.444	2.167		N/A	N/A	
	84" (2134mm)	1.556	2.333		N/A	N/A	
	90" (2286mm)	1.667	2.500		N/A	N/A	
	96" (2438mm)	1.778	2.667		N/A	N/A	

Masters Series — COM Yardage Requirements

Masters Series Tackboard Fabric Usage, (continued)

Nominal (Inches)		66 Inch Roll (Linear Yards)			54 Inch Roll (Linear Yards)		
Height	Width	Directional	Railroad	Non-directional	Directional	Railroad	Non-directional
Fabric Tackboards with Slat Rail for Overhead Storage Units							
24" (610mm)	30" (762mm)	0.370	0.556		0.370	0.556	
	31" (787mm)	0.383	0.574		0.383	0.574	
	36" (914mm)	0.444	0.667		0.444	0.667	
	37" (940mm)	0.457	0.685		0.457	0.685	
	42" (1067mm)	0.519	0.778		0.519	0.778	
	48" (1219mm)	0.593	0.889		0.593	0.889	
	54" (1372mm)	0.667	1.000		N/A	N/A	
	60" (1524mm)	0.741	1.111		N/A	N/A	
	66" (1676mm)	0.815	1.222		N/A	N/A	
	72" (1829mm)	0.889	1.333		N/A	N/A	
	78" (1981mm)	0.963	1.444		N/A	N/A	
	84" (2134mm)	1.037	1.556		N/A	N/A	
	90" (2286mm)	1.111	1.667		N/A	N/A	
	96" (2438mm)	1.185	1.778		N/A	N/A	
Fabric Tackboards for Reception Stations							
12 1/2" (318mm)	72" (1829mm)	0.722	1.083		N/A	N/A	
	84" (2134mm)	0.843	1.264		N/A	N/A	

Note: Tackboards over 60"(1524mm) wide are shipped in two equal pieces.

Index

Products are listed alphabetically in this index by alpha-numeric prefix/suffix codes.

Product Code	Product Description	Page
DTAR-3	Work Tools – Personal Shelf Bracket	258
DTBS-3	Work Tools – Phone Shelf Bracket	258
DTES-3	Work Tools – Personal Shelf	258
DTLS-2	Work Tools – Letter Tray Stacking Kit	259
DTLT-2	Work Tools – Letter Tray	259
DTPR-3	Work Tools – Paper Sorter	258
DTPT-3	Work Tools – Phone Shelf	258
DTSB-1	Work Tools – Letter Tray Stacking Bracket	259
DTSB-3	Work Tools – Binder Bin	259
EUD1-1311V	Masters Series – Enhanced Power Module	257
EUD1-C311V	Masters Series – Enhanced Power Module	257
JPTA-6	Masters Series – Pencil Tray	256
KUDP	Masters Series – Pencil + Drawer	256
LBJ1	BRAZO – Freestanding Lighting	264
LBJ2	BRAZO – Freestanding Lighting	264
LBJ3	BRAZO – Mounted Lighting	264
LBJ4	BRAZO – Mounted Lighting	264
LLC1	LIM – LIM C	266
LLC2	LIM – LIM C	266
LLH	LIM – LIM Hardware	268
LLL1	LIM – LIM L	265
LLL2	LIM – LIM L	265
LLL3	LIM – LIM L	265
LLLA	LIM – LIM L	265
LLM1	LIM – LIM Mounted	267
LLM1	LIM – LIM Mounted	267
LLM2	LIM – LIM Mounted	267
LLU1	LIM – LIM Mounted	268
LLU2	LIM – LIM Mounted	268
LLY1	LIM – LIM Y	266
LUTD	Masters Series – Adaptable Electronic Ballast Task Light (Add-On Light)	261
LUTD-0017-1NULDN	Masters Series – Reed Premier™ Add-On LED Task Light — For Use with Reed Premier Starter LED Task Lights	263
LUTR	Masters Series – Adaptable Electronic Ballast Task Light (Starter Light)	260
LUTS-0000	Masters Series – Reed Premier™ Add-On Occupancy Sensor	263
LUTS-0017-12ULD6	Masters Series – Reed Premier™ Starter LED Task Light	262
LUTS-0017-19ULD5	Masters Series – Reed Premier™ Stand-Alone LED Task Light	262
LUTS-16UEP	Masters Series – Adaptable Electronic Ballast Task Light	260
MTSV	Masters Series – Tackboards — Vertical Storage Units — Fabric and Slat Rail	157
MTSW	Masters Series – Fabric and Slat Rail	214
MTSW	Masters Series – Tackboards — Wall Mount Overhead Storage Units — Fabric and Slat Rail	213
MTVD	Masters Series – Tackboards — Vertical Storage Units — Fabric	157
MTWD	Masters Series – Fabric Tackboards	214
MTWD	Masters Series – Tackboards — Wall Mount Overhead Storage Units — Fabric	213
ULB2-S	Masters Series – Bookcase — Two-High	252
ULB3-S	Masters Series – Bookcase — Three-High	252
ULB4-S	Masters Series – Bookcase — Four-High	252
ULB5-S	Masters Series – Bookcase — Five-High	252
ULB6-S	Masters Series – Bookcase — Six-High	252
ULLD-SN	Masters Series – Overhead Storage Units — One and One-Half High Glass Sliding Door	206
ULLD-SN	Masters Series – Overhead Storage Units — One-High with Glass Sliding Door	202
ULLD-SN	Masters Series – Overhead Storage Units — Two-High with Glass Sliding Door	210
ULLL-SN	Masters Series – Overhead Storage Units — One and One-Half High Glass Sliding Door	206
ULLL-SN	Masters Series – Overhead Storage Units — One-High with Glass Sliding Door	202

Index

Product Code	Product Description	Page
ULLL-SN	Masters Series – Overhead Storage Units — Two-High with Glass Sliding Door210
ULMD-SL	Masters Series – Overhead Storage Units — One and One-Half High with Glass Hinged Doors194
ULMD-SL	Masters Series – Overhead Storage Units — One-High with Glass Hinged Doors190
ULMD-SL	Masters Series – Overhead Storage Units — Two-High with Glass Hinged Doors198
ULMD-SN	Masters Series – Overhead Storage Units — One and One-Half High with Glass Hinged Doors194
ULMD-SN	Masters Series – Overhead Storage Units — One-High with Glass Hinged Doors190
ULMD-SN	Masters Series – Overhead Storage Units — Two-High with Glass Hinged Doors198
ULML-SL	Masters Series – Overhead Storage Units — One and One-Half High with Glass Hinged Doors194
ULML-SL	Masters Series – Overhead Storage Units — One-High with Glass Hinged Doors198
ULML-SL	Masters Series – Overhead Storage Units — Two-High with Glass Hinged Doors190
ULML-SN	Masters Series – Overhead Storage Units — One and One-Half High with Glass Hinged Doors194
ULML-SN	Masters Series – Overhead Storage Units — One-High with Glass Hinged Doors190
ULML-SN	Masters Series – Overhead Storage Units — Two-High with Glass Hinged Doors198
ULND-SN	Masters Series – Overhead Storage Units — One-High Open158
ULND-SN	Masters Series – Overhead Storage Units — Two-High Open162
ULNL-SN	Masters Series – Overhead Storage Units — One-High Open158
ULNL-SN	Masters Series – Overhead Storage Units — Two-High Open162
ULOD-SL	Masters Series – Overhead Storage Units — One and One-Half High with Hinged Doors170
ULOD-SL	Masters Series – Overhead Storage Units — One-High with Hinged Doors166
ULOD-SL	Masters Series – Overhead Storage Units — Two-High with Hinged Doors174
ULOD-SN	Masters Series – Overhead Storage Units — One and One-Half High with Hinged Doors170
ULOD-SN	Masters Series – Overhead Storage Units — One-High with Hinged Doors166
ULOD-SN	Masters Series – Overhead Storage Units — Two-High with Hinged Doors174
ULOL-SL	Masters Series – Overhead Storage Units — One and One-Half High with Hinged Doors170
ULOL-SL	Masters Series – Overhead Storage Units — One-High with Hinged Doors166
ULOL-SL	Masters Series – Overhead Storage Units — Two-High with Hinged Doors174
ULOL-SN	Masters Series – Overhead Storage Units — One and One-Half High with Hinged Doors170
ULOL-SN	Masters Series – Overhead Storage Units — One-High with Hinged Doors166
ULRD-SN	Masters Series – Overhead Storage Units — One and One-Half High with Sliding Door182
ULRD-SN	Masters Series – Overhead Storage Units — One-High with Sliding Door178
ULRD-SN	Masters Series – Overhead Storage Units — Two-High with Sliding Door186
ULRL-SN	Masters Series – Overhead Storage Units — One and One-Half High with Sliding Door182
ULRL-SN	Masters Series – Overhead Storage Units — One-High with Sliding Door178
ULRL-SN	Masters Series – Overhead Storage Units — Two-High with Sliding Door186
ULSE-LM	Masters Series – End Panel227
ULSE-LN	Masters Series – End Panel227
ULSE-RM	Masters Series – End Panel227
ULSE-RN	Masters Series – End Panel227
ULSL-SL	Masters Series – L-Support228
ULSL-SL	Masters Series – Partial Depth L-Support Panels230
ULSL-SR	Masters Series – L-Support228
ULSL-SR	Masters Series – Partial Depth L-Support Panels230
ULSS-S	Masters Series – Mid-Support Panel232
ULSX-SN	Masters Series – Intermediate T-Support232
ULXF-SS	Masters Series – Full Overlay Modesty Panel225
ULXH-SN2	Masters Series – Hinged Modesty Panel226
UTSE-LM	Masters Series – End Panel227
UTSE-LN	Masters Series – End Panel227
UTSE-RM	Masters Series – End Panel227
UTSE-RN	Masters Series – End Panel227
UXAG-0002	Masters Series – Grommet257
UXAH	Masters Series – File Bars256
UXB2-S	Masters Series – Bookcase — Two-High252

Index

Product Code	Product Description	Page
UXB3-S	Masters Series – Bookcase — Three-High252
UXB4-S	Masters Series – Bookcase — Four-High252
UXB5-S	Masters Series – Bookcase — Five-High252
UXB6-S	Masters Series – Bookcase — Six-High252
UXCD	Masters Series – Center Drawer256
UXLD-SN	Masters Series – Overhead Storage Units — One and One-Half High Glass Sliding Door206
UXLD-SN	Masters Series – Overhead Storage Units — One-High with Glass Sliding Door202
UXLD-SN	Masters Series – Overhead Storage Units — Two-High with Glass Sliding Door210
UXLL-SN	Masters Series – Overhead Storage Units — One and One-Half High Glass Sliding Door206
UXLL-SN	Masters Series – Overhead Storage Units — One-High with Glass Sliding Door202
UXLL-SN	Masters Series – Overhead Storage Units — Two-High with Glass Sliding Door210
UXMD-SL	Masters Series – Overhead Storage Units — One and One-Half High with Glass Hinged Doors194
UXMD-SL	Masters Series – Overhead Storage Units — One-High with Glass Hinged Doors190
UXMD-SL	Masters Series – Overhead Storage Units — Two-High with Glass Hinged Doors198
UXMD-SN	Masters Series – Overhead Storage Units — One and One-Half High with Glass Hinged Doors194
UXMD-SN	Masters Series – Overhead Storage Units — One-High with Glass Hinged Doors190
UXMD-SN	Masters Series – Overhead Storage Units — Two-High with Glass Hinged Doors198
UXML-SL	Masters Series – Overhead Storage Units — One and One-Half High with Glass Hinged Doors194
UXML-SL	Masters Series – Overhead Storage Units — One-High with Glass Hinged Doors198
UXML-SL	Masters Series – Overhead Storage Units — Two-High with Glass Hinged Doors190
UXML-SN	Masters Series – Overhead Storage Units — One and One-Half High with Glass Hinged Doors194
UXML-SN	Masters Series – Overhead Storage Units — One-High with Glass Hinged Doors190
UXML-SN	Masters Series – Overhead Storage Units — Two-High with Glass Hinged Doors198
UXND-SN	Masters Series – Overhead Storage Units — One-High Open158
UXND-SN	Masters Series – Overhead Storage Units — Two-High Open162
UXNL-SN	Masters Series – Overhead Storage Units — One-High Open158
UXNL-SN	Masters Series – Overhead Storage Units — Two-High Open162
UXOD-SL	Masters Series – Overhead Storage Units — One and One-Half High with Hinged Doors170
UXOD-SL	Masters Series – Overhead Storage Units — One-High with Hinged Doors166
UXOD-SL	Masters Series – Overhead Storage Units — Two-High with Hinged Doors174
UXOD-SN	Masters Series – Overhead Storage Units — One and One-Half High with Hinged Doors170
UXOD-SN	Masters Series – Overhead Storage Units — One-High with Hinged Doors166
UXOD-SN	Masters Series – Overhead Storage Units — Two-High with Hinged Doors174
UXOL-SL	Masters Series – Overhead Storage Units — One and One-Half High with Hinged Doors170
UXOL-SL	Masters Series – Overhead Storage Units — One-High with Hinged Doors166
UXOL-SL	Masters Series – Overhead Storage Units — Two-High with Hinged Doors174
UXOL-SN	Masters Series – Overhead Storage Units — One and One-Half High with Hinged Doors170
UXOL-SN	Masters Series – Overhead Storage Units — One-High with Hinged Doors166
UXOL-SN	Masters Series – Overhead Storage Units — Two-High with Hinged Doors174
UXRD-SN	Masters Series – Overhead Storage Units — One and One-Half High with Sliding Door182
UXRD-SN	Masters Series – Overhead Storage Units — One-High with Sliding Door178
UXRD-SN	Masters Series – Overhead Storage Units — Two-High with Sliding Door186
UXRL-SN	Masters Series – Overhead Storage Units — One and One-Half High with Sliding Door182
UXRL-SN	Masters Series – Overhead Storage Units — One-High with Sliding Door178
UXRL-SN	Masters Series – Overhead Storage Units — Two-High with Sliding Door186
UXSE-LM	Masters Series – End Panel227
UXSE-LN	Masters Series – End Panel227
UXSE-RM	Masters Series – End Panel227
UXSE-RN	Masters Series – End Panel227
UXSL-SL	Masters Series – L-Support228
UXSL-SL	Masters Series – Partial Depth L-Support Panels230
UXSL-SR	Masters Series – L-Support228
UXSL-SR	Masters Series – Partial Depth L-Support Panels230
UXSS-S	Masters Series – Mid-Support Panel232

Index

Product Code	Product Description	Page
UXSX-SN	Masters Series – Intermediate T-Support232
UXWA	Masters Series – Counterweight255
UXXF-SS	Masters Series – Full Overlay Modesty Panel225
UXXH-SN2	Masters Series – Hinged Modesty Panel226
UYB2-S	Masters Series – Bookcase — Two-High252
UYB3-S	Masters Series – Bookcase — Three-High252
UYB4-S	Masters Series – Bookcase — Four-High252
UYB5-S	Masters Series – Bookcase — Five-High252
UYB6-S	Masters Series – Bookcase — Six-High252
UYLD-SN	Masters Series – Overhead Storage Units — One and One-Half High Glass Sliding Door206
UYLD-SN	Masters Series – Overhead Storage Units — One-High with Glass Sliding Door202
UYLD-SN	Masters Series – Overhead Storage Units — Two-High with Glass Sliding Door210
UYLL-SN	Masters Series – Overhead Storage Units — One and One-Half High Glass Sliding Door206
UYLL-SN	Masters Series – Overhead Storage Units — One-High with Glass Sliding Door202
UYLL-SN	Masters Series – Overhead Storage Units — Two-High with Glass Sliding Door210
UYMD-SL	Masters Series – Overhead Storage Units — One and One-Half High with Glass Hinged Doors194
UYMD-SL	Masters Series – Overhead Storage Units — One-High with Glass Hinged Doors190
UYMD-SL	Masters Series – Overhead Storage Units — Two-High with Glass Hinged Doors198
UYMD-SN	Masters Series – Overhead Storage Units — One and One-Half High with Glass Hinged Doors194
UYMD-SN	Masters Series – Overhead Storage Units — One-High with Glass Hinged Doors190
UYML-SL	Masters Series – Overhead Storage Units — One and One-Half High with Glass Hinged Doors194
UYML-SL	Masters Series – Overhead Storage Units — One-High with Glass Hinged Doors198
UYML-SL	Masters Series – Overhead Storage Units — Two-High with Glass Hinged Doors190
UYML-SN	Masters Series – Overhead Storage Units — One and One-Half High with Glass Hinged Doors194
UYML-SN	Masters Series – Overhead Storage Units — One-High with Glass Hinged Doors190
UYML-SN	Masters Series – Overhead Storage Units — Two-High with Glass Hinged Doors198
UYND-SN	Masters Series – Overhead Storage Units — One-High Open158
UYND-SN	Masters Series – Overhead Storage Units — Two-High Open162
UYNL-SN	Masters Series – Overhead Storage Units — One-High Open158
UYNL-SN	Masters Series – Overhead Storage Units — Two-High Open162
UYOD-SL	Masters Series – Overhead Storage Units — One and One-Half High with Hinged Doors170
UYOD-SL	Masters Series – Overhead Storage Units — One-High with Hinged Doors166
UYOD-SL	Masters Series – Overhead Storage Units — Two-High with Hinged Doors174
UYOD-SN	Masters Series – Overhead Storage Units — One and One-Half High with Hinged Doors170
UYOD-SN	Masters Series – Overhead Storage Units — One-High with Hinged Doors166
UYOD-SN	Masters Series – Overhead Storage Units — Two-High with Hinged Doors174
UYOL-SL	Masters Series – Overhead Storage Units — One and One-Half High with Hinged Doors170
UYOL-SL	Masters Series – Overhead Storage Units — One-High with Hinged Doors166
UYOL-SL	Masters Series – Overhead Storage Units — Two-High with Hinged Doors174
UYOL-SN	Masters Series – Overhead Storage Units — One and One-Half High with Hinged Doors170
UYOL-SN	Masters Series – Overhead Storage Units — One-High with Hinged Doors166
UYOL-SN	Masters Series – Overhead Storage Units — Two-High with Hinged Doors174
UYRD-SN	Masters Series – Overhead Storage Units — One and One-Half High with Sliding Door182
UYRD-SN	Masters Series – Overhead Storage Units — One-High with Sliding Door178
UYRD-SN	Masters Series – Overhead Storage Units — Two-High with Sliding Door186
UYRL-SN	Masters Series – Overhead Storage Units — One and One-Half High with Sliding Door182
UYRL-SN	Masters Series – Overhead Storage Units — One-High with Sliding Door178
UYRL-SN	Masters Series – Overhead Storage Units — Two-High with Sliding Door186
UYSL-SL	Masters Series – L-Support228
UYSL-SL	Masters Series – Partial Depth L-Support Panels230
UYSL-SR	Masters Series – L-Support228
UYSL-SR	Masters Series – Partial Depth L-Support Panels230
UYSS-S	Masters Series – Mid-Support Panel232

Index

Product Code	Product Description	Page
UYSX-SN	Masters Series – Intermediate T-Support232
UYXF-SS	Masters Series – Full Overlay Modesty Panel225
UYXH-SN2	Masters Series – Hinged Modesty Panel226
W111-5298	Masters Series – Tetra Bracket255
WQAG	BRAZO – Grommet — For Use with BRAZO Grommet Mounted Light Only264
WUAW	Masters Series – Horizontal Wire Manager257
X3AD-PL	Masters Series – Personal Storage Tower with F/F/F and Valet248
X3AF-PL	Masters Series – Personal Storage Tower with F/F Pedestal and Valet249
X3CD-SW	Masters Series – Stack-On Storage Cabinet with Hinged Doors216
X3CL-SW	Masters Series – Stack-On Storage Cabinet with Hinged Doors216
X3F1-LP	Masters Series – One-High, One and One-Half High and Two-High Attached Lateral Files236
X3F3-LP	Masters Series – Freestanding Lateral File – Three-High243
X3F4-LP	Masters Series – Freestanding Lateral File – Four-High243
X3F5-LP	Masters Series – Freestanding Lateral File – Five-High244
X3F6-LP	Masters Series – Freestanding Lateral File – Six-High244
X3FA-LP	Masters Series – One-High, One and One-Half High and Two-High Attached Lateral Files236
X3FB-LP	Masters Series – One-High, One and One-Half High and Two-High Attached Lateral Files236
X3FV-LW	Masters Series – One and One-Half High Attached Lateral File with Shelf235
X3H2-LP	Masters Series – Two-High Cabinet with Doors240
X3H3-LP	Masters Series – Three-High Cabinet with Hinged Doors242
X3JD-ST	Masters Series – Stack-On Storage Cabinet with Glass Doors217
X3JL-ST	Masters Series – Stack-On Storage Cabinet with Glass Doors217
X3KD-SN	Masters Series – Stack-On Bookcase215
X3KL-SN	Masters Series – Stack-On Bookcase215
X3LD-NT	Masters Series – Vertical Storage Unit — One-High with Glass Sliding Door150
X3LD-NT	Masters Series – Vertical Storage Unit — Two-High with Glass Sliding Door154
X3LL-NT	Masters Series – Vertical Storage Unit — One-High with Glass Sliding Door150
X3LL-NT	Masters Series – Vertical Storage Unit — Two-High with Glass Sliding Door154
X3M5-LP	Masters Series – Combination Unit245
X3M6-LP	Masters Series – Combination Unit245
X3N1-NN	Masters Series – One-High and Two-High Attached Open Cabinets238
X3N2-NN	Masters Series – One-High and Two-High Attached Open Cabinets238
X3N3-NN	Masters Series – Three-High Open Cabinet241
X3PA-NP	Masters Series – Attached Pedestals233
X3PA-YP	Masters Series – Attached Pedestals233
X3PM-BW	Masters Series – Mobile Pedestal234
X3RD-NP	Masters Series – Vertical Storage Unit — One-High with Sliding Door134
X3RD-NP	Masters Series – Vertical Storage Unit — Two-High with Sliding Door138
X3RL-NP	Masters Series – Vertical Storage Unit — One-High with Sliding Door134
X3RL-NP	Masters Series – Vertical Storage Unit — Two-High with Sliding Door138
X3SD-LT	Masters Series – Vertical Storage Unit — One-High with Glass Hinged Doors142
X3SD-LT	Masters Series – Vertical Storage Unit — Two-High with Glass Hinged Doors146
X3SD-NT	Masters Series – Vertical Storage Unit — One-High with Glass Hinged Doors142
X3SD-NT	Masters Series – Vertical Storage Unit — Two-High with Glass Hinged Doors146
X3SL-LT	Masters Series – Vertical Storage Unit — One-High with Glass Hinged Doors142
X3SL-LT	Masters Series – Vertical Storage Unit — Two-High with Glass Hinged Doors146
X3SL-NT	Masters Series – Vertical Storage Unit — One-High with Glass Hinged Doors142
X3SL-NT	Masters Series – Vertical Storage Unit — Two-High with Glass Hinged Doors146
X3UD-NN	Masters Series – Vertical Storage Unit — One-High Open118
X3UD-NN	Masters Series – Vertical Storage Unit — Two-High Open122
X3UL-NN	Masters Series – Vertical Storage Unit — One-High Open118
X3UL-NN	Masters Series – Vertical Storage Unit — Two-High Open122
X3VD-LP	Masters Series – Vertical Storage Unit — One-High with Hinged Doors126
X3VD-LP	Masters Series – Vertical Storage Unit — Two-High with Hinged Doors130

Index

Product Code	Product Description	Page
X3VD-NP	Masters Series – Vertical Storage Unit — One-High with Hinged Doors	126
X3VD-NP	Masters Series – Vertical Storage Unit — Two-High with Hinged Doors	130
X3VL-LP	Masters Series – Vertical Storage Unit — One-High with Hinged Doors	126
X3VL-LP	Masters Series – Vertical Storage Unit — Two-High with Hinged Doors	130
X3VL-NP	Masters Series – Vertical Storage Unit — One-High with Hinged Doors	126
X3VL-NP	Masters Series – Vertical Storage Unit — Two-High with Hinged Doors	130
X3W5-PL	Masters Series – Wardrobe with Open Cabinet	246
X3W6-PL	Masters Series – Wardrobe with Open Cabinet	246
X3X5-LP	Masters Series – Wardrobe with Closed Storage Cabinet	247
X3X6-LP	Masters Series – Wardrobe with Closed Storage Cabinet	247
X3Y5-PR	Masters Series – Freestanding Wardrobe Tower	251
X3Y6-PR	Masters Series – Freestanding Wardrobe Tower	251
X3ZF-PR	Masters Series – Storage Tower	250
X4AD-WL	Masters Series – Personal Storage Tower with F/F/F and Valet	248
X4AF-WL	Masters Series – Personal Storage Tower with F/F Pedestal and Valet	249
X4CD-SW	Masters Series – Stack-On Storage Cabinet with Hinged Doors	216
X4CL-SW	Masters Series – Stack-On Storage Cabinet with Hinged Doors	216
X4F1-LW	Masters Series – One-High, One and One-Half High and Two-High Attached Lateral Files	236
X4F3-LW	Masters Series – Freestanding Lateral File – Three-High and Four-High	243
X4F4-LW	Masters Series – Freestanding Lateral File – Three-High and Four-High	243
X4F5-LW	Masters Series – Freestanding Lateral File – Five-High and Six-High	244
X4F6-LW	Masters Series – Freestanding Lateral File – Five-High and Six-High	244
X4FA-LW	Masters Series – One-High, One and One-Half High and Two-High Attached Lateral Files	236
X4FB-LW	Masters Series – One-High, One and One-Half High and Two-High Attached Lateral Files	236
X4FV-LW	Masters Series – One and One-Half High Attached Lateral File with Shelf	235
X4H2-LW	Masters Series – Two-High Cabinet with Doors	240
X4H3-LW	Masters Series – Three-High Cabinet with Hinged Doors	242
X4JD-ST	Masters Series – Stack-On Storage Cabinet with Glass Doors	217
X4JL-ST	Masters Series – Stack-On Storage Cabinet with Glass Doors	217
X4KD-SN	Masters Series – Stack-On Bookcase	215
X4KL-SN	Masters Series – Stack-On Bookcase	215
X4LD-NT	Masters Series – Vertical Storage Unit — One-High with Glass Sliding Door	150
X4LD-NT	Masters Series – Vertical Storage Unit — Two-High with Glass Sliding Door	154
X4LL-NT	Masters Series – Vertical Storage Unit — One-High with Glass Sliding Door	150
X4LL-NT	Masters Series – Vertical Storage Unit — Two-High with Glass Sliding Door	154
X4M5-LW	Masters Series – Combination Unit	245
X4M6-LW	Masters Series – Combination Unit	245
X4N1-NN	Masters Series – One-High and Two-High Attached Open Cabinets	238
X4N2-NN	Masters Series – One-High and Two-High Attached Open Cabinets	238
X4N3-NN	Masters Series – Three-High Open Cabinet	241
X4PA-NW	Masters Series – Attached Pedestals	233
X4PA-YW	Masters Series – Attached Pedestals	233
X4PM-BW	Masters Series – Mobile Pedestal	234
X4RD-NW	Masters Series – Vertical Storage Unit — One-High with Sliding Door	134
X4RD-NW	Masters Series – Vertical Storage Unit — Two-High with Sliding Door	138
X4RL-NW	Masters Series – Vertical Storage Unit — One-High with Sliding Door	134
X4RL-NW	Masters Series – Vertical Storage Unit — Two-High with Sliding Door	138
X4SD-LT	Masters Series – Vertical Storage Unit — One-High with Glass Hinged Doors	142
X4SD-LT	Masters Series – Vertical Storage Unit — Two-High with Glass Hinged Doors	146
X4SD-NT	Masters Series – Vertical Storage Unit — One-High with Glass Hinged Doors	142
X4SD-NT	Masters Series – Vertical Storage Unit — Two-High with Glass Hinged Doors	146
X4SL-LT	Masters Series – Vertical Storage Unit — One-High with Glass Hinged Doors	142
X4SL-LT	Masters Series – Vertical Storage Unit — Two-High with Glass Hinged Doors	146
X4SL-NT	Masters Series – Vertical Storage Unit — One-High with Glass Hinged Doors	142

Index

Product Code	Product Description	Page
X4SL-NT	Masters Series – Vertical Storage Unit — Two-High with Glass Hinged Doors	146
X4TR	Masters Series – Tackboards — Reception Station L-Shaped and U-Shaped	219
X4UD-NN	Masters Series – Vertical Storage Unit — One-High Open	118
X4UD-NN	Masters Series – Vertical Storage Unit — Two-High Open	122
X4UL-NN	Masters Series – Vertical Storage Unit — One-High Open	118
X4UL-NN	Masters Series – Vertical Storage Unit — Two-High Open	122
X4VD-LW	Masters Series – Vertical Storage Unit — One-High with Hinged Doors	126
X4VD-LW	Masters Series – Vertical Storage Unit — Two-High with Hinged Doors	130
X4VD-NW	Masters Series – Vertical Storage Unit — One-High with Hinged Doors	126
X4VD-NW	Masters Series – Vertical Storage Unit — Two-High with Hinged Doors	130
X4VL-LW	Masters Series – Vertical Storage Unit — One-High with Hinged Doors	126
X4VL-LW	Masters Series – Vertical Storage Unit — Two-High with Hinged Doors	130
X4VL-NW	Masters Series – Vertical Storage Unit — One-High with Hinged Doors	126
X4VL-NW	Masters Series – Vertical Storage Unit — Two-High with Hinged Doors	130
X4W5-WL	Masters Series – Wardrobe with Open Cabinet	246
X4W6-WL	Masters Series – Wardrobe with Open Cabinet	246
X4X5-LW	Masters Series – Wardrobe with Closed Storage Cabinet	247
X4X6-LW	Masters Series – Wardrobe with Closed Storage Cabinet	247
X4Y5-WR	Masters Series – Freestanding Wardrobe Tower	251
X4Y6-WR	Masters Series – Freestanding Wardrobe Tower	251
X4ZF-WR	Masters Series – Storage Tower	250
X5AD-LL	Masters Series – Personal Storage Tower with F/F/F and Valet	248
X5AF-LL	Masters Series – Personal Storage Tower with F/F Pedestal and Valet	249
X5CD-SW	Masters Series – Stack-On Storage Cabinet with Hinged Doors	216
X5CL-SW	Masters Series – Stack-On Storage Cabinet with Hinged Doors	216
X5F1-LL	Masters Series – One-High, One and One-Half High and Two-High Attached Lateral Files	236
X5F3-LL	Masters Series – Freestanding Lateral File – Three-High	243
X5F4-LL	Masters Series – Freestanding Lateral File – Four-High	243
X5F5-LL	Masters Series – Freestanding Lateral File – Five-High	244
X5F6-LL	Masters Series – Freestanding Lateral File – Six-High	244
X5FA-LL	Masters Series – One-High, One and One-Half High and Two-High Attached Lateral Files	236
X5FB-LL	Masters Series – One-High, One and One-Half High and Two-High Attached Lateral Files	236
X5FV-LW	Masters Series – One and One-Half High Attached Lateral File with Shelf	235
X5H2-LL	Masters Series – Two-High Cabinet with Doors	240
X5H3-LL	Masters Series – Three-High Cabinet with Hinged Doors	242
X5JD-ST	Masters Series – Stack-On Storage Cabinet with Glass Doors	217
X5JL-ST	Masters Series – Stack-On Storage Cabinet with Glass Doors	217
X5KD-SN	Masters Series – Stack-On Bookcase	215
X5KL-SN	Masters Series – Stack-On Bookcase	215
X5LD-NT	Masters Series – Vertical Storage Unit — One-High with Glass Sliding Door	150
X5LD-NT	Masters Series – Vertical Storage Unit — Two-High with Glass Sliding Door	154
X5LL-NT	Masters Series – Vertical Storage Unit — One-High with Glass Sliding Door	150
X5LL-NT	Masters Series – Vertical Storage Unit — Two-High with Glass Sliding Door	154
X5M5-LL	Masters Series – Combination Unit	245
X5M6-LL	Masters Series – Combination Unit	245
X5N1-NN	Masters Series – One-High and Two-High Attached Open Cabinets	238
X5N2-NN	Masters Series – One-High and Two-High Attached Open Cabinets	238
X5N3-NN	Masters Series – Three-High Open Cabinet	241
X5PA-NL	Masters Series – Attached Pedestals	233
X5PA-YL	Masters Series – Attached Pedestals	233
X5PM-BW	Masters Series – Mobile Pedestal	234
X5RD-NL	Masters Series – Vertical Storage Unit — One-High with Sliding Door	134
X5RD-NL	Masters Series – Vertical Storage Unit — Two-High with Sliding Door	138
X5RL-NL	Masters Series – Vertical Storage Unit — One-High with Sliding Door	134

Index

Product Code	Product Description	Page
X5RL-NL	Masters Series – Vertical Storage Unit — Two-High with Sliding Door	138
X5SD-LT	Masters Series – Vertical Storage Unit — One-High with Glass Hinged Doors	142
X5SD-LT	Masters Series – Vertical Storage Unit — Two-High with Glass Hinged Doors	146
X5SD-NT	Masters Series – Vertical Storage Unit — One-High with Glass Hinged Doors	142
X5SD-NT	Masters Series – Vertical Storage Unit — Two-High with Glass Hinged Doors	146
X5SL-LT	Masters Series – Vertical Storage Unit — One-High with Glass Hinged Doors	142
X5SL-LT	Masters Series – Vertical Storage Unit — Two-High with Glass Hinged Doors	146
X5SL-NT	Masters Series – Vertical Storage Unit — One-High with Glass Hinged Doors	142
X5SL-NT	Masters Series – Vertical Storage Unit — Two-High with Glass Hinged Doors	146
X5UD-NN	Masters Series – Vertical Storage Unit — One-High Open	118
X5UD-NN	Masters Series – Vertical Storage Unit — Two-High Open	122
X5UL-NN	Masters Series – Vertical Storage Unit — One-High Open	118
X5UL-NN	Masters Series – Vertical Storage Unit — Two-High Open	122
X5VD-LL	Masters Series – Vertical Storage Unit — One-High with Hinged Doors	126
X5VD-LL	Masters Series – Vertical Storage Unit — Two-High with Hinged Doors	130
X5VD-NL	Masters Series – Vertical Storage Unit — One-High with Hinged Doors	126
X5VD-NL	Masters Series – Vertical Storage Unit — Two-High with Hinged Doors	130
X5VL-LL	Masters Series – Vertical Storage Unit — One-High with Hinged Doors	126
X5VL-LL	Masters Series – Vertical Storage Unit — Two-High with Hinged Doors	130
X5VL-NL	Masters Series – Vertical Storage Unit — One-High with Hinged Doors	126
X5VL-NL	Masters Series – Vertical Storage Unit — Two-High with Hinged Doors	130
X5W5-LL	Masters Series – Wardrobe with Open Cabinet	246
X5W6-LL	Masters Series – Wardrobe with Open Cabinet	246
X5X5-LL	Masters Series – Wardrobe with Closed Storage Cabinet	247
X5X6-LL	Masters Series – Wardrobe with Closed Storage Cabinet	247
X5Y5-LR	Masters Series – Freestanding Wardrobe Tower	251
X5Y6-LR	Masters Series – Freestanding Wardrobe Tower	251
X5ZF-LR	Masters Series – Storage Tower	250
XLBF-FS	Masters Series – Bridge	108
XLBF-NS	Masters Series – Bridge	108
XLBR-SR	Masters Series – Return Top	111
XLCN-22	Masters Series – Shell — Corner	110
XLDF-LB	Masters Series – Double Pedestal Bow Top Desk with Full Overlay Modesty	87
XLDF-LF	Masters Series – Double Pedestal Rectangular Top Desk with Full Overlay Modesty	86
XLDH-LB	Masters Series – Double Pedestal Bow Top Desk with Inset Modesty	89
XLDH-LF	Masters Series – Double Pedestal Rectangular Top Desk with Inset Modesty	88
XLFS-SN	Masters Series – T-Support	231
XLGS-SR	Masters Series – L-Support	228
XLLR-RB	Masters Series – L-Shaped Reception Station	218
XLND-NS	Masters Series – D-Top — Convergent with Single Support Column	101
XLNP-LS	Masters Series – P-Top — Convergent with Single Support Column	102
XLNP-RS	Masters Series – P-Top — Convergent with Single Support Column	102
XLNY-NB	Masters Series – Full Keystone Desk with Single Support Column and Stanchions	103
XLNY-NS	Masters Series – Full Keystone - Slip Fit Top	104
XLNY-YC	Masters Series – Full Keystone Desk with Single Support Column	103
XLNZ-NB	Masters Series – Half Keystone Desk with Single Support Column and Stanchions	106
XLNZ-NS	Masters Series – Half Keystone - Slip Fit Top	107
XLNZ-YC	Masters Series – Half Keystone Desk with Single Support Column	105
XLRL-LS	Masters Series – Return with 30" Wide Lateral File	113
XLRP-RS	Masters Series – Return with Pedestal	112
XLSF-LB	Masters Series – Single Pedestal Bow Top Desk with Full Overlay Modesty	83
XLSF-LF	Masters Series – Single Pedestal Rectangular Top Desk with Full Overlay Modesty	82
XLSP-LB	Masters Series – Single Pedestal Bow Top Desk with Inset Modesty	85
XLSP-LF	Masters Series – Single Pedestal Rectangular Top Desk with Inset Modesty	84

Masters Series — Finish Matrix

Wood Finish/Color Legend

Because of the natural properties of wood, variations of grain and finish color can be expected. Haworth carefully selects materials used in the manufacturing of products to ensure consistent and acceptable color.


Wood is susceptible to color change from exposure to UV rays. Haworth controls this by using surface finishes to reduce color change. However, change may be more evident in light-colored finishes.

All Haworth Wood Casegoods receive the Haworth EcoShield™ water-based, UV cured finish, except for York which receives a hand-applied, water-based finish.

EcoShield and hand-applied, water-based finished products are not designed to go together and are not recommended for use within the same space.

Masters Series has a water-based, UV cured EcoShield finish.

◆ Available on RUSH.

Wood Group	Veneer Type	Variety	Cutting Technique	Surface	Matching Technique	Grain Direction	Finish Name/Color		Specification Number
							Drawer/Door Front		
A	 Double Cut	Obeche	Double Cut	Open Pore	N/A	Vertical	Applegate	2P-RL	
							Beachwood	WL-RL	
							Butternut	2R-RL	
							Ebony	WJ-RE	
							Echo	2N-RL	
							Melba	WE-RT	
							Sorrel	WF-RC	
							Wenge	WC-R	
B*	 Natural	Cherry	Plain Sliced	Open Pore	Book Rotate on Tops Slip Match All Other Surfaces	Vertical	Amber on Cherry	VC-CA1	■
							American on Cherry	VC-W23	■
							Caramel Cherry	VC-W33	■
							Heritage Cherry	VC-W30	■
							Pacific Cherry	VC-W32	■
	 Natural	Maple	Plain Sliced	Open Pore	Book Rotate on Tops Slip Match All Other Surfaces	Vertical	Light Maple	VP-LM	■
							Natural Maple	VP-N	■
							Sand on Maple	VP-AD	■
	 Natural	Oak	Plain Sliced	Open Pore	Book Rotate on Tops Slip Match All Other Surfaces	Vertical	Natural Oak	VJ-W05	■
B*	 Natural	Walnut	Plain Sliced	Open Pore	Book Rotate on Tops Slip Match All Other Surfaces	Vertical	Espresso on Walnut	VR-W15	■
							Mahogany Satin on Walnut	VR-W21	■
							Naturally Walnut	VR-W12	■
							Retro on Walnut	VR-W31	■
	 Natural	Beech	Quarter Cut	Open Pore	Book Rotate on Tops Slip Match All Other Surfaces	Vertical	Beech	VT-W04	■
B*	 Quarter Cut	Anegre	Quarter Cut	Open Pore	N/A	Vertical	Espresso on QC Anegre	NP-W15	
							Golden on QC Anegre	NP-W08	
							Light on QC Anegre	NP-W07	
							Medium on QC Cherry	NX-U	
							Natural QC Maple	NM-N	
B*	 Quarter Cut	Maple	Quarter Cut	Open Pore	N/A	Vertical	Espresso on QC Walnut	NW-W15	
							Retro on QC Walnut	NW-W31	
B*	 Rift Cut	White Oak	Rift Cut	Open Pore	N/A	Vertical	Espresso on Rift Cut White Oak	NR-W15	

*Finger pull (F) and profiled edges available in Wood Group B only.

Forest Stewardship Council (FSC) Statement:

In our continuing support of sustainable forestry and responsible purchasing, Haworth North America is offering FSC certified wood products at no up-charge. By providing FSC certified material, Haworth is supporting our client's green building goals and demonstrating our collective commitment to source materials more sustainably.

Haworth will provide to you the necessary FSC-Certified paperwork with your shipment. For more information, FAQs, and a complete FSC product list (including product exceptions), go to the Library and search FSC.

Alert:

These materials are current, however they are being considered for future obsolescence due to low volume.
Crown on Cherry VC-W24
Cordovan on Walnut VR-W13

Index

Product Code	Product Description	Page
XZNZ-NS	Masters Series – Half Keystone - Slip Fit Top107
XZNZ-YC	Masters Series – Half Keystone Desk with Single Support Column105
XZPB	Masters Series – Presentation Board254
XZRL-LS	Masters Series – Return with 30" Wide Lateral File113
XZRP-RS	Masters Series – Return with Pedestal112
XZSF-WB	Masters Series – Single Pedestal Bow Top Desk with Full Overlay Modesty83
XZSF-WF	Masters Series – Single Pedestal Rectangular Top Desk with Full Overlay Modesty82
XZSP-WB	Masters Series – Single Pedestal Bow Top Desk with Inset Modesty85
XZSP-WF	Masters Series – Single Pedestal Rectangular Top Desk with Inset Modesty84
XZTH-FL	Masters Series – Convergent T-Desk92
XZUR-RB	Masters Series – U-Shaped Reception Station219
XZWF	Masters Series – Modular Credenza Top with One Profiled Edge222
XZWT-SN	Masters Series – Common Storage Top with Two Profiled Edges220
XZYD-SF	Masters Series – D-Top Convergent Desk with T-Support and Single Support Column94
XZYD-SP	Masters Series – D-Top Convergent Desk with T-Support and Single Support Column94
XZYH-SB	Masters Series – Shell — Bow Top Desk91
XZYH-SF	Masters Series – Shell — Rectangular Top Desk90
XZYP-SF	Masters Series – P-Top Convergent Desk with T-Support and Single Support Column98
XZYP-SP	Masters Series – P-Top Convergent Desk with T-Support and Single Support Column98
XZZL-BN	Masters Series – Credenza with 36" Wide Lateral Files116
XZZM-BY	Masters Series – Credenza with 30" Wide Lateral Files and Kneespace117
XZZP-BY	Masters Series – Credenza with Pedestals114
XZZS-YL	Masters Series – Credenza with Pedestals and Closed Storage115
ZUBF-0000-PN	Masters Series – Flush Mount Plate255

This page intentionally blank

York™ – Specification Guide

This page intentionally left blank.


Table of Contents

Product Introduction	
Introduction	290
Statement of Line	291
York Finish Details	294
Specifying York Veneers	295
Product Details	
Wire Management Brush	297
Freestanding Pedestal Desks	298
Non-Freestanding T-Desks	300
Attached Convergent Desks	302
Return with Storage and Corner Shell	304
Bridge	305
Modular Components	306
Credenza Tops	307
Support Panels	308
Structural / Mid-Support Panel	309
Removable Modesty Panels	310
Modesty Panel Set	311
Modular Storage Units	312
File and Drawer Load Capacity	313
Modular Configuration Types	314
Creating Modular Storage Components	316
Creating Modular Credenzas	317
Specifying an Asymmetrical Kneespace Credenza	318
Specifying an Symmetrical Kneespace Credenza	319
Upper Storage	320
Administration Stations and Reception Desks	323
Reed Premier™ Lighting	328
Technical Specifications	
Technical Specifications	330

Introduction

Inspired by the beautiful veneers and quality craftsmanship of classic wood furniture, York translates an offering of timeless features and details built upon simple shapes with confident proportions. With two grades of veneer finishes, optional details and finish coordinated accents, York is designed to enhance the degree of personalization available from an office furniture line.

Partner's Office Typical (Idea Starter One)



York Features

Select Veneers

Veneers are hand selected to highlight wood's natural beauty. Available in a variety of species, finishes and distinguishing grain patterns (Plain-cut or Quarter-cut with Figured fronts).

Clean-Line Aesthetics

The shape and form of York is exemplified with clean rectilinear forms and simple shapes that are finished with classic profiles and present clean, unadorned storage fronts that float from the case with an aluminum reveal accent.

Design Accents

Personalize suites with design accents that include worksurface inlay (Black Epoxy), kerf-lined edge detailing and finish coordinated accents (aluminum reveals, locks and grommets).

Classic Craftsmanship

Drawer bodies apply architectural grade plywood (finished on five sides) with classic construction technique — with each corner connected with English dovetail joinery and a full bottom set into dado.

Modular Components

York offers a series of modular components that provide the ability to create custom storage arrangements — enabling a broad range of application solutions to the specifier.

Storage Options

Designed to accommodate demanding storage requirements while allowing flexible filing strategies, York offers a broad selection of open and closed storage in a variety of modular, freestanding and work-wall sizes.


Simplified Wire Management

Wire and data routing are simplified with features designed around the occupant. Easy-to-use removable modesties are "tool-free" for quick access and Wire Management Brushes flex to accommodate unrestricted positioning of wired elements.


Note Illustrations shaded with ■ — indicate the location of Figured Veneer when specified.

Statement of Line


Single Pedestal Desks



Single Pedestal Desk




Single Pedestal T-Desk




Single Pedestal T-desk
with Blade Top

Double Pedestal Desks




Double Pedestal Desk


Attached Convergents



Attached Convergent
Trapezoid




Attached Convergent
D-Top




Attached
Convergent P-Top


Other York Components



Return with Storage



Corner Shell




Bridge with Modesty

Note Illustrations shaded with ■ — indicate the location of Figured Veneer when specified.

Statement of Line


Modular Components




Modular Components

Credenza Tops, Support, and Modesty Panels


Storage




Pedestals:
Mobile and Modular




Modular Storage:
Combination Unit,
Cabinet and Two-High
Open Storage Cabinet




Lateral Files:
Two-, Three-, and Five-High



Storage/Lateral
Combination



Wardrobe/Bookcase
Combination




Wardrobe and
Storage Towers


Note Illustrations shaded with ■ — indicate the location of Figured Veneer when specified.

Statement of Line


Stack-On Storage



**Stack-On Wardrobe/Bookcase
Five- and Six-High Aligning**




**Stack-On Bookcase
Five- and Six-High Aligning**




**Upper Storage
Stack-on Vertical Storage Units and
Wall-Mount Overhead Storage Units**

Bookcases



**Bookcases
Deep and Shallow Depths**

Tables



**Tables
Rectangle, Square, Oval, and Round**

Note Illustrations shaded with ■ — indicate the location of Figured Veneer when specified.


Finish Details

Edge and Inlay Details


York offers an optional kerf-lined edge and surface inlay for worksurfaces. When specified, the detail is applied around all sides of the worksurface on Desk units, Convergent Desks and Tables — and applied along the occupant side on modular Credenzas, Bridges, Returns and Corner Units.




Option 1: Standard Edge
1/8" (3mm) solid wood edgeband.




Option 3: Thick Edge and Inlay
2" (51mm) solid lumber edge. Surface features an 1/8" (3mm) Black Epoxy inlay, inset 2" (51mm) from edge.



Option 2: Standard Edge with Kerf
3/32" (2.5mm) solid wood edgeband with kerf-lined edge detail, cut 5/64" (1.5mm) deep and 3.5mm high.



Option 4: Thick Edge and Inlay with Kerf
2" (51mm) solid lumber edge with kerf-lined edge detail, cut 5/64" (1.5mm) deep and 5/32" (3.5mm) high. Surface features an 1/8" (3mm) Black Epoxy inlay, inset 2" (51mm) from edge.




Floating Fronts and Reveal Accent

York offers a unique design aesthetic with its floating front detail, applied to storage fronts (drawers and doors) and the modesty panel on desk units.

- The detail utilizes a 1/2" (13mm) aluminum reveal accent that enhances veneer selection, provides finger-pull access and offsets the front/modesty from the case.
- The floating front modesty is featured on: Single and Double Pedestal Desks, T-Desks, and Blade T-Desks.
- Modesty panel is 24" high (610mm), suspended 2 1/2" (64mm) from beneath the worksurface.
- When specified in Wood Finish Group 4, floating fronts are faced in a figured veneer finish.
- Aluminum reveal frame and lock plugs are available in coordinating finishes: Silver or Black.

Double Pedestal Desk



Specifying Veneers

All wood products from the York casewood collection are available in two grades of veneer finish. Wood Finish Group B features four plain cut veneer species: Maple, Cherry, Oak and Walnut — in a wide range of finish options. Wood Finish Group 4 features complimentary combinations of quarter cut and figured veneers that are applied selectively to storage fronts and visitor facing modesty panels. Grain direction is applied vertically on all cases, end panels, fronts and modesties — with horizontal direction for worksurfaces, shelves, and tops.

Wood Finish Group B


Group 2 finish is comprised of plain cut (flat, straight sliced) veneers, laid in book-matched application. Plain cut veneers are known for cathedral formations within the grain.

Specifying Plain Cut Veneer

When specified: worksurfaces, cases, shelves, end panels, storage fronts and modesties are finished in a uniform plain cut veneer. To specify, select option "P" (under Veneer Type) and provide the finish code for the veneer species in the corresponding finish color.

Double Pedestal Desk with Group 2 Finish

Occupant and Visitor sides shown.



Note For veneer combinations and colors samples applicable to York products, visit the Haworth Surface Collection at Haworth.com

Specifying Veneers

Wood Finish Group D

The veneers of Wood Finish Group 4 are a unique feature of the York collection, with fine quarter cut veneers mated with a figured veneer (where applicable). Quarter cut veneers are sliced to exhibit tight, straight-grained formations. The cut of a Figured veneer is guided by wood species to achieve unique and attractive grain patterns (figures).


Specifying Quarter Cut Veneer

When specified: worksurfaces, cases, shelves and end panels are finished in quarter cut veneer, laid in book-matched application. When the furniture item uses a front, such as a door, drawer front or visitor modesty, the front is finished with a figured veneer to create the signature York aesthetic.

To specify, select option Q (under Veneer Type) and provide finish codes for the combination of quarter cut veneer with figured front (when applicable):

Double Pedestal Desk with Group 4 Finish


Occupant and Visitor sides shown.



Notes • Illustrations shaded with ■ — indicate the location of Figured Veneer when specified.

Wire Management Brush


The York Wire Management Brush feature is centered on back edge of Credenza Top and cut-in 2 $\frac{3}{4}$ " (70mm), containing a black polypropylene brush housed in an aluminum channel. Sized according to Credenza top width (see table below). This option is available for returns with storage, modular credenza tops and corner shells. Not included on Bridges, Administration Stations, and Reception Stations.



Wire Management Sizes for Modular Credenza Tops

	TOP WIDTH																	
	31"	37"	60"	62"	66"	68"	72"	74"	78"	84"	90"	93"	96"	102"	108"	111"	114"	120"
WIRE MANAGEMENT WIDTH	NA	NA	48"	48"	48"	48"	48"	48"	48"	72"	72"	72"	72"	72"	72"	72"	72"	72"

Note Wire Management brush is centered in back edge of the top.



Wire Management Sizes for Corner Shell

Note Corner Shell includes two 12" (305mm) Wire Management brushes centered on back edges of the unit.

Wire Management Sizes for Return with Storage

	TOP WIDTH				
	42"	48"	60"	66"	72"
WIRE MANAGEMENT WIDTH	24"	24"	48"	48"	48"


Freestanding Pedestal Desks

Single Pedestal Desk


Single Pedestal Desks may be used in stand-alone applications or be attached to a Return for L-Shaped configurations or a Bridge for U-shaped configurations.

Features include a deep visitor-side overhang, a side overhang at pedestal, floating front modesty with false pedestal detail, and edge profile applied along all sides of the worksurface.

Available in three size variations with choice of pedestal configuration: Box/Box/File or File/File. Single Pedestal desks are handed by the pedestal's location from the occupant.



Single Pedestal Desk Connections



Tip Single Pedestal Desks are not designed to support stack-on storage or a Vertical Storage Unit.


Notes • Illustrations shaded with ■ — indicate the location of Figured Veneer when specified.
• For storage capacities, see Drawer Capacity and Configurations.

Freestanding Pedestal Desks

Double Pedestal Desk

Double Pedestal Desks are freestanding and designed for use in stand-alone applications only. Features include a deep visitor-side overhang, side overhangs both sides of worksurface, signature floating front modesty and edge profile applied along all sides of the worksurface.

Available in three size variations with a choice in configuration for each pedestal: Box/Box/File or File/File.



For use in freestanding applications only. Double Pedestal Desks may not connect with non-freestanding Desks, Bridges, Returns, Corner Shells or provide support to stack-on storage or a Vertical Storage Unit.

Notes


- Illustrations shaded with ■ — indicate the location of Figured Veneer when specified.
- For storage capacities, see Drawer Capacity and Configurations.

Non-Freestanding T-Desks


T-Desk

T-Desks are non-freestanding and designed to attach to an adjacent Credenza Shell or Asymmetrical Credenza (Modular Components). T-Desks include a light-blocking panel that transitions the front modesty to the receiving component's end panel.

Available in five size variations with choice of pedestal configuration: Box-Box/File or File/File. T-Desks are handed by the pedestal's location from the user.



T-Desk Connections



Tip Non-Freestanding unit. T-Desks designed to connect to Credenza Shells or Asymmetrical Credenza configurations only. May not support stack-on storage or a Vertical Storage Unit.

Notes


- Illustrations shaded with ■ — indicate the location of Figured Veneer when specified.
- For storage capacities, see Drawer Capacity and Configurations

Non-Freestanding T-Desks

Blade T-Desk

A T-Desk alternate that features a "blade"-shaped worksurface that tapers the visitor overhang 6" – 12" (152mm – 305mm) from storage-end to connection edge.

Available in one size with a legal width pedestal in Box/Box/File configuration only. Blade T-Desks are handed by the pedestal's location from the user.



Tip Non-Freestanding unit. T-Desks designed to connect to Credenza Shells or Asymmetrical Credenza configurations only. May not support stack-on storage or a Vertical Storage Unit.

Notes


- Illustrations shaded with ■ — indicate the location of Figured Veneer when specified.
- For storage capacities, see Drawer Capacity and Configurations.

Attached Convergent Desks


Attached Convergent Desks (also known as Run-Off tops) are available in three variations: Trapezoid, D-Top and P-Top. These desks are not freestanding — and designed to connect perpendicularly to an adjacent Credenza Shell or Asymmetrical Credenza (Modular Components). As with the worksurfaces of Pedestal Desks and T-Desks, the optional edge profile is applied along all sides of the worksurface. The supporting L-Base (10" x 10" [254mm x 254mm]) and the worktops of the Trapezoid and D-Top convergents are symmetrically designed, allowing desk handing to be re-configured on-site.

Trapezoid

Angular worksurface tapers from the outbound end to the connection edge. Available with one width and choice of two depths.




Trapezoid Desk Connection




D-Top

Available in six size variations.



D-Top Desk Connection




Convergent Desks are non-freestanding, designed to connect with an adjacent Credenza Shell or Asymmetrical Credenza only. Not for use to support stack-on storage or a Vertical Storage Unit.


Attached Convergent Desks

P-Top

Available in six size variations. P-Tops are handed by the location of rounded end, which extends away from the user.



D-Top Desk Connection



Convergent Desks are non-freestanding, designed to connect with an adjacent Credenza Shell or Asymmetrical Credenza only.
Not for use to support stack-on storage or a Vertical Storage Unit.


Return with Storage and Corner Shell

Return with Storage


The Return with Storage is designed to connect with Single Pedestal Desks, Credenza Shells, Asymmetrical Credenzas (Modular Components), and Corner Shell.

Available with optional Wire Management Brush and a removable Extension Modesty that allows tool-free access for wiring applications.

Returns with Storage are handed by the location of storage from user.




Return with Storage Connections



Corner Shells

The Corner shell creates an extended 90° transition and provides a deep knee well suitable for seated occupancy. Designed to connect with two Returns or combination of Return with Storage and Bridge (without modesty). Available in two sizes, each with a connection-edge depth of 24".

Wire Management option features two 12" (305mm) Wide x 2 3/4" (70mm) Deep brushes, centered and cut-in along each back edge. Also available with a removable Extension Modesty.



Black Epoxy Inlay not available on York Corner Shell.

Note Illustrations shaded with ■ — indicate the location of Figured Veneer when specified.


Bridge

Available in two variations: Bridge and Bridge with Modesty. Both are designed as a desk-height span that connects Single Pedestal Desks, Credenza Shells (Modular Components), Asymmetrical Credenzas, and Corner Shells together.


The Bridge's modesty panel is recessed $2\frac{3}{4}$ " (70mm) and designed to overlap $1\frac{1}{4}$ " (32mm) with the end panel of each adjacent unit. Half-scallops located at the top edge of modesty panel permit wire management applications to run through. Unlike the Extension Modesty of Returns and Corners Shells, the Bridge's modesty panel is not removable.

Not available with Wire Management Brush.

Bridge




Bridge with Modesty






Tip



- When connected, the Bridge's modesty panel overlaps the inset end panel of the single pedestal desk or credenza by $1\frac{1}{4}$ " (32mm)
- The modesty, while extending $2\frac{1}{2}$ " under an adjacent top, will only overlap the adjacent end panel $1\frac{1}{4}$ ".



Bridge Connections (One side of Bridge connection shown)



Bridge with Modesty Connections (One side of Bridge connection shown)



Tip


Due to the modesty panel overlap, a Bridge with Modesty may not be connected to a Corner Shell.

Modular Components

York features a collection of modular components that allow for the configuration of a variety of freestanding storage units, shells and credenzas. When designing with modular components, it is essential to consider workspace requirements to ensure appropriate selection of storage and support, as all components are specified separately.

York Modular Components include:

- **Credenza Tops** (used for individual unit or to span over multiple units)
- **Support Panels** (L-Support Panel, Mid-Support Panel)
- **Removable Modesty Panels**
- **Modular Storage** (Two-High and Three-High Storage Units without integrated tops)



Tip Mid-Support Panel is a separately specified item. It is not supplied with Mid-Modesty Back Panel or Removable Modesty Panel.




Note Illustrations shaded with ■ — indicate the location of Figured Veneer when specified.

Modular Components


Credenza Tops

31" (787mm) and 37" (940mm) wide Credenza Tops are designed to complete an individual freestanding storage unit. 60" – 120" wide Credenza Tops are used to construct Modular Storage Units (containing more than one modular storage unit) as well as Credenza Shells, Symmetrical, Asymmetrical, and Full Storage Credenzas.

31" and 37" Wide Credenza Tops — Spans Over One Modular Storage Unit




60", 62", 66", 72", 74", 78", 84", 90", 93", 96", 102", 108", 111", 114" and 120" Wide Credenza Tops — Spans Over Multiple Modular Components



Tip When Credenza Top spans across an unsupported area of 60" (1524mm) or greater, a separately specified Mid-Support Panel is required to provide adequate support structure.

Modular Components


Support Panels



L-Support Panel

L-Support Panels are handed by location with respect to the user and are used to form a supporting end panel for a Credenza Shell or Asymmetrical Kneespace Credenza. They provide stability to the configuration and also support removable modesty when specified. L-Support Panels are available in two depths:


- 22 $\frac{3}{4}$ " deep L-Support Panel aligns with the credenza top and modular storage depths
- 16" deep L-Support Panel is available to conceal the side-by-side end panel aesthetic when unit is placed next to another credenza or freestanding storage component.



Modular Components


Structural Panel

A Structural Panel is designed to suspend a removable modesty from the side of a modular storage unit. Includes attachment hardware and field installation is required.



Mid-Support Panel

A Mid-Support Panel is required to provide support to the Credenza Top when there is an unsupported span of 60" (1524mm) or greater. The Mid-Support Panel is also used in conjunction with Removable Modesty sets with a width of 77" (1956mm) or greater.



Keep in mind that "unsupported span" does NOT equate to kneespace, except in the case of a Symmetrical Kneespace Credenza with attached storage components at both ends.

Modular Components

Removable Modesty Panels

Removable Modesty Panels provide occupant privacy, complete a visitor aesthetic, conceal wiring and cables and enhance the structural solidarity of modular credenza shells and kneespace credenzas. Attached in place with interconnecting brackets, modesty panels can be easily removed (without the use of tools) to access wire management. Depending on the width of the unsupported span, either a Single Modesty Panel or a Modesty Panel Set is specified.



Notes

- Removable Modesty Panels are faced in a choice of Plain or Quarter-Cut veneers with a 1mm wood edgeband. Not available finished with figured veneers.
- Panels are 24" (610mm) high and $\frac{3}{4}$ " (19mm) thick.

Single Modesty Panel

Modesties with a width of 32" (813mm), 47" (1194mm) or 62" (1575mm) comprise a single panel. Depending on the configuration, modesty panels may be used in one of the following three ways.

- L-Support Panel to L-Support Panel
- L-Support Panel to Structural Panel
- Structural Panel to Structural Panel




Modular Components

Modesty Panel Set

Modesties with a width of 77" (1956mm), 92" (2337mm), or 107" (2718mm) comprise a set of two modesty panels which connect to an adjoining Mid-Panel. A Mid-Support Panel is attached perpendicular to the Mid-Modesty Back Panel to provide support beneath the Credenza Top. Depending on the configuration, Modesty Panel Sets may be used in one of the following three ways.

- L-Support Panel to Mid-Panel to L-Support Panel
- L-Support Panel to Mid-Panel to Structural Panel
- Structural Panel to Mid-Panel to Structural Panel



Removable Modesty Panel Specifications

MODESTY WIDTH	KNEESPACE RANGE	# OF PANELS	PANEL SIZE	MID-PANEL INCLUDED
32"(813mm)	32" - 47 1/2"	1 Panel	32" W x 24" H x 3/4"	No
47" (1194mm)	47" - 62 1/2"	1 Panel	47" W x 24" H x 3/4"	No
62" (1575mm)	62" - 77 1/2"	1 Panel	62" W x 24" H x 3/4"	No
77" (1956mm)	77" - 92 1/2"	2 Panels	35 1/2" W x 24" H x 3/4"	Yes
92" (2337mm)	92" - 107 1/2"	2 Panels	43" W x 24" H x 3/4"	Yes
107" (2718mm)	107" - 122 1/2"	2 Panels	50 1/2" W x 24" H x 3/4"	Yes



Mid-Support Panel must be separately specified.

Modesty Panel Slip-Fit Application






York Modesty Panels have been designed to accommodate a range of configured sizes through the use of a Slip-Fit application. A minimum of 3" overlap on each end of the Modesty Panel is required to accommodate the mounting hardware, allowing a single modesty panel to be utilized in an equal kneespace width — or a kneespace up to 15 1/2" wider than the Modesty Panel specified. Mounting hardware is field installed allowing for on-site configuration.

Note Maximum panel overlap of 7 3/4".

Modular Components

Modular Storage Units

The following Modular Storage Units may be specified when creating York Freestanding Storage Units, full storage Credenzas as well as Symmetrical and Asymmetrical Kneospace Credenzas.




Note

- Illustrations shaded with ■ — indicate the location of Figured Veneer when specified.
- Lock plugs for pedestals and lateral files located on the right hand side of the recessed rail located above at the two-high position.


Modular Components

File and Drawer Load Capacity — Drawer Option and File Features


Letter Width Pedestal Drawers – 24" Depth



15 3/8" (390mm)
Front-To-Back Letter Filing




12 7/8" (327mm)
Side-To-Side Legal Filing




12 7/8" (327mm)
Side-To-Side Letter Filing
2 3/8" Front-To-Back Letter Filing


Letter Width Pedestal Drawers – 30" Depth



20 5/8" (524mm)
Front-To-Back Letter Filing




12 7/8" (327mm)
Side-To-Side Legal Filing
4 1/2" (114mm)
Front-To-Back Letter Filing




12 7/8" (327mm)
Side-To-Side Legal Filing
7 1/2" (191mm)
Front-To-Back Legal Filing


Legal Width Pedestal Drawers – 30" Depth



20 5/8" (524mm)
Front-To-Back Legal/Letter Filing



15 1/2" (394 mm)
Side-To-Side Legal Filing
4 1/2" (114mm)
Front-To-Back Legal Filing



15 1/2" (394 mm)
Side-To-Side Letter Filing
7 1/2" (191mm)
Front-To-Back Legal Filing

Pedestal Drawer Load Capacities


	DRAWER HEIGHT	DRAWER DEPTH	DRAWER WIDTH	DRAWER BOTTOM LOAD	SLIDE LOAD
LETTER WIDTH					
15 3/8" Deep Box Drawer	3.875"	15.375"	12.875"	16 lbs.	100lbs.
15 3/8" Deep File Drawer	9.75"	15.2375"	12.875"	32 lbs.	100lbs.
20 5/8" Deep Box Drawer	3.875"	20.625"	12.875"	22 lbs.	100lbs.
20 5/8" Deep File Drawer	9.75"	20.625"	12.875"	45 lbs.	100lbs.
LEGAL WIDTH					
20 5/8" Deep Box Drawer	3.875"	20.625"	15.50"	20 lbs.	100lbs.
20 5/8" Deep File Drawer	9.75"	20.625"	15.250"	41 lbs.	100lbs.

Note Drawer load ratings are based on BIFMA load requirement of 0.017 lbs per cubic inch of drawer volume.


Modular Components

File and Drawer Load Capacity — Drawer Option and File Features


31" Wide Lateral File



15 1/4" (385mm)
Front-To-Back Legal Filing –
only one column allowed
15 1/4" (385mm)
Front-To-Back Letter Filing two
columns as shown




25 7/8" (655mm)
Side-To-Side Letter
or Legal Filing




13 1/8" (333mm)
Side-To-Side Legal Filing
15 3/8" (391mm)
Front-To-Back Letter Filing


37" Wide Lateral File



15 1/4" (385mm)
Front-To-Back Legal Filing
15 1/4" (385mm)
Front-To-Back Legal Filing



31 7/8" (808mm)
Side-To-Side Letter
or Legal Filing



19 1/8" (486mm)
Side-To-Side Legal Filing
15 3/8" (391mm)
Front-To-Back Letter Filing

Lateral File Drawer Load Capacities

	DRAWER HEIGHT	DRAWER DEPTH	DRAWER WIDTH	DRAWER BOTTOM LOAD	SLIDE LOAD
30" WIDE LATERAL FILE					
	9.50"	15.375"	25.875"	71 lbs.	200 lbs.
36" WIDE LATERAL FILE					
	9.50"	15.375"	31.875"	87 lbs.	200 lbs.

Note

Drawer load ratings are based on BIFMA load requirement of 0.017 lbs per cubic inch of drawer volume. 36" (914mm) lateral files are reinforced for increased strength.


Modular Components

Two modular configuration types:

1. Modular Storage (Individual and Full Storage Credenzas)
2. Modular Credenzas (with No Modesty or Removable Modesty)

1. Modular Storage

Modular Storage consists of a combination of one or more Two-High or Three-High Modular Storage Units beneath a Credenza Top.



Tip Worksurfaces from other Haworth product lines CANNOT be used in place of York Credenza Tops when creating Modular Storage Units and Credenzas.


2. Modular Credenzas

York offers the ability to construct three basic types of modular Credenzas, each with the option of having No Modesty Panel or a Removable Modesty Panel.


- Credenza Shells
- Asymmetrical Kneospace Credenzas
- Symmetrical Kneospace Credenzas

In addition, Full Storage Credenzas (modesty not required) may be constructed from Modular Components.


Credenza Shell



**Asymmetrical
Kneospace Credenza**



**Symmetrical
Kneospace Credenza**




Modular Components


Creating Modular Storage Components

Freestanding storage units and full storage Credenzas may be constructed through combining one or more attached two or three-high storage units beneath a common worksurface (Credenza Top). The use of modular components allows for a wide range of customized storage combinations, from individual storage units to full storage credenzas.


Storage Utilizing Credenza Top




- One Credenza Top
- One Attached Storage Cabinet




- One Credenza Top
- One Attached Lateral File (Three-High)




- One Credenza Top
- One Attached Open Cabinet



- One Credenza Top
- Two Attached Storage Cabinets



- One Credenza Top
- Two Attached Letter-Width Pedestals
- One Attached Storage Cabinet



- One Credenza Top
- Two Attached Lateral Files
- One Attached Storage Cabinet

Tips

- Credenza top must be specified with a width equal to the total width of the storage units beneath it.
- The use of wire management brushes is not recommended when creating Full Storage Credenzas.
- A Full Storage Credenza is not intended to accommodate connection to a Bridge or Non-Freestanding Desk.
- Provides support to Vertical Storage Unit of equal width when required.

Note Only a few of the many modular storage combinations have been shown above.

Modular Components

Creating Modular Credenzas

Depending on workspace requirements, modular Credenzas (symmetrical or asymmetrical kneespace) may be constructed with either no modesty or a removable modesty. A Removable Modesty provides a means for concealing wire management, but it may be removed when necessary to access building utilities.

Specifying a Credenza Shell

Credenza Shells are composed of a Credenza Top which is supported at each end by an L-Support Panel. Configurations that have an unsupported span of 60" (1524mm) or greater require a separately specified Mid-Support Panel.

Step 1: Select Credenza Top size with applicable options.


Step 2: Select both right-hand and left-hand L-Support Panels

Without Modesty

Step 3: Calculate the unsupported span of the Credenza Top.

Formula: Unsupported Span = Credenza Top Width - 24" (sum of L-Support widths)

Step 4: Add Mid-Support Panel if unsupported span is greater than or equal to 60" (1524mm)




With Removable Modesty

Step 3: Determine the distance between the two L-Support Panels.

Formula: Kneespaces Range = Credenza Top Width - 2 1/2" (L-Support Panel Thicknesses)

Step 4: Select modesty panel width from kneespaces ranges (see chart below).

Step 5: Add Mid-Support Panel if the required Removable Modesty panel width is 77" or greater.



MODESTY PANEL WIDTH	KNEESPACE RANGE
32"	32" - 47 1/2"
47"	47" - 62 1/2"
62"	62" - 77 1/2"
77"	77" - 92 1/2"
92"	92" - 107 1/2"
107"	107" - 122 1/2"



A Credenza Shell can accommodate a connection to a Bridge or Non-Freestanding Desk, as well as provide support for a Vertical Storage Unit of equal width.

Modular Components

Specifying an Asymmetrical Kneespaces Credenza

Asymmetrical Kneespaces Credenzas are composed of a Credenza Top supported by modular storage at one end and an L-Support Panel at the other. Configurations that have an unsupported span of 60" (1524mm) or greater require a separately specified Mid-Support Panel.

Step 1: Select Credenza Top size with applicable options.

Step 2: Select right-hand or left-hand L-Support Panel depending on required configuration.

Step 3: Select attached storage option from the following:



- **Pedestal:** Legal or Letter Width
- **Lateral File:** 31" wide or 37" wide
- **Storage Cabinet:** 31" wide or 37" wide
- **Bookcase:** 37" wide only
- **Combination Unit:** 37" wide only

Without Modesty

Step 4: Calculate the unsupported span of the Credenza Top.

Formula: Unsupported Span = Credenza Top Width – Storage Unit Width – 12" (L-Support Panel Width)

Step 5: Select Mid-Support Panel if unsupported span is greater than or equal to 60" (1524mm).





With Removable Modesty

Step 4: Determine the distance between modular storage and L-Support Panel.

Formula: Kneespaces Range = Credenza Top Width – Storage Unit Width – 1 ¼" (L-Support Panel Thickness)

Step 5: Select modesty panel width from kneespaces ranges (see chart below).

Step 6: Add Mid-Support Panel if the required Removable Modesty panel width is 77" or greater.



MODESTY PANEL WIDTH	KNEESPACE RANGE
32"	32" – 47½"
47"	47" – 62½"
62"	62" – 77½"
77"	77" – 92½"
92"	92" – 107½"
107"	107" – 122½"

Tips

- An Asymmetrical Kneespaces Credenza can accommodate a connection to a Bridge or Non-Freestanding Desk, as well as provide support for a Vertical Storage Unit of equal width.
- It is recommended that Kneespaces Credenzas have a minimum kneespaces of 30" (762mm) to accommodate space for seating.

Note Illustrations shaded with ■ — indicate the location of Figured Veneer when specified.

Modular Components

Specifying an Symmetrical Knespace Credenza

Symmetrical Knespace Credenzas are composed of a Credenza Top supported by two modular storage units (separated by knespaces). Configurations that have an unsupported span of 60" (1524mm) or greater require a separately specified Mid-Support Panel.

Step 1: Select Credenza Top size with applicable options.

Step 2: Select two attached storage options from the following:


- **Pedestal:** Legal or Letter Width
- **Lateral File:** 31" wide or 37" wide
- **Storage Cabinet:** 31" wide or 37" wide
- **Bookcase:** 37" wide only
- **Combination Unit:** 37" wide only

Without Modesty

Step 3: Calculate the unsupported span of the Credenza Top.

Formula: Unsupported Span = Credenza Top Width – 1st Storage Unit Width – 2nd Storage Unit Width

Step 4: Select Mid-Support Panel if unsupported span is greater than or equal to 60" (1524mm).




With Removable Modesty

Step 4: Determine the distance between the two modular storage units.

Formula: Knespace Range = Credenza Top Width – 1st Storage Unit Width – 2nd Storage Unit Width

Step 5: Select modesty panel width from knespaces ranges (see chart below).

Step 6: Add Mid-Support Panel if the knespaces width is 77" or greater.



Tips

- A Symmetrical Knespace Credenza can accommodate a connection to Non-Freestanding Desk, as well as provide support for a Vertical Storage Unit of equal width.
- It is recommended that Knespace Credenzas have a minimum knespaces of 30" (762mm) to accommodate space for seating.

Note Illustrations shaded with ■ — indicate the location of Figured Veneer when specified.

Upper Storage


Vertical and Overhead Storage Units

York features both stacking and wall-mounted Overhead Storage Units that maximize workstation storage options while maintaining worksurface area. Both storage types feature a row of 14"H x 15 $\frac{1}{4}$ "D (356mm x 387mm) compartments, available as either open or closed (with lockable hinged doors) storage configurations. Vertical Storage Units and Overhead Storage Units are also available with a secondary row of cubby-hole storage, in 4" (102mm) and 15" (381mm) heights.


Vertical Storage Units are available in 60", 66", 72", 84" and 96" (1524mm x 2438mm) widths and align vertically with Five- and Six-high storage elements when mounted on a supporting configuration. Overhead Storage Units are available in 36", 37", 42" and 48" (914mm, 940mm, 1067mm and 1219mm) widths, suitable for aligning with individual storage or combined in runs to span distances that cannot support a Vertical Storage Units.

Separately specified Tackboards are sized to fit specifically to Vertical and Overhead Storage Units. A single panel tackboard is used for Storage Units up to 60" wide, with a two panel set used for Vertical Storage Units 66" wide or greater. Tackboards available in a wide range of fabric colors and patterns.

Overhead Storage Unit




Vertical Storage Unit




Tip When specifying a Vertical Storage Unit, account for the required support alignment. When applied, the Vertical Storage Unit end panels must be positioned directly over supporting end panels (L-Support or lower storage) of the structure on which it sits.

Vertical Storage Unit Connections


Vertical Storage Unit



Vertical Storage Unit



Vertical Storage Unit



In select combinations, a Return with Storage and Corner Shell may support a Vertical Storage Unit when their sum of width equals the width of the Vertical Storage Unit.

- 42"W Return with Storage and 42" Corner Shell may support an 84"W Vertical Storage Unit
- 60"W Return and 36" Corner Shell may support a 96"W Vertical Storage Unit



Tip Vertical Storage Units are shipped completely assembled. Detailed on-site measurements should be performed to ensure there is adequate room in freight elevators and/or hallway corner conditions to accommodate these large units.



Note Illustrations shaded with ■ — indicate the location of Figured Veneer when specified.

Upper Storage

Vertical Storage Unit Support Guidelines

Vertical Storage Units provide significant storage functionality to York workstations. As one of the largest elements in the product line, Vertical Storage Units are capable of spanning over multiple components, each of which also has its own support considerations. Adhering to the following guidelines will ensure a Vertical Storage Unit is correctly supported and anchored upon installation.

Establish Support


As a Vertical Storage Unit becomes loaded with stored items and weight increases, it is important that it be properly supported and secured on lower York structures.

- For freestanding Credenzas or Return to Corner applications, it is recommended that supporting configurations match exactly the width of the Vertical Storage Unit. This ensures maximized efficiency of worksurface space as well as aesthetic alignment to end panels.
- When applications require that a desk support a Vertical Storage Unit (perpendicular mounting only), the Vertical Storage Unit must be specified with a width that will allow it to align with the desk's Modesty Panel (6" [152mm] inset).
- For modular applications, place storage or support panels below Vertical Storage Unit end panels. When an unsupported span is greater than 60" (1524mm), additional worksurface support is required (e.g. Mid-Support Panel). Modesty panels on desks are floating and may not be used to support a Vertical Storage Unit.

Anchoring / Counter-Balance

To avoid tipping, Vertical Storage Units must be stacked on components that are stable and properly counterbalance the weight of the unit. Whenever possible, use attached storage (Lateral File, Cabinet, etc.) or a convergent attachment to anchor the structure and lower the structure's center of balance.


Alignment with Width of Supporting Configuration



Vertical Storage Unit Width = Credenza Width

Vertical Storage Unit Width = Total Combined Width (Corner & Return)

Vertical Storage Unit Less Than Credenza Width



Support such as Mid-Support Panel (shown) or Attached Storage Unit must be added beneath worksurface.




Application not possible when Removable Modesty is specified


Note Illustrations shaded with ■ — indicate the location of Figured Veneer when specified.

Upper Storage

Counter Balancing




When Credenza Shell supports Vertical Storage Unit, it is recommended that the application be placed against a wall or mirrored back-to-back configuration.




Counter-balanced with attached storage.

Other Vertical Storage Unit Support Options

Aligned to Modesty




When spanning to a Desk, align Vertical Storage Unit end panel with 6" (152mm) inset Modesty Panel.




Vertical Storage Unit cannot be positioned on Bridge.

Tip Desks include a floating modesty panel and cannot be used to support Vertical Storage Units. Use Wall Mount Overhead Storage for these applications.



Vertical Storage Unit cannot be positioned on a seam where one worksurface meets another.



Always span over Bridge and clear worksurface seams by a minimum of 6" (152mm).

Note Illustrations shaded with ■ — indicate the location of Figured Veneer when specified.

Administration and Reception Stations

York Administration Stations and Reception Desks present convenient, unitized configurations that extend the design features of York to the open office plan. Each is available in a range of sizes, with locking lower storage, 24" (610mm) deep worksurfaces and are enclosed by gallery panels that create a visitor side approach and provide occupant privacy.


Configurations Available:

- Administration Stations — may be used in single or double (side-to-side, front-to-back) configurations.
- Double Administration Station with Vertical Storage Unit
- Reception Desk — may be used in single or double (side-to-side) configurations.
- Double Reception Desk

The following illustration demonstrates features that are common across all Administration and Reception Stations.

Wire Management Access

The connection requirements of gallery panels and worksurfaces do not permit the use of York's Wire Management Brush. Instead, station worksurfaces are available with grommets, installed to the center-back of each worksurface. Grommet finishes coordinate to match reveal finish selection (silver, black)



Notes



- Worksurfaces are 1 1/4" (32mm) thick, have a choice of Standard Edge, Standard Edge with Kerf, Thick Edge with In-lay or Thick Edge with In-lay and Kerf and are available finished in choice of plain or quarter cut veneer. 1/8" (3mm) black inlay and Kerf-lined edge, applied along occupant side only.
- Worksurfaces are 24" (610mm) deep and available with Grommets for wire-management functionality.
- Front Gallery Panels are 1 1/4" (32mm) thick, 39 5/16" (999mm) high and are sized to the width of the station.
- Side Gallery Panels are 1 1/4" (32mm) thick, 42 13/16" (1088mm) high and are sized to the depth of the station with a 3 1/4" proud end.
- Illustrations shaded with ■ — indicate the location of Figured Veneer when specified.

Administration and Reception Stations

Administration Stations

Administration Stations are designed primarily to be used in applications where the rear Credenza is placed against a wall (unless used in a double configuration). Stations feature non-handed components that include a primary worksurface, rear Credenza and Bridge, unitized with front- and side-gallery panels.

Lower storage includes one Box/Box/File Pedestal (letter width) and a choice of second storage: Box/Box/File Pedestal or File/File Pedestal. For stations 72" (1829mm) wide or greater, a 31" (787mm) Lateral File or 37" (940mm) Combination Unit provide additional storage options.



Tip The Rear Credenza of an Administration Station has a lower support panel that facilitates supporting separately specified Vertical Storage Units (equivalent to worksurface width).


Double Administration Station Applications

Side to side and front to back double Administration Stations are possible through specification of two units.


Side-To-Side

Applications are created by mirroring two stations across a common Side Gallery Panel. The second station must be specified at an equal depth and without the optional Side Gallery Panel.

Without Vertical Storage Units




With Vertical Storage Units




Front-To-Back

Applications are created by mirroring two stations across the rear credenza. The second station must be specified at an equal width and with the optional Side Gallery Panel.

Without Vertical Storage Units



With Vertical Storage Units



Tip Double configurations are created using two stations of the same model. Administration Stations cannot be doubled with any other station models (e.g. Reception Desk).

Note


- Overall station sizes (width and depth) are nominal values and do not include Gallery Panel thickness of 1 $\frac{1}{4}$ " (32mm) or the 3 $\frac{1}{4}$ " (83mm) proud end of the Side Gallery Panel.
- Illustrations shaded with ■ — indicate the location of Figured Veneer when specified.

Administration and Reception Stations

Double Administration Station with Vertical Storage Units

The Double Administration Station offers a configuration with side access and centralized Vertical Storage Unit Placement that divides the occupants' workspace. Features front and rear Gallery Panels, recommended for use in open plan with aisles on all sides.

Each work area of the Double Administration Station features a Credenza Shell with Two Returns — unitized with four front/rear gallery panels. Lower storage includes one Box/Box/File Pedestal (letter width) and one 31" (787mm) Lateral File per side, keyed alike for each occupant. Upper storage includes two 96" (2438mm) wide Vertical Storage Units with non-locking doors stacked on the center Credenza Shells to create five-high alignment.



Tips

- The width of a Double Administration Station with Vertical Storage Units is measured from the center-outwards, reflecting one half of the overall station width.
- The station depth does not include the thickness of 1 1/4" (32mm) thick Front and Back Gallery Panels, which increase the station footprint to 98 1/2" (2502mm) deep.

Note


- Vertical Storage Units are shipped completely assembled. Detailed on-site measurements are required to ensure there is adequate space in freight elevators and/or hallway corner conditions to accommodate these large units.
- Illustrations shaded with ■ — indicate the location of Figured Veneer when specified.

Administration and Reception Stations

Reception Desk

Reception Desks offer a configuration designed for use in open environment reception areas with aisles on all sides. The U-Shaped application features a primary worksurface with Returns at both sides, enclosed by a Front and two Side Gallery Panels.

Lower storage includes one Box/Box/File Pedestal (Letter Width) and choice of second storage unit: Box/Box/File or File/File Pedestal (Letter Width only). For stations 72" (1829mm) deep or greater, the second storage unit may be either a 31" (787mm) wide Lateral File or 37" (940mm) wide Combination Unit (Right-Hand). Available in three widths: 90" (2286mm), 96" (2438mm), and 108" (2743mm) and choice of depths 60" (1524mm) to 96" (2438mm).



Reception Desk stations cannot accommodate Vertical Storage Units.

The station width does not include the thickness of 1 $\frac{1}{4}$ " (32mm) thick Side Gallery Panels each side.

The station depth does not include the thickness of 1 $\frac{1}{4}$ " (32mm) thick Front Gallery Panel nor the 3 $\frac{1}{4}$ " (826mm) proud ends of the Side Gallery Panels.



Illustrations shaded with ■ — indicate the location of Figured Veneer when specified.


Administration and Reception Stations

Double Reception Station Applications

Side to side double Administration Stations are possible through specification of two units.


Side-To-Side

Applications are created by mirroring two stations across a common Side Gallery Panel. The second station must be specified at an equal depth and without the optional Side Gallery Panel.



Double Reception Desk







- The wide U-Shaped application features two primary worksurfaces at the front with Returns at both sides, enclosed by a Front Gallery Panel and two Side Gallery Panels.
- Lower storage is symmetrical to each side, with 60" (1524mm)/66" (1676mm) deep stations including two Box/Box/File Pedestals. Stations 72" (1829mm) deep or greater include two 37" (940mm) Combination units (left-hand and right-hand versions).
- Available in a width of 132" (3353mm) and choice of depths, 60" (1524mm) to 96" (2438mm).



Double Reception Desk stations cannot accommodate Vertical Storage Units.

Note

- Overall station sizes (width and depth) are nominal values and do not include Gallery Panel thickness of 1 1/4" (32mm) each or the 3 1/4" (83mm) proud end of the Side Gallery Panel. The footprint of Reception Desks is increased by 1 1/4" wide for each Side Gallery Panel and 3 1/4" deep for the proud end.
- Illustrations shaded with ■ — indicate the location of Figured Veneer when specified.



Direction Range

- 360° lens view
- 90° outward detection angle
- 30" coverage diameter at 15"
- 36" coverage diameter at 18"

Reed Premier™ LED task lights can be mounted under laminate, wood or steel surfaces and come standard with both magnetic and screw mounting options. The lights switch allows for instant on and soft off with infinite dimming. LED task lights can be the same width or narrower than the supporting surface. Magnetic attachment allows the user to move and reposition light when needed.

LED Task Light Specs

Size	Actual Length	Wattage	Peak Output:	
			Lumens	Foot Candles
17"	16.4"	7.8	444	76
31"	30.1"	17.6	980	131
44"	43.7"	25.9	1412	148
58"	57.4"	33.6	1791	151

Rated Lifespan (LED): 50,000 hours

Color Temperature: 3500K

Color Rendering Index: 84

Dimming: 100%-15%

Auto Turn Off: 10 Hours (+/- 15 minutes)

ETL Listed

Daisy Chain

Add-On (Daisy Chain) LED Task Lights can be added to starter LED Task Lights to link multiple lights together. The total wattage of daisy chained lights is limited by the wattage of the power supply. Refer to the chart below to see all acceptable combinations of daisy chained lights.

Acceptable Daisy Chain Light Combinations


Daisy Chain Combinations	# of 17" Lights	# of 30" Lights	# of 44" Lights	# of 58" Lights
Combination 1	6	0	0	0
Combination 2	5	0	0	0
Combination 3	4	1	0	0
Combination 4	4	0	0	0
Combination 5	3	1	0	0
Combination 6	3	0	1	0
Combination 7	3	0	0	0
Combination 8	2	2	0	0
Combination 9	2	1	0	0
Combination 10	2	0	1	0
Combination 11	2	0	0	1
Combination 12	2	0	0	0
Combination 13	1	2	0	0
Combination 14	1	1	1	0
Combination 15	1	0	1	0
Combination 16	1	0	0	1
Combination 17	0	2	0	0
Combination 18	0	1	1	0
Combination 19	0	0	2	0

Reed Premier Occupancy Sensor

The Occupancy Sensor can be added to control single or multiple daisy chained Reed Premier LED Task Lights. The Occupancy Sensor is set to turn off after 30 minutes of no detection and will turn back on after detection.

Occupancy Sensor Mounting

The occupancy sensor connects to the task light with a 1" connector (shown) or daisy chain cords. The occupancy sensor comes standard with both magnetic and screw mounting options.



Power → Sensor → Connector → Fixture
**Cannot deviate from this sequence*

Technical Specifications – York

Technical Specifications

Top Construction

Desk worksurfaces and modular credenza tops (individual and common) are 1 $\frac{1}{4}$ " (31mm) thick, with a core constructed of medium-density particle board and faced in choice of Plain or Quarter cut veneers. All tops are finished with a solid wood edgeband (1/8" [3mm] thick), referred to as Standard Edge in specification. Standard Edge with Kerf is finished with a horizontal kerf-line (2mm D x 4mm H) cut-in along user facing edges. Thick Edge and Inlay refers to a standard 2" (51mm) thick edgeband with a surface inlay of $\frac{1}{8}$ " (3mm) Black Epoxy Inlay, located approximately 2" (51mm) from applicable edges. Thick Edge and Inlay with Kerf combines kerf-lined edge with surface inlay.

Desking units receive edge profile (kerf and inlay) on all four sides, while all other worksurfaces receive edge profile only on the user side.

Worksurface Support

Tops are ganged together where applicable with a combination of large and small 16-gauge metal Flat Brackets which are secured with #8 x 1" flat head screws to underside of the worksurfaces. Standard in a black powder-coat finish. Support panels that act as worksurface support are constructed of 1 $\frac{1}{4}$ " (31mm)-thick medium-density particle board, faced in wood veneer with 0.5mm thick wood edgeband. Structural modesties are created from $\frac{3}{4}$ " (18mm)-thick medium-density particle board, faced with wood veneer with 0.5mm thick wood edgeband.

Reveal Frame

The Reveal Frame is fabricated from a $\frac{1}{2}$ " (13mm) x $\frac{1}{4}$ " (6mm) anodized aluminum extrusion and attached to the unit's case with plastic inserts. The visitor modesty of Double Pedestal and Single Pedestal Desks is offset $\frac{1}{2}$ " (13mm) from the pedestal cases by the reveal frame. Storage fronts (drawers and doors) of the collection are offset by the reveal frame, providing clearance for finger pull access. Reveal frame is available in: Silver or Black.

Modesty Panels

The Extension Modesty (of Returns, Corners and the Bridge with Modesty) and the modular Removable Modesty is $\frac{3}{4}$ " (19mm) thick — both constructed of medium-density particleboard and faced in a wood veneer surface (plain or quarter-cut veneers only) with 0.5 mm thick edgeband. Removable modesties are suspended by four brackets (included) for tool-free access. The Visitor Modesty of York's desk line is offset by an aluminum reveal frame and is not removable. Visitor modesties are $\frac{3}{4}$ " (19mm) thick with 0.5mm edgeband and available in a figured veneer finish (when specified).

Pedestals

Pedestals are available in Box/Box/File and File/File configurations. In the case of a Box/Box/File pedestal, the box drawer is 4 $\frac{1}{2}$ " (115mm) high. File drawers are 9 $\frac{5}{16}$ " (236mm) high. Drawers are dovetail constructed with 9-ply Russian Birch sides with veneer edging and maple wood veneer bottom. Top box drawers will include a solid maple pencil tray.

Pedestals are offered in two widths: Letter-width (17 $\frac{1}{4}$ " / 440mm) and Legal-width (20" [508mm]). Modular pedestals are 24" (610mm) deep, while desk pedestals are provided in depths of 25 $\frac{1}{4}$ " (641mm), 26 $\frac{1}{4}$ " (673mm), 30" (762mm) or 36" (914mm) depending on the depth of worksurface.

End Panels are 1 $\frac{1}{4}$ " (31mm) thick and the back panel is $\frac{3}{4}$ " (18mm) thick. Both components are constructed from medium-density particle board with a choice of wood veneer finish. In letter-width pedestals, drawer widths are 12 $\frac{3}{4}$ " (327mm). In legal-size pedestals, drawer widths are 15 $\frac{1}{2}$ " (394mm).

Mobile Pedestals

Mobile Pedestals are available in Box/Box/File configuration only. The box drawers are 3 $\frac{3}{16}$ " (85mm) high and the bottom file drawer is 9 $\frac{5}{16}$ " (236mm) high.

Mobile Pedestals are 17 $\frac{1}{4}$ " (440mm) wide and 20" (508mm) deep with an overall height of 27 $\frac{5}{8}$ " (702mm) including casters. Tops on Mobile Pedestals are 1" (25mm) thick and constructed from medium-density particle board with wood veneer surface and $\frac{1}{8}$ " (3mm) solid wood edges. Side panels are 1 $\frac{1}{4}$ " (31mm) thick and the back panel is $\frac{3}{4}$ " (18mm) thick with a 0.5mm thick wood edgeband. A 1/4" x 14 1/2" x 14 1/2" (64mm x 368mm x 368mm) flat steel counter weight is attached to the inside of the back panel. Bottom is 3/4" (19mm) particle board. Four 2 $\frac{3}{8}$ " (61mm)-diameter hard wheel casters are mounted to the bottom.

Technical Specifications

Lateral Files

Standard depth of 24" (610mm) and available in a choice of two widths (31 or 37") and three modular heights: 28 $\frac{5}{16}$ ", 41 $\frac{1}{16}$ ", and 68 $\frac{7}{8}$ " (including leveling feet hardware). Drawers are dovetail constructed with 9-ply Russian Birch sides with veneer edging and a maple wood veneer bottom. Lateral files utilize metal Pendaflex® file frames that allow for file arrangements of front-to-back, side-to-side, and a combination fit of side-to-side with front-to-back. End panels are 1 $\frac{1}{4}$ " (31mm) thick and the back panel is 1 $\frac{1}{4}$ " (32mm) thick, with both constructed from medium-density particle board with a wood veneer surface and 0.5mm thick wood edgeband.

Leveling Feet (Glides)

The finished height of York products includes the height of leveling feet (glides) retracted to minimum clearance, they extend below the case/panel 1 $\frac{1}{2}$ " (12mm) with a 1 1/2" threaded stem.

Drawer Slides

Pedestal Drawer slides have a ball bearing construction for smooth and quiet action. One of two types of slides will be used depending on the pedestal depth; a 16" (406mm), 100-pound full-extension slide or a 22" (559mm), 75-pound full-extension slide. Lateral Files utilize 16" (406mm) full-extension slides rated for up to 150lbs.

Wire Management Option

The Return with Storage, Corner Shell and Modular Credenza Tops (60" and greater in width) all have an option for the Wire Management Brush, cut-in 2 $\frac{3}{4}$ " (70mm) along the back edge of the worksurface (Corner Shells with two back edges). The cutout contains a black polypropylene brush held in place by an aluminum channel. A Bridge with Modesty unit has two 3 $\frac{1}{8}$ " (80mm) x 1 $\frac{3}{4}$ " (42mm) wire cutouts located at the top of the modesty panel to integrate with Wire Management enabled applications. Due to connection requirement, the worksurfaces of station configurations are available with center-back aligned grommets only.

Locks

Locks are supplied on all Pedestals and Lateral Files as well as the Two-High Combination Unit. The Stack-On Wardrobe/Bookcase, Wardrobe/Bookcase Combination Unit, Storage Tower, and Wardrobe are not lockable. In the case of a Storage/Lateral File Combination Unit, the Lateral File portion will come standard with a lock, while the Storage Cabinet portion is not lockable. Vertical Storage Units and Wall-Mount Overheads are available with an optional lock. Lock numbers for all locking elements of a single casegoods product will be keyed-alike. To specify lock and key numbers for keyed-alike of an entire office, refer to the Lock Programs Price List and Specification Guide. Lock core color coordinated with reveal frame finish. Lock plugs located on the right hand side of the recessed rail located above at the two-high position.

Overhead Storage

Stacking Vertical Storage Units and wall-mounted Overhead Storage Units, are offered in open or closed storage variations, and may include versions with 4" (102mm) or 15" (381mm) cubbies. All cubbies are open storage compartments of 15" (380mm) deep. Overhead storage is constructed of veneered medium-density particleboard. End panels, doors and the back panel are 3/4" (18mm) thick, top and bottom shelves are 1" (25mm) thick and the mid-support panel is 2" (50mm) thick.

Tackboards

Tackboards are created from a 1/2" (13mm) thick tackable substrate, wrapped in a choice of fabric and with 1/2" (13mm) spacers attached to the back side. Tackboards specified with Vertical Storage Units are attached with metal cleats. Tackboards specified with Wall-Mount Overhead Storage are attached with plywood cleats. Tackboards wider than 60" will be supplied in two pieces.

Technical Specifications

Storage Components

- Bookcases
- Combination Units
- Configured Credenzas
- Lateral Files
- Pedestals (Stationary and Mobile)
- Returns
- Storage Cabinets
- Storage Towers
- Wardrobes

The end panels of all storage components are constructed of 1¼" (31mm)-thick medium-density particleboard with wood veneer surface. Shelves are 1" (25mm) thick and are also made from veneered medium-density particleboard. Where the shelf height is adjustable, there are five adjustment holes spaced 1¼" (32mm) apart for a total of 5" of travel.

Finish

York's finishing system is a durable, high performance hand applied water-based finish, providing a superb visual appearance of the grain definition. However, York's finishing system does not contribute to LEED CI 4.5 Indoor Air Quality. Also, please note that the P and Q veneer finishes may be slightly different in appearance versus the water-base finishes on other Haworth product lines. Please take this in consideration when integrating other Haworth wood product lines with York.

Veneer

With the natural properties of wood, variations of grain pattern and finish color can be expected. Materials used in the manufacturing of products are carefully selected to promote consistent and acceptable color. Wood is susceptible to color change from long-term exposure to sunlight. To keep your wood writing surfaces looking beautiful for the life of the product, it is highly recommended that a blotter pad, glass, or Plexiglas surface be used under writing instruments.

LED Task Lights

The Stand-Alone LED Task Light has a peak output of 444 Lumens/ 76 Foot Candles at 7.8 Watts. Power cord consists of a 15 Watt 24 V transformer power supply contained in a molded plug and a 9' black cord. Fixture housing is 16.4" (417mm) long x 2" (51mm) wide x 0.5" (12 mm) high.

The Starter LED Task Lights have peak outputs of 444/980/1412/1791 Lumens, 76/131/148/151 Foot Candles, and 7.8/17.6/25.9/33.6 Watts for fixture lengths of 17" (431.8mm)/31" (787.4mm)/44" (1117.6mm)/58" (1473.2mm) respectively. Power cord consists of a 60 Watt 24 V in-line brick transformer with a 12' (304.80mm) black cord. Actual fixture housings are 30.1" (764.54mm), 43.7" (1110.0mm), or 57.4" (1458 mm) long x 2" (50.8mm) wide x 0.5" (12.7mm) high.

Add-On LED Task Lights fixtures are identical to Starter LED Light fixtures but contain a 54" (1371.6mm) black interlink cord instead of a power cord. Add-On LED Task Lights are used in conjunction with Starter LED Task Lights to form a Daisy Chain configuration.

All LED light fixtures have a color temperature of 3500 and a CRI of 84. Lights employ a touch sensitive switch with touch-and-hold continuous dimming from 100% to 15% and single touch on/off power. An auto off feature on each fixture activates after 10 hours (+/- 15 minutes) of use. Mounting options include clips with screws for attachment to wood/laminate surfaces or clips with magnets for attachment to steel surfaces. Fixtures carry the ETL mark indicating conformance to UL 153 and certified to CAN/CSA C22.2 No. 9.

LED Occupancy Sensor

A passive infrared (PIR) interlink occupancy sensor can be added to single or multiple interconnected (daisy-chained) LED Task Lights. The sensor will automatically turn off the lights after 30 minutes of no detection and back on as the user re-enters the workspace. In a daisy-chain application all fixtures connected after the sensor will be controlled. Sensor is attached to LED fixtures with either a 1" (25.4mm) long end-to-end connector or an interlink cord. Sensor is 2.3" (58.4mm) long x 2" (50.8mm) wide x 0.7" (17.78mm) high.

York – Price List

This page intentionally left blank.

York — Table of Contents

Product Catalog Number Code	337
Desks	
Double Pedestal Desk	338
Single Pedestal Desk	339
Single Pedestal T-Desk	340
Single Pedestal T-Desk — Blade	341
Convergent Desks	
Trapezoid Convergent Top	342
Attached Convergent D-Top	343
Attached Convergent P-Top	344
Bridges	
Bridge	345
Bridge with Modesty	345
Corner Shells	
Corner Shell	346
Returns with Storage	
Return with Storage	347
Vertical Storage Units	
Vertical Storage Unit — Open — No Cubbies	348
Vertical Storage Unit — Hinged Doors — No Cubbies	349
Tackboards for Vertical Storage Units	349
Vertical Storage Unit — Open with 4" Cubbies	350
Vertical Storage Unit — Hinged Doors with 4" Cubbies	351
Tackboards for Vertical Storage Units with 4" Cubbies	351
Vertical Storage Unit — Open with 15" Cubbies	352
Vertical Storage Unit — Hinged Doors with 15" Cubbies	353
Tackboards for Vertical Storage Units with 15" Cubbies	353
Overhead Storage Unit — Open — No Cubbies	354
Overhead Storage Unit — Hinged Doors — No Cubbies	355
Tackboards for Overhead Storage Units	355
Overhead Storage Unit — Open with 4" Cubbies	356
Overhead Storage Unit — Hinged Doors with 4" Cubbies	357
Tackboards for Overhead Storage Units with 4" Cubbies	357
Overhead Storage Unit — Open with 15" Cubbies	358
Overhead Storage Unit — Hinged Doors with 15" Cubbies	359
Tackboards for Overhead Storage Units with 15" Cubbies	359
Stack-On Bookcases	
Bookcase — Stack-On	360
Wardrobe/Bookcase — Stack-On	360
Modular Worksurfaces	
Modular Credenza — Individual Tops	361
Modular Credenza Tops	361
Modular Supports	
L-Support Panel	362
Structural Support Panel	362
Modesty Panel	363
Center Support	363
Storage	
Mobile Pedestal	364
Attached Pedestal	364
Two-High Lateral File	365
Three-High Lateral File	365
Five-High Lateral File	365
Two-High Combination Unit	366
Two-High Closed Storage Cabinet	366
Two-High Open Storage Cabinet	367
Combination Unit with Lateral File	368
Wardrobe with Open Cabinet	368
Storage Tower	369
Wardrobe Tower	369
Bookcases	
Bookcases — Three, Five and Six-High	370
Bookcases — Shallow Depth	370
Stations	
Administration Station	371
Double Administration Station with Vertical Storage Units	372
Reception Station	374
Double Reception Station	376
Transaction Shelves	
Wood Transaction Shelf	377
Glass Transaction Shelf	377
Transaction Tray	377
Accessories	
Center Drawer	378
Pencil Tray	378
Pencil + Drawer	378
Enhanced Power Module	379
Horizontal Wire Manager	379
Grommet	379
Tables	
Square	380
Rectangular	380
Round	381
Oval	381
Task Lighting	
Adaptable Electronic Ballast Task Light	382
Adaptable Electronic Ballast Task Light (Starter Light)	382
Adaptable Electronic Ballast Task Light (Add-On Light)	383
Reed Premier™ Stand-Alone LED Task Light	384
Reed Premier™ Starter LED Task Light	384
Reed Premier™ Add-On LED Task Light — For Use with Reed	385
Premier Starter LED Task Lights	385
Reed Premier™ Add-On Occupancy Sensor	385
BRAZO	
Freestanding Lighting	386
Mounted Lighting	386
Grommet — For Use with BRAZO Grommet Mounted Light Only	386
LIM	
LIM L	387
LIM C	388
LIM Y	388
LIM Mounted	389, 390
LIM Hardware	390
Finishes and Fabrics	
Finish Matrix	391-392
Systems Fabrics/Color Legend	393-394
Customer's Own Material	
COM Yardage Requirements	395
Terms of Sale	
North America	396-399
Index	
Index	400-401
Lifetime Product Warranty	
Lifetime Product Warranty	Inside Back Cover

This page intentionally blank

York — Product Catalog Number Code

York Product Catalog Number Code

Example: York double pedestal desk with a rectangle top, 30"(762mm) deep and 66"(1676mm) wide, a wood box/box/file on the left and a wood file/file on the right, standard edge detail, Group B veneer.

YY	D	E	-	3066	-	S	I	1	P

Veneer Option:
P – Group B Veneer

Edge Option:
1 – Standard Edge

Right-Hand Pedestal Option:
T – Wood File/File Pedestal (RH)

Left-Hand Pedestal Option:
S – Wood Box/Box/File Pedestal (LH)

Depth & Width:
30" x 66"(762 x 1676mm)

Shape:
E – Rectangle Top

Product Type:
D – Double Pedestal Desk

Product Line:

YY – York

York Product Catalog Number Code

Example: York double pedestal desk with a rectangle top, 30"(762mm) deep and 66"(1676mm) wide, a wood box/box/file on the left and a wood file/file on the right, standard edge detail, Group D veneer.

YY	D	E	-	3066	-	S	I	1	Q

Veneer Option:
Q – Group D Veneer

Edge Option:
1 – Standard

Right-Hand Pedestal Option:
T – Wood File/File Pedestal

Left-hand Pedestal Option:
S – Wood Box/Box/File Pedestal (LH)

Depth & Width:
30" x 66"(762 x 1676mm)

Shape:
E - Rectangle Top


Product Type:
D – Double Pedestal Desk

Product Line:

YY – York

York — Double Pedestal Desks

	Height	Depth	Width	Number	1	2	3	4	Wood Finish Group
					B(P)	D(Q)			
Double Pedestal Desk	29 9/16"(751mm)	30"(762mm)	66"(1676mm)	YYDE-3066-	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	\$5700.74
	36"(914mm)	72"(1829mm)		YYDE-3672-	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	6128.80
	42"(1067mm)	84"(2134mm)		YYDE-4284-	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	6783.48
									8100.85



YYDE-TS3P

Features

- Includes worksurface, full overlay modesty panel, two pedestals and attachment hardware.
- 1 1/4"(32mm) thick worksurface with optional 1/8"(3mm) Black Epoxy inlay and Kerf-lined edge detail.
- Pedestal storage, includes: locks, wood drawer construction and 1/2"(13mm) aluminum reveal accents.
- Matched veneer drawer fronts.
- Available in Box/Box/File or File/File configuration.
- Box and file drawers have full extension slides.
- 66"(1676mm) wide desk includes letter width pedestals.
- 72"-84"(1829-2134mm) wide desks include legal width pedestals.
- File Drawer(s) feature integral metal filing frame.
- Storage fronts and modesty panel available with figured veneer finish (Wood Finish Group D).
- Aluminum reveal and lock plug available in coordinating finishes:
—Silver or Black.
- Lock located on right side of top rail of each pedestal.
- For lock options, refer to Lock Program Price List.
- Glides provide 1 1/16"(27mm) adjustment range.
- Desk shell shipped unassembled, pedestals shipped assembled ready for field installation.

Specification Tips

- Accommodates separately specified center drawer.
- Not intended for use with stack-on storage.
- Pedestal orientation cannot be reconfigured in the field.

To Order, Specify:

1) Product number, including:

1 Left-Hand Pedestal Option: S Box/Box/File T File/File**2 Right-Hand Pedestal Option:** S Box/Box/File T File/File**3 Edge Option:** 1 Standard edge 2 Standard edge with Kerf 3 Thick edge and Inlay, add \$931.40 list 4 Thick edge and Inlay with Kerf, add \$931.40 list**4 Veneer Type:** P Wood Finish Group B Q Wood Finish Group D with Figured Fronts**Wood Finish Group B(P)**

2) Wood finish color (case, top and front).

3) Trim color for reveal and lock plug.

Wood Finish Group D(Q)


2) Wood finish color (case and top).

3) Wood finish color (Figured front).

3) Trim color for reveal and lock plug.

York — Single Pedestal Desks

	Height	Depth	Width	Number	①	②	③	Wood Finish Group B(P)	Wood Finish Group D(Q)
Single Pedestal Desk	29 9/16"(751mm)	30"(762mm)	60"(1524mm)	YYSE-3060-	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	\$4390.63	\$5026.50
	36"(914mm)	72"(1829mm)		YYSE-3672-	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	5112.71	5772.53
	42"(1067mm)	84"(2134mm)		YYSE-4284-	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	5834.79	6518.56



YYSE-SX3P
(Left-hand shown)

Features

- Includes worksurface, one pedestal and attachment hardware.
- 1 1/4"(32mm) thick worksurface with optional 1/8"(3mm) Black Epoxy inlay and Kerf-lined edge detail.
- Pedestal storage, includes: lock, wood drawer construction and 1/2"(13mm) aluminum reveal accents.
- Available in Box/Box/File or File/File configuration.
- Box and file drawers have full extension slides.
- 60"(1524mm) wide desk includes letter width pedestal.
- 72"-84"(1829-2134mm) wide desks include a legal width pedestal.
- 2"(51mm) or 6"(152mm) overhang on pedestal side; flush on end panel side.
- File Drawer(s) feature integral metal filing frame.
- Storage fronts and modesty panel available with figured veneer finish (Wood Finish Group D).
- Aluminum reveal and lock plug available in coordinating finishes: –Silver or Black.
- Lock located on right side of top rail of each pedestal.
- For lock options, refer to Lock Program Price List.
- Glides provide 1 1/16"(27mm) adjustment range.
- Desk shell shipped unassembled, pedestal shipped assembled ready for field installation.

Specification Tips

- Accommodates separately specified center drawer.
- Not intended for use with stack-on storage.
- Handed design; handing based on orientation of pedestal to user. Desk cannot be field reconfigured to the opposite orientation.

To Order, Specify:

1) Product number, including:

① Pedestal Option:

SX Left-Hand Box/Box/File

TX Left-Hand File/File

XS Right-Hand Box/Box/File

XT Right-Hand File/File

② Edge Option:

1 Standard edge

2 Standard edge with Kerf

3 Thick edge and Inlay, add \$931.40 list

4 Thick edge and Inlay with Kerf, add \$931.40 list

③ Veneer Type:

P Wood Finish Group B

Q Wood Finish Group D with Figured Fronts

Wood Finish Group B(P)

2) Wood finish color (case, top and front).

3) Trim color for reveal and lock plug.

Wood Finish Group D(Q)


2) Wood finish color (case and top).

3) Wood finish color (Figured front).

4) Trim color for reveal and lock plug.

York — T-Desks

	Height	Depth	Width	Number	1	2	3	Wood Finish Group
					B(P)	D(Q)		
Single Pedestal T-Desk	29 9/16"(751mm)	30"(762mm)	60"(1524mm)	YYTE-3060-	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	\$4707.48
			66"(1676mm)	YYTE-3066-	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	5615.76
			72"(1829mm)	YYTE-3072-	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	5819.50
	36"(914mm)	66"(1676mm)	YYTE-3666-	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	\$5010.64	\$5724.90
			72"(1829mm)	YYTE-3672-	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	5207.09
								5928.64

YYTE-XS3P
(Right-hand shown)**Features**

- Includes worksurface with partial end panel support, one pedestal and attachment hardware.
- 1 1/4"(32mm) thick worksurface with optional 1/8"(3mm) Black Epoxy inlay and Kerf-lined edge detail.
- Pedestal storage, includes: lock, wood drawer construction and 1/2"(13mm) aluminum reveal accents.
- Available in Box/Box/File or File/File configuration.
- Box and file drawers have full extension slides.
- 60"(1524mm) wide desk includes letter width pedestal.
- 72"-84"(1829-2134mm) wide desks include a legal width pedestal.
- 2"(51mm) or 6"(152mm) overhang on pedestal side; flush on end panel side.
- File Drawer(s) feature integral metal filing frame.
- Storage fronts and modesty panel available with figured veneer finish (Wood Finish Group D).
- Aluminum reveal and lock plug available in coordinating finishes: -Silver or Black.
- Lock located on right side of top rail of each pedestal.
- For lock options, refer to Lock Program Price List.
- Glides provide 1 1/16"(27mm) adjustment range.
- Desk shell shipped unassembled, pedestal shipped assembled ready for field installation.

Specification Tips

- Accommodates separately specified center drawer.
- Not intended for use with stack-on storage.
- Handed design; handing based on orientation of pedestal to user. Desk cannot be field reconfigured to the opposite orientation.

To Order, Specify:

- 1) Product number, including:

① Pedestal Option: SX Left-Hand Box/Box/File TX Left-Hand File/File XS Right-Hand Box/Box/File XT Right-Hand File/File**② Edge Option:** 1 Standard edge 2 Standard edge with Kerf 3 Thick edge and Inlay, add **\$931.40** list 4 Thick edge and Inlay with Kerf, add **\$931.40** list**③ Veneer Type:** P Wood Finish Group B Q Wood Finish Group D with Figured Fronts**Wood Finish Group B(P)**

- 2) Wood finish color (case, top and front).

- 3) Trim color for reveal and lock plug.

Wood Finish Group D(Q)



- 2) Wood finish color (case and top).

- 3) Wood finish color (Figured front).

- 4) Trim color for reveal and lock plug.

York — T-Desks

	Height	Depth	Width	Number	①	②	③	Wood Finish Group B(P)	Wood Finish Group D(Q)
Single Pedestal T-Desk — Blade	29 9/16"(751mm)	42"(1067mm)	72"(1829mm)	YYTA-4272-S	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	\$6047.44	\$6954.50
Features									
<ul style="list-style-type: none"> Includes worksurface with partial end panel support, one pedestal and attachment hardware. 1 1/4"(32mm) thick asymmetrical worksurface (right angled trapezium): 42"-36"(1067-914mm) tapered depth. Visitor overhang slopes inwards 12"-6"(304-152mm). Available with optional 1/8"(3mm) Black Epoxy inlay and Kerf-lined edge detail. Pedestal storage, includes: lock, wood drawer construction and 1/2"(13mm) aluminum reveal accents. Available in Box/Box/File configuration only. Box and file drawers have full extension slides. File Drawer features metal filing frame. 72"(1829mm) wide desk includes a legal-width pedestal. 2"(51mm) or 6"(152mm) overhang on pedestal side; flush on end panel side. Lock located on right side of top rail of pedestal. For lock options, refer to Lock Program Price List. Glides provide 1 1/16"(27mm) adjustment range. Storage fronts and modesty panel available with figured veneer finish (Wood Finish Group D). Aluminum reveal and lock plug available in coordinating finishes: —Silver or Black. 									
Specification Tips									
<ul style="list-style-type: none"> Not for free-standing applications, connects only to adjacent modular shell or asymmetrical credenza. Accommodates separately specified center drawer. Not intended for use with stack-on storage. Handed design; handing based on orientation of pedestal to user. Desk cannot be field reconfigured to the opposite orientation. 									

YYTA-S3RP
(Right-hand shown)YYTA-S3LP
(Left-hand shown)**To Order, Specify:**

1) Product number, including:

① Edge Option:

- 1 Standard edge
- 2 Standard edge with Kerf
- 3 Thick edge and Inlay, add \$931.40 list
- 4 Thick edge and Inlay with Kerf, add \$931.40 list

② Orientation of Pedestal (as seated):

- L Left-hand
- R Right-hand

③ Veneer Type:

- P Wood Finish Group B
- Q Wood Finish Group D with Figured Fronts

Wood Finish Group B(P)


- 2) Wood finish color (case, top and front).
- 3) Trim color for reveal and lock plug.

Wood Finish Group D (Q)

- 2) Wood finish color (case and top).
- 3) Wood finish color (Figured front).
- 4) Trim color for reveal and lock plug.

York — Trapezoid Convergent Top

	Height	Depth	Width	Number	①②	Wood Finish Group B(P)	D(Q)
Trapezoid Convergent Top	29 9/16"(751mm)	36"(914mm)	66"(1676mm)	YYTZ-3666-	<input type="checkbox"/> <input checked="" type="checkbox"/>	\$2516.23	\$2893.37
	42"(1067mm)	66"(1676mm)		YYTZ-4266-	<input type="checkbox"/> <input checked="" type="checkbox"/>	2850.92	3278.99



YYTZ-3P

Features

- Includes worksurface, 10" x 10"(254 x 254mm) L-support and attachment hardware.
- 1 1/4"(32mm) thick Trapezoid worksurface: depth tapers inward from connection-side (42"-30"(1067-762mm) or 36"-24"(914-610mm) configurations). Available with optional 1/8"(3mm) Black Epoxy inlay and Kerf-lined edge.
- Connection-side depth of 36"(914mm) or 42"(1067mm).
- Glides provide 1 1/16"(27mm) adjustment range.
- Shipped unassembled.

Specification Tips

- Not for free-standing applications, connects only to adjacent modular shell or asymmetrical credenza.
- Figured veneer not applicable.
- Accommodates separately specified center drawer.
- Non-handed; L-support base allows handed orientation to be changed on-site.
- Not intended for use with stack on storage.

To Order, Specify:

1) Product number, including:

① Edge Option:

- 1 Standard edge
 2 Standard edge with Kerf
 3 Thick edge and Inlay, add **\$931.40** list
 4 Thick edge and Inlay with Kerf, add **\$931.40** list


② Veneer Type:

- P Wood Finish Group B
 Q Wood Finish Group D

2) Wood finish color.

York — Attached Convergent D-Top

	Height	Depth	Width	Number	①	②	Wood Finish Group B(P)	Wood Finish Group D(Q)
Attached Convergent D-Top	29 9/16"(751mm)	30"(762mm)	60"(1524mm)	YYUV-3060-	<input type="checkbox"/>	<input type="checkbox"/>	\$2382.83	\$2738.14
			66"(1676mm)	YYUV-3066-	<input type="checkbox"/>	<input type="checkbox"/>	2507.73	2866.67
			72"(1829mm)	YYUV-3072-	<input type="checkbox"/>	<input type="checkbox"/>	2632.63	2995.20
	36"(914mm)	66"(1676mm)	YYUV-3666-	<input type="checkbox"/>	<input type="checkbox"/>	\$2659.31	\$3023.10	
			72"(1829mm)	YYUV-3672-	<input type="checkbox"/>	<input type="checkbox"/>	2784.21	3151.63
			78"(1981mm)	YYUV-3678-	<input type="checkbox"/>	<input type="checkbox"/>	2909.11	3280.16



YYUV-3P

Features

- Includes worksurface, 10" x 10"(254 x 254mm) L-support and attachment hardware.
- 1 1/4"(32mm) thick D-shaped worksurface with optional 1/8"(3mm) Black Epoxy inlay and Kerf-lined edge.
- Glides provide 1 1/16"(27mm) adjustment range.
- Shipped unassembled.

Specification Tips

- Not for free-standing applications, connects only to adjacent modular shell or asymmetrical credenza.
- Figured veneer not applicable.
- Non-handed; L-support base, allows handed orientation to be changed on-site.
- Accommodates separately specified center drawer.
- Not intended for use with stack on storage.

To Order, Specify:

- 1) Product number, including:

① Edge Option:

- 1 Standard edge
- 2 Standard edge with Kerf
- 3 Thick edge and Inlay, add \$1138.67 list
- 4 Thick edge and Inlay with Kerf, add \$1138.67 list



② Veneer Type:

- P Wood Finish Group B
- Q Wood Finish Group D

- 2) Wood finish color.

York — Attached Convergent P-Top

	Height	Depth	Width	Number	1	2	3	Wood Finish Group B(P)	Wood Finish Group D(Q)
Attached Convergent P-Top	29 9/16"(751mm)	30"(762mm)	60"(1524mm)	YYPV-3060-	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	\$2927.83	\$3366.25
			66"(1676mm)	YYPV-3066-	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	3129.55	3591.29
			72"(1829mm)	YYPV-3072-	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	3331.27	3816.33
			36"(914mm)	YYPV-3666-	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	\$3323.11	\$3784.85
			72"(1829mm)	YYPV-3672-	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	3524.83	4009.89
			78"(1981mm)	YYPV-3678-	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	3726.55	4234.93

YYPV-3RP
(Right-hand shown)YYPV-3LP
(Left-hand shown)

Features

- Includes worksurface, 10" x 10"(254 x 254mm) L-support and attachment hardware.
- 1 1/4"(32mm) thick P-shaped worksurface, with radiused end (42"(1067mm) or 48"(1219mm) diameter). Available with optional 1/8"(3mm) Black Epoxy inlay and Kerf-lined edge.
- Glides provide 1 1/16"(27mm) adjustment range.
- Shipped unassembled.

Specification Tips

- Not for free-standing applications, connects only to adjacent modular shell or asymmetrical credenza.
- Figured veneer not applicable.
- Handed design; radius extends away from user.
- Accommodates separately specified center drawer.
- Not intended for use with stack on storage.

Wood Finish Group B(P) D(Q)

To Order, Specify:

1) Product number, including:

① Edge Option:

- 1 Standard edge
- 2 Standard edge with Kerf
- 3 Thick edge and Inlay, add \$1200.98 list
- 4 Thick edge and Inlay with Kerf, add \$1200.98 list

② Location of Round Section (as seated):


- L Left-hand
- R Right-hand

③ Veneer Type:

- P Wood Finish Group B
- Q Wood Finish Group D

2) Wood finish color.

York — Bridges

	Depth	Width	Number	①②	Wood Finish Group B(P)	D(Q)
Bridge  YYBN-3P	24"(610mm)	42"(1067mm)	YYBN-2442-	<input type="checkbox"/> <input checked="" type="checkbox"/>	\$ 976.41	\$1122.93
	48"(1219mm)		YYBN-2448-	<input type="checkbox"/> <input checked="" type="checkbox"/>	1072.48	1222.61

Features

- Includes worksurface and attachment hardware.
- 1 1/4"(32mm) thick transitional worksurface with optional 1/8"(3mm) Black Epoxy inlay and Kerf-lined edge (user side only).

Specification Tips

- For transitional applications, connecting between two adjacent desk-height units.
- Figured veneer not applicable.
- Not intended for use with stack-on storage.

To Order, Specify:

1) Product number, including:


① Edge Option:

- Standard edge
- Standard edge with Kerf
- Thick edge and Inlay, add \$153.73 list
- Thick edge and Inlay with Kerf, add \$153.73 list

② Veneer Type:

- Wood Finish Group B
- Wood Finish Group D

2) Wood finish color.

Bridge with Modesty

YYB-3P

Height	Depth	Width	Number	①②	Wood Finish Group B(P)	D(Q)
29 9/16"(751mm)	24"(610mm)	42"(1067mm)	YYB-2442-	<input type="checkbox"/> <input checked="" type="checkbox"/>	\$1609.33	\$1806.28
		48"(1219mm)	YYB-2448-	<input type="checkbox"/> <input checked="" type="checkbox"/>	1705.40	1905.96

Features

- Includes worksurface, modesty panel and attachment hardware.
- 1 1/4"(32mm) thick transitional worksurface with optional 1/8"(3mm) Black Epoxy inlay and Kerf-lined edge (user side only).
- 1/2"(13mm) thick modesty panel, scalloped to accommodate wire management access. Modesty panel is 5"(127mm) wider than bridge-top, designed to overlap 2 1/2"(64mm) with each adjacent unit.
- Allows for 1 1/4"(32mm) overlap on inset end panel of single pedestal desk or credenza.
- Shipped unassembled.

Specification Tips

- For transitional applications, connecting between two adjacent desk-height units (excluding corner unit).
- Figured veneer not applicable.
- Not intended for use with stack-on storage.

To Order, Specify:

1) Product number, including:

① Edge Option:


- Standard edge
- Standard edge with Kerf
- Thick edge and Inlay, add \$153.73 list
- Thick edge and Inlay with Kerf, add \$153.73 list

② Veneer Type:

- Wood Finish Group B
- Wood Finish Group D

2) Wood finish color.

York — Corner Shells

	Height	Depth	Width	Number	1 2 3 4	Wood Finish Group B(P)	Wood Finish Group D(Q)
Corner Shell	29 9/16"(751mm)	36"(914mm)	36"(914mm)	YYC-3636-	<input checked="" type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	\$2967.26	\$3425.71
 YYC-1MBP		42"(1067mm)	42"(1067mm)	YYC-4242-	<input checked="" type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	3170.98	3661.24

Features

- Includes 1 1/4"(32mm) thick transitional worksurface, creates 90° connection between two perpendicular units. Available with optional Kerf-lined edge (user corner only) and wire management brush (two cut-outs with brush).
- Standard with structural modesties (10"(254mm)) coverage from worksurface) and available with two removable extension modesties (27 3/4"(705mm) full-coverage).
- Shipped unassembled.

Specification Tips



- For transitional applications, connecting between two perpendicular desk-height units. Not free-standing or to support stacked storage.
- Figured veneer not applicable.

To Order, Specify:

- Product number, including:
 - Edge Option:**
 - Standard edge
 - Standard edge with Kerf
 - Modesty Option:**
 - No Extension Modesties
 - Extension Modesties, add **\$468.08** list
 - Wire Management Brush Option:**
 - No Brush
 - Brush, add **\$77.61** list
 - Veneer Type:**
 - Wood Finish Group B
 - Wood Finish Group D
- Wood finish color.

York — Returns with Storage

	Height	Depth	Width	Number	1	2	3	4	5	6	Wood Finish Group B(P)	Wood Finish Group D(Q)
Return with Storage	29 9/16"(751mm)	24"(610mm)	42"(1067mm)	YYR-2442-							\$3345.76	\$3854.13
			48"(1219mm)	YYR-2448-							3527.47	4094.11
			60"(1524mm)	YYR-2460-							3643.63	4147.91
			66"(1676mm)	YYR-2466-							4154.69	4761.77
			72"(1829mm)	YYR-2472-7							4665.75	5375.62

YYR-S3LMBP
(Left-hand shown)YYR-73RNBP
(Right-hand shown)**Features**

- Includes worksurface, one pedestal and attachment hardware.
- 1 1/4"(32mm) thick worksurface with optional 1/8"(3mm) Black Epoxy inlay and Kerf-lined edge detail (user side only). Worksurface eligible for optional wire management brush (cut-out with brush).
- Pedestal storage or lateral file, includes: lock, wood drawer construction and 1/2"(13mm) aluminum reveal accents.
- Available in Box/Box/File or File/File pedestal configuration.
- Box and file drawers have full extension slides.
- 42"(1067mm), 48"(1219mm), 60"(1524mm) and 66"(1676mm) wide return includes letter width pedestal.
- 72"(1829mm) wide returns include 37"(940mm) wide lateral file.
- File Drawer(s) feature metal filing frame.
- Standard with Structural Modesty (10"(254mm) coverage from worksurface) and available with a removable Extension Modesty (27 3/4"(705mm) full-coverage).
- Storage fronts available with figured veneer finish (Wood Finish Group D).
- Aluminum reveal and lock plug available in coordinating finishes: –Silver or Black.
- Lock located on right side of top rail of each pedestal or lateral file.
- For lock options, refer to Lock Program Price List.
- Glides provide 1 1/16"(27mm) adjustment range.
- Return shell shipped unassembled, pedestal shipped assembled ready for field installation.
- Connection-side depth of 24"(610mm).

Specification Tips

- Not for free-standing applications, connects only to adjacent Single Pedestal Desk, Corner, modular shell or asymmetrical credenza.
- Handed design; handing based on orientation of pedestal to user. Desk cannot be field reconfigured to the opposite orientation.
- See Stack-on Application Rules for upper storage requirements.

To Order, Specify:

1) Product number, including:

① Storage Option: S Box/Box/File T File/File**② Edge Option:** 1 Standard edge 2 Standard edge with Kerf 3 Thick edge and Inlay:
42" – 48", add \$145.37 list
60" – 72", add \$219.19 list 4 Thick edge and Inlay with Kerf:
42" – 48", add \$145.37 list
60" – 72", add \$219.19 list**③ Orientation of Storage (as seated):** L Left-hand R Right-hand**④ Modesty Option:** N No Extension Modesty M Extension Modesty:
42" – 48", add \$364.55 list
60" – 72", add \$438.37 list**⑤ Wire Management Brush Option:** N No Brush B Brush, add \$72.69 list**⑥ Veneer Type:** P Wood Finish Group B Q Wood Finish Group D with Figured Fronts**Wood Finish Group B(P)**

2) Wood finish color (case, top and front).

3) Trim color for reveal and lock plug.

Wood Finish Group D(Q)

2) Wood finish color (case and top).


3) Wood finish color (Figured front).

4) Trim color for reveal and lock plug.


York — Vertical Storage Units

Open — No Cubbies

	Height	Depth	Width	Number ①	Wood Finish Group B(P)	D(Q)
Vertical Storage Unit — Open — No Cubbies	39 5/16"(999mm)	16"(406mm)	60"(1524mm)	YYVE-3960-	\$3233.35	\$3577.32
			66"(1676mm)	YYVE-3966-	3431.57	3921.29
			72"(1829mm)	YYVE-3972-	3629.79	4265.26
			84"(2134mm)	YYVE-3984-	4842.43	5559.52
			96"(2438mm)	YYVE-3996-	5192.23	5990.94



YYVE
60" – 72" wide



YYVE
84" – 96" wide

Features

- Includes open cabinets, integrated light valance and attachment hardware.
- Accommodates separately specified tackboards and lighting accessories.
- Shipped assembled.

Specification Tips

- Requires support of lower storage of equal width, specified separately.
- Figured veneer not applicable.
- Aligns with five-high storage units.
- Not designed for application where the back of the unit is visible.

To Order, Specify:

1) Product number, including:

① Veneer Type:



P Wood Finish Group B

Q Wood Finish Group D

2) Wood finish color.

York — Vertical Storage Units

Hinged Doors — No Cubbies

Vertical Storage Unit — Hinged Doors — No CubbiesYYVS-P
60" – 72" wideYYVS-P
84" – 96" wide

Height	Depth	Width	Number	①	Wood Finish Group B(P)	Group D(Q)
39 5/16"(999mm)	17 1/4"(438mm)	60"(1524mm)	YYVS-3960-	<input checked="" type="checkbox"/>	\$3644.93	\$4183.64
		66"(1676mm)	YYVS-3966-	<input checked="" type="checkbox"/>	3843.15	4411.01
		72"(1829mm)	YYVS-3972-	<input checked="" type="checkbox"/>	4041.37	4667.53
		84"(2134mm)	YYVS-3984-	<input checked="" type="checkbox"/>	5487.21	6288.27
		96"(2438mm)	YYVS-3996-	<input checked="" type="checkbox"/>	5883.65	6743.01

Features

- Includes closed cabinets, 1/2"(13mm) aluminum reveal accents integrated light valance and attachment hardware.
- Accommodates separately specified tackboards and lighting accessories.
- Aluminum reveals and lock plugs available in coordinating finishes:
—Silver or Black.
- Optional locks available.
- For lock options, refer to Lock Program Price List.
- Shipped assembled.

Specification Tips

- Requires support of lower storage of equal width, specified separately.
- Aligns with five-high storage units.
- Not designed for application where back of unit is visible.

To Order, Specify:

1) Product number, including:

① Lock Option:

K Lock
60" – 72", add \$317.55 list
84" – 96", add \$453.46 list

N No Lock**② Veneer Type:**



P Wood Finish Group B
Q Wood Finish Group D with Figured Fronts

Wood Finish Group B(P)

- Wood finish color (case, top and front).
- Trim color for reveal and optional lock plug.

Wood Finish Group D(Q)

- Wood finish color (case and top).
- Wood finish color (Figured front).
- Trim color for reveal and optional lock plug.

Tackboards for Vertical Storage UnitsYTVD
60" wideYTVD
66" – 96" wide

Height	Width	Number	Fabric Grade A	B	C
22 1/4"(565mm)	581/2"(1486mm)	YTVD-2260	\$351.77	\$369.96	\$386.75
	641/2"(1638mm)	YTVD-2266	395.37	415.31	433.85
	701 1/2"(1791mm)	YTVD-2272	438.97	460.66	480.95
	821 1/2"(2095mm)	YTVD-2284	526.17	551.36	575.15
	941 1/2"(2400mm)	YTVD-2296	613.37	642.06	669.35

Features

- Two 7/8"(22mm) thick tackboards and attachment hardware.
- Compatible with vertical storage units (YYVE, YYVS).

Specification Tip

- YTVD-2260 comprised of single panel.


To Order, Specify:

- Product number.
- Fabric option.


York — Vertical Storage Units

Open with 4" Cubbies

	Height	Depth	Width	Number ①	Wood Finish Group B(P)	D(Q)
Vertical Storage Unit — Open with 4" Cubbies	39 5/16"(999mm)	16"(406mm)	60"(1524mm)	YYVD-3960-	\$3576.43	\$4276.03
			66"(1676mm)	YYVD-3966-	3693.03	4450.93
			72"(1829mm)	YYVD-3972-	4509.23	5150.53
			84"(2134mm)	YYVD-3984-	5211.45	5963.76
			96"(2438mm)	YYVD-3996-	5502.55	6329.64



YYVD
60" – 72" wide



YYVD
84" – 96" wide

Features

- Includes open cabinet with 4"(102mm) cubbies, integrated light valance and attachment hardware.
- 16 3/4"(425mm) under cabinet clearance, accepts matching tackboards (YVC-17 series).
- Aligns with five-high storage units.
- Shipped assembled.

Specification Tips

- Requires support of lower storage of equal width, specified separately.
- Figured veneer not applicable.
- Accommodates separately specified tackboards and lighting accessories.
- Not designed for application where back of unit is visible.

To Order, Specify:

1) Product number, including:

① Veneer Type:



P Wood Finish Group B

Q Wood Finish Group D

2) Wood finish color.

York — Vertical Storage Units

Hinged Doors with 4" Cubbies

Vertical Storage Unit — Hinged Doors with 4" CubbiesYYVC
60" - 72" wideYYVC
84" - 96" wide

	Height	Depth	Width	Number	① ②	Wood Finish Group B(P)	Wood Finish Group D(Q)
Vertical Storage Unit — Hinged Doors with 4" Cubbies	39 5/16"(999mm)	17 1/4"(438mm)	60"(1524mm)	YYVC-3960-	<input checked="" type="checkbox"/> <input type="checkbox"/>	\$4130.28	\$4719.11
			66"(1676mm)	YYVC-3966-	<input checked="" type="checkbox"/> <input type="checkbox"/>	4246.88	4894.01
			72"(1829mm)	YYVC-3972-	<input checked="" type="checkbox"/> <input type="checkbox"/>	5063.08	5826.81
			84"(2134mm)	YYVC-3984-	<input checked="" type="checkbox"/> <input type="checkbox"/>	5863.88	6757.36
			96"(2438mm)	YYVC-3996-	<input checked="" type="checkbox"/> <input type="checkbox"/>	6942.43	7223.76

Features

- Includes closed cabinet, 1/2"(13mm) aluminum reveal accents, 4"(102mm) cubbies, integrated light valance and attachment hardware.
- Accommodates separately specified tackboards and lighting accessories.
- Aluminum reveals and lock plugs available in coordinating finishes: –Silver or Black.
- Optional locks available.
- For lock options, refer to Lock Program Price List.
- Shipped assembled.

Specification Tips

- Requires support of lower storage of equal width, specified separately.
- Aligns with five-high storage units.
- Not designed for applications where the back of the unit is visible.

To Order, Specify:

- 1) Product number, including:

① Lock Option:

- K Lock
60" - 72", add \$317.55 list
84" - 96", add \$453.46 list

- N No Lock

② Veneer Type:



- P Wood Finish Group B
 Q Wood Finish Group D with Figured Fronts

Wood Finish Group B(P)

- 2) Wood finish color (case, top and front).
3) Trim color for reveal and optional lock plug.

Wood Finish Group D(Q)

- 2) Wood finish color (case and top).
3) Wood finish color (Figured front).
4) Trim color for reveal and optional lock plug.

Tackboards for Vertical Storage Units with 4" CubbiesYTVC
60" wideYTVC
66" - 96" wide

Height	Width	Number	Fabric Grade A	B	C
17 1/4"(437mm)	581/2"(1486mm)	YTVC-1760	\$342.57	\$360.76	\$377.55
	641/2"(1638mm)	YTVC-1766	386.17	406.11	424.65
	701/2"(1791mm)	YTVC-1772	429.77	451.46	471.75
	821/2"(2095mm)	YTVC-1784	516.97	542.16	565.95
	941/2"(2400mm)	YTVC-1796	604.17	632.86	660.15

Features

- Two 7/8"(22mm) thick tackboards and attachment hardware.
- Compatible with vertical storage units with 4"(102mm) cubbies (YYVD, YYVC).

Specification Tip

- YTVC-1760 comprised of single panel.


To Order, Specify:

- 1) Product number.
2) Fabric option.


York — Vertical Storage Units

Open with 15" Cubbies

	Height	Depth	Width	Number 	Wood Finish Group B(P)	Wood Finish Group D(Q)
Vertical Storage Unit — Open with 15" Cubbies	51 15/16"(1319mm)	16"(406mm)	72"(1829mm)	YYVF-5272-	\$4817.65	\$5545.29
			84"(2134mm)	YYVF-5284-	5519.87	6387.67
			96"(2438mm)	YYVF-5296-	6277.37	7219.95



YYVF
72" wide



YYVF
84" – 96" wide

Features

- Includes: open cabinet with 15"(381mm) cubbies, integrated light valance and attachment hardware.
- Accommodates separately specified tackboards and lighting accessories.
- Shipped assembled.

Specification Tips

- Requires support of lower storage of equal width, specified separately.
- Aligns with six-high storage units.
- Not designed for applications where back of the unit is visible.

To Order, Specify:

1) Product number, including:

Veneer Type:

 Wood Finish Group B



 Wood Finish Group D

2) Wood finish color.

York — Vertical Storage Units

Hinged Doors with 15" Cubbies

	Height	Depth	Width	Number	①	②	Wood Finish Group B(P)	Wood Finish Group D(Q)
Vertical Storage Unit — Hinged Doors with 15" Cubbies	51 15/16"(1319mm)	17 1/4"(438mm)	72"(1829mm)	YYVT-5272-	<input type="checkbox"/>	<input checked="" type="checkbox"/>	\$5488.10	\$6309.02
			84"(2134mm)	YYVT-5284-	<input type="checkbox"/>	<input checked="" type="checkbox"/>	6698.61	7732.82
			96"(2438mm)	YYVT-5296-	<input type="checkbox"/>	<input checked="" type="checkbox"/>	7048.41	8082.62

YYVT
72" wideYYVT
84" - 96" wide**Features**

- Includes: closed cabinet, 1/2"(13mm) aluminum reveal accents, 15"(381mm) cubbies, integrated light valance and attachment hardware.
- Accommodates separately specified tackboards and lighting accessories.
- Aluminum reveals and lock plugs available in coordinating finishes: —Silver or Black.
- Optional locks available.
- For lock options, refer to Lock Program Price List.
- Shipped assembled.

Specification Tips

- Requires support of lower storage of equal width, specified separately.
- Aligns with six-high storage units.
- Not designed for applications where back of the unit is visible.

To Order, Specify:

1) Product number, including:

① Lock Option:

- K Lock
72", add \$317.55 list
84" - 96", add \$453.46 list

- N No Lock

② Veneer Type:


- P Wood Finish Group B
 Q Wood Finish Group D with Figured Fronts

Wood Finish Group B(P)

- 2) Wood finish color (case, top and front).
3) Trim color for reveal and optional lock plug.

Wood Finish Group D(Q)

- 2) Wood finish color (case and top).
3) Wood finish color (Figured front).
4) Trim color for reveal and optional lock plug.

Tackboards for Vertical Storage Units with 15" CubbiesYTVX
72" - 96" wide

Height	Width	Number	Fabric Grade A	B	C
18 7/8"(480mm)	701/2"(1791mm)	YTVX-1872	\$418.36	\$440.18	\$460.80
	821/2"(2095mm)	YTVX-1884	485.05	509.31	534.77
	941/2"(2400mm)	YTVX-1896	551.74	578.42	608.73

Features

- Two 7/8"(22mm) thick tackboards with attachment hardware.
- Compatible with vertical storage units with 15"(381mm) cubbies (YYVF, YYVT).



To Order, Specify:

- 1) Product number.
2) Fabric option.

York — Overhead Storage

Open — No Cubbies

	Height	Depth	Width	Number ①	Wood Finish Group B(P)	Wood Finish Group D(Q)
Overhead Storage Unit — Open — No Cubbies	18 5/8"(473mm)	16 5/16"(414mm)	36"(914mm)	YYWG-1836-	\$1911.12	\$2272.49
			37"(940mm)	YYWG-1837-	1937.80	2299.17
			42"(1067mm)	YYWG-1842-	2071.20	2432.57
			48"(1219mm)	YYWG-1848-	2231.28	2592.65

YYWG
36" and 37" wideYYWG
42" and 48" wide**Features**

- Includes open cabinet, integrated light valance and French cleat with anti-dislodgement feature.
- Accommodates separately specified tackboards and lighting accessories.
- Shipped assembled.

Specification Tips

- Wall anchors are not provided, must be field installed.
- Must be properly anchored to a structural wall.
- Figured veneer not applicable.

To Order, Specify:

1) Product number, including:



① Veneer Type: P Wood Finish Group B Q Wood Finish Group D

2) Wood finish color.

York — Overhead Storage

Hinged Doors — No Cubbies

	Height	Depth	Width	Number	1	2	3	Wood Finish Group B(P)	Wood Finish Group D(Q)
Overhead Storage Unit — Hinged Doors — No Cubbies	18 5/8"(473mm)	17 9/16"(433mm)	36"(914mm)	YYWU-1836-	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	\$2306.44	\$2667.81
			37"(940mm)	YYWU-1837-	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	2333.12	2694.49
			42"(1067mm)	YYWU-1842-	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	2522.30	2897.02
			48"(1219mm)	YYWU-1848-	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	2695.73	3057.10

YYWU
36" and 37" wideYYWU
42" and 48" wide**Features**

- Includes closed cabinet, 1/2"(13mm) aluminum reveal accent, integrated light valance and French cleat with anti-dislodgement feature.
- Accommodates separately specified tackboards and lighting accessories.
- Aluminum reveals and lock plugs available in coordinating finishes: —Silver or Black.
- Each pair of doors and each single door lock separately.
- For lock options, refer to Lock Program Price List.
- Shipped assembled.

Specification Tips

- Wall anchors are not provided, must be field installed.
- Must be properly anchored to a structural wall.
- Units 36"(914mm) and 37"(940mm) wide have one pair of doors.
- Units 42"(1067mm) and 48"(1219mm) wide include three doors; one pair and one single handed door.
- 42"(1067mm) and 48"(1219mm) wide units available with choice of left or right door swing for single door.

To Order, Specify:

- 1) Product number, including:

① Lock Option:

- K Lock, add \$146.73 list
 N No Lock

② Veneer Type:

- P Wood Finish Group B
 Q Wood Finish Group D with Figured Fronts

③ Orientation of Single Door

(42" and 48" wide units only)

- L Left-hand
 R Right-hand


Wood Finish Group B(P)

- 2) Wood finish color (case, top and front).
3) Trim color for reveal and optional lock plug.

Wood Finish Group D(Q)

- 2) Wood finish color (case and top).
3) Wood finish color (Figured front).
4) Trim color for reveal and optional lock plug.

Height	Depth	Width	Number	Fabric Grade A	B	C
22 1/4"(565mm)	16"(406mm)	357/8"(912mm)	YTWD-2236	\$255.87	\$269.86	\$281.52
		367/8"(938mm)	YTWD-2237	260.72	275.56	287.34
		417/8"(1065mm)	YTWD-2242	284.97	304.06	316.44
		477/8"(1217mm)	YTWD-2248	314.07	338.26	351.36

Tackboards for Overhead Storage UnitsYTWD
36" – 48" wide**Features**

- 7/8"(22mm) thick, tackboards with attachment hardware.
- Compatible with overhead storage units (YYWG, YYWU).


To Order, Specify:

- 1) Product number.
2) Fabric option.


York — Overhead Storage

Open with 4" Cubbies

	Height	Depth	Width	Number ①	Wood Finish Group B(P)	Wood Finish Group D(Q)
Overhead Storage Unit — Open with 4" Cubbies	22 1/2"(572mm)	16 5/16"(414mm)	36"(914mm)	YYWE-2236-	\$2201.41	\$2531.38
			37"(940mm)	YYWE-2237-	2229.39	2564.03
			42"(1067mm)	YYWE-2242-	2369.29	2727.28
			48"(1219mm)	YYWE-2248-	2537.17	2923.18



YYWE
36" and 37" wide



YYWE
42" and 48" wide

Features

- Includes open cabinet(s) with 4"(102mm) cubbies, integrated light valance and French cleat with anti-dislodgement feature.
- Accommodates separately specified tackboards and lighting accessories.
- Shipped assembled.

Specification Tips

- Wall anchors are not provided, must be field installed.
- Must be properly anchored to a structural wall.
- Figured veneer not applicable.

To Order, Specify:

1) Product number, including:

① Veneer Type:

P Wood Finish Group B



Q Wood Finish Group D

2) Wood finish color.

York — Overhead Storage

Hinged Doors with 4" Cubbies

	Height	Depth	Width	Number	①	②	③	Wood Finish Group B(P)	Wood Finish Group D(Q)
Overhead Storage Unit — Hinged Doors with 4" Cubbies	22 1/2"(572mm)	17 9/16"(433mm)	36"(914mm)	YYWS-2236-	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	\$2630.50	\$3024.60
			37"(940mm)	YYWS-2237-	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	2664.02	3063.66
			42"(1067mm)	YYWS-2242-	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	2831.62	3258.96
			48"(1219mm)	YYWS-2248-	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	3038.28	3499.73

YYWS
36" and 37" wideYYWS
42" and 48" wide**Features**

- Includes closed cabinet with 1/2"(13mm) aluminum reveal accent and 4"(102mm) cubby with French cleat with anti-dislodgement feature.
- Accommodates separately specified tackboards and lighting accessories.
- Aluminum reveals and lock plugs available in coordinating finishes: –Silver or Black.
- For lock options, refer to Lock Program Price List.
- Shipped assembled.

Specification Tips

- Wall anchors are not provided, must be field installed.
- Must be properly anchored to a structural wall.
- Units 36"(914mm) and 37"(940mm) wide have one pair of doors.
- Units 42"(1067mm) and 48"(1219mm) wide include three doors; one pair and one single handed door.
- 42"(1067mm) and 48"(1219mm) wide units available with choice of left or right door swing for single door.

To Order, Specify:

- 1) Product number, including:

① Lock Option:

- K Lock, add \$148.08 list
 N No Lock

② Veneer Type:

- P Wood Finish Group B
 Q Wood Finish Group D with Figured Fronts

③ Orientation of Single Door

(42" and 48" wide units only)


- L Left-hand
 R Right-hand

Wood Finish Group B(P)

- 2) Wood finish color (case, top and front).
3) Trim color for reveal and lock plug.

Wood Finish Group D(Q)

- 2) Wood finish color (case and top).
3) Wood finish color (Figured front).
4) Trim color for reveal and lock plug.

**Tackboards for Overhead
Storage Units with 4" Cubbies**

YTWC

Height	Width	Number	Fabric Grade A	B	C
17 1/4"(437mm)	357/8"(912mm)	YTWC-1736	\$240.11	\$251.02	\$263.16
	367/8"(938mm)	YTWC-1737	246.17	258.29	271.64
	417/8"(1065mm)	YTWC-1742	268.01	280.13	293.48
	477/8"(1217mm)	YTWC-1748	295.89	309.22	323.78

Features

- 7/8"(22mm) thick, tackboards with attachment hardware.
- Compatible with overhead storage units (YYWS, YYWE).


To Order, Specify:

- 1) Product number.
2) Fabric option.


York — Overhead Storage

Open with 15" Cubbies

	Height	Depth	Width	Number ①	Wood Finish Group B(P)	D(Q)
Overhead Storage Unit — Open with 15" Cubbies	33 5/8"(574mm)	165/16"(414mm)	36"(914mm)	YYWF-3336-	\$2539.55	\$2920.82
			37"(940mm)	YYWF-3337-	2567.53	2953.47
			42"(1067mm)	YYWF-3342-	2707.43	3116.72
			48"(1219mm)	YYWF-3348-	2875.31	3312.62



YYWF
36" and 37" wide



YYWF
42" and 48" wide

Features

- Includes open cabinet(s) and 15"(381mm) cubbies with French cleat with anti-dislodgement feature.
- Accommodates separately specified tackboards and lighting accessories.
- Shipped assembled.

Specification Tips

- Wall anchors are not provided, must be field installed.
- Must be properly anchored to a structural wall.
- Figured veneer not applicable.

To Order, Specify:

1) Product number, including:

① Veneer Type:

P Wood Finish Group B



Q Wood Finish Group D

2) Wood finish color.

York — Overhead Storage

Hinged Doors with 15" Cubbies

	Height	Depth	Width	Number	①	②	③	Wood Finish Group B(P)	Wood Finish Group D(Q)
Overhead Storage Unit — Hinged Doors with 15" Cubbies	33 5/8"(853mm)	179/16"(433mm)	36"(914mm)	YYWT-3336-	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	\$3036.27	\$3493.33
			37"(940mm)	YYWT-3337-	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	3217.87	3532.39
			42"(1067mm)	YYWT-3342-	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	3237.39	3727.69
			48"(1219mm)	YYWT-3348-	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	3444.05	3968.46

YYWT
36" and 37" wideYYWT
42" and 48" wide**Features**

- Includes closed cabinet with 1/2"(13mm) aluminum reveal accent, 15"(381mm) cubby French cleat with anti-dislodgement feature.
- Accommodates separately specified tackboards and lighting accessories.
- Aluminum reveals and lock plugs available in coordinating finishes: –Silver or Black.
- For lock options, refer to Lock Program Price List.
- Shipped assembled.

Specification Tips

- Wall anchors are not provided, must be field installed.
- Must be properly anchored to a structural wall.
- Units 36"(914mm) and 37"(940mm) wide have one pair of doors.
- Units 42"(1067mm) and 48"(1219mm) wide include three doors; one pair and one single handed door.
- 42"(1067mm) and 48"(1219mm) wide units available with choice of left or right door swing for single door.

To Order, Specify:

1) Product number, including:

① Lock Option: K Lock, add \$148.08 list N No Lock**② Veneer Type:** P Wood Finish Group B Q Wood Finish Group D with Figured Fronts**③ Orientation of Single Door**


(42" and 48" wide units only)

 L Left-hand R Right-hand**Wood Finish Group B(P)**

- Wood finish color (case, top and front).
- Trim color for reveal and lock plug.

Wood Finish Group D(Q)

- Wood finish color (case and top).
- Wood finish color (Figured front).
- Trim color for reveal and lock plug.

Tackboards for Overhead Storage Units with 15" Cubbies

YTWX

	Height	Width	Number	Fabric Grade A	B	C
	18 7/8"(480mm)	357/8"(912mm)	YTWX-1836	\$236.63	\$248.29	\$259.95
		367/8"(938mm)	YTWX-1837	240.27	252.56	264.31
		417/8"(1065mm)	YTWX-1842	258.47	273.91	286.11
		477/8"(1217mm)	YTWX-1848	280.31	299.53	312.27

Features

- 7/8"(22mm) thick, tackboards with attachment hardware.
- Compatible with overhead storage units (YYWT, YYWF).


To Order, Specify:

1) Product number.

2) Fabric option.

York — Stack-On Bookcases

	Height	Depth	Width	Number	Wood Finish Group B(P)	Wood Finish Group D(Q)
Bookcase — Stack-On	39 1/4"(997mm) 52"(1321mm)	19"(483mm)	37"(940mm)	YYSB-3937- YYSB-5237-	\$2266.43 2645.99	\$2605.97 3042.52



YYSB

Features

- Includes bookcase, shelves and attachment hardware.
- 1"(25mm) thick, adjustable shelves.
- Shipped assembled.

Specification Tip

- Requires the support of a desk-height configuration, placed directly over lower storage of equal width.

To Order, Specify:

1) Product number, including:

① Veneer Type: P Wood Finish Group B Q Wood Finish Group D

2) Wood finish color.

Wardrobe/Bookcase — Stack-On


	Height	Depth	Width	Number	Wood Finish Group B(P)	Wood Finish Group D(Q)
	39 1/4"(997mm) 52"(1321mm)	21"(533mm)	37"(940mm)	YYSS-3937- YYSS-5237-	\$3024.33 3403.89	\$3479.07 3914.41

Features

- Includes bookcase, shelves, wardrobe and attachment hardware.
- Open storage side with 1"(25mm) thick, adjustable shelves.
- Wardrobe side features door with 1/2"(13mm) aluminum reveal accents and coat rod.
- Aluminum reveal available in choice of finish:
—Silver or Black.
- No lock available.
- Shipped assembled.

Specification Tips

- Requires the support of a desk-height configuration, placed directly over lower storage of equal width.
- Unit is handed left or right based on orientation of wardrobe.

YYSS-R
(Right-hand shown)**To Order, Specify:**

1) Product number, including:

① Orientation: L Left-hand R Right-hand**② Veneer Type:** P Wood Finish Group B Q Wood Finish Group D with Figured Fronts**Wood Finish Group B(P)**


- Wood finish color (case, top and front).
- Trim color for reveal.

Wood Finish Group D(Q)

- Wood finish color (case and top).
- Wood finish color (Figured front).
- Trim color for reveal.

York — Modular Worksurfaces

	Depth	Width	Number ①②	Wood Finish Group B(P)	Wood Finish Group D(Q)
Modular Credenza — Individual Tops — 33" and 37" Wide	24"(610mm)	31"(787mm)	YYU-2431-	\$641.48	\$727.58
		37"(940mm)	YYU-2437-	663.26	755.90



YYU-3P

Feature

- Includes 1 1/4"(32mm) thick modular worksurface with optional 1/8"(3mm) Black Epoxy inlay and Kerf-lined edge (user side only).

Specification Tip

- For modular applications, designed to complete individual storage units.

To Order, Specify:

1) Product number, including:

① Edge Option:

- 1 Standard edge
- 2 Standard edge with Kerf
- 3 Thick edge and Inlay, add \$155.22 list
- 4 Thick edge and Inlay with Kerf, add \$155.22 list

② Veneer Type:

- P Wood Finish Group B
- Q Wood Finish Group D

2) Wood finish color.

Modular Credenza Tops — 60" – 120" Wide	Depth	Width	Number ①②③	Wood Finish Group B(P)	Wood Finish Group D(Q)
	24"(610mm)	60"(1524mm)	YYU-2460-	\$1110.89	\$1270.65
		62"(1575mm)	YYU-2462-	1148.03	1312.87
		66"(1676mm)	YYU-2466-	1222.31	1397.31
		68"(1727mm)	YYU-2468-	1259.45	1439.53
		72"(1829mm)	YYU-2472-	1333.73	1523.97
		74"(1880mm)	YYU-2474-	1370.87	1566.19
		78"(1981mm)	YYU-2478-	1445.15	1650.63
		84"(2134mm)	YYU-2484-	1556.57	1777.29
		90"(2286mm)	YYU-2490-	1667.99	1903.95
		93"(2362mm)	YYU-2493-	1723.70	1967.28
		96"(2438mm)	YYU-2496-	1779.41	2030.61
		102"(2591mm)	YYU-24A2-	1890.83	2157.27
		108"(2743mm)	YYU-24A8-	2002.25	2283.93
		111"(2819mm)	YYU-24B1-	2057.96	2347.26
		114"(2896mm)	YYU-24B4-	2113.67	2410.59
		120"(3048mm)	YYU-24C0-	2225.09	2537.25



YYU-3BP

Features

- Includes 1 1/4"(32mm) thick modular worksurface with optional 1/8"(3mm) Black Epoxy inlay and Kerf-lined edge (user side only).
- Optional wire management brush (cut-out with brush).

Specification Tip

- For modular applications, designed to complete combined storage units or create credenza applications.

To Order, Specify:

1) Product number, including:

① Edge Option:

- 1 Standard edge
- 2 Standard edge with Kerf
- 3 Thick edge and Inlay:
60" – 78", add \$253.44 list
84" – 96", add \$345.60 list
102" – 120", add \$516.58 list
- 4 Thick edge and Inlay with Kerf:
60" – 78", add \$253.44 list
84" – 96", add \$345.60 list
102" – 120", add \$516.58 list

② Wire Management Brush Option:

- N No Brush
- B Brush, add \$78.12 list

③ Veneer Type:

- P Wood Finish Group B
- Q Wood Finish Group D





2) Wood finish color.

York — Modular Supports

	Height	Depth	Width	Number ①②	Wood Finish Group B(P)	D(Q)
L-Support Panel	28 5/8"(727mm)	16"(406mm)	12"(305mm)	YYL-1612-	\$419.76	\$482.72
		22 3/4"(578mm)	12"(305mm)	YYL-2312-	481.56	565.51
Features						
<ul style="list-style-type: none"> Includes one 1 1/4"(32mm) thick end panel with choice of depth, one 10 3/4"(273mm) wide support panel and attachment hardware. Glides provide 1 1/16"(27mm) adjustment range. 						
Specification Tips						
<ul style="list-style-type: none"> For use with other separately specified modular components (worksurfaces, structural panels, modesties and center supports) and attached storage units to assemble credenzas. 22 3/4"(578mm) deep L-support used to provide support at the end of a modular worksurface; aligns with the 24"(610mm) worksurface depth. 16"(406mm) L-support used when the L-support is positioned beside a freestanding storage unit. 						
Structural Support Panel	Height	Width	Number ①		Wood Finish Group B(P)	D(Q)
	28 5/8"(727mm)	103/4"(273mm)	YYX-2711-		\$170.98	\$184.97
Feature						
<ul style="list-style-type: none"> Includes one 1 1/4"(32mm) thick back panel, glides and attachment hardware. 						
Specification Tip						
<ul style="list-style-type: none"> Attaches perpendicularly to a pedestal or storage unit and allows for the attachment of a modesty panel. 						
To Order, Specify:						
1) Product number, including:						
① Orientation:						
<input checked="" type="checkbox"/> L Left-hand side <input type="checkbox"/> R Right-hand side						
② Veneer Type:						
<input checked="" type="checkbox"/> P Wood Finish Group B <input type="checkbox"/> Q Wood Finish Group D						
2) Wood finish color.						

York — Modesty Panels/Modular Supports

	Height	Width	Number ①	Wood Finish Group B(P)	Wood Finish Group D(Q)
Modesty Panel	24"(610mm)	32"(813mm)	YYE-2732-	\$241.37	\$278.09
	47"(1194mm)		YYE-2747-	354.14	407.85
	62"(1575mm)		YYE-2762-	466.91	537.61
	28 5/8"(727mm)	77"(1956mm)	YYE-2777-	\$579.68	\$667.37
		92"(2337mm)	YYE-2792-	692.45	797.13
		107"(2718mm)	YYE-27A7-	805.22	926.89

Modesty PanelYYE
32 – 62" wide modestyYYE
77" – 107" wide modesty**Center Support**

YYJ

Features

- Includes 1/2"(13mm) thick modesty panel and attachment hardware.
- Units 32" – 62"(813-1575mm) wide utilize one 24"(610mm) height panel.
- Units 77" – 107"(1956-1778mm) wide, include two 24"(610mm) high panels connected by a mid-modesty back-panel.

Specification Tips

- For use with other separately specified modular components (worksurfaces, structural panels, L-supports and center supports) and attached storage units to assemble credenzas.
- Modesties 77"(1956mm) or greater must be specified with the YYJ center support panel.

To Order, Specify:

1) Product number, including:

① Veneer Type:

P Wood Finish Group B

Q Wood Finish Group D

2) Wood finish color.

Feature

- Includes 1 1/4"(32mm) thick panel with 2"(51mm) wireway half-scallop, glides and attachment hardware.

Specification Tips

- For use with other separately specified modular components (worksurfaces, structural panels, L-supports and modesties) and attached storage units to assemble credenzas.
- Required when unsupported span is greater than 60"(1524mm).
- Attaches to mid-modesty back panel included with modesty panels 77"(1956mm) and greater in width.

To Order, Specify:

1) Product number, including:

① Veneer Type:

P Wood Finish Group B

Q Wood Finish Group D

2) Wood finish color.

York — Mobile and Attached Pedestals

	Height	Depth	Width	Number	①	Wood Finish Group B(P)	Wood Finish Group D(Q)
Mobile Pedestal	27 5/8"(702mm)	20"(508mm)	17 1/4"(439mm)	YYMP-1728-	<input checked="" type="checkbox"/>	\$2754.10	\$3180.85



YYMP-P

Features

- Includes: pencil tray, lock, wood drawer construction, /2"(13mm) aluminum reveal accents and casters.
- Box/Box/File configuration only.
- File drawer features integral metal filing frame.
- Aluminum reveal and lock plug available in coordinating finishes: –Silver or Black.
- Box and file drawers have full extension slides.
- Lock located on right side of top rail of pedestal.
- For lock options, refer to Lock Program Price List.
- Ships assembled; casters field installed.

To Order, Specify:

- 1) Product number, including:

① Veneer Type:

P Wood Finish Group B


Q Wood Finish Group D with Figured Fronts

Wood Finish Group B(P)


- 2) Wood finish color (case and front).
3) Trim color for reveal and lock plug.

Wood Finish Group D(Q)

- 2) Wood finish color (case).
3) Wood finish color (Figured front).
4) Trim color for reveal and lock plug.

Attached Pedestal

YYSP-SP
Box/Box/File Letter
(Shown left)



YYSP-TP
File/File Letter

	Height	Depth	Width	Number	①	Wood Finish Group B(P)	Wood Finish Group D(Q)
Letter Width							
	28 5/8"(727mm)	24"(610mm)	17 1/4"(439mm)	YYSP-1728-	<input checked="" type="checkbox"/> <input type="checkbox"/>	\$2059.16	\$2358.82
Legal Width							
	28 5/8"(727mm)	24"(610mm)	20"(508mm)	YYSP-2028-	<input checked="" type="checkbox"/> <input type="checkbox"/>	\$2203.74	\$2532.55

Features

- Includes: pencil tray, lock, wood drawer construction, /2"(13mm) aluminum reveal accents and casters.
- Modular component design. Available in Box/Box/File or File/File configurations with choice of letter (17 1/4"(438mm)) or legal-width (20"(508mm)).
- File Drawer(s) feature integral metal filing frame.
- Aluminum reveal and lock plug available in coordinating finishes: –Silver or Black.
- Box and file drawers have full extension slides.
- Lock located on right side of top rail of pedestal.
- For lock options, refer to Lock Program Price List.
- Glides provide 1 1/4"(32mm) adjustment range.
- Shipped assembled.

To Order, Specify:

- 1) Product number, including:

① Drawer Option:

S Box/Box/File

T File/File

② Veneer Type:

P Wood Finish Group B

Q Wood Finish Group D with Figured Fronts

Wood Finish Group B(P)

- 2) Wood finish color (case and front).
3) Trim color for reveal and lock plug.

Wood Finish Group D(Q)


- 2) Wood finish color (case).
3) Wood finish color (Figured front).
3) Trim color for reveal and lock plug.

York — Lateral Files

	Height	Depth	Width	Number	①	Wood Finish Group B(P)	D(Q)
Two-High Lateral File	28 5/8"(727mm)	24"(610mm)	31"(787mm)	YY52-3128-7		\$2404.67	\$2764.82
			37"(940mm)	YY52-3728-7		2529.58	2907.93
Features							
<ul style="list-style-type: none"> Includes: lock, wood drawer construction, 1/2"(13mm) aluminum reveal accents and integral metal filing frame. Aluminum reveal and lock plug available in coordinating finishes: –Silver or Black. Lateral file drawers have full extension slides with integrated anti-tilt interlock feature. Lock located on right side of top rail of lateral file. For lock options, refer to Lock Program Price List. Glides provide 1 1/4"(32mm) adjustment range. Shipped assembled. 							
Specification Tip							
<ul style="list-style-type: none"> Modular component for lower storage applications. Individual or common top specified separately. 							
Three-High Lateral File	41 9/16"(1056mm)	24"(610mm)	31"(787mm)	YY53-3141-7		\$3657.33	\$4205.44
			37"(940mm)	YY53-3741-7		3782.24	4350.97
Features							
<ul style="list-style-type: none"> Includes: lock, wood drawer construction, 1/2"(13mm) aluminum reveal accents and integral metal filing frame. Aluminum reveal and lock plug available in coordinating finishes: –Silver or Black. Lateral file drawers have full extension slides with integrated anti-tilt interlock feature. Lock located on right side of top rail of lateral file. For lock options, refer to Lock Program Price List. Glides provide 1 1/4"(32mm) adjustment range. Shipped assembled. 							
Specification Tip							
<ul style="list-style-type: none"> Modular component for free-standing storage applications. Individual or common top specified separately. 							
Five-High Lateral File	68 7/8" (1749mm)	24"(610mm)	37"(940mm)	YY55-3769-7		\$8292.04	\$9535.00
Features							
<ul style="list-style-type: none"> Includes: lock, wood drawer construction, 1/2"(13mm) aluminum reveal accents, integral metal filing frame and a finished top. Aluminum reveal and lock plug available in coordinating finishes: –Silver or Black. Lateral file drawers have full extension slides with integrated anti-tilt interlock feature. Lock located on right side of top rail of lateral file. For lock options, refer to Lock Program Price List. Glides provide 1 1/4"(32mm) adjustment range. Shipped assembled. 							
To Order, Specify:							
<ul style="list-style-type: none"> Product number, including: 							
① Veneer Type:							
<ul style="list-style-type: none"> <input type="checkbox"/> Wood Finish Group B <input checked="" type="checkbox"/> Wood Finish Group D with Figured Fronts 							
Wood Finish Group B(P)							
<ul style="list-style-type: none"> Wood finish color (case and front). Trim color for reveal and lock plug. 							
Wood Finish Group D(Q)							
<ul style="list-style-type: none"> Wood finish color (case). Wood finish color (Figured front). Trim color for reveal and lock plug. 							

York — Combination Unit/Closed Storage Cabinet

	Height	Depth	Width	Number	①	②	Wood Finish Group B(P)	Wood Finish Group D(Q)
Two-High Combination Unit	28 5/8"(727mm)	24"(610mm)	37"(940mm)	YYSC-3728-	Z		\$2883.66	\$3293.53



YYSC-RZ

Features

- Includes: pencil tray, lock, wood drawer construction and 1/2"(13mm) aluminum reveal accents.
- Modular component design. Combines one file drawer and two box drawers over one lateral file drawer.
- File drawer(s) feature integral metal filing frame.
- Aluminum reveal and lock plug available in coordinating finishes: –Silver or Black.
- Box and file drawers have full extension slides.
- Lock located on right side of top rail of combination unit.
- For lock options, refer to Lock Program Price List.
- Gildes provide 1 1/4"(32mm) adjustment range.
- Shipped assembled.

Specification Tips

- Individual or common top specified separately.
- Unit is handed either left or right based on position box drawer pair.

To Order, Specify:

- 1) Product number, including:

① Orientation:

- L Left-hand box drawers
 R Right-hand box drawers

② Veneer Type:

- P Wood Finish Group B
 Q Wood Finish Group D with Figured Fronts


Wood Finish Group B(P)

- 2) Wood finish color (case and front).
 3) Trim color for reveal and lock plug.

Wood Finish Group D(Q)

- 2) Wood finish color (case).
 3) Wood finish color (Figured front).
 4) Trim color for reveal and lock plug.

Two-High Closed Storage Cabinet	28 5/8"(727mm)	24"(610mm)	31"(787mm) 37"(940mm)	YYSM-3128- YYSM-3728-			\$1792.29 1912.34	\$2060.28 2198.52
--	----------------	------------	--------------------------	--------------------------	--	--	----------------------	----------------------



YYSM

Features

- Includes storage cabinet with hinged doors, one adjustable shelf and 1/2"(13mm) aluminum reveal accents.
- Aluminum reveal available in choice of finish: –Silver or Black.
- Gildes provide 1 1/4"(32mm) adjustment range.
- Shipped assembled.

Specification Tips

- Individual or common top specified separately.
- Not available with lock.

To Order, Specify:

- 1) Product number, including:

① Veneer Type:

- P Wood Finish Group B
 Q Wood Finish Group D with Figured Fronts


Wood Finish Group B(P)

- 2) Wood finish color (case and front).
 3) Trim color for reveal.

Wood Finish Group D(Q)

- 2) Wood finish color (case).
 3) Wood finish color (Figured front).
 4) Trim color for reveal.

York — Open Storage Cabinet

	Height	Depth	Width	Number ①	Wood Finish Group B(P)	Wood Finish Group D(Q)
Two-High Open Storage Cabinet  YYB2-P	28 5/8"(727mm)	223/4"(578mm)	37"(940mm)	YYB2-3729-	\$1387.54	\$1595.09

Features

- Includes one open storage cabinet, with one 1"(25mm) thick adjustable shelf.
- Glides provide 1 3/16"(30mm) adjustment range.
- Shipped assembled.

To Order, Specify:


1) Product number, including:

① Veneer Type: P Wood Finish Group B Q Wood Finish Group D

2) Wood finish color.

York — Combination Units

	Height	Depth	Width	Number	Wood Finish Group B(P)	Wood Finish Group D(Q)
Combination Unit with Lateral File	68 7/8"(1749mm)	24"(610mm)	37"(940mm)	YYTL-3769-	\$6368.79	\$7324.35
	81 1/2"(2070mm)			YYTL-3781-	7215.21	8296.88



YYTL


Features

- Includes: lock, wood drawer construction and integral metal filing frames.
- Upper storage features (non-locking) doors and 1"(25mm) thick adjustable shelves.
- Aluminum reveal and lock plug available in coordinating finishes:
—Silver or Black.
- Lateral file drawers have full extension slides with integrated anti-tilt interlock feature.
- Lock located in center of reveal at top of each pedestal.
- For lock options, refer to Lock Program Price List.
- Glides provide 1 1/4"(32mm) adjustment range.
- Shipped assembled.

Specification Tips

- Designed to be used with five-high and six-high storage.
- Closed bookcase over two lateral file drawers with 1/2"(13mm) aluminum reveal accents.

Wardrobe with Open Cabinet

YYWC-L
(Left-hand shown)

	Height	Depth	Width	Number	Wood Finish Group B(P)	Wood Finish Group D(Q)
	68 7/8"(1749mm)	24"(610mm)	36"(914mm)	YYWC-3669-	\$5312.59	\$6114.95
	81 1/2"(2070mm)			YYWC-3681-	6196.60	7071.71

Features

- Includes wardrobe with 1/2"(13mm) aluminum reveal accents, coat rod with one fixed shelf. Open storage includes one fixed shelf, remaining shelves adjustable.
- Aluminum reveal available in choice of finish:
—Silver or Black.
- Glides provide 1 3/16"(30mm) adjustment range.
- No lock available.
- Shipped assembled.

Specification Tips

- Unit is handed left or right based on position of wardrobe.
- Combination storage design, wardrobe with open shelving. Available in five-high and six-high variations.

To Order, Specify:

- 1) Product number, including:

① Veneer Type:

- P Wood Finish Group B
 Q Wood Finish Group D with Figured Fronts

Wood Finish Group B(P)

- 2) Wood finish color (case and front).
3) Trim color for reveal and lock plug.

Wood Finish Group D(Q)

- 2) Wood finish color (case).
3) Wood finish color (Figured front).
4) Trim color for reveal and lock plug.

Wardrobe with Open Cabinet

	Height	Depth	Width	Number	Wood Finish Group B(P)	Wood Finish Group D(Q)
	68 7/8"(1749mm)	24"(610mm)	36"(914mm)	YYWC-3669-	\$5312.59	\$6114.95
	81 1/2"(2070mm)			YYWC-3681-	6196.60	7071.71

To Order, Specify:

- 1) Product number, including:

① Orientation:

- L Left-hand
 R Right-hand

② Veneer Type:

- P Wood Finish Group B
 Q Wood Finish Group D with Figured Fronts

Wood Finish Group B(P)


- 2) Wood finish color (case and front).
3) Trim color for reveal.

Wood Finish Group D(Q)

- 2) Wood finish color (case).
3) Wood finish color (Figured front).
4) Trim color for reveal.

York — Storage Towers

	Height	Depth	Width	Number	①②	Wood Finish Group B(P)	Wood Finish Group D(Q)
Storage Tower	68 7/8"(1749mm) 81 1/2"(2070mm)	24"(610mm)	18"(457mm)	YYST-1869-	<input type="checkbox"/> <input checked="" type="checkbox"/>	\$4321.86	\$4968.62
				YYST-1881-	<input type="checkbox"/> <input checked="" type="checkbox"/>	4939.09	5658.60

**Features**

- Includes storage tower with door and 1/2"(13mm) aluminum reveal accent, one fixed shelf, remaining shelves are adjustable.
- Aluminum reveal available in choice of finish:
—Silver or Black.
- Glides provide 1 3/16"(30mm) adjustment range.
- No lock available.
- Shipped assembled.

Specification Tip

- Unit is handed left or right based on door hinge orientation.

To Order, Specify:

1) Product number, including:

① Orientation:

- L Hinged on left-hand side
 R Hinged on right-hand side

② Veneer Type:

- P Wood Finish Group B
 Q Wood Finish Group D with Figured Fronts


Wood Finish Group B(P)

- 2) Wood finish color (case and front).
3) Trim color for reveal.

Wood Finish Group D(Q)

- 2) Wood finish color (case).
3) Wood finish color (Figured front).
4) Trim color for reveal.

Wardrobe Tower	68 7/8"(1749mm) 81 1/2"(2070mm)	24"(610mm)	18"(457mm)	YYWB-1869-	<input type="checkbox"/> <input checked="" type="checkbox"/>	\$4177.55	\$4824.31
				YYWB-1881-	<input type="checkbox"/> <input checked="" type="checkbox"/>	4794.78	5514.29

**Features**

- Includes wardrobe tower with door, coat rod and 1/2"(13mm) aluminum reveal accent and one adjustable shelf.
- Aluminum reveal available in choice of finish:
—Silver or Black.
- Glides provide 1 3/16"(30mm) adjustment range.
- No lock available.
- Shipped assembled.

Specification Tip

- Unit is handed left or right based on door hinge orientation.

To Order, Specify:

1) Product number, including:

① Orientation:

- L Hinged on left-hand side
 R Hinged on right-hand side

② Veneer Type:

- P Wood Finish Group B
 Q Wood Finish Group D with Figured Fronts







Wood Finish Group B(P)

- 2) Wood finish color (case and front).
3) Trim color for reveal.


Wood Finish Group D(Q)

- 2) Wood finish color (case).
3) Wood finish color (Figured front).
4) Trim color for reveal.

York — Bookcases

	Height	Depth	Width	Number ①	Wood Finish Group B(P)	Wood Finish Group D(Q)
Bookcases — Three, Five and Six-High	42 15/16"(1091mm) 68 7/8"(1749mm) 81 1/2"(2070mm)	193/4"(503mm)	36"(914mm)	YYB3-3643- YYB5-3669- YYB6-3681-	\$2240.03 2801.48 3202.86	\$2580.50 3235.23 3683.25
						
YYB3						
						
YYB5						
						
YYB6						
Bookcases — Shallow Depth	42 15/16"(1091mm) 68 7/8"(1749mm) 81 1/2"(2070mm)	16"(406mm)	36"(914mm)	YYA3-3643- YYA5-3669- YYA6-3681-	\$2163.63 2706.89 3092.51	\$2491.28 3112.66 3553.08
						
YYA3						
						
YYA5						
						
YYA6						
Features						
<ul style="list-style-type: none"> Includes freestanding storage with shelves. Five and six-high have one fixed shelf, remaining shelves are adjustable. 19 3/4"(502mm) depth, aligns with case of stack-on units (bookcase and wardrobe). Glides provide 1 3/16"(30mm) adjustment range. Shipped assembled. 						
						To Order, Specify:
1) Product number, including:						
① Veneer Type:						
<input type="checkbox"/> Wood Finish Group B <input checked="" type="checkbox"/> Wood Finish Group D						
2) Wood finish color.						

York — Administration Station

Administration Station

YYGD-SZ3GYP

	Height	Depth	Width	Number	1	2	3	4	5	Wood Finish Group B(P)	Wood Finish Group D(Q)
					YYGD-9666-S	YYGD-9672-S	YYGD-9678-S	YYGD-9684-S	YYGD-9696-S	YYGD-A266-S	YYGD-A272-S
	43 3/16"(1097mm)	96"(2438mm)	66"(1676mm)	YYGD-9666-S						\$12773.95	\$14697.20
			72"(1829mm)	YYGD-9672-S						13363.54	15303.52
			78"(1981mm)	YYGD-9678-S						13823.38	15780.09
			84"(2134mm)	YYGD-9684-S						14412.97	16386.41
			96"(2438mm)	YYGD-9696-S						15332.65	17339.55
			102"(2591mm)	YYGD-A266-S						\$13027.40	14959.74
			66"(1676mm)	YYGD-A272-S						13616.99	15566.06
			72"(1829mm)	YYGD-A278-S						14076.83	16042.63
			78"(1981mm)	YYGD-A284-S						14666.42	16648.95
			84"(2134mm)	YYGD-A296-S						15586.10	17602.09
			96"(2438mm)	YYGD-A296-S							

Features

- Includes two parallel worksurfaces connected with a bridge transition, two pedestal/storage units and attachment hardware; enclosed with one front (shown with transaction shelf) and one side gallery panel.
- Worksurfaces are 24"(610mm) deep and 1 1/4"(32mm) thick – with optional 1/8"(3mm) Black Epoxy inlay and Kerf-lined edge detail (user sides only).
- Lower storage includes one letter-width Box/Box/File pedestal with choice of second storage option; available options dependent on administration station width.
- Optional second letter width pedestal; Box/Box/File or File/File available for all widths of units.
- Optional 31"(787mm) lateral file or 37"(940mm) wide combination unit available for all units 72"(1829mm) wide or greater.
- Box and file drawers have full extension slides.
- Lock located on right side of top rail of pedestals or lateral files.
- For lock options, refer to Lock Program Price List.
- Glides provide 1 1/16"(27mm) adjustment range.
- Storage units feature locks, wood drawer construction, 1/2"(13mm) aluminum reveal accents, and file drawers with integral metal filing frames.
- Optional worksurface grommets (3 1/2"(89mm) diameter) installed to the center-back of each worksurface (3 total).
- Aluminum reveals, grommets and lock plugs available in coordinating finishes:
–Silver or Black.
- Administration station shipped unassembled, pedestals, lateral files and combination units shipped assembled ready for field installation.

Specification Tips

- Recommended for front-approach with rear-wall placement (unless in double formation).
- Specified without side gallery panel for one half of a side-by-side formation only.
- May support a separately specified vertical storage unit of equal width along the rear credenza.
- Transaction shelves are field installed and specified separately.

To Order, Specify:

- 1) Product number, including:

1 Storage Option:

66" width

 S Box/Box/File Pedestal T File/File Pedestal

72" – 96" width

 S Box/Box/File Pedestal T File/File Pedestal Y 31" Lateral File, add \$350.45 list Z 37" Combination Unit, add \$823.38 list**2 Edge Option:** 1 Standard edge 2 Standard edge with Kerf 3 Thick edge and Inlay:

66" – 78", add \$578.42 list

84" – 96", add \$722.73 list

 4 Thick edge and Inlay with Kerf:

66" – 78", add \$578.42 list

84" – 96", add \$722.73 list

3 Grommet Option: N No Grommets G Grommets, add \$217.06 list**4 Side Gallery Panel Option:** N Without Panel:

66", subtract \$389.26 list

72" – 78", subtract \$519.01 list

84" – 96", subtract \$648.76 list

 Y With Panel**5 Veneer Type:** P Wood Finish Group B Q Wood Finish Group D with Figured Fronts**Wood Finish Group B(P)**

- 2) Wood finish color (case, top and front).

- 3) Trim color for reveal, grommet and lock plug.

Wood Finish Group D(Q)


- 2) Wood finish color (case and top).

- 3) Wood finish color (Figured front).

- 4) Trim color for reveal, grommet and lock plug.

York — Double Administration Station

	Height	Depth	Width	Number	Wood Finish Group				
					①	②	③	B(P)	D(Q)
Double Administration Station with Vertical Storage Units	68 15/16"(1751mm)	96"(2438mm)	66"(1676mm)	YYGE-9666-SY	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	\$33282.31	\$38275.12
			72"(1829mm)	YYGE-9672-SY	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	34110.17	39226.58
			78"(1981mm)	YYGE-9678-SY	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	34938.03	40178.04
			84"(2134mm)	YYGE-9684-SY	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	35765.89	41129.50
			96"(2438mm)	YYGE-9696-SY	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	37421.61	43032.42



YYGE-SY3GP

Features

- Includes a credenza shell with two perpendicular worksurface returns, two pedestal/storage, vertical storage unit and attachment hardware; enclosed with front and back gallery panels.
- Worksurfaces are 24"(610mm) deep and 1 1/4"(32mm) thick – with optional 1/8"(3mm) Black Epoxy inlay and Kerf-lined edge detail (user sides only).
- Upper storage for each side includes a 96"(2438mm) wide, non-locking vertical storage unit (placement on center shell).
- Lower storage for each side includes a letter-width Box/Box/File pedestal and a 31"(787mm) lateral file.
- Lower storage units feature keyed-alike locks, wood drawer construction, 1/2"(13mm) aluminum reveal accents, and file drawers with integral metal filing frames.
- For lock options, refer to Lock Program Price List.
- Lock located on right side of top rail of pedestals and lateral files.
- Optional worksurface grommets (3 1/2"(89mm) diameter) installed to the center-back of each worksurface (6 total).
- Aluminum reveals, grommets and lock plugs available in coordinating finishes:
–Silver or Black.
- Administration station shipped unassembled, pedestals, lateral files and vertical storage units shipped assembled ready for field installation.

Specification Tips

- Recommended for open plan placement, with aisles on all sides.
- Transaction shelves are field installed and specified separately.

To Order, Specify:

- 1) Product number, including:

① Edge Option:

- Standard edge
- Standard edge with Kerf
- Thick edge and Inlay:
66" – 78", add **\$1443.51** list
84" – 96", add **\$1735.01** list
- Thick edge and Inlay with Kerf:
66" – 78", add **\$1443.51** list
84" – 96", add **\$1735.01** list

② Grommet Option:

- No Grommets
- Grommets, add **\$432.59** list

③ Veneer Type:

- Wood Finish Group B
- Wood Finish Group D with Figured Fronts

Wood Finish Group B(P)

- 2) Wood finish color (case, top and front).
3) Trim color for reveal, grommet and lock plug.


Wood Finish Group D(Q)

- 2) Wood finish color (case and top).
3) Wood finish color (Figured front).
4) Trim color for reveal, grommet and lock plug.

This page intentionally blank

York — Reception Station

Reception Station



YYHH-ST3GYP

Features

- Includes a primary worksurface with two perpendicular worksurface returns, two pedestal/storage units and attachment hardware; enclosed with one front and two side gallery panels.
- Worksurfaces are 24"(610mm) deep and 1 1/4"(32mm) thick – with optional 1/8"(3mm) Black Epoxy inlay and Kerf-lined edge detail (user sides only).
- Lower storage includes one letter-width Box/Box/File pedestal with choice of second storage option; available options dependent on reception station width.
- Optional second letter width pedestal; Box/Box/File or File/File available for all widths of units.
- Optional 31"(787mm) lateral file or 37"(940mm) wide right-hand combination unit available for all units 72"(1829mm) wide or greater.
- For lock options, refer to Lock Program Price List.
- Lock located on right side of top rail of pedestals or lateral files.
- Storage units feature locks, wood drawer construction, 1/2"(13mm) aluminum reveal accents, and file drawers with integral metal filing frames.
- Optional worksurface grommets (3 1/2"(89mm) diameter) installed to the center-back of each worksurface (3 total).
- Aluminum reveals, grommets and lock plugs available in coordinating finishes:
–Silver or Black.

Specification Tips

- Recommended for front-approach with rear-aisle placement.
- Not for use in supporting a stacked on vertical storage unit.
- Specified without side gallery panel for one half of a side-by-side formation only.
- Transaction shelves are field installed and specified separately.

To Order, Specify:

- 1) Product number, including:

① Storage Option:

60" – 66" depth

S Box/Box/File Pedestal**T** File/File Pedestal

72" – 96" depth

S Box/Box/File Pedestal**T** File/File Pedestal**Y** 31" Lateral File, add **\$350.45** list**Z** 37" Combination Unit, add **\$823.38** list

② Edge Option:

1 Standard edge**2** Standard edge with Kerf**3** Thick edge and Inlay:60" – 78", add **\$578.42** list84" – 96", add **\$722.73** list**4** Thick edge and Inlay with Kerf:60" – 78", add **\$578.42** list84" – 96", add **\$722.73** list

③ Grommet Option:

N No Grommets**G** Grommets, add **\$217.06** list

④ Side Gallery Panel Option:

N Without Panel:60" – 66", subtract **\$389.26** list72" – 78", subtract **\$519.01** list84" – 96", subtract **\$648.76** list**Y** With Panel

⑤ Veneer Type:

P Wood Finish Group B**Q** Wood Finish Group D with Figured Fronts

Wood Finish Group B(P)

- Wood finish color (case, top and front).
- Trim color for reveal, grommet and lock plug.

Wood Finish Group D(Q)


- Wood finish color (case and top).
- Wood finish color (Figured front).
- Trim color for reveal, grommet and lock plug.

York — Reception Station

	Height	Width	Depth	Number	1	2	3	4	5	Wood Finish Group B(P)	D(Q)
Reception Station, (cont'd)	43 3/16"(1097mm)	90"(2286mm)	60"(1524mm)	YYHH-9060-S	■	■	■	■	■	\$14346.75	\$16494.34
			66"(1676mm)	YYHH-9066-S	■	■	■	■	■	14829.39	17060.66
			72"(1829mm)	YYHH-9072-S	■	■	■	■	■	15441.78	17756.73
			78"(1981mm)	YYHH-9078-S	■	■	■	■	■	15924.42	18323.05
			84"(2134mm)	YYHH-9084-S	■	■	■	■	■	16536.81	19019.12
			96"(2438mm)	YYHH-9096-S	■	■	■	■	■	17502.09	20151.76
			96"(2438mm)	YYHH-9660-S	■	■	■	■	■	\$14631.72	16822.97
			66"(1676mm)	YYHH-9666-S	■	■	■	■	■	15114.36	17389.29
			72"(1829mm)	YYHH-9672-S	■	■	■	■	■	15726.75	18085.36
			78"(1981mm)	YYHH-9678-S	■	■	■	■	■	16209.39	18651.68
			84"(2134mm)	YYHH-9684-S	■	■	■	■	■	16821.78	19347.75
			96"(2438mm)	YYHH-9696-S	■	■	■	■	■	17787.06	20480.39
			108"(2743mm)	YYHH-A860-S	■	■	■	■	■	\$15201.66	17480.23
			66"(1676mm)	YYHH-A866-S	■	■	■	■	■	15684.30	18046.55
			72"(1829mm)	YYHH-A872-S	■	■	■	■	■	16296.69	18742.62
			78"(1981mm)	YYHH-A878-S	■	■	■	■	■	16779.33	19308.94
			84"(2134mm)	YYHH-A884-S	■	■	■	■	■	17391.72	20005.01
			96"(2438mm)	YYHH-A896-S	■	■	■	■	■	18357.00	21137.65

York — Double Reception Station

	Height	Width	Depth	Number	1	2	3	4	Wood Finish Group
					B(P)	D(Q)			
Double Reception Station	43 3/16"(1097mm)	132"(3353mm)	60"(1524mm)	YYHJ-D260-S	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	\$16452.26
			66"(1676mm)	YYHJ-D266-S	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	16994.45
			72"(1829mm)	YYHJ-D272-	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	17536.64
			78"(1981mm)	YYHJ-D278-	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	18078.83
			84"(2134mm)	YYHJ-D284-	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	18621.02
			96"(2438mm)	YYHJ-D296-	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	19705.40
									22662.38



YYHJ-ZZ3GP

Features

- Includes two primary worksurfaces with two perpendicular worksurface returns, two pedestal/storage units and attachment hardware; enclosed with two front and two side gallery panels.
- Lower storage includes two letter-width Box/Box/File pedestals or two 37"(940mm) combination units (left- and right-hand versions) for units 72" or greater.
- When combination units are specified, one left-hand and one right-hand unit will be included.
- Storage units feature keyed-alike locks, wood drawer construction, 1/2"(13mm) aluminum reveal accents, and file drawers with integral metal filing frames.
- For lock options, refer to Lock Program Price List.
- Lock located on right side of top rail of pedestals or lateral files.
- Worksurfaces are 24"(610mm) deep and 1 1/4"(32mm) thick – with optional 1/8"(3mm) Black Epoxy inlay and Kerf-lined edge detail (user sides only).
- Optional worksurface grommets (2 1/2"(64mm) diameter) installed to the center-back of each worksurface (4 total).
- Aluminum reveals, grommets and lock plugs available in coordinating finishes:
–Silver or Black.

Specification Tips

- Recommended for front-approach with rear-aisle placement.
- Not for use in supporting a stacked on vertical storage unit.
- Transaction shelves are field installed and specified separately.

Wood Finish Group B(P) D(Q)

To Order, Specify:

- 1) Product number, including:

① Storage Option:

(only available for 72"-96" depth)

SS Two Box/Box/File Pedestals

ZZ Two Combination Units, add \$1625.40 list

② Edge Option:

1 Standard edge

2 Standard edge with Kerf

3 Thick edge and Inlay:
60" – 78", add \$794.05 list
84" – 96", add \$867.50 list

4 Thick edge and Inlay with Kerf:
60" – 78", add \$794.05 list
84" – 96", add \$867.50 list

③ Grommet Option:

N No Grommet

G Grommets, add \$290.33 list

④ Veneer Type:

P Wood Finish Group B

Q Wood Finish Group D with Figured Fronts

Wood Finish Group B(P)



- Wood finish color (case, top and front).
- Trim color for reveal, grommet and lock plug.

Wood Finish Group D(Q)




- Wood finish color (case and top).
- Wood finish color (Figured front).
- Trim color for reveal, grommet and lock plug.

York — Transaction Shelves




	Height	Depth	Width	Number	①	Wood Finish Group B(P)	Wood Finish Group D(Q)
Wood Transaction Shelf	3/4"(19mm)	12"(305mm)	42"(1067mm)	YYAW-1242-	<input checked="" type="checkbox"/>	\$1245.39	\$1410.31
Features						To Order, Specify:	
<ul style="list-style-type: none"> Includes transaction tray, installation template and connection hardware in choice of finish: —Silver or Black. 3/4"(19mm) thick wood shelf, situated 2 1/2"(64mm) above front gallery panel when installed. 						1) Product number, including:	
① Veneer Type: <ul style="list-style-type: none"> <input checked="" type="checkbox"/> Wood Finish Group B <input type="checkbox"/> Wood Finish Group D 						2) Wood finish color.	
Specification Tip <ul style="list-style-type: none"> For station configurations, field installed to gallery panels. 						3) Trim color for shelf base.	
Glass Transaction Shelf	Height	Depth	Width	Number	①	Price	
	1/2"(13mm)	12"(305mm)	42"(1067mm)	YYAG-1242-	<input checked="" type="checkbox"/>	\$745.78	
Features						To Order, Specify:	
<ul style="list-style-type: none"> Includes 1/2"(13mm) thick, low iron glass with etched finish, situated 2 1/4"(57mm) above front gallery panel when installed. Glass is back painted with a choice of white or black paint. 						1) Product number, including:	
① Painted Bottom Color: <ul style="list-style-type: none"> <input checked="" type="checkbox"/> Black <input type="checkbox"/> White 							
Specification Tips							
<ul style="list-style-type: none"> For station configurations, field installed to gallery panels. Transaction tray ordered separately. 							
Transaction Tray	Description		Number			Price	
	Custom Transaction Shelf Hardware (tray only)		YYAK-1242-X			\$847.64	
Features						To Order, Specify:	
<ul style="list-style-type: none"> Includes transaction tray, installation template and connection hardware only; shelf not included. Aluminum base and standoff in choice of finish: —Silver or Black. Shipped unassembled, field installation required. 						1) Product number.	
Specification Tip <ul style="list-style-type: none"> For station configurations, field installed to gallery panels with customer's own material. 						2) Trim color.	





York — Accessories

	Height	Depth	Width	Number 	Price
Center Drawer  UXCD Class RA – SIN 711-1; Discount Group IX	1 7/8"(48mm)	17 1/2"(445mm)	24"(610mm)	UXCD-1824- 	\$419.22
Features					
<ul style="list-style-type: none"> Includes Center drawer with hardwood front rail routed pencil channels and attachment hardware. Drawer body is black miterfold. Optional lock available in black or chrome. For lock options, refer to Lock Program Price List. Field installation required. 					
Specification Tip					
<ul style="list-style-type: none"> For use under worksurface of single pedestal desk, double pedestal desk, convergent D-top, convergent P-top, desk shell, credenza shell and credenzas with pedestals. 					
Pencil Tray  JPTA-6 Class FP – SIN 711-3; Discount Group XII	Letter Width 1 1/4"(32mm) Legal Width 1 1/4"(32mm)	5 1/2"(140mm) 5 1/2"(140mm)	12 7/8"(327mm) 16 9/32"(414mm)	JPTA-6 JPTA-9	\$27.04 \$33.70
Features					
<ul style="list-style-type: none"> Includes one black plastic tray. Suspends from sides of 6"(152mm) drawer and slides for drawer access. 					
To Order, Specify:					
1) Product number. (No finish specification required.)					
Pencil + Drawer  KUDP Class YA – SIN 711-1; Discount Group XIII	11"(279mm)	24"(610mm)	19 1/2"(495mm)	KUDP-2420 	\$308.59
Features					
<ul style="list-style-type: none"> Includes multi-purpose drawer with removable pencil tray. Storage organization space for laptop and hanging files. Knock-outs at rear of drawer provide electronic charging access while contents are locked. Thin profile maximizes knee clearance under front of drawer. Standard in black trim color with black locks. For lock options, refer to Lock Program Price List. 					
Specification Tip					
<ul style="list-style-type: none"> To be mounted below worksurfaces 24"(610mm) or deeper.  Available on RUSH. 					
To Order, Specify:					
1) Product number. (No finish specification required.)					


York — Accessories

	Height	Width	Depth	Cord Length	Number	①	Price
Enhanced Power Module							
	With Plug						
	3 1/2"(89mm)	6 3/4"(171mm)	3 1/2"(89mm) — 4 1/4"(108mm)	6'(1829mm)	EUD1-0000-1311V	<input checked="" type="checkbox"/>	\$431.53
EUD1-1311V				12'(3658mm)	EUD1-0000-1311W	<input checked="" type="checkbox"/>	480.41
	Hardwire						
	3 1/2"(89mm)	6 3/4"(171mm)	2 1/4"(57mm)	6'(1829mm)	EUD1-0000-C311V	<input checked="" type="checkbox"/>	\$492.81
EUD1-C311V							
Class YA — GSA: SIN 711-1; Discount Group XIII							
	Features						
	<ul style="list-style-type: none"> • Includes power module, mounting brackets and attachment hardware. • Designed to deliver electrical and data access to the worksurface. • Attaches to the back edge of the worksurface. • Supplies three simplex outlets and multiple data jack adapters to accommodate most varieties of field supplied data jacks; also includes a blank data cover. • Option of 15 amp (NEMA 5-15P) appliance power plug or hardwire application to connect to building power. • Corded power module available with 15 amp - 6'(1829mm) or 12'(3658mm) long cord with plug. • Hardwired power module available with 6'(1829mm) long flexible metal conduit feed with wires for hardwire application. • Option of all black or anodized aluminum housing with white receptacles. 						
	To Order, Specify:						
	1) Product number, including:						
	① Color Option:						
	<input checked="" type="checkbox"/> Black						
	<input checked="" type="checkbox"/> White						
	Specification Tips						
	<ul style="list-style-type: none"> • Accommodates worksurface thicknesses from 1 1/8"(29mm) to 2"(51mm). • May be installed both above and below the worksurface. • Accommodates tackboard or vertical storage unit back panel depth. • For use with 120 volt 60 hertz power source only. • Enhanced power module applications should be reviewed by local authorities (electrical inspector) prior to ordering. • Requires field installation. 						
Horizontal Wire Manager							
	Length						
	15"(381mm)						
WUAW							
Class CA — SIN 711-1; Discount Group I							
	Features						
	<ul style="list-style-type: none"> • Includes package of 10. • Mounts to bottom of worksurface. • Black only. 						
	<input checked="" type="checkbox"/> Available on RUSH.						
	To Order, Specify:						
	1) Product number. (No finish specification required.)						
	Number						
	WUAW-1500-PNH						
	<input checked="" type="checkbox"/>						
	Price						
	\$150.80						
Grommet							
	Height	Inside Diameter	Outside Diameter	Finish	Number	Price	
	3/4"(19mm)	1 7/8"(48mm)	2"(51mm)	Matte Black	YYGM-0002-B	\$171.97	
	3/4"(19mm)	1 7/8"(48mm)	2"(51mm)	Satin Nickel	YYGM-0002-S	204.07	
YYGM-002							
Class RA — SIN 711-8; Discount Group IX							
	Features						
	<ul style="list-style-type: none"> • Includes one cover. • Must be field-installed; requires 1 3/4"(44mm) field drilled hole. 						
	To Order, Specify:						
	1) Product number. (No finish specification required.)						
	Height						
	3/4"(19mm)						
	Inside Diameter						
	1 7/8"(48mm)						
	Outside Diameter						
	2"(51mm)						
	Finish						
	Matte Black						
	Satin Nickel						
	Number						
	YYGM-0002-B						
	<input checked="" type="checkbox"/>						
	Price						
	\$171.97						
	<input checked="" type="checkbox"/>						
	YYGM-0002-S						
	<input checked="" type="checkbox"/>						
	204.07						
	Specification Tip						
	<ul style="list-style-type: none"> • Available in matte black or satin nickel finish. 						

York — Tables


	Height	Depth	Width	Number	① ②	Wood Finish Group B(P)	Wood Finish Group D(Q)
Square	29"(737mm)	42"(1067mm)	42"(1067mm)	YYSQ-4242-	<input checked="" type="checkbox"/> <input type="checkbox"/>	\$2266.70	\$2606.01
 YYSQ	Features				To Order, Specify:		
	<ul style="list-style-type: none"> • 1 1/4"(32mm) thick table-top, available with optional 1/8"(3mm) Black Epoxy inlay and Kerf-lined edge. • Finished 34"(864mm) X-base. 				1) Product number, including: ① Edge Option: <input checked="" type="checkbox"/> Standard edge <input type="checkbox"/> Standard edge with Kerf <input type="checkbox"/> Thick edge and Inlay, add \$624.98 list <input type="checkbox"/> Thick edge and Inlay with Kerf, add \$624.98 list		
	Specification Tip				② Veneer Type: <input checked="" type="checkbox"/> Wood Finish Group B <input type="checkbox"/> Wood Finish Group D 2) Wood finish color.		
Rectangular				YYRT-3672-	<input checked="" type="checkbox"/> <input type="checkbox"/>	\$3253.14	\$3740.53
 YYRT	29"(737mm)	72"(1829mm)	36"(914mm)		To Order, Specify:		
	Features				1) Product number, including: ① Edge Option: <input checked="" type="checkbox"/> Standard edge <input type="checkbox"/> Standard edge with Kerf <input type="checkbox"/> Thick edge and Inlay, add \$933.97 list <input type="checkbox"/> Thick edge and Inlay with Kerf, add \$933.97 list		
	Specification Tip				② Veneer Type: <input checked="" type="checkbox"/> Wood Finish Group B <input type="checkbox"/> Wood Finish Group D 2) Wood finish color.		
	<ul style="list-style-type: none"> • Figured veneer not applicable. 						

York — Tables

	Height	Diameter	Number ①②	Wood Finish Group B(P)	Wood Finish Group D(Q)
Round	29"(737mm)	42"(1067mm)	YYRD-42- 	\$2833.93	\$3259.58
Features					To Order, Specify:
<ul style="list-style-type: none"> • 1 1/4"(32mm) thick table-top, available with optional 1/8"(3mm) Black Epoxy inlay and Kerf-lined edge. • Finished 28"(711mm) X-base. 					1) Product number, including:
① Edge Option: <ul style="list-style-type: none">  1 Standard edge  2 Standard edge with Kerf  3 Thick edge and Inlay, add \$933.74 list  4 Thick edge and Inlay with Kerf, add \$933.74 list 					
② Veneer Type: <ul style="list-style-type: none">  P Wood Finish Group B  Q Wood Finish Group D 					2) Wood finish color.
Oval		Height	Depth	Width	Number ①②
	YYOV	29"(737mm)	36"(914mm)	72"(1829mm)	YYOV-3672- 
Features					To Order, Specify:
<ul style="list-style-type: none"> • 1 1/4"(32mm) thick table-top, available with optional 1/8"(3mm) Black Epoxy inlay and Kerf-lined edge. • Two finished 16" x 16"(406 x 406mm) L-bases. 					1) Product number, including:
① Edge Option: <ul style="list-style-type: none">  1 Standard edge  2 Standard edge with Kerf  3 Thick edge and Inlay, add \$1290.25 list  4 Thick edge and Inlay with Kerf, add \$1290.25 list 					
② Veneer Type: <ul style="list-style-type: none">  P Wood Finish Group B  Q Wood Finish Group D 					2) Wood finish color.

York — Lighting — Task

	Height	Depth	Width	Actual Width	Number	Price
Adaptable Electronic Ballast Task Light	1.375"(25mm)	4 1/4"(105mm)	24"(610mm)	19"(483mm)	LUTS-0024-16UEP	\$203.11
			30"(762mm)	25"(635mm)	LUTS-0030-16UEP	209.66
			42"(1067mm)	37"(940mm)	LUTS-0042-16UEP	222.76
			54"(1372mm)	49"(1245mm)	LUTS-0054-16UEP	235.86



LUTS-16UEP


**Features**

- Includes mounting brackets, black power cord, prismatic lens, low mercury content, T-8 optic fluorescent lamp with 3500K color temperature.
- Six foot cord is factory installed on right side; may be field-installed on the left-hand side 42"(1067mm) and 54"(1372mm) units.
- Nine foot cord is available as a specified option.
- Provides task lighting beneath shelves or overhead storage units.
- For use with 120 volt 60 hertz electrical systems only.**
- Available in charcoal only.

◆ Available on RUSH.

Specification Tips

- A task light may be of equal or less width than the unit to which it is attached but may not span across adjacent units.
- Task lights may be adjusted front-to-back.
- If task light is less than the width of the unit to which it is attached, it may also be adjusted side-to-side.
- Attaches to Adaptable, UniGroup Too, UniGroup, PLACES and Compose overhead and shelves.
- Attaches to counter tops and must be specified one width smaller than countertop width.

Adaptable Electronic Ballast Task Light (Starter Light)


LUTR



	Height	Depth	Width	Description	Number	Price
	1 3/8"(35mm)	4 1/4"(108mm)	42"(1067mm)	6' Cord	LUTR-0042-16UEP	\$243.51
				9' Cord	LUTR-0042-19UEP	280.64
			54"(1372mm)	6' Cord	LUTR-0054-16UEP	\$256.61
				9' Cord	LUTR-0054-19UEP	293.74

Features

- Includes mounting brackets, .33"(8mm) diameter black 3-prong power cord, prismatic lens, low mercury content, and T-8 fluorescent lamp with 3500K color temperature.
- Wired to accommodate the addition of add-on task light.
- Cord is factory installed on right side; may be field-installed on the left-hand side.
- Provides task lighting beneath shelves or overhead storage units.
- For use with 120 volt 60 hertz electrical systems only.**
- Available in charcoal only.

To Order, Specify:

- Product number.
(No finish specification required.)

Batwing Lens Specification:

To specify, replace P with B in the product number and add \$18.56 list.

Example: LUTS-0030-16UEB**Chicago Specification:**

To specify, replace 1 with C in the product number and add \$85.18 list.

Example: LUTS-0030-C6UEP**Chicago only:** Plug includes 3 AMP resettable circuit breaker.**9' Cord Option**

To specify, replace 6 with 9 in the product number and add \$37.13 list.

Example: LUTS-0030-19UEP**To Order, Specify:**

- Product number.
(No finish specification required.)


Batwing Lens Specification:

To specify, replace P with B in the product number and add \$18.56 list.

Example: LUTR-0042-16UEB

York — Lighting — Task

	Height	Depth	Width	Actual Width	Number	Price
Adaptable Electronic Ballast Task Light (Add-On Light)	1 3/8"(35mm)	4 1/4"(108mm)	42"(1067mm)	15" Linking Cord	LUTD-0042-11UEP	\$242.42
				48" Linking Cord	LUTD-0042-14UEP	247.88
			54"(1372mm)	15" Linking Cord	LUTD-0054-11UEP	\$255.52
				48" Linking Cord	LUTD-0054-14UEP	260.98



LUTD



Note: Must be attached to a starter light or another add-on light.

Features

- Includes mounting brackets, linking power cord, prismatic lens, low mercury content, and T-8 fluorescent lamp with 3500k color temperature.
- Does not include a power plug.
- Available in charcoal only.

Specification Tips

- A task light may be of equal or less width than the unit to which it is attached but may not span across adjacent units.
- Task lights may be adjusted front-to-back on metal shelf hanger bars.
- If task light is less than the width of the unit to which it is attached, it may also be adjusted side-to-side.
- A maximum of 5 task lights may be daisy chained together including the starter light and/or not to exceed 20' of overall task light run.
- Choose add-on light with appropriate linking cord length to eliminate excess cord.


To Order, Specify:

- Product number.
(No finish specification required.)

Batwing Lens Specification:

To specify, replace P with B in the product number and add \$18.56 list.

Example: LUTD-0042-11UEB




York — Lighting

	Fixture Length	Watts	Number	Price
Reed Premier™ Stand-Alone LED Task Light	16.4"(417mm)	7.8	LUTS-0017-19ULD5	\$210.00
Features				To Order, Specify:
<ul style="list-style-type: none"> Includes 17"(432mm) LED fixture, 15 watt power supply with nine foot removable power cord. Standard in anodized (silver) color with white end caps. Height: 0.5"(12.7mm); Width: 2.0"(51mm); Length: 16.4"(417mm). 				1) Product number. (No finish specification required.)
Specification Tips				
<ul style="list-style-type: none"> For use with 120 volt, 60 hertz electrical system. Color Temp: 3500K. Color Rendition Index: 84 CRI. Rated Lifespan: 5 0,000 hour. Not intended for daisy chaining. Single touch on/off with continuous dimming from 15-100%. Includes screw and magnetic attachment hardware for steel, laminate and wood. Intended for use in horizontal applications. 				
Reed Premier™ Starter LED Task Light	16.4"(417mm)	7.8	LUTS-0017-12ULD6	\$288.75
	30.1"(765mm)	17.6	LUTS-0031-12ULD6	420.07
	43.7"(1110mm)	25.9	LUTS-0044-12ULD6	542.01
	57.4"(1458mm)	33.6	LUTS-0058-12ULD6	673.33
Features				To Order, Specify:
<ul style="list-style-type: none"> Includes LED fixture, 60 watt power supply with twelve foot removable power cord. Standard in anodized (silver) color with white end caps. Height: 0.5"(12.7mm); Width: 2.0"(51mm); Lengths: 16.4"(417mm), 30.1"(765mm), 43.7"(1110mm) or 57.4"(1458mm). 				1) Product number. (No finish specification required.)
Specification Tips				
<ul style="list-style-type: none"> For use with 120 volt, 60 hertz electrical system. Color Temp: 3500K. Color Rendition Index: 84 CRI. Rated Lifespan: 5 0,000 hour. Refer to the Specification Guide for a chart showing the total number of light fixtures that can be daisy chained together. Single touch on/off with continuous dimming from 15-100%. Includes screw and magnetic attachment hardware for steel, laminate and wood. Intended for use in horizontal applications. 				

York — Lighting

	Fixture Length	Watts	Number	Price
Reed Premier™	16.4"(417mm)	7.8	LUTD-0017-1NULDN	\$210.00
Add-On LED Task Light —	30.1"(765mm)	17.6	LUTD-0031-1NULDN	341.32
For Use with Reed Premier	43.7"(1110mm)	25.9	LUTD-0044-1NULDN	463.26
Starter LED Task Lights	57.4"(1458mm)	33.6	LUTD-0058-1NULDN	594.58



LUTD-0017-1NULDN


**Features**

- Includes LED fixture, 8"(203mm) and 30"(762mm) daisy chain cord.
- Standard in anodized (silver) color with white end caps.
- Height: 0.5"(12.7mm); Width: 2.0"(51mm); Lengths: 16.4"(417mm), 30.1"(765mm), 43.7"(1110mm) or 57.4"(1458mm).

To Order, Specify:

- 1) Product number.
(No finish specification required.)

Reed Premier™			
Add-On Occupancy Sensor			



LUTS-0000

**Features**

- Includes occupancy sensor and attachment connector.
- Standard in anodized (silver) color with white end caps.
- Height: 0.7"(17.8mm); Width: 2.0"(51mm); Length: 2.3"(58mm).

To Order, Specify:

- 1) Product number.
(No finish specification required.)

Specification Tips


- For use with 120 volt, 60 hertz electrical system.
- Includes screw and magnetic attachment hardware for steel, laminate and wood.
- Intended for use in horizontal applications.

BRAZO

Haworth Collection

Design: Pablo Pardo — Imported from China

Base Diameter	Model	Number	①	Price
8 1/2"(216mm)	Desk	LBJ1-0026-19FLC	■	\$696.28
	Floor	LBJ2-0026-19FLC	■	837.68

Freestanding LightingLBJ1
Class CH

LBJ2

**Features**

- Includes base, adjustable height fixture, 26 1/2"(673mm) arm with LED light and clear lens, nine foot removable silvertone cord.
- Available in Brushed Aluminum, Gloss White, Anodized Black or Anodized Bronze finish colors.
- Features a LED light source with full dim control knob located on end of arm and 90° disbursement adjustment.
- 1.5 to 9 watts.
- Arm rotates 360°.
- Desk light adjustable height fixture range is 14"-22"(356mm-559mm) from desktop.
- Floor light adjustable height fixture range is 48"-56"(1219-1422mm) from floor.
- Base includes scratch-resistant bottom cover with side cord location.
- For use with 120 volt 60 hertz electrical system.**
- Can be used on any horizontal surface.
- Desk overall height range with arm extended at 180° is 41"(1041mm).
- Floor overall height range with arm extended at 180° is 74 3/4"(1899mm).
- Minor assembly required.


■ Available on RUSH.

To Order, Specify:

- 1) Product number, including:

① Finish Color

- N Brushed Aluminum
W Gloss White, add **\$26.78** list.
B Anodized Black, add **\$26.78** list.
Z Anodized Bronze, add **\$26.78** list.

Mounted LightingLBJ3
Class CH

LBJ4

**Grommet/Hole
Diameter**

Grommet/Hole Diameter	Model	Number	①②	Price
3"(76mm)	Grommet Mount	LBJ3-0026-19GLC	■ ■	\$696.28
1"(25mm)	Fixed Mount	LBJ4-0026-19GLC	■ ■	723.06

Features

- Grommet Mount includes adjustable height fixture, 26 1/2"(673mm) arm with LED light and clear lens, nine foot removable silvertone cord and attachment hardware. **Grommet ordered separately.**
- Fixed Mount includes adjustable height fixture, 26 1/2"(673mm) arm with LED light and clear lens, nine foot removable silvertone cord and attachment hardware with trim ring.
- Available in Brushed Aluminum, Gloss White, Anodized Black or Anodized Bronze finish colors.
- Features a LED light source with full dim control knob located on end of arm and 90° disbursement adjustment.
- 1.5 to 9 watts.
- Arm rotates 360°.
- Both mounted light adjustable height fixture range is 13"-21"(330mm-533mm) from desktop.
- For use with 120 volt 60 hertz electrical system.**
- Can be field installed on any horizontal surface.
- Overall height range with arm extended at 180° is 40"(1016mm).
- Minor assembly required.

Specification Tips

- Grommet Mount BRAZO requires a separately specified grommet.**
- Field drilling of surface required.

To Order, Specify:

- 1) Product number, including:

① Finish Color

- N Brushed Aluminum
W Gloss White, add **\$26.78** list.
B Anodized Black, add **\$26.78** list.
Z Anodized Bronze, add **\$26.78** list.

② Worksurface Thickness

- S 1 3/16"(30mm)
M 2"(51mm)
Q 3"(76mm)

**Grommet — For Use with
BRAZO Grommet Mounted
Light Only**WQAG
Class PT**Top Thickness**

Top Thickness	Number	Price
1 3/16"(30mm)	WQAG-0303-PSN	\$29.46
2"(51mm)	WQAG-0303-PMN	29.46
3"(76mm)	WQAG-0303-PQN	29.46

Feature

- Includes one 3"(76mm) diameter grommet without cover.

Specification Tips

- Specify grommet to match product top thickness.
- Requires a 2 3/4"(70mm) diameter field drilled hole.
- For use with BRAZO Grommet Mounted Light only.

To Order, Specify:

- 1) Product number.


- 2) Trim color.

- Plaster – TR-TW
Metallic Silver – TR-LE, add **\$5.90** list.
Metallic Champagne – TR-MC, add **\$5.90** list.
Metallic Gunmetal – TR-MG, add **\$5.90** list.

LIM

Haworth Collection




Design: Pablo Pardo — Imported from China

Base/Mount	Number	Price
LIM L		
	Freestanding Block LLL1	\$593.44
	Freestanding Pivot LLL2	536.67
	Freestanding Floor LLL3	650.21
	Freestanding Add-On LLL A	395.27
Features		
<ul style="list-style-type: none"> • Includes base/mount, 22"(559mm) arm with LED light with a clear lens, nine foot removable silvertone cord, and one wire management clip. • Features two-stage light control with 3.0 watt and 7.3 watt selection. • For use with 120 volt 60 hertz electrical system. • Minor assembly required. • All lights use magnets to attach to base or brackets. • Freestanding Block: <ul style="list-style-type: none"> —Available in Textured White, Textured Black and Brushed Aluminum. —Arm rotates around magnetic connection between base and light arm. —Desk light adjustable height fixture range is 12"-15.75"(305mm-400mm) from desktop. —Base includes scratch-resistant bottom with cord management. —Can be used on any horizontal surface. —Freestanding Block Base size: 6.63"(168mm) height, 3"(76mm) width, 3.5"(89mm) depth. • Freestanding Pivot: <ul style="list-style-type: none"> —Available in Textured White and Textured Black. —Desk Pivot rotates 360° around the base. —Arm rotates around magnetic connection between base and light arm. —Pivot light does not have adjustable height. —Base includes scratch-resistant bottom. —Can be used on any horizontal surface. —Freestanding Pivot Base size: 5"(127mm) height, 4.5"(114mm) width, 5.5"(140mm) depth. • Freestanding Floor: <ul style="list-style-type: none"> —Available in Textured White and Textured Black. —Arm rotates around magnetic connection between base and light arm. —Floor light adjustable height fixture range is 13"-50.75"(330mm-1289mm) from floor. —Base includes scratch-resistant bottom. —Floor Base size: 38"(965mm) height, 9"(229mm) width, 9"(229mm) depth. • Freestanding Add-On: <ul style="list-style-type: none"> —Available in Textured White, Textured Black and Brushed Aluminum. 		
<p>■ Available on RUSH.</p>		
To Order, Specify:		
<p>1) Product number.</p>		
<p>2) Trim color:</p>		
<p>Pivot/Floor available in: Textured White TR-L2 Textured Black TR-L3</p>		
<p>Block/Add-On available in: Textured White TR-L2 Textured Black TR-L3 Brushed Aluminum, TR-L1 add \$27.85 list.</p>		

LIM**Haworth Collection**

Design: Pablo Pardo — Imported from China

Base/Mount	Average Height	Number	Price	
LLC1	Worksurface Mount Grommet Mount	18 1/2"(470mm) 18 1/2"(470mm)	LLC1-0022-19WLC LLC2-0022-19GLC	\$508.82 \$508.82

Worksurface Mount
LLC1Grommet Mount
LLC2**LIM Y**Worksurface Mount
LLY1

Features	To Order, Specify:
<ul style="list-style-type: none"> Includes base/mount, 22"(559mm) arm with LED light with a clear lens, nine foot removable silvertone cord, and one wire management clip. Under Shelf attachment bracket painted to compliment the LED light. Features two-stage light control with 3.0 watt and 7.3 watt selection. For use with 120 volt 60 hertz electrical system. Minor assembly required. All lights use magnets to attach to base or brackets. Worksurface Mount: <ul style="list-style-type: none"> Available in Brushed Aluminum, Textured White, Textured Black. Arm rotates at Under Worksurface attachment bracket. Light does not have adjustable height. Flat Bracket is scratch-resistant. Mount includes a 11"(279mm) flat bracket with adhesive. Grommet Mount: <ul style="list-style-type: none"> Available in Brushed Aluminum, Textured White, Textured Black. Arm rotates at Under Grommet attachment bracket. Light does not have adjustable height. Flat Bracket is scratch-resistant. Mount includes Grommet configured flat brackets with adhesive. 	<ol style="list-style-type: none"> Product number. Trim color: Textured White TR-L2 Textured Black TR-L3 Brushed Aluminum, TR-L1 add \$27.85 list


LLY1	Worksurface Mount	20.4"(518mm)	LLY1-0013-19WLC	\$847.32


Features	To Order, Specify:
<ul style="list-style-type: none"> Includes base/mount, 14"(356mm) depth by 35"(889mm) width arm with LED light with a clear lens, nine foot removable silvertone cord, and one wire management clip. Features a LED light source with two levels of dim control. 1.5 to 9 watts. For use with 120 volt 60 hertz electrical system. Minor assembly required. Magnets are used to attach to base or brackets. Arm does not rotate and uses fixed mount bracket. Light does not have adjustable height. Fixed mount bracket is scratch-resistant. Mount includes bracket with hardware. 	<ol style="list-style-type: none"> Product number. Trim color: Textured White TR-L2 Textured Black TR-L3 Brushed Aluminum, TR-L1 add \$27.85 list

LIM

Haworth Collection

Design: Pablo Pardo — Imported from China

Base/Mount	Panel System	Number	Price
LIM Mounted			
	Slat/Rail	LLM1-0023-19MLC	\$424.19
Slat LLM1	Panel	LLM2-0023-19MLCN	\$424.19
	for PREMISE		
	for Compose	LLM2-0023-19MLCZ	424.19
	for UniGroup Too	LLM2-0023-19MLCE	424.19
	Features	To Order, Specify:	
	<ul style="list-style-type: none"> • Includes base/mount, 23 1/4"(591mm) arm with LED light with a clear lens, nine foot removable silvertone cord, and one wire management clip. • Features two-stage light control with 3.0 watt and 7.3 watt selection. • <i>Overall height ranges dependent on the mount.</i> • For use with 120 volt 60 hertz electrical system. • Minor assembly required. • All lights use magnets to attach to base or brackets. • Slat: <ul style="list-style-type: none"> —Available in Textured White and Textured Black. —Rotates 180 degrees horizontally around the mount. —Slat Mount can be adjusted within the slat profiles — hooks into the second bottom slat and can be adjusted to the top slat off the slat tiles. —Mount is scratch-resistant. —Can be used on any Haworth slat tile. —Slat Tile Bracket size: 3"(76mm) height, 1"(25mm) width, 3"(76mm) depth. • Panel: <ul style="list-style-type: none"> —Available in Textured White and Textured Black. —Rotates 180 degrees horizontally around the mount. —Panel Mount can be adjusted within the panel slot profiles. —Mount is scratch-resistant. —Can be used on any Haworth Panel System. —Panel Mount Bracket size: 3"(76mm) height, 1"(25mm) width, 3"(76mm) depth. 	1) Product number. 2) Trim color: Textured White TR-L2 Textured Black TR-L3	



 ETL Listed

LIM

Haworth Collection

Design: Pablo Pardo — Imported from China

Base/Mount	Number	Price
LIM Mounted		
Under Shelf Flat	LLU1-0023-19ULC	\$424.19
Under Shelf Proud	LLU2-0023-19ULC	424.19
Under Shelf Proud-Wood Casegoods	LLU3-0023-19ULC	424.19
Features		
<ul style="list-style-type: none"> Includes base/mount, 23 1/4"(510mm) arm with LED light with a clear lens, nine foot removable silvertone cord, and one wire management clip. Under Shelf attachment bracket painted to complement the LED light. Features two-stage light control with 3.0 watt and 7.3 watt selection. For use with 120 volt 60 hertz electrical system. Minor assembly required. All lights use magnets to attach to base or brackets. Under Shelf Flat: <ul style="list-style-type: none"> Available in Brushed Aluminum, Textured White, Textured Black. Arm rotates at Under Shelf attachment bracket. Slat Mount can be adjusted within the slat tile profiles. Flat Bracket is scratch-resistant. Under Shelf Mount includes a 11"(279mm) flat bracket with adhesive. Can be used on: Storage Box. Under Shelf Proud: <ul style="list-style-type: none"> Available in Brushed Aluminum, Textured White, Textured Black. Arm rotates at Under Shelf attachment bracket. Slat Mount can be adjusted within the slat tile profiles. Flat Bracket is scratch-resistant. Can be used on: Adaptable Upper Storage. Under Shelf Proud - Wood Casegoods: <ul style="list-style-type: none"> Available in Brushed Aluminum, Textured White, Textured Black. Arm rotates at Under Shelf attachment bracket. Slat Mount can be adjusted within the slat tile profiles. Flat Bracket is scratch-resistant. Under Shelf Mount includes a 11"(279mm) flat bracket. Can be used on: Wood Casegoods Vertical Storage Unit. 		
LLU1		
LLU2		
		

LIM Hardware	Base/Mount	Panel System	Units	Number	Price
LLH	Slat Mount Bracket		1	LLH1-0000	\$ 56.77
	Panel Mount Bracket	for PREMISE	1	LLH2-0000-N	\$ 56.77
		for Compose	1	LLH2-0000-Z	56.77
		for UniGroup Too	1	LLH2-0000-E	56.77
	Under Shelf Flat/Under Shelf Proud/Worksurface Bracket*		5	LLH3-0000	\$146.75
	Under Shelf Proud - Casegood Bracket		5	LLH4-0000	146.75
	Grommet Bracket		1	LLH5-0000	29.99
	Wire Management Clips		10	LLH6-0000	\$ 71.76

Features	To Order, Specify:
<ul style="list-style-type: none"> Hardware for use with LIM lights to provide additional attachment. Each bracket description correlates with the appropriate LIM light. Please specify accordingly. For use if greater user adjustment is required. Slat and Panel Mount available in Textured White and Textured Black. Under Shelf available in Textured White, Textured Black and Brushed Aluminum. Grommet bracket available in Textured White, Textured Black and Brushed Aluminum. Wire management clips are standard in White. 	<ol style="list-style-type: none"> Product number. Trim color for brackets: <ul style="list-style-type: none"> Textured White TR-L2 Textured Black TR-L3 Brushed Aluminum, TR-L1 add \$27.85 list
*Same brackets are used for Under Shelf Flat, Under Shelf Proud and Worksurface Mount C and Y LIM light applications.	

York — Finish Matrix

York's finishing system is a durable, high performance, hand-applied, water-based finish, providing a superb visual appearance of the grain definition. However, York's finishing system does not contribute to *LEED CI 4.5 Indoor Air Quality*. Also, please note that the P veneer finishes may be slightly different in appearance versus the water-base finishes on other Haworth product lines. Please take this in consideration when integrating other Haworth wood product lines with York.

Wood Finish Grade B (Option P)

Plain-Cut Veneer	Finish Color	Finish Code		
Cherry	Amber	YD-CA1	—	—
	American	YD-W23	—	—
	Caramel Cherry	YD-W33	—	—
	Heritage Cherry	YD-W30	—	—
	Pacific Cherry	YD-W32	—	—
Maple	Light Maple	YL-LM	—	—
	Natural	YL-N	—	—
	Sand	YL-AD	—	—
Oak	Natural	YO-W05	—	—
Walnut	Espresso	YN-W15	—	—
	Mahogany Stain	YN-W21	—	—
	Naturally	YN-W12	—	—
	Retro	YN-W31	—	—

NOTE: Plain-cut (flat, straight sliced) veneers are laid in book-matched application. Plain-cut veneers are known for cathedral formations within the grain.

When specified worksurfaces, cases, shelves, gables, storage fronts and modesties are finished in a uniform veneer.

When specifying, select option **P** (under Veneer Type) and provide the finish code for the veneer species in the corresponding finish color.

Quarter & Rift Cut	Finish Color	Finish Code		
Anegre	Espresso on QC Anegre	NP-W15	—	—
	Golden on QC Anegre	NP-W08	—	—
	Light on QC Anegre	NP-W07	—	—
Cherry	Medium on QC Cherry	NX-U	—	—
Maple	Natural QC Maple	NM-N	—	—
Walnut	Espresso on QC Walnut	NW-W15	—	—
	Retro on QC Walnut	NW-W31	—	—
White Oak	Espresso on Rift Cut White Oak	NR-W15	—	—

NOTE: Quarter & Rift cut veneers are laid in book-matched application. Quarter & Rift cut veneers are sliced to exhibit tight, straight-grained formations.

York — Finish Matrix

Wood Finish Grade B (Option Q)			Wood Finish Grade D & E* (Option Q)	
Quarter-Cut Veneer	Finish Color	Finish Code	Figured Fronts	Finish Code
Anegre	Wheat	V1-Y18	Figured Anegre	V0-Y19
Ash	Flax	V2-Y01	Figured Ash	V3-Y12
Maple	Sycamore	VQ-Y14	Figured Sycamore	V8-Y15
Khaya	Cinnamon	V4-Y16	Figured Gaboon	V5-Y17
Lyptus	Cabernet	V6-Y12	Figured Makore	V7-Y13
Lyptus	Coffee	V6-Y10	Figured Sapele*	V9-Y11*

NOTE: Option Q finish is comprised of **quarter-cut** veneers mated with a figured veneer (where applicable). Quarter-cut veneers are sliced to exhibit straight-grained formations. The cut of a figured veneer is guided by wood species to achieve unique and attractive grain patterns (figures).

When specified: worksurfaces, cases, shelves and gables are finished in quarter-cut veneer, laid in book-matched application. When the product has a front, such as a door, drawer front or visitor modesty, the front is finished with a figured veneer to create the signature York aesthetic.

When specifying, select option **Q** (under Veneer Type) and provide finish codes for the combination of quarter-cut veneer and a figured front (when applicable).

Reveal/Lock Plug/Grommet Finishes

Color	Finish Code
Black	R8-BL
Silver	R8-BA

Forest Stewardship Council (FSC) Statement

In our continuing support of sustainable forestry and responsible purchasing, Haworth North America is offering FSC certified wood products at no up-charge. By providing FSC certified material, Haworth is supporting our client's green building goals and demonstrating our collective commitment to source materials more sustainably.

Haworth will provide to you the necessary FSC-Certified paperwork with your shipment. For more information, FAQs, and a complete FSC product list (including product exceptions), go to the Library and search FSC.

York — Systems Fabrics/Color Legend

- To obtain fabric samples contact your authorized Haworth dealer.

(d) = Directional fabric

(n) = Non-directional fabric

- Fabric and finish availability as well as technical information are subject to change; Refer to Haworth.com/surfaces for current information.

Fabric Grade: A (d)

HIGHLANDS
100% Recycled Polyester
(100% REPREE[®])
L6-AG Glen
L6-AH Heather
L6-AL Loch
L6-AM Moor
L6-AP Peat
L6-AT Thatch

Fabric Grade: A (d)

IOWA
52% Post Industrial
Recycled Polyester/
48% Post Consumer
Recycled Polyester
FZ-10 Badger
FZ-6 Bibby
FZ-3 Bobwhite
FZ-2 Cedar Rock
FZ-11 Clear Lake
FZ-13 Emerson
FZ-7 Gar
FZ-9 Honeycreek
FZ-1 Manawa
FZ-5 Rice Lake
FZ-4 Trappers Bay
FZ-12 Walnut Woods
FZ-8 Wapello

Fabric Grade: A (d)

POINT
100% Polyester
EE-0AG Compass
EE-0AC Decimal
EE-0AF Focal
EE-0AD Nib
EE-0AA Peak
EE-0AE Vertex

Fabric Grade: A (d)

SAVOY
51% Virgin Polyester/
49% Recycled Polyester
FJ-CC Apache
FJ-AD Balsam
FJ-AP Bisque
FJ-AE Blue Ridge
FJ-AA Blue Willow
FJ-CA Breaker
FJ-AR Chamois
FJ-AK Elephant
FJ-AL Glacier
FJ-AX Mango
FJ-AY Maya
FJ-AW Poplar
FJ-CD Raisen
FJ-AT Shallot
FJ-AM Stainless
FJ-AF Tempest

Fabric Grade: A (d)

STRIAE
42% Post Industrial
Recycled Polyester/
42% Post Consumer
Recycled Polyester/
16% Polyester
(84% REPREE[®])
C1-AJ Beam
C1-AM Band
C1-AH Element
C1-AF Fillet
C1-AC Moonlight
C1-AE Ray
C1-AK Ribbon
C1-AD Straws
C1-AA Stream
C1-AL Trace

Fabric Grade: A (d)

TAILORED
100% Post Consumer
Recycled Polyester
PY-AL Alter
PY-BU Buttons
PY-DR Draper
PY-FC French Chalk
PY-HE Hem
PY-MA Mannequin
PY-SE Seam
PY-SH Shears
PY-SU Suit
PY-TH Thread
PY-TR Tradition

Fabric Grade: A (d)

TATAMI
100% Polyester
W5-1 Agave
W5-2 Coir
W5-3 Geta
W5-4 Hemp
W5-5 Jute
W5-6 Kayar
W5-7 Kobe
W5-8 Saffron
W5-9 Sapporo
W5-10 Sisal
W5-12 Tabi
W5-11 Tesori

Fabric Grade: A (d)

TUSCAN
65% Post Industrial
Recycled Polyester/
35% Post Consumer
Recycled Polyester/
(35% REPREE[®])
TK-AR Arno
TK-CA Carrara
TK-DA David
TK-ET Etruscan
TK-FL Florence
TK-LM Limoncello
TK-MA Masonry
TK-ME Medici
TK-TR Olive Tree
TK-PS Pisa
TK-RM Romanesque
TK-RU Rustic
TK-SE Siena

Fabric Grade: B (d)

CLASSIC
82% Recycled Polyester/
18% Polyester
(82% REPREE[®])
L5-AJ Art
L5-AG Car
L5-AF Comedy
L5-AH Design
L5-AD Drama
L5-AT Movie
L5-AA Musical
L5-AC Radio
L5-AS Song

Fabric Grade: B (d)

HUE
62% Antimony Free Polyester/
38% Virgin Polyester

6-BK Bark
6-ED Eddy
6-FR Froth
6-GK Ginko
6-LT Latte
6-LF Leaf
6-LM Lemon
6-MG Marigold
6-MR Marine
6-PP Poppy
6-RD Red
6-SS Seaside
6-SP Spring
6-ST Steam
6-TQ Turquoise
6-WP Wisp

Fabric Grade: B (d)

KIO
100% Recycled Polyester
ZR-6 Bennett
ZR-8 Cascade
ZR-7 Crew
ZR-5 FUD
ZR-3 Jeanlin
ZR-1 Jib
ZR-11 Reeds Lake
ZR-13 Regatta
ZR-10 Sailor
ZR-2 Sentra
ZR-12 Smurf
ZR-9 TSJ
ZR-4 Yippi Kio

Fabric Grade: B (n)

PUZZLER
48% Post Industrial
Recycled Polyester/
52% Post Consumer
Recycled Polyester
7L-C Clue
7L-CR Cryptic
7L-E Enigma
7L-I Intrigue
7L-M Maze
7L-R Riddle

Fabric Grade: B (d)

RITZ
49% Post Industrial
Recycled Polyester/
51% Post Consumer
Recycled Polyester
(51% REPREE[®])
PV-BR Bravo
PV-BT Black Tie
PV-CA Candle Light
PV-CH Champagne
PV-CL Classy
PV-CT Class Act
PV-FR Formal
PV-VA Ovation
PV-WT White Tie

Fabric Grade: C (d)

BIRDS NEST
38% Post Industrial
Recycled Polyester/
20% Post Consumer
Recycled Polyester/
42% Recycled Polyester
(20% REPREE[®])
PH-CA Canary
PH-EA Eagle
PH-EG Egret
PH-FA Falcon
PH-HE Heron
PH-HU Hummingbird
PH-MD Morning Dove
PH-NU Nuthatch
PH-WL Owl
PH-RA Raven
PH-SA Sandpiper
PH-ST Stork
PH-SW Swan

Fabric Grade: C (d)

GEODE
34% Post Industrial
Recycled Polyester/
26% Post Consumer
Recycled Polyester/
40% Recycled Polyester
(26% REPREE[®])
PR-BS Bismuth
PR-CA Calcite
PR-CT Citrine
PR-CR Crystal
PR-FL Fluorite
PR-GA Galena
PR-HL Hollow
PR-MA Malachite
PR-QU Quartz
PR-WN Wonder

York — Systems Fabrics/Color Legend

ALERT: These materials are current, however they are being considered for future obsolescence due to low volume.

Fabric Grade: B (d)

BISCOTTI

100% Recycled Polyester

FN-AJ Atlantis

FN-AE Copper

FN-AW Curry

FN-AT Fig

FN-AL Fresco

FN-AX Icing

FN-AR Macaroon

FN-AF Maize

FN-AG Opal Gray

FN-AD Pesto

FN-AC Phoenician

FN-AH Sea Spray

FN-AA Shark

FN-AN Silver Ash

FN-AP Torte

FN-AM Wafer

Fabric Grade: B (d)

LANDSCAPE

100% Recycled Polyester

C2-AD Estate

C2-AH Harvest

C2-AJ Panorama

C2-AF Parkland

C2-AC Photograph

C2-AE Seascape

C2-AA Vista

Fabric Grade: C (d)

MAYPOLE by Maharam

100% Polyester

2D-004 Reed

2D-003 Rush

2D-006 Sway

2D-001 Tone

2D-005 Twirl

2D-002 Waver

Haworth+

For information on the Haworth+ Alliance Program, including images and product availability, please refer to:

Haworth.com/surfaces > Haworth+ Library

Customer's Own Material (COM)

For general Customer's Own Material information including: processes and forms, please refer to:

Haworth.com/surfaces > COM Section

For information on approved COM's, please refer to:
Haworth.com/surfaces > COM Library

For information on the Haworth+ Alliance Program, please refer to:
Haworth.com/surfaces > Haworth+ Library

York — COM Yardage Requirements

Procedure

To confirm approval of or request new approval for COM's, contact the **Haworth Inquiry Center (1.800.426.8562)**, or <http://hub.Haworth.com>, or www.haworth.com > surface collection > COM Library to determine if the COM you have selected has already been tested and approved for use on our product.

If the fabric is approved, and the directional orientation (directional rightway, directional railroad, or non-directional) of the tested fabric has been confirmed, then refer to the appropriate column in the chart for yardage requirements.

Steps to follow to calculate fabric usage:

- 1) Identify product type and size.
- 2) Determine method in which fabric is to be cut (directional rightway, directional railroad or non-directional).
- 3) Determine fabric roll width.
- 4) Find corresponding fabric usage value from the table.
- 5) Calculate fabric required using the formula below:

Fabric usage = number of units x number of sides with fabric x fabric usage (from tables) + C (constant).



Constant

Product	C
Tackboards	1.5



- 6) Repeat steps 1-5 for each product type, size and fabric.
- 7) Add all values together to find total number of linear yards required for the order. Add the appropriate percentage shown below to the total yardage to accommodate fabric flaws, wrinkles and other imperfections.

Up to 500 yards	Add 10%
501 to 1000 yards	Add 5%
More than 1000 yards	Add 3%



Directional Rightway:



Directional Railroad:



Non-Directional:



North American Terms of Sale

These Terms of Sale are part of a quotation, bid response, or other sales document issued by Haworth, Inc., Haworth, Ltd. ("Haworth").

These Terms of Sale do not cover products manufactured in North America shipping to non-North American countries nor do they cover products manufactured in non-North American countries shipping to North America. For those terms of sale, please contact Haworth's Global Trade and Compliance Department at 616.393.3000 or through Haworth.com.

A. Ordering Information

Haworth sells its products on the terms set forth in these standard Terms of Sale:

ORDERS MUST BE SUBMITTED IN WRITING OR ELECTRONICALLY (Lynx) AS REPRESENTED BY A VALID PURCHASE ORDER, WHICH INCLUDES PRODUCT TOTAL.

An order is not binding upon Haworth until Haworth issues an order acknowledgment to the customer (the "Customer"), which will include price information and an anticipated delivery date.

1. Order Changes/Cancellations

For Specials, Customer's Own Material (C.O.M.), finish matches, custom colors, custom products, Master lock and key orders, and RUSH orders, no changes or cancellations are allowed 24 hours after order placement. All other products require approval for changes or cancellations. A change/cancellation fee may apply. Contact Order Services for applicable charges.

Ship-to addresses changed within five (5) business days of delivery will incur fees to cover administrative costs due to re-labeling of product and/or reconsignment fees with the carrier.

Order cancellations are complete annulments of orders. Order changes are the deletion of line items or a change in size, color, quantity, ship-to address, or scope of work. There is no penalty for additions; however, any change may cause the order or the line items affected to be rescheduled. Order changes involving additional product and services which increase the value must be accompanied by an amended Purchase Order or other document as agreed.

ALL CHANGES MUST BE IN WRITING, REGARDLESS OF THE (DOLLAR) VALUE. CHANGES ARE NOT BINDING UPON HAWORTH UNTIL HAWORTH ISSUES AN ACKNOWLEDGMENT OF THE CHANGE.

2. C.O.M. (Customer's Own Material)

A Customer who requests a fabric, surface or finish material (C.O.M.) not in Haworth's standard finish offering must first confirm approval of or request new approval for the C.O.M.

Haworth will determine feasibility of the material for manufacturability. For a description of the procedure to submit C.O.M. samples, contact Haworth's Order Services department. For testing information, see the C.O.M. section of the catalog, or call Haworth Order Services.

If Haworth agrees to use the C.O.M., (1) Haworth shall have no responsibility for the condition, quality, value, performance, physical properties, or any other aspect of the C.O.M.; and (2) Haworth shall have no liability for any damages, injuries, or losses to the Customer or to any third party that shall be caused by any C.O.M., and the Customer shall hold Haworth harmless for all such liability.

3. Valid/Complete Purchase Order

The following information is required in order to process an order with Haworth:

a. Customer Information

- i. **Sold To:** Legal name, complete address (if Haworth is to bill the end user, provide end user Purchase Order made out to Haworth, Inc., Haworth, Ltd.) and phone and fax number.
- ii. **Ship To:** Legal name and address.
- iii. **Purchase Order Number:** From the party Haworth will be billing.
- iv. **Authorized Signature:** All Purchase Orders must be signed by a duly authorized representative if a signature line is present. Electronically transmitted Purchase Orders will be accepted without a signature if dealer billed and the dealer has an electronic purchase payment agreement on file.
- v. **Contact Name and Phone Number:** Person Haworth should contact with any questions regarding the order.
- vi. **Shipping Contact:** Name and phone number of person to be contacted regarding shipping and delivery matters.
- vii. **Tagging Instructions:** This information will appear on all documentation received from Haworth including: cartons, acknowledgments, and invoices.
- viii. **Price Agreement or National Sales Agreement Number**
- ix. **Product Total:** Net dollars.
- x. **Installation, Design, Project Management, and/or Service Fees**

b. Product Information

- i. **Quantity**
- ii. **Product Numbers**
- iii. **Colors**
- iv. **Specials:** Specify special part number for new special products.
- v. **Customer's Own Material:** Order entry code, manufacturer, pattern, and color.

- vi. **Approval Drawings:** An authorized signature by a duly authorized representative is required for shop drawings when applicable.

- vi. A deposit may be required for custom materials.

c. Order Confirmation

All orders will be acknowledged.

B. Pricing Policies

1. Terms of Payment

Terms of payment and credit limits will be established based on financial information. Standard payment terms on open credit are net thirty (30) days from invoice date. Advance payments or other payment security may be required by Haworth. The account balance must be at or below the credit limit and current at all times (no past-due balances). Haworth reserves the right to delay or cancel any delivery to a Customer whose Haworth account balance is over the credit limit and/or past due. For walls and floors a deposit will be required.

2. Terms of Credit

Customer hereby authorizes Haworth to obtain such credit reports, financial information or other information as Haworth may request, including, without limitation, credit information from any financial institutions or others having a business relationship with the Customer. Customer hereby authorizes any credit references to answer Haworth's inquiries and provide such credit information and documentation as Haworth may request.

The Customer hereby releases and holds Haworth harmless for any inconvenience whatsoever, caused by any temporary or permanent withdrawal or restriction of credit privileges hereunder, or the enforcement of any of the provisions contained in this paragraph.

3. Past-Due Charges

Past-due balances will be increased by a maximum of 1.5% per month, or 18% annually, without forfeit of Haworth's right to immediate payment.

4. Applicable Prices

The price of any product sold to Customer by Haworth will be based upon the North American Price List (Catalog).

Prices and discounts are subject to change without notice or approval. In the event of an adjustment to pricing, National Sales Agreement (NSA) Customers will be notified in advance according to the terms of the NSA.

Applicable prices and currency exchange rates are those in effect at the time of the RECEIPT of an ORDER; Haworth reserves the right to use the published pricing effective at the time of shipment, if the requested delivery date is more than 120 days after the order receipt date.

North American Terms of Sale

Haworth Flooring products are sold using the North American price list in US dollars. Currency exchange rates at the time of the transaction will be used to convert the USD amount into the alternate currency. Should the currency exchange rate between the USD and alternate currency change between a quote and the receipt of an order, the alternate currency amount will also change to equal the current, equivalent USD amount.

5. C.O.M. (Customer's Own Material) Charges

Refer to appropriate Customer's Own Material (C.O.M.) form for applicable surface material charges.

6. Taxes

Haworth prices do not include customs duty, sales, use, value added or similar taxes. Any federal, state/provincial or other taxes or assessments based upon the sale or delivery of products or services sold applicable to the customer at present or later imposed by federal, state/provincial or municipal agencies, shall be added and paid by the customer. Customer is responsible for all such taxes.

NOTE: For all countries a valid sales tax exemption certificate must be approved by and on file with Haworth prior to product shipment. Otherwise, sales tax will be due and payable to Haworth when such tax is invoiced to Customer.

7. Services

If, as a result of Customer request, the Haworth dealer or Haworth subsidiary provides planning/design services, storage, project management, special handling, set-up, installation and/or other services, the Customer will be charged at the local Haworth dealer/subsidiary's prevailing rates.

8. Termination by Haworth

Haworth may immediately terminate an order upon written notice in the event bankruptcy or insolvency proceedings are instituted by or against the Customer, or the Customer is adjudicated as bankrupt, becomes insolvent, makes an assignment for the benefit of creditors, or proposes or makes any arrangements for the liquidation of its debts, or a receiver or receiver and manager is appointed with respect to all or any part of the assets of the Customer.

C. Shipping and Delivery

Haworth will have the right to determine the method of shipment and routing of product.

This section does not apply to any of Haworth's Flooring products. All Haworth Flooring products are sold freight collect.

If, for any reason, a delivery has to be made to an intermediate location (i.e. a location other than the "Ship To" location noted on the order or ultimate end user location), all handling and re-delivery costs incurred would be at the Customer's expense.

1. U.S.A. - Contiguous

All deliveries will be CPT (Carriage Paid To) (ICC Incoterms 2010) Haworth's manufacturing facilities or distribution centers. Freight charges will be prepaid by Haworth on all orders to locations within the continental United States. Customer bears all risk of loss or damage to the goods when they are placed on Haworth's means of transport.

2. U.S.A. - Non-contiguous (Alaska, Hawaii and Puerto Rico)

All deliveries will be CIF (Cost, Insurance and Freight) (ICC Incoterms 2010). Haworth's catalog prices include ocean freight and insurance to the port of the final destination. Haworth has the right to determine the carrier, method of shipment and routing. Haworth will contract with the insurer and provide minimal insurance coverage (CIF @ 110%) made payable to the Customer. Customer is responsible to obtain greater insurance if so desired.

Customer bears all risk of loss or damage to the goods when the goods are effectively at the disposal of the Customer on board the vessel at the named port of destination. Proof of delivery is a clean on board bill of lading. Customer will be responsible for all on-carriage from the receiving port to the final destination.

3. Canada

All deliveries will be DDP (Delivered Duty Paid) (ICC Incoterms 2010). Haworth's catalog prices include delivery to Customer's named place, not unloaded from any arriving means of transport. Customer bears all risk of loss or damage to the goods when they are delivered to the Customer's named facility not unloaded.

Haworth will assume responsibility to file all freight claims with the carrier for any loss/damage which may occur while product is in transit, and will promptly repair or replace any damaged or lost product. Haworth requires the Customer to report all freight damage and/or loss to both the carrier and to Haworth.

NOTE: Under all delivery terms (U.S.A. and Canada), any additional expense resulting from Customer's request for expedited transportation, special services, packaging, handling, routing, and/or shipping method will be billed to Customer.

4. Mexico

All deliveries will be DAP (Delivered to Place) (ICC Incoterms 2010). Haworth's catalog prices include freight charges for normal surface transportation to a United States point of exportation within the 48 contiguous states. Haworth has the right to determine the carrier, method of shipment and routing.

Customer bears all risk of loss or damage to the goods when the goods are delivered to the named United States point of exportation. Haworth will provide customs clearance facilitation and arrangement of local delivery through an Authorized Dealer in Mexico, on a separately negotiated basis. Otherwise the Customer will be responsible for all customs clearance formalities and on-carriage from the United States point of exportation to the final destination in Mexico.

5. Delivery Dates and Delay

If Haworth cannot deliver products as scheduled due to causes beyond its reasonable control (such as casualty, labor disputes, or accident; inability to obtain necessary labor, material or transportation; or changes requested by the Customer), the delivery date will be extended to compensate for the delay as determined by Haworth.

6. Delivery Shortages and Damage

Product shortages and damage must be noted on delivery receipts at the time of delivery and reported to the carrier for correction.

Claims against Haworth for shortages, errors, or damage must be made within ten (10) days of the date of delivery or the Customer waives the right to make such a claim. Signed Bill of Ladings or Delivery Receipt must be sent in with claims. See the Haworth/Haworth Dealers Roles and Responsibilities document for further details.

7. Storage

Haworth may transfer product to storage at the Customer's risk and expense if the Customer is unable or unwilling to take delivery of product as originally scheduled. Upon such transfer to storage, the Customer assumes risk of loss. Haworth will invoice the Customer for storage fees and the Customer will make payments in accordance with Haworth's standard payment terms.

North American Terms of Sale

D. General Terms

1. Governing Law

For products purchased for delivery in the U.S. pursuant hereto, this Agreement shall be governed by and construed according to the laws of the State of Michigan. Where Products are purchased for delivery in Canada pursuant hereto, this Agreement shall be governed by and construed according to the laws of the Province of Alberta. In either case, the parties attest to the exclusive jurisdiction of the courts of Michigan and Alberta, respectively for the purpose of hearing any disputes arising under this Agreement or with respect to any Products sold pursuant hereto, and agree that the provisions of the United Nations Convention on Contracts for the International Sale of Goods and any other provision or law which would have the effect of applying the laws of any jurisdiction other than Michigan or Alberta, as the case may be, shall be excluded.

2. Force Majeure

In the event that the performance of Customer or Haworth or its participating dealer assignee(s) would be prevented, restricted, interfered with or rendered commercially impracticable by reason of Force Majeure, then upon the giving of notice to the other parties, the party affected by the Force Majeure shall be excused from performing hereunder until the Force Majeure no longer prevents, restricts, interferes with, or renders such performance commercially impracticable.

"Force Majeure" shall mean: fire, explosion, breakdown of plant, epidemic, hailstorm, snow/ice storms en route, hurricane, tornado, cyclone, flood or power failure; war, revolution, civil or military disturbances, acts of public enemies, acts of terrorism, blockade or embargo; any law, order, proclamation, regulation, ordinance, demand or requirement of any applicable governmental authority or any subdivision, authority, or representative of any such government; labor difficulties, including without limitation, strikes, slowdowns, picketing or boycotts; or difficulties beyond Haworth's reasonable control in obtaining necessary raw materials, labor, fuels and electric power, components or facilities, and any other circumstances beyond the control of the party affected.

3. Delays by Customer

Where Haworth has not received adequate site dimensions, Product specifications, shipping information, installation particulars or other information required by Haworth to permit the efficient manufacture of any Products, or where site conditions are not in accordance with the Installation Requirements set forth, or are not otherwise suitable to permit effective and efficient installation, the manufacture and/or delivery of Products may be delayed, and such event shall constitute a delay by the Customer. When manufacture, delivery or installation is delayed by the Customer or at the Customer's

request: (i) Haworth may, at its option, present the invoice for the full price of the Products to the Customer as then due and payable; (ii) the Customer shall pay to Haworth all reasonable storage, handling and other reasonable incidental expenses incurred by Haworth in connection with such delay; and (iii) the Customer shall bear all risk of loss or damage to the Products being held by Haworth for the Customer.

4. Use and Installation of Products

Haworth recommends that its products be installed by certified, qualified and approved installers according to Haworth's written installation procedures. The Customer agrees to use Haworth products properly; not to remove or alter safety devices, warnings, or operation instructions placed on products by Haworth, and to instruct employees as to the proper care and use of the products according to printed instructions.

5. Warranty

Haworth's standard North American Warranty will apply as appropriate. All product line warranty specifics are available in each catalog or upon request.

E. Services

Service requests for design, installation, relocation, storage, etc. are handled by the local Haworth dealer on a separately negotiated basis. Contact the local Haworth dealer, affiliate or area sales office for more details.

Scope of Work - Design

Customer acknowledges that the Products to be manufactured or procured by Haworth in connection with the order are or may be custom manufactured for the Customer and that Haworth may be required to perform extensive work in relation to the design and specification of such Products. Where Customer requests that Haworth create as-built drawings or make more than two material revisions to any particular Product design or specification, Customer agrees that Haworth shall be entitled to invoice Customer with respect to such additional work on the basis of Haworth's then prevailing rates for related design and specification services.

Installation Requirements

Where installation services are to be provided by Haworth, its authorized dealer or subcontractor, a document will be provided setting forth the scope of installation work to be performed (the "Scope of Work") and the price to be charged therefore. Unless otherwise specified in the scope of work, Haworth's installation services are limited to products sold by Haworth with the exception of lighting, under floor electrical and data.

General Conditions

(a) Sufficient time shall be allocated by the Customer following delivery of Products and prior to Customer's occupation of the premises to allow the installation of all Products during conventional working hours, Monday through Friday, 7:30 a.m. to 4:30 p.m. Where sufficient time is not allocated and Haworth is required or requested to perform installation work outside of such times, overtime charges shall be charged at Haworth's then prevailing rates. (b) Haworth shall be given free and exclusive access to: (i) a loading dock within 150' of the freight elevator or hoist, which loading dock shall be of sufficient size to enable full-size tractor-trailer deliveries to the premises (where required by Haworth); (ii) a freight elevator or hoist of sufficient size and capacity to allow the efficient movement of the Products; (iii) an unobstructed and safe pathway to the area where Products are to be stored or staged; (iv) a secure storage / staging area; (v) convenient trash facilities; (vi) adequate lighting; (vii) a work site that complies with applicable health and safety legislation. Where such areas and facilities are not available, Haworth shall be entitled to bill Customer for all amounts incurred by Haworth for double-handling, product movement, lifting, hoisting, trash removal and any other resulting charges. (c) The installation site shall be free and clear of existing furniture, debris, or other obstructions (including construction in progress) and shall otherwise be in the reasonable opinion of Haworth ready for installation of the Products. Any building where Products are to be installed shall be fully closed in, dry and protected from the natural elements, with temperatures between 40°F and 90°F (4°C and 32°C) and relative humidity not to exceed 70% at all times including receipt of products, during and after installation and shall be adequately heated and/or air-conditioned. Where unusual site conditions exist which impede or prevent the normal installation of any Products, applicable extra charges shall apply at prevailing rates. (d) Haworth's installation pricing is based upon the installation occurring as one continuous delivery and installation project. Phased installation pricing shall be provided by Haworth on a case by case basis. (e) Electrical hardwiring, plumbing and mechanical work is not included and shall be the responsibility of the Customer. (f) Except as may be otherwise specifically indicated, installation pricing does not apply to projects where union labor is required. Where Haworth has provided installation pricing on the basis that non-union labor be utilized, and where Haworth is required to use union labor or it otherwise becomes impractical to use non-union labor, or where Haworth is required by law to use prevailing wages, Haworth shall be entitled to charge the Customer for any cost differential between the anticipated cost of non-union labor and the actual cost of utilizing union or prevailing wage labor. (g) Haworth shall not be responsible for obtaining permits.

North American Terms of Sale

Project / Site Conditions

Lateral load bracing is not included in the scope of Haworth's work and shall not be performed by Haworth. In areas where flooring Products are to be installed by Haworth overhead construction must be completed prior to the commencement of such work to avoid damage to the panels and finishes. The existing subfloor must be smooth, mopped clean, free of moisture, dust, dirt and debris. Once installed, the access floor must be maintained in the same manner. The subfloor must have a maximum vertical elevation deviation of 0.375" (10mm) over a horizontal span of 10'-0" (3m), and without discontinuities in floor slope. For greater certainty, the scope of Haworth's installation work in such areas shall not be deemed to include any work required to level such subfloor, remove protrusions, remove pre-existing floor coverings or adhesives, or any other work which is required to remedy any conditions which may impede the efficient installation of flooring. Except as may be otherwise specifically indicated in the order, installation pricing for flooring Products and the Scope of Work in relation thereto shall not include any work required to remove and replace floor panels following their initial installation to provide tradespersons or others with access to the underpanel cable management cavity. In areas where movable walls are to be installed, all flooring (including carpeting) and ceiling components (including dropped ceiling grid components) shall be fully complete and ready for the installation of the movable wall products. Further, the existing floor (or other surface on which the movable wall panels are to be installed) shall have a maximum vertical deviation of 1.25" (30mm) and the dropped ceiling grid shall have a maximum vertical deviation of 0.375" (10mm) from the specifications to which such movable wall panels were designed and manufactured (collectively the "Permitted Tolerances"), and shall otherwise comply with any site condition assumptions made known to Haworth prior to the manufacture of such Products (the "Site Assumptions"). Where the Permitted Tolerances or Site Assumptions are not strictly adhered to or met, additional charges may be incurred in connection with site remediation and/or the modification or remanufacture of affected movable wall products, together with all resulting shipping and labor charges at Haworth's then prevailing rates for such Products and services.

Installation Change Orders

Where Customer requests work to be performed or materials to be provided which are not contemplated in the Scope of Work, or Customer otherwise requests Products or services not contemplated in the order (collectively "Extras"), prior to providing such Extras Haworth reserves the right to require the Customer to provide and sign a written Purchase Order or Change Order acceptable to Haworth describing the Extras and the amounts to be charged therefore, and the Customer agrees to pay such charges.

Entire Agreement

The order and this Agreement (including applicable Schedules) constitute the sole agreement between the parties and supersede any prior understanding or written or oral agreements between the parties (excluding National Sales Agreements). No waiver of any of the provisions of these Standard Terms and Conditions shall be binding on Haworth unless expressly agreed in writing.

Revision Date: June 1, 2015

Index

Products are listed alphabetically in this index by alpha-numeric prefix/suffix codes.

Product Code	Product Description	Page
EUD1-1311V	York — Accessories – Enhanced Power Module379
EUD1-C311V	York — Accessories – Enhanced Power Module379
JPTA-6	York — Accessories – Pencil Tray378
KUDP	York — Accessories – Pencil + Drawer378
LBJ1	BRAZO – Freestanding Lighting386
LBJ2	BRAZO – Freestanding Lighting386
LBJ3	BRAZO – Mounted Lighting386
LBJ4	BRAZO – Mounted Lighting386
LLC1	LIM – LIM C388
LLC2	LIM – LIM C388
LLH	LIM – LIM Hardware390
LLL1	LIM – LIM L387
LLL2	LIM – LIM L387
LLL3	LIM – LIM L387
LLLA	LIM – LIM L387
LLM1	LIM – LIM Mounted389
LLM1	LIM – LIM Mounted389
LLM2	LIM – LIM Mounted389
LLU1	LIM – LIM Mounted390
LLU2	LIM – LIM Mounted390
LLY1	LIM – LIM Y388
LUTD	York — Lighting — Task – Adaptable Electronic Ballast Task Light (Add-On Light)383
LUTD-0017-1NULDN	York — Lighting – Reed Premier™ Add-On LED Task Light — For Use with Reed Premier Starter LED Task Lights385
LUTR	York — Lighting — Task – Adaptable Electronic Ballast Task Light (Starter Light)382
LUTS-0000	York — Lighting – Reed Premier™ Add-On Occupancy Sensor385
LUTS-0017-12ULD6	York — Lighting – Reed Premier™ Starter LED Task Light384
LUTS-0017-19ULD5	York — Lighting – Reed Premier™ Stand-Alone LED Task Light384
LUTS-16UEP	York — Lighting — Task – Adaptable Electronic Ballast Task Light382
UXCD	York — Accessories – Center Drawer378
WQAG	BRAZO – Grommet — For Use with BRAZO Grommet Mounted Light Only386
WUAW	York — Accessories – Horizontal Wire Manager379
YTVC	York — Vertical Storage Units – Tackboards for Vertical Storage Units with 4" Cubbies351
YTVD	York — Vertical Storage Units – Tackboards for Vertical Storage Units349
YTVX	York — Vertical Storage Units – Tackboards for Vertical Storage Units with 15" Cubbies353
YTWC	York — Overhead Storage – Tackboards for Overhead Storage Units with 4" Cubbies357
YTWD	York — Overhead Storage – Tackboards for Overhead Storage Units355
YTWX	York — Overhead Storage – Tackboards for Overhead Storage Units with 15" Cubbies359
YYA3	York — Bookcases – Bookcases — Shallow Depth370
YYA5	York — Bookcases – Bookcases — Shallow Depth370
YYA6	York — Bookcases – Bookcases — Shallow Depth370
YYAG-W	York — Transaction Shelves – Glass Transaction Shelf377
YYAK-X	York — Transaction Shelves – Transaction Tray377
YYAW-P	York — Transaction Shelves – Wood Transaction Shelf377
YYB2-P	York — Open Storage Cabinet – Two-High Open Storage Cabinet367
YYB3	York — Bookcases – Bookcases — Three, Five and Six-High370
YYB-3P	York — Bridges – Bridge with Modesty345
YYB5	York — Bookcases – Bookcases — Three, Five and Six-High370
YYB6	York — Bookcases – Bookcases — Three, Five and Six-High370
YYBN-3P	York — Bridges – Bridge345
YYC-1MBP	York — Corner Shells – Corner Shell346
YYDE-TS3P	York — Double Pedestal Desks – Double Pedestal Desk338
YYE	York — Modesty Panels/Modular Supports – Modesty Panel363
YYGD-SZ3GYP	York — Administration Station – Administration Station371

Index

Product Code	Product Description	Page
YYGE-SY3GP	York — Double Administration Station – Double Administration Station with Vertical Storage Units372
YYGM-002	York — Accessories – Grommet379
YYHH-ST3GYP	York — Reception Station – Reception Station374
YYHJ-ZZ3GP	York — Double Reception Station – Double Reception Station376
YYJ	York — Modesty Panels/Modular Supports – Center Support363
YYL	York — Modular Supports – L-Support Panel362
YYMP-P	York — Mobile and Attached Pedestals – Mobile Pedestal364
YYOV	York — Tables – Oval381
YYP3-7	York — Lateral Files – Three-High Lateral File365
YYP5-7	York — Lateral Files – Five-High Lateral File365
YYPV-3LP	York — Attached Convergent P-Top – Attached Convergent P-Top344
YYPV-3RP	York — Attached Convergent P-Top – Attached Convergent P-Top344
YYR-73RNBP	York — Returns with Storage – Return with Storage347
YYRD	York — Tables – Round381
YYR-S3LMBP	York — Returns with Storage – Return with Storage347
YYRT	York — Tables – Rectangular380
YYS2-7	York — Lateral Files – Two-High Lateral File365
YYSB	York — Stack-On Bookcases – Bookcase — Stack-On360
YYSC-RZ	York — Combination Unit/Closed Storage Cabinet – Two-High Combination Unit366
YYSE-SX3P	York — Single Pedestal Desks – Single Pedestal Desk339
YYSM	York — Combination Unit/Closed Storage Cabinet – Two-High Closed Storage Cabinet366
YYSP-SP	York — Mobile and Attached Pedestals – Attached Pedestal364
YYSP-TP	York — Mobile and Attached Pedestals – Attached Pedestal364
YYSQ	York — Tables – Square380
YYSS-R	York — Stack-On Bookcases – Wardrobe/Bookcase — Stack-On360
YYST	York — Storage Towers – Storage Tower369
YYTA-S3LP	York — T-Desks – Single Pedestal T-Desk — Blade341
YYTA-S3RP	York — T-Desks – Single Pedestal T-Desk — Blade341
YYTE-XS3P	York — T-Desks – Single Pedestal T-Desk340
YYTL	York — Combination Units – Combination Unit with Lateral File368
YYTZ-3P	York — Trapezoid Convergent Top – Trapezoid Convergent Top342
YYU-3BP	York — Modular Worksurfaces – Modular Credenza Tops361
YYU-3P	York — Modular Worksurfaces – Modular Credenza — Individual Tops361
YYUV-3P	York — Attached Convergent D-Top – Attached Convergent D-Top343
YYVC	York — Vertical Storage Units – Vertical Storage Unit — Hinged Doors with 4" Cubbies351
YYVD	York — Vertical Storage Units – Vertical Storage Unit — Open with 4" Cubbies350
YYVE	York — Vertical Storage Units – Vertical Storage Unit — Open — No Cubbies348
YYVF	York — Vertical Storage Units – Vertical Storage Unit — Open with 15" Cubbies352
YYVS-P	York — Vertical Storage Units – Vertical Storage Unit — Hinged Doors — No Cubbies349
YYVT	York — Vertical Storage Units – Vertical Storage Unit — Hinged Doors with 15" Cubbies353
YYWB	York — Storage Towers – Wardrobe Tower369
YYWC-L	York — Combination Units – Wardrobe with Open Cabinet368
YYWE	York — Overhead Storage – Overhead Storage Unit — Open with 4" Cubbies356
YYWF	York — Overhead Storage – Overhead Storage Unit — Open with 15" Cubbies358
YYWG	York — Overhead Storage – Overhead Storage Unit — Open — No Cubbies354
YYWS	York — Overhead Storage – Overhead Storage Unit — Hinged Doors with 4" Cubbies357
YYWT	York — Overhead Storage – Overhead Storage Unit — Hinged Doors with 15" Cubbies359
YYWU	York — Overhead Storage – Overhead Storage Unit — Hinged Doors — No Cubbies355
YYX	York — Modular Supports – Structural Support Panel362

PRODUCT NON-OBSOLESCENCE AND WARRANTY POLICY

This North American Haworth Product Non-Obsolescence and Warranty Policy (the "policy") applies to products manufactured after May 8, 2015. For products manufactured before this date please refer to the policy published in the NA Price List when purchased or contact your local Authorized Haworth Dealer. All Haworth products are warranted for 24 hour / 7 day use over the length of the Applicable Warranty Period as set forth below.

Haworth, Inc. or Haworth, Ltd., (each called "Haworth") will make a good faith effort to maintain product compatibility within our various generations of integrated product platforms to provide our customers with spaces that adapt to change. Under our non-obsolescence policy, we commit to provide our customers with products of comparable function or operational characteristics for a term equal to the Applicable Warranty Period. Haworth fabrics and finishes must be updated periodically to maintain the market appeal of our products and respond to the demands and changing preferences of our customers. As a result, we or the manufacturer may discontinue some fabrics and finishes before expiration of the Applicable Warranty Period.

If a new product purchased or leased from Haworth or from an Authorized Haworth Dealer proves to be defective (as defined below) while the product is still in the possession of the initial purchaser or lessee and if they, within the Applicable Warranty Period, inform Haworth of the defect by contacting the local Authorized Haworth Dealer, then, except as provided below, Haworth will, at Haworth's option, either repair or replace the product, at Haworth's expense, or refund the purchase price of the product. Except as provided below, a product shall be considered "defective" if Haworth finds that it is defective in material or workmanship and if the defect materially impairs the use of the product to the purchaser or lessee. The applicable warranty period begins on the day the product is manufactured. If a product that the purchaser or lessee references in a notice of defect was not installed by a Haworth Certified installer and/or reconfigured by a Haworth-trained installer, then the product may not be considered defective and Haworth will not be obligated to repair or replace it or to refund its price.

PRODUCTS / APPLICABLE WARRANTY PERIOD

LIFETIME

All Haworth products are warranted for lifetime except *products, components and materials described below:*

TWELVE YEARS

All Haworth NA manufactured seating is warranted for 24/7 multiple shift use by persons up to 325 lbs and includes the framework, mechanisms, seating foam, seat & back mesh and seating glides & casters.

All wood or wood framed products.

TEN YEARS

All wall products (excluding soft close door mechanisms warranted for Two Years), electrical components (excluding Power Base™ AI, USB receptacles and workware products), electrical accessories, fixed task lighting (excluding LED lighting), adjustable keyboard pads, monitor arms and products that are at any time used in a classroom or educational environment (other than administration areas) *except as limited or described below:*

FIVE YEARS

Fabric scrims and fabrics rated Heavy Duty (A) under the Association of Contract Textiles Guidelines, leather, vertical use markerboard laminates, user-adjustable worksurface mechanisms, gel arm caps, thermofused laminates, slow close mechanisms, LED lighting, Power Base™ receptacles with USB charging outlets, electronic ballasts used in task lighting, horizontal glass or thermoplastic table assemblies and Systems Accessories.

THREE YEARS

Power Base AI Electrical products, workware™ products, Hoop products (excludes any warranty for surface damage such as scratches, dents or abrasions), plastic ultraviolet light color fastness and fabrics rated General Contract (a) under the Association of Contract Textiles Guidelines.

ONE TO FIVE YEARS*

Products that are manufactured outside North America and sold into the North American market.

ONE YEAR

Horizontal use markerboard laminate, Openest™ Plume Screens, soft palm rest, mouse pad insert and translucent edging.

Haworth "Specials" products that involve simple modification of a standard based product will be warranted for the same period as the standard catalog product it is based on. Haworth "Specials" products that deviate from standard catalog product in the form of features, construction, function, or aesthetic will be warranted for 1 year.

All software is without warranty of any kind, either expressed or implied.


All service parts are warranted for two years or the remaining balance of the assembly's original warranty period, whichever is longer.

*The Applicable Warranty Period for each such product is specified in Haworth's price list for the product.

A product will not be considered to be defective, and Haworth will not repair, or replace it or refund its price if the product (1) is a consumable product, such as a lamp; (2) is "Customer's Own Material" (i.e. material specified by the purchaser or lessee that is not a standard Haworth product offering, such as Haworth Alliance fabrics); (3) is not installed and used as recommended in Haworth's written specification, installation, care, maintenance and user guides; (4) has been otherwise misused or suffered abusive damage or (5) is a product that is manufactured by a third-party supplier from whom Haworth purchases it for resale without incorporating it into Haworth product (in which case Haworth will assign to the purchaser or lessee any warranty that the manufacturer provides), unless otherwise specified by Haworth in writing. At all times the Covered Product must have been located in a building that is (i) dry, fully closed-in and protected from the natural elements, and (ii) adequately heated, ventilated and air conditioned in order to maintain an internal temperature between 40°F and 90°F (4°C and 32°C) and relative humidity levels between 25% and 55%.

A defect in material or workmanship does not include damage to a product, or failure of a product to operate or perform properly or to maintain appearance, caused by (a) normal wear and tear; (b) an Act of God or transportation; (c) a product alteration made without Haworth's express written authorization; (d) the natural variation of color, grain or texture found in wood and leather; (e) the natural aging found in materials such as wood, fabric and leather which results in colors shifting during use; (f) dye lot variations in fabric, leather or wall covering (g) the natural patina of leather during use; (h) "puddling" of leather or faux leather; or (i) reverse crocking of dyes from clothing onto our seating materials.

EXCEPT AS STATED ABOVE, HAWORTH DOES NOT MAKE A WARRANTY AS TO ANY PRODUCT AND, IN PARTICULAR, DOES NOT MAKE A WARRANTY OF MERCHANTABILITY OR OF FITNESS FOR A PARTICULAR PURPOSE. Product repair or replacement or refund of the price, at Haworth's option, in accordance with this Policy, is the purchaser's or lessee's exclusive remedy for a product defect. Haworth shall not have tort liability with respect to a product, and Haworth shall not be liable for any consequential, economic, indirect, special, punitive or incidental damages arising from a product defect. Haworth shall not be liable for repair or product placement due to improper installation or any defect in materials used for installation which are not manufactured, sold or supplied by Haworth.



HAWORTH®

For more information call 800.344.2600 or 616.393.3000.

Haworth is a registered trademark of Haworth, Inc.
©Haworth, Inc. 2015 6.14 Item #0338

haworth.com | haworth-europe.com | haworth-asia.com

Masters Series — Enhanced Power Module

Corded

3-Port:

- (2) Power
- (1) USB



EUD1-PF0B-2010

4-Port:


- (2) Power
- (1) USB
- (1) Data



EUD1-PF0B-2110

6-Port:


- (2) Power
- (1) USB
- (1) Data
- (1) Cable Bay



EUD1-PF0B-2112

4-Port:

- (4) Power



NOTE:

Always Fused Plug
when more than 3
power outlets specified.

EUD1-PF0B-4000



Features

- Includes power module with 3, 4 or 6 ports that can be configured with simplex outlets (NEMA-5-15R), USB charging simplex (with two USB outlets), data jack adapters or cable bay(s) that can accept up to 2 pull out data/AV cables.
- Data jack adapters accommodate most varieties of field supplied data jacks or separately specified AV cables.
- Attaches to surface with use of separately specified mounting brackets.
- Corded power module available with 15 amp - 6'(1829mm) or 12'(3658mm) long cord with plug (NEMA 5-15P).
- USB Charging simplex consists of 2 USB outlets. 1,000mA of charging power per USB outlet.
- Color option of black anodized housing with black receptacles or clear anodized housing with white receptacles.

To Order, Specify:

- 1) Product number.
(No finish specification required.)

Masters Series — Enhanced Power Module

Corded

Top Width	Top Depth	Cord Length	Housing Color	Port Color	Port	Configuration	Number	Price
5"	3" (76mm)	6' (1829mm)	Black Anodized	Black	3	1 Power Receptacle, 1 Cable Bay	EUD1-PF0B-1002	\$483.53
						1 Power Receptacle, 2 Data Ports	EUD1-PF0B-1020	483.53
						1 Power Receptacle, 1 Data Port, 1 USB Charging	EUD1-PF0B-1110	543.53
						1 Power Receptacle, 2 USB Charging	EUD1-PF0B-1200	603.53
						2 Power Receptacles, 1 Data Port	EUD1-PF0B-2010	483.53
						2 Power Receptacles, 1 USB Charging	EUD1-PF0B-2100	543.53
						3 Power Receptacles	EUD1-PF0B-3000	483.53
6 1/2" (165mm)	3" (76mm)	4			1	Power Receptacle, 1 Data Port, 1 Cable Bay	EUD1-PF0B-1012	\$483.53
						Power Receptacle, 3 Data Ports	EUD1-PF0B-1030	483.53
						Power Receptacle, 1 USB Charging, 1 Cable Bay	EUD1-PF0B-1102	543.53
						Power Receptacle, 3 USB Charging	EUD1-PF0B-1300	663.53
						2 Power Receptacles, 1 Cable Bay	EUD1-PF0B-2002	483.53
						2 Power Receptacles, 2 Data Ports	EUD1-PF0B-2020	483.53
						2 Power Receptacles, 1 USB Charging, 1 Data Port	EUD1-PF0B-2110	543.53
						2 Power Receptacles, 2 USB Charging	EUD1-PF0B-2200	603.53
						3 Power Receptacles, 1 Data Port	EUD1-PF0B-3010	483.53
						3 Power Receptacles, 1 USB Charging	EUD1-PF0B-3100	543.53
						4 Power Receptacles	EUD1-PF0B-4000	483.53
9 1/2" (241mm)	3" (76mm)	6			1	Power Receptacle, 1 USB Charging, 2 Cable Bays	EUD1-PF0B-1104	\$595.53
						Power Receptacle, 1 USB Charging, 2 Data Ports, 1 Cable Bay	EUD1-PF0B-1122	595.53
						Power Receptacle, 1 USB Charging, 4 Data Ports	EUD1-PF0B-1140	595.53
						Power Receptacle, 2 USB Charging, 1 Data Port, 1 Cable Bay	EUD1-PF0B-1212	655.53
						Power Receptacle, 2 USB Charging, 3 Data Ports	EUD1-PF0B-1230	655.53
						Power Receptacle, 3 USB Charging, 1 Cable Bay	EUD1-PF0B-1302	715.53
						Power Receptacle, 3 USB Charging, 2 Data Ports	EUD1-PF0B-1320	715.53
						Power Receptacle, 4 USB Charging, 1 Data Port	EUD1-PF0B-1410	775.53
						2 Power Receptacles, 2 Cable Bays	EUD1-PF0B-2004	535.53
						2 Power Receptacles, 2 Data Ports, 1 Cable Bay	EUD1-PF0B-2022	535.53
						2 Power Receptacles, 4 Data Ports	EUD1-PF0B-2040	535.53
						2 Power Receptacles, 1 USB Charging, 1 Data Port, 1 Cable Bay	EUD1-PF0B-2112	595.53
						2 Power Receptacles, 1 USB Charging, 3 Data Ports	EUD1-PF0B-2130	595.53
						2 Power Receptacles, 2 USB Charging, 1 Cable Bay	EUD1-PF0B-2202	655.53
						2 Power Receptacles, 2 USB Charging, 2 Data Ports	EUD1-PF0B-2220	655.53
						2 Power Receptacles, 3 USB Charging, 1 Data Port	EUD1-PF0B-2310	715.53
						2 Power Receptacles, 4 USB Charging	EUD1-PF0B-2400	775.53
						3 Power Receptacles, 3 Data Ports	EUD1-PF0B-3030	535.53
						3 Power Receptacles, 1 USB Charging, 1 Cable Bay	EUD1-PF0B-3102	595.53
						3 Power Receptacles, 1 USB Charging, 2 Data Ports	EUD1-PF0B-3120	595.53
						3 Power Receptacles, 2 USB Charging, 1 Data Port	EUD1-PF0B-3210	655.53
						3 Power Receptacles, 3 USB Charging	EUD1-PF0B-3300	715.53
						4 Power Receptacles, 1 Cable Bay	EUD1-PF0B-4002	535.53
						4 Power Receptacles, 2 Data Ports	EUD1-PF0B-4020	535.53
						4 Power Receptacles, 1 USB Charging, 1 Data Port	EUD1-PF0B-4110	595.53
						4 Power Receptacles, 2 USB Charging	EUD1-PF0B-4200	655.53
						5 Power Receptacles, 1 Data Port	EUD1-PF0B-5010	535.53
						5 Power Receptacles, 1 USB Charging	EUD1-PF0B-5100	595.53
						6 Power Receptacles	EUD1-PF0B-6000	535.53

Masters Series — Enhanced Power Module

Corded

Top Width	Top Depth	Cord Length	Housing Color	Port Color	Port	Configuration	Number	Price
9 1/2" (241mm)	3" (76mm)	6' (1829mm)	Clear Anodized	White	3	1 Power Receptacle, 1 Cable Bay	EUD1-PF0W-1002	\$379.53
						1 Power Receptacle, 2 Data Ports	EUD1-PF0W-1020	379.53
						1 Power Receptacle, 1 Data Port, 1 USB Charging	EUD1-PF0W-1110	439.53
						1 Power Receptacle, 2 USB Charging	EUD1-PF0W-1200	499.53
						2 Power Receptacles, 1 Data Port	EUD1-PF0W-2010	379.53
						2 Power Receptacles, 1 USB Charging	EUD1-PF0W-2100	439.53
						3 Power Receptacles	EUD1-PF0W-3000	379.53
					4	1 Power Receptacle, 1 Data Port, 1 Cable Bay	EUD1-PF0W-1012	\$379.53
						1 Power Receptacle, 3 Data Ports	EUD1-PF0W-1030	379.53
						1 Power Receptacle, 1 USB Charging, 1 Cable Bay	EUD1-PF0W-1102	439.53
						1 Power Receptacle, 3 USB Charging	EUD1-PF0W-1300	559.53
						2 Power Receptacles, 1 Cable Bay	EUD1-PF0W-2002	379.53
						2 Power Receptacles, 2 Data Ports	EUD1-PF0W-2020	379.53
						2 Power Receptacles, 1 USB Charging, 1 Data Port	EUD1-PF0W-2110	439.53
						2 Power Receptacles, 2 USB Charging	EUD1-PF0W-2200	499.53
						3 Power Receptacles, 1 Data Port	EUD1-PF0W-3010	379.53
						3 Power Receptacles, 1 USB Charging	EUD1-PF0W-3100	439.53
						4 Power Receptacles	EUD1-PF0W-4000	379.53
					6	1 Power Receptacle, 1 USB Charging, 2 Cable Bays	EUD1-PF0W-1104	\$491.53
						1 Power Receptacle, 1 USB Charging, 2 Data Ports, 1 Cable Bay	EUD1-PF0W-1122	491.53
						1 Power Receptacle, 1 USB Charging, 4 Data Ports	EUD1-PF0W-1140	491.53
						1 Power Receptacle, 2 USB Charging, 1 Data Port, 1 Cable Bay	EUD1-PF0W-1212	551.53
						1 Power Receptacle, 2 USB Charging, 3 Data Ports	EUD1-PF0W-1230	551.53
						1 Power Receptacle, 3 USB Charging, 1 Cable Bay	EUD1-PF0W-1302	611.53
						1 Power Receptacle, 3 USB Charging, 2 Data Ports	EUD1-PF0W-1320	611.53
						1 Power Receptacle, 4 USB Charging, 1 Data Port	EUD1-PF0W-1410	671.53
						2 Power Receptacles, 2 Cable Bays	EUD1-PF0W-2004	431.53
						2 Power Receptacles, 2 Data Ports, 1 Cable Bay	EUD1-PF0W-2022	431.53
						2 Power Receptacles, 4 Data Ports	EUD1-PF0W-2040	431.53
						2 Power Receptacles, 1 USB Charging, 1 Data Port, 1 Cable Bay	EUD1-PF0W-2112	491.53
						2 Power Receptacles, 1 USB Charging, 3 Data Ports	EUD1-PF0W-2130	491.53
						2 Power Receptacles, 2 USB Charging, 1 Cable Bay	EUD1-PF0W-2202	551.53
						2 Power Receptacles, 2 USB Charging, 2 Data Ports	EUD1-PF0W-2220	551.53
						2 Power Receptacles, 3 USB Charging, 1 Data Port	EUD1-PF0W-2310	611.53
						2 Power Receptacles, 4 USB Charging	EUD1-PF0W-2400	671.53
						3 Power Receptacles, 3 Data Ports	EUD1-PF0W-3030	431.53
						3 Power Receptacles, 1 USB Charging, 1 Cable Bay	EUD1-PF0W-3102	491.53
						3 Power Receptacles, 1 USB Charging, 2 Data Ports	EUD1-PF0W-3120	491.53
						3 Power Receptacles, 2 USB Charging, 1 Data Port	EUD1-PF0W-3210	551.53
						3 Power Receptacles, 3 USB Charging	EUD1-PF0W-3300	611.53
						4 Power Receptacles, 1 Cable Bay	EUD1-PF0W-4002	431.53
						4 Power Receptacles, 2 Data Ports	EUD1-PF0W-4020	431.53
						4 Power Receptacles, 1 USB Charging, 1 Data Port	EUD1-PF0W-4110	491.53
						4 Power Receptacles, 2 USB Charging	EUD1-PF0W-4200	551.53
						5 Power Receptacles, 1 Data Port	EUD1-PF0W-5010	431.53
						5 Power Receptacles, 1 USB Charging	EUD1-PF0W-5100	491.53
						6 Power Receptacles	EUD1-PF0W-6000	431.53

Masters Series — Enhanced Power Module

Corded

Top Width	Top Depth	Cord Length	Housing Color	Port Color	Port	Configuration	Number	Price
9 1/2" (241mm)	3" (76mm)	12' (3658mm)	Black Anodized	Black	3	1 Power Receptacle, 1 Cable Bay	EUD1-PL0B-1002	\$532.41
					4	1 Power Receptacle, 2 Data Ports	EUD1-PL0B-1020	532.41
						1 Power Receptacle, 1 Data Port, 1 USB Charging	EUD1-PL0B-1110	592.41
						1 Power Receptacle, 2 USB Charging	EUD1-PL0B-1200	652.41
						2 Power Receptacles, 1 Data Port	EUD1-PL0B-2010	532.41
						2 Power Receptacles, 1 USB Charging	EUD1-PL0B-2100	592.41
						3 Power Receptacles	EUD1-PL0B-3000	532.41
					6	1 Power Receptacle, 1 Data Port, 1 Cable Bay	EUD1-PL0B-1012	\$532.41
						1 Power Receptacle, 3 Data Ports	EUD1-PL0B-1030	532.41
						1 Power Receptacle, 1 USB Charging, 1 Cable Bay	EUD1-PL0B-1102	592.41
						1 Power Receptacle, 3 USB Charging	EUD1-PL0B-1300	712.41
						2 Power Receptacles, 1 Cable Bay	EUD1-PL0B-2002	532.41
						2 Power Receptacles, 2 Data Ports	EUD1-PL0B-2020	532.41
						2 Power Receptacles, 1 USB Charging, 1 Data Port	EUD1-PL0B-2110	592.41
						2 Power Receptacles, 2 USB Charging	EUD1-PL0B-2200	652.41
						3 Power Receptacles, 1 Data Port	EUD1-PL0B-3010	532.41
						3 Power Receptacles, 1 USB Charging	EUD1-PL0B-3100	592.41
						4 Power Receptacles	EUD1-PL0B-4000	532.41
					8	1 Power Receptacle, 1 USB Charging, 2 Cable Bays	EUD1-PL0B-1104	\$644.41
						1 Power Receptacle, 1 USB Charging, 2 Data Ports, 1 Cable Bay	EUD1-PL0B-1122	644.41
						1 Power Receptacle, 1 USB Charging, 4 Data Ports	EUD1-PL0B-1140	644.41
						1 Power Receptacle, 2 USB Charging, 1 Data Port, 1 Cable Bay	EUD1-PL0B-1212	704.41
						1 Power Receptacle, 2 USB Charging, 3 Data Ports	EUD1-PL0B-1230	704.41
						1 Power Receptacle, 3 USB Charging, 1 Cable Bay	EUD1-PL0B-1302	764.41
						1 Power Receptacle, 3 USB Charging, 2 Data Ports	EUD1-PL0B-1320	764.41
						1 Power Receptacle, 4 USB Charging, 1 Data Port	EUD1-PL0B-1410	824.41
						2 Power Receptacles, 2 Cable Bays	EUD1-PL0B-2004	584.41
						2 Power Receptacles, 2 Data Ports, 1 Cable Bay	EUD1-PL0B-2022	584.41
						2 Power Receptacles, 4 Data Ports	EUD1-PL0B-2040	584.41
						2 Power Receptacles, 1 USB Charging, 1 Data Port, 1 Cable Bay	EUD1-PL0B-2112	644.41
						2 Power Receptacles, 1 USB Charging, 3 Data Ports	EUD1-PL0B-2130	644.41
						2 Power Receptacles, 2 USB Charging, 1 Cable Bay	EUD1-PL0B-2202	704.41
						2 Power Receptacles, 2 USB Charging, 2 Data Ports	EUD1-PL0B-2220	704.41
						2 Power Receptacles, 3 USB Charging, 1 Data Port	EUD1-PL0B-2310	764.41
						2 Power Receptacles, 4 USB Charging	EUD1-PL0B-2400	824.41
						3 Power Receptacles, 3 Data Ports	EUD1-PL0B-3030	584.41
						3 Power Receptacles, 1 USB Charging, 1 Cable Bay	EUD1-PL0B-3102	644.41
						3 Power Receptacles, 1 USB Charging, 2 Data Ports	EUD1-PL0B-3120	644.41
						3 Power Receptacles, 2 USB Charging, 1 Data Port	EUD1-PL0B-3210	704.41
						3 Power Receptacles, 3 USB Charging	EUD1-PL0B-3300	764.41
						4 Power Receptacles, 1 Cable Bay	EUD1-PL0B-4002	584.41
						4 Power Receptacles, 2 Data Ports	EUD1-PL0B-4020	584.41
						4 Power Receptacles, 1 USB Charging, 1 Data Port	EUD1-PL0B-4110	644.41
						4 Power Receptacles, 2 USB Charging	EUD1-PL0B-4200	704.41
						5 Power Receptacles, 1 Data Port	EUD1-PL0B-5010	584.41
						5 Power Receptacles, 1 USB Charging	EUD1-PL0B-5100	644.41
						6 Power Receptacles	EUD1-PL0B-6000	584.41

Masters Series — Enhanced Power Module

Corded

Top Width	Top Depth	Cord Length	Housing Color	Port Color	Port	Configuration	Number	Price
9 1/2" (241mm)	3" (76mm)	12' (3658mm)	Clear Anodized	White	3	1 Power Receptacle, 1 Cable Bay	EUD1-PL0W-1002	\$428.41
						1 Power Receptacle, 2 Data Ports	EUD1-PL0W-1020	428.41
						1 Power Receptacle, 1 Data Port, 1 USB Charging	EUD1-PL0W-1110	488.41
						1 Power Receptacle, 2 USB Charging	EUD1-PL0W-1200	548.41
						2 Power Receptacles, 1 Data Port	EUD1-PL0W-2010	428.41
						2 Power Receptacles, 1 USB Charging	EUD1-PL0W-2100	488.41
						3 Power Receptacles	EUD1-PL0W-3000	428.41
					4	1 Power Receptacle, 1 Data Port, 1 Cable Bay	EUD1-PL0W-1012	428.41
						1 Power Receptacle, 3 Data Ports	EUD1-PL0W-1030	428.41
						1 Power Receptacle, 1 USB Charging, 1 Cable Bay	EUD1-PL0W-1102	488.41
						1 Power Receptacle, 3 USB Charging	EUD1-PL0W-1300	608.41
						2 Power Receptacles, 1 Cable Bay	EUD1-PL0W-2002	428.41
						2 Power Receptacles, 2 Data Ports	EUD1-PL0W-2020	428.41
						2 Power Receptacles, 1 USB Charging, 1 Data Port	EUD1-PL0W-2110	488.41
						2 Power Receptacles, 2 USB Charging	EUD1-PL0W-2200	548.41
						3 Power Receptacles, 1 Data Port	EUD1-PL0W-3010	428.41
						3 Power Receptacles, 1 USB Charging	EUD1-PL0W-3100	488.41
						4 Power Receptacles	EUD1-PL0W-4000	428.41
					6	1 Power Receptacle, 1 USB Charging, 2 Cable Bays	EUD1-PL0W-1104	\$540.41
						1 Power Receptacle, 1 USB Charging, 2 Data Ports, 1 Cable Bay	EUD1-PL0W-1122	540.41
						1 Power Receptacle, 1 USB Charging, 4 Data Ports	EUD1-PL0W-1140	540.41
						1 Power Receptacle, 2 USB Charging, 1 Data Port, 1 Cable Bay	EUD1-PL0W-1212	600.41
						1 Power Receptacle, 2 USB Charging, 3 Data Ports	EUD1-PL0W-1230	600.41
						1 Power Receptacle, 3 USB Charging, 1 Cable Bay	EUD1-PL0W-1302	660.41
						1 Power Receptacle, 3 USB Charging, 2 Data Ports	EUD1-PL0W-1320	660.41
						1 Power Receptacle, 4 USB Charging, 1 Data Port	EUD1-PL0W-1410	720.41
						2 Power Receptacles, 2 Cable Bays	EUD1-PL0W-2004	480.41
						2 Power Receptacles, 2 Data Ports, 1 Cable Bay	EUD1-PL0W-2022	480.41
						2 Power Receptacles, 4 Data Ports	EUD1-PL0W-2040	480.41
						2 Power Receptacles, 1 USB Charging, 1 Data Port, 1 Cable Bay	EUD1-PL0W-2112	540.41
						2 Power Receptacles, 1 USB Charging, 3 Data Ports	EUD1-PL0W-2130	540.41
						2 Power Receptacles, 2 USB Charging, 1 Cable Bay	EUD1-PL0W-2202	600.41
						2 Power Receptacles, 2 USB Charging, 2 Data Ports	EUD1-PL0W-2220	600.41
						2 Power Receptacles, 3 USB Charging, 1 Data Port	EUD1-PL0W-2310	660.41
						2 Power Receptacles, 4 USB Charging	EUD1-PL0W-2400	720.41
						3 Power Receptacles, 3 Data Ports	EUD1-PL0W-3030	480.41
						3 Power Receptacles, 1 USB Charging, 1 Cable Bay	EUD1-PL0W-3102	540.41
						3 Power Receptacles, 1 USB Charging, 2 Data Ports	EUD1-PL0W-3120	540.41
						3 Power Receptacles, 2 USB Charging, 1 Data Port	EUD1-PL0W-3210	600.41
						3 Power Receptacles, 3 USB Charging	EUD1-PL0W-3300	660.41
						4 Power Receptacles, 1 Cable Bay	EUD1-PL0W-4002	480.41
						4 Power Receptacles, 2 Data Ports	EUD1-PL0W-4020	480.41
						4 Power Receptacles, 1 USB Charging, 1 Data Port	EUD1-PL0W-4110	540.41
						4 Power Receptacles, 2 USB Charging	EUD1-PL0W-4200	600.41
						5 Power Receptacles, 1 Data Port	EUD1-PL0W-5010	480.41
						5 Power Receptacles, 1 USB Charging	EUD1-PL0W-5100	540.41
						6 Power Receptacles	EUD1-PL0W-6000	480.41


This page intentionally blank

Masters Series — Enhanced Power Module

Hardwire

3-Port:


- (2) Power
- (1) USB



EUD1-HF0B-2010

4-Port:


- (2) Power
- (1) USB
- (1) Data



EUD1-HF0B-2110

6-Port:

- (2) Power
- (1) USB
- (1) Data
- (1) Cable Bay



EUD1-HF0B-2112



Features

- Includes power module with 3, 4 or 6 ports that can be configured with simplex outlets (NEMA-5-15R), USB charging simplex (with two USB outlets), data jack adapters or cable bay(s) that can accept up to 2 pull out data/AV cables.
- Data jack adapters accommodate most varieties of field supplied data jacks or separately specified AV cables.
- Attaches to surface with use of separately specified mounting brackets.
- Hardwired power module with 6'(1829mm) or 12'(3658mm) long flexible metal conduit feed, 1/2"(13mm) conduit fitting and wires for hardwire connection.
- USB Charging simplex consists of 2 USB outlets. 1,000mA of charging power per USB outlet.
- Color option of black anodized housing with black receptacles or clear anodized housing with white receptacles.

To Order, Specify:

- 1) Product number.
(No finish specification required.)

Specification Tips

- Separately specify attachment hardware for desired application.
- For use with 120 volt 60 hertz power source only.
- Requires field installation.
- Specify AV cables separately.
- Cable Bay requires cables less than 0.3"(7.6mm) diameter.
- Configuration and quantity of power and data ports cannot be modified in the field.
- Application may require approval of local authority having jurisdiction (AHJ); ensure compliance before placing orders and installation.

Masters Series — Enhanced Power Module

Hardwire

Top Width	Top Depth	Conduit Length	Housing Color	Port Color	Port	Configuration	Number	Price
5"	3" (76mm)	6' (1829mm)	Black Anodized	Black	3	1 Power Receptacle, 1 Cable Bay	EUD1-HF0B-1002	\$544.81
						1 Power Receptacle, 2 Data Ports	EUD1-HF0B-1020	544.81
						1 Power Receptacle, 1 Data Port, 1 USB Charging	EUD1-HF0B-1110	604.81
						1 Power Receptacle, 2 USB Charging	EUD1-HF0B-1200	664.81
						2 Power Receptacles, 1 Data Port	EUD1-HF0B-2010	544.81
						2 Power Receptacles, 1 USB Charging	EUD1-HF0B-2100	604.81
						3 Power Receptacles	EUD1-HF0B-3000	544.81
6 1/2" (165mm)	3" (76mm)			4	1 Power Receptacle, 1 Data Port, 1 Cable Bay	EUD1-HF0B-1012	\$544.81	
						1 Power Receptacle, 3 Data Ports	EUD1-HF0B-1030	544.81
						1 Power Receptacle, 1 USB Charging, 1 Cable Bay	EUD1-HF0B-1102	604.81
						1 Power Receptacle, 3 USB Charging	EUD1-HF0B-1300	724.81
						2 Power Receptacles, 1 Cable Bay	EUD1-HF0B-2002	544.81
						2 Power Receptacles, 2 Data Ports	EUD1-HF0B-2020	544.81
						2 Power Receptacles, 1 USB Charging, 1 Data Port	EUD1-HF0B-2110	604.81
						2 Power Receptacles, 2 USB Charging	EUD1-HF0B-2200	664.81
						3 Power Receptacles, 1 Data Port	EUD1-HF0B-3010	544.81
						3 Power Receptacles, 1 USB Charging	EUD1-HF0B-3100	604.81
						4 Power Receptacles	EUD1-HF0B-4000	544.81
9 1/2" (241mm)	3" (76mm)			6	1 Power Receptacle, 1 USB Charging, 2 Cable Bays	EUD1-HF0B-1104	\$656.81	
						1 Power Receptacle, 1 USB Charging, 2 Data Ports, 1 Cable Bay	EUD1-HF0B-1122	656.81
						1 Power Receptacle, 1 USB Charging, 4 Data Ports	EUD1-HF0B-1140	656.81
						1 Power Receptacle, 2 USB Charging, 1 Data Port, 1 Cable Bay	EUD1-HF0B-1212	716.81
						1 Power Receptacle, 2 USB Charging, 3 Data Ports	EUD1-HF0B-1230	716.81
						1 Power Receptacle, 3 USB Charging, 1 Cable Bay	EUD1-HF0B-1302	776.81
						1 Power Receptacle, 3 USB Charging, 2 Data Ports	EUD1-HF0B-1320	776.81
						1 Power Receptacle, 4 USB Charging, 1 Data Port	EUD1-HF0B-1410	836.81
						2 Power Receptacles, 2 Cable Bays	EUD1-HF0B-2004	596.81
						2 Power Receptacles, 2 Data Ports, 1 Cable Bay	EUD1-HF0B-2022	596.81
						2 Power Receptacles, 4 Data Ports	EUD1-HF0B-2040	596.81
						2 Power Receptacles, 1 USB Charging, 1 Data Port, 1 Cable Bay	EUD1-HF0B-2112	656.81
						2 Power Receptacles, 1 USB Charging, 3 Data Ports	EUD1-HF0B-2130	656.81
						2 Power Receptacles, 2 USB Charging, 1 Cable Bay	EUD1-HF0B-2202	716.81
						2 Power Receptacles, 2 USB Charging, 2 Data Ports	EUD1-HF0B-2220	716.81
						2 Power Receptacles, 3 USB Charging, 1 Data Port	EUD1-HF0B-2310	776.81
						2 Power Receptacles, 4 USB Charging	EUD1-HF0B-2400	836.81
						3 Power Receptacles, 3 Data Ports	EUD1-HF0B-3030	596.81
						3 Power Receptacles, 1 USB Charging, 1 Cable Bay	EUD1-HF0B-3102	656.81
						3 Power Receptacles, 1 USB Charging, 2 Data Ports	EUD1-HF0B-3120	656.81
						3 Power Receptacles, 2 USB Charging, 1 Data Port	EUD1-HF0B-3210	716.81
						3 Power Receptacles, 3 USB Charging	EUD1-HF0B-3300	776.81
						4 Power Receptacles, 1 Cable Bay	EUD1-HF0B-4002	596.81
						4 Power Receptacles, 2 Data Ports	EUD1-HF0B-4020	596.81
						4 Power Receptacles, 1 USB Charging, 1 Data Port	EUD1-HF0B-4110	656.81
						4 Power Receptacles, 2 USB Charging	EUD1-HF0B-4200	716.81
						5 Power Receptacles, 1 Data Port	EUD1-HF0B-5010	596.81
						5 Power Receptacles, 1 USB Charging	EUD1-HF0B-5100	656.81
						6 Power Receptacles	EUD1-HF0B-6000	596.81

Masters Series — Enhanced Power Module

Hardwire

Top Width	Top Depth	Conduit Length	Housing Color	Port Color	Port	Configuration	Number	Price
5"	3" (76mm)	6' (1829mm)	Clear Anodized	White	3	1 Power Receptacle, 1 Cable Bay	EUD1-HF0W-1002	\$440.81
						1 Power Receptacle, 2 Data Ports	EUD1-HF0W-1020	440.81
						1 Power Receptacle, 1 Data Port, 1 USB Charging	EUD1-HF0W-1110	500.81
						1 Power Receptacle, 2 USB Charging	EUD1-HF0W-1200	560.81
						2 Power Receptacles, 1 Data Port	EUD1-HF0W-2010	440.81
						2 Power Receptacles, 1 USB Charging	EUD1-HF0W-2100	500.81
						3 Power Receptacles	EUD1-HF0W-3000	440.81
6 1/2"	3" (165mm)	4		White	1	1 Power Receptacle, 1 Data Port, 1 Cable Bay	EUD1-HF0W-1012	\$440.81
						1 Power Receptacle, 3 Data Ports	EUD1-HF0W-1030	440.81
						1 Power Receptacle, 1 USB Charging, 1 Cable Bay	EUD1-HF0W-1102	500.81
						1 Power Receptacle, 3 USB Charging	EUD1-HF0W-1300	620.81
						2 Power Receptacles, 1 Cable Bay	EUD1-HF0W-2002	440.81
						2 Power Receptacles, 2 Data Ports	EUD1-HF0W-2020	440.81
						2 Power Receptacles, 1 USB Charging, 1 Data Port	EUD1-HF0W-2110	500.81
						2 Power Receptacles, 2 USB Charging	EUD1-HF0W-2200	560.81
						3 Power Receptacles, 1 Data Port	EUD1-HF0W-3010	440.81
						3 Power Receptacles, 1 USB Charging	EUD1-HF0W-3100	500.81
						4 Power Receptacles	EUD1-HF0W-4000	440.81
9 1/2"	3" (241mm)	6		White	1	1 Power Receptacle, 1 USB Charging, 2 Cable Bays	EUD1-HF0W-1104	\$552.81
						1 Power Receptacle, 1 USB Charging, 2 Data Ports, 1 Cable Bay	EUD1-HF0W-1122	552.81
						1 Power Receptacle, 1 USB Charging, 4 Data Ports	EUD1-HF0W-1140	552.81
						1 Power Receptacle, 2 USB Charging, 1 Data Port, 1 Cable Bay	EUD1-HF0W-1212	612.81
						1 Power Receptacle, 2 USB Charging, 3 Data Ports	EUD1-HF0W-1230	612.81
						1 Power Receptacle, 3 USB Charging, 1 Cable Bay	EUD1-HF0W-1302	672.81
						1 Power Receptacle, 3 USB Charging, 2 Data Ports	EUD1-HF0W-1320	672.81
						1 Power Receptacle, 4 USB Charging, 1 Data Port	EUD1-HF0W-1410	732.81
						2 Power Receptacles, 2 Cable Bays	EUD1-HF0W-2004	492.81
						2 Power Receptacles, 2 Data Ports, 1 Cable Bay	EUD1-HF0W-2022	492.81
						2 Power Receptacles, 4 Data Ports	EUD1-HF0W-2040	492.81
						2 Power Receptacles, 1 USB Charging, 1 Data Port, 1 Cable Bay	EUD1-HF0W-2112	552.81
						2 Power Receptacles, 1 USB Charging, 3 Data Ports	EUD1-HF0W-2130	552.81
						2 Power Receptacles, 2 USB Charging, 1 Cable Bay	EUD1-HF0W-2202	612.81
						2 Power Receptacles, 2 USB Charging, 2 Data Ports	EUD1-HF0W-2220	612.81
						2 Power Receptacles, 3 USB Charging, 1 Data Port	EUD1-HF0W-2310	672.81
						2 Power Receptacles, 4 USB Charging	EUD1-HF0W-2400	732.81
						3 Power Receptacles, 3 Data Ports	EUD1-HF0W-3030	492.81
						3 Power Receptacles, 1 USB Charging, 1 Cable Bay	EUD1-HF0W-3102	552.81
						3 Power Receptacles, 1 USB Charging, 2 Data Ports	EUD1-HF0W-3120	552.81
						3 Power Receptacles, 2 USB Charging, 1 Data Port	EUD1-HF0W-3210	612.81
						3 Power Receptacles, 3 USB Charging	EUD1-HF0W-3300	672.81
						4 Power Receptacles, 1 Cable Bay	EUD1-HF0W-4002	492.81
						4 Power Receptacles, 2 Data Ports	EUD1-HF0W-4020	492.81
						4 Power Receptacles, 1 USB Charging, 1 Data Port	EUD1-HF0W-4110	552.81
						4 Power Receptacles, 2 USB Charging	EUD1-HF0W-4200	612.81
						5 Power Receptacles, 1 Data Port	EUD1-HF0W-5010	492.81
						5 Power Receptacles, 1 USB Charging	EUD1-HF0W-5100	552.81
						6 Power Receptacles	EUD1-HF0W-6000	492.81

Masters Series — Enhanced Power Module

Hardwire

Top Width	Top Depth	Conduit Length	Housing Color	Port Color	Port	Configuration	Number	Price
5"	3" (76mm)	12' (3658mm)	Black Anodized	Black	3	1 Power Receptacle, 1 Cable Bay	EUD1-HL0B-1002	\$593.69
						1 Power Receptacle, 2 Data Ports	EUD1-HL0B-1020	593.69
						1 Power Receptacle, 1 Data Port, 1 USB Charging	EUD1-HL0B-1110	653.69
						1 Power Receptacle, 2 USB Charging	EUD1-HL0B-1200	713.69
						2 Power Receptacles, 1 Data Port	EUD1-HL0B-2010	593.69
						2 Power Receptacles, 1 USB Charging	EUD1-HL0B-2100	653.69
						3 Power Receptacles	EUD1-HL0B-3000	593.69
6 1/2" (165mm)	3" (76mm)			4	1 Power Receptacle, 1 Data Port, 1 Cable Bay	EUD1-HL0B-1012	\$593.69	
						1 Power Receptacle, 3 Data Ports	EUD1-HL0B-1030	593.69
						1 Power Receptacle, 1 USB Charging, 1 Cable Bay	EUD1-HL0B-1102	653.69
						1 Power Receptacle, 3 USB Charging	EUD1-HL0B-1300	773.69
						2 Power Receptacles, 1 Cable Bay	EUD1-HL0B-2002	593.69
						2 Power Receptacles, 2 Data Ports	EUD1-HL0B-2020	593.69
						2 Power Receptacles, 1 USB Charging, 1 Data Port	EUD1-HL0B-2110	653.69
						2 Power Receptacles, 2 USB Charging	EUD1-HL0B-2200	713.69
						3 Power Receptacles, 1 Data Port	EUD1-HL0B-3010	593.69
						3 Power Receptacles, 1 USB Charging	EUD1-HL0B-3100	653.69
						4 Power Receptacles	EUD1-HL0B-4000	593.69
9 1/2" (241mm)	3" (76mm)			6	1 Power Receptacle, 1 USB Charging, 2 Cable Bays	EUD1-HL0B-1104	\$705.69	
						1 Power Receptacle, 1 USB Charging, 2 Data Ports, 1 Cable Bay	EUD1-HL0B-1122	705.69
						1 Power Receptacle, 1 USB Charging, 4 Data Ports	EUD1-HL0B-1140	705.69
						1 Power Receptacle, 2 USB Charging, 1 Data Port, 1 Cable Bay	EUD1-HL0B-1212	765.69
						1 Power Receptacle, 2 USB Charging, 3 Data Ports	EUD1-HL0B-1230	765.69
						1 Power Receptacle, 3 USB Charging, 1 Cable Bay	EUD1-HL0B-1302	825.69
						1 Power Receptacle, 3 USB Charging, 2 Data Ports	EUD1-HL0B-1320	825.69
						1 Power Receptacle, 4 USB Charging, 1 Data Port	EUD1-HL0B-1410	885.69
						2 Power Receptacles, 2 Cable Bays	EUD1-HL0B-2004	645.69
						2 Power Receptacles, 2 Data Ports, 1 Cable Bay	EUD1-HL0B-2022	645.69
						2 Power Receptacles, 4 Data Ports	EUD1-HL0B-2040	645.69
						2 Power Receptacles, 1 USB Charging, 1 Data Port, 1 Cable Bay	EUD1-HL0B-2112	705.69
						2 Power Receptacles, 1 USB Charging, 3 Data Ports	EUD1-HL0B-2130	705.69
						2 Power Receptacles, 2 USB Charging, 1 Cable Bay	EUD1-HL0B-2202	765.69
						2 Power Receptacles, 2 USB Charging, 2 Data Ports	EUD1-HL0B-2220	765.69
						2 Power Receptacles, 3 USB Charging, 1 Data Port	EUD1-HL0B-2310	825.69
						2 Power Receptacles, 4 USB Charging	EUD1-HL0B-2400	885.69
						3 Power Receptacles, 3 Data Ports	EUD1-HL0B-3030	645.69
						3 Power Receptacles, 1 USB Charging, 1 Cable Bay	EUD1-HL0B-3102	705.69
						3 Power Receptacles, 1 USB Charging, 2 Data Ports	EUD1-HL0B-3120	705.69
						3 Power Receptacles, 2 USB Charging, 1 Data Port	EUD1-HL0B-3210	765.69
						3 Power Receptacles, 3 USB Charging	EUD1-HL0B-3300	825.69
						4 Power Receptacles, 1 Cable Bay	EUD1-HL0B-4002	645.69
						4 Power Receptacles, 2 Data Ports	EUD1-HL0B-4020	645.69
						4 Power Receptacles, 1 USB Charging, 1 Data Port	EUD1-HL0B-4110	705.69
						4 Power Receptacles, 2 USB Charging	EUD1-HL0B-4200	765.69
						5 Power Receptacles, 1 Data Port	EUD1-HL0B-5010	645.69
						5 Power Receptacles, 1 USB Charging	EUD1-HL0B-5100	705.69
						6 Power Receptacles	EUD1-HL0B-6000	645.69

Masters Series — Enhanced Power Module

Hardwire

Top Width	Top Depth	Conduit Length	Housing Color	Port Color	Port	Configuration	Number	Price
5" (127mm)	3" (76mm)	12' (3658mm)	Clear Anodized	White	3	1 Power Receptacle, 1 Cable Bay	EUD1-HLOW-1002	\$489.69
						1 Power Receptacle, 2 Data Ports	EUD1-HLOW-1020	489.69
						1 Power Receptacle, 1 Data Port, 1 USB Charging	EUD1-HLOW-1110	549.69
						1 Power Receptacle, 2 USB Charging	EUD1-HLOW-1200	609.69
						2 Power Receptacles, 1 Data Port	EUD1-HLOW-2010	489.69
						2 Power Receptacles, 1 USB Charging	EUD1-HLOW-2100	549.69
						3 Power Receptacles	EUD1-HLOW-3000	489.69
6 1/2" (165mm)	3" (76mm)	4			4	1 Power Receptacle, 1 Data Port, 1 Cable Bay	EUD1-HLOW-1012	\$489.69
						1 Power Receptacle, 3 Data Ports	EUD1-HLOW-1030	489.69
						1 Power Receptacle, 1 USB Charging, 1 Cable Bay	EUD1-HLOW-1102	549.69
						1 Power Receptacle, 3 USB Charging	EUD1-HLOW-1300	669.69
						2 Power Receptacles, 1 Cable Bay	EUD1-HLOW-2002	489.69
						2 Power Receptacles, 2 Data Ports	EUD1-HLOW-2020	489.69
						2 Power Receptacles, 1 USB Charging, 1 Data Port	EUD1-HLOW-2110	549.69
						2 Power Receptacles, 2 USB Charging	EUD1-HLOW-2200	609.69
						3 Power Receptacles, 1 Data Port	EUD1-HLOW-3010	489.69
						3 Power Receptacles, 1 USB Charging	EUD1-HLOW-3100	549.69
						4 Power Receptacles	EUD1-HLOW-4000	489.69
9 1/2" (241mm)	3" (76mm)	6			6	1 Power Receptacle, 1 USB Charging, 2 Cable Bays	EUD1-HLOW-1104	\$601.69
						1 Power Receptacle, 1 USB Charging, 2 Data Ports, 1 Cable Bay	EUD1-HLOW-1122	601.69
						1 Power Receptacle, 1 USB Charging, 4 Data Ports	EUD1-HLOW-1140	601.69
						1 Power Receptacle, 2 USB Charging, 1 Data Port, 1 Cable Bay	EUD1-HLOW-1212	661.69
						1 Power Receptacle, 2 USB Charging, 3 Data Ports	EUD1-HLOW-1230	661.69
						1 Power Receptacle, 3 USB Charging, 1 Cable Bay	EUD1-HLOW-1302	721.69
						1 Power Receptacle, 3 USB Charging, 2 Data Ports	EUD1-HLOW-1320	721.69
						1 Power Receptacle, 4 USB Charging, 1 Data Port	EUD1-HLOW-1410	781.69
						2 Power Receptacles, 2 Cable Bays	EUD1-HLOW-2004	541.69
						2 Power Receptacles, 2 Data Ports, 1 Cable Bay	EUD1-HLOW-2022	541.69
						2 Power Receptacles, 4 Data Ports	EUD1-HLOW-2040	541.69
						2 Power Receptacles, 1 USB Charging, 1 Data Port, 1 Cable Bay	EUD1-HLOW-2112	601.69
						2 Power Receptacles, 1 USB Charging, 3 Data Ports	EUD1-HLOW-2130	601.69
						2 Power Receptacles, 2 USB Charging, 1 Cable Bay	EUD1-HLOW-2202	661.69
						2 Power Receptacles, 2 USB Charging, 2 Data Ports	EUD1-HLOW-2220	661.69
						2 Power Receptacles, 3 USB Charging, 1 Data Port	EUD1-HLOW-2310	721.69
						2 Power Receptacles, 4 USB Charging	EUD1-HLOW-2400	781.69
						3 Power Receptacles, 3 Data Ports	EUD1-HLOW-3030	541.69
						3 Power Receptacles, 1 USB Charging, 1 Cable Bay	EUD1-HLOW-3102	601.69
						3 Power Receptacles, 1 USB Charging, 2 Data Ports	EUD1-HLOW-3120	601.69
						3 Power Receptacles, 2 USB Charging, 1 Data Port	EUD1-HLOW-3210	661.69
						3 Power Receptacles, 3 USB Charging	EUD1-HLOW-3300	721.69
						4 Power Receptacles, 1 Cable Bay	EUD1-HLOW-4002	541.69
						4 Power Receptacles, 2 Data Ports	EUD1-HLOW-4020	541.69
						4 Power Receptacles, 1 USB Charging, 1 Data Port	EUD1-HLOW-4110	601.69
						4 Power Receptacles, 2 USB Charging	EUD1-HLOW-4200	661.69
						5 Power Receptacles, 1 Data Port	EUD1-HLOW-5010	541.69
						5 Power Receptacles, 1 USB Charging	EUD1-HLOW-5100	601.69
						6 Power Receptacles	EUD1-HLOW-6000	541.69


Masters Series — Enhanced Power Module

Spiral Corded — Height Adjustable

Top Width	Top Depth	Cord Length	Housing Color	Port Color	Port	Configuration	Number	Price
6 1/2"	3"	10'(3048mm)- 12'(3658mm)	Black Anodized	Black	4	2 Power Receptacles, 1 USB Charging, 1 Data Port	EUD1-SF0B-2110	\$767.13
					4	2 Power Receptacles, 2 USB Charging	EUD1-SF0B-2200	827.13
					4	3 Power Receptacles, 1 Data Port	EUD1-SF0B-3010	707.13
					4	3 Power Receptacles, 1 USB Charging	EUD1-SF0B-3100	767.13
					4	4 Power Receptacles	EUD1-SF0B-4000	707.13
			Clear Anodized	White	4	2 Power Receptacles, 1 USB Charging, 1 Data Port	EUD1-SF0W-2110	\$663.13
					4	2 Power Receptacles, 2 USB Charging	EUD1-SF0W-2200	723.13
					4	3 Power Receptacles, 1 Data Port	EUD1-SF0W-3010	603.13
					4	3 Power Receptacles, 1 USB Charging	EUD1-SF0W-3100	663.13
					4	4 Power Receptacles	EUD1-SF0W-4000	603.13

4-Port:


(2) Power
(1) USB
(1) Data



EUD1-SF0B-2110

4-Port:

(4) Power



EUD1-SF0B-4000


Features

- Includes power module with 4 ports that can be configured with simplex outlets (NEMA-5-15R), USB charging simplex (with two USB outlets), data jack adapters or a cable bay that can accept up to 2 pull out data/AV cables, 2'(610mm) power cord with IEC connector for motor controller and mounting hardware.
- Data jack adapters accommodate most varieties of field supplied data jacks or separately specified AV cables.
- Spiral Cord includes 15 amp plug (NEMA 5-15P) and expands from 10'(3048mm) to 12'(3658mm) when stretched.
- Auxiliary power cord includes IEC connector (IEC C13) for motor controller.
- Attaches to surface with use of separately specified mounting brackets.
- USB Charging simplex consists of 2 USB outlets. 1,000mA of charging power per USB outlet.
- Color option of black anodized housing with black receptacles or clear anodized housing with white receptacles.

To Order, Specify:

- Product number.
(No finish specification required.)

Specification Tips

- Separately specify attachment hardware for desired application.
- Not for use with cable chain.
- For use with 120 volt 60 hertz power source only.
- Requires field installation.
- Configuration and quantity of power and data ports cannot be modified in the field.
- Application may require approval of local authority having jurisdiction (AHJ); ensure compliance before placing orders and installation.


Masters Series — Enhanced Power Module

Cord for Height Adjustable

Top Width	Top Depth	Cord Length	Housing Color	Port Color	Port	Configuration	Number	Price
6 1/2" (165mm)	3" (76mm)	10'(3048mm)- 12'(3658mm)	Black Anodized	Black	4	2 Power Receptacles, 1 USB Charging, 1 Data Port	EUD1-SL0B-2110	\$816.01
					4	2 Power Receptacles, 2 USB Charging	EUD1-SL0B-2200	876.01
					4	3 Power Receptacles, 1 Data Port	EUD1-SL0B-3010	756.01
					4	3 Power Receptacles, 1 USB Charging	EUD1-SL0B-3100	816.01
					4	4 Power Receptacles	EUD1-SL0B-4000	756.01
			Clear Anodized	White	4	2 Power Receptacles, 1 USB Charging, 1 Data Port	EUD1-SL0W-2110	\$712.01
					4	2 Power Receptacles, 2 USB Charging	EUD1-SL0W-2200	772.01
					4	3 Power Receptacles, 1 Data Port	EUD1-SL0W-3010	652.01
					4	3 Power Receptacles, 1 USB Charging	EUD1-SL0W-3100	712.01
					4	4 Power Receptacles	EUD1-SL0W-4000	652.01

4-Port:


- (2) Power
- (1) USB
- (1) Data



EUD1-SL0B-2110

4-Port:

- (4) Power



NOTE:

Always Fused Plug
when more than 3
power outlets specified.

EUD1-SL0B-4000



Features

- Includes power module with 4 ports that can be configured with simplex outlets (NEMA-5-15R), USB charging simplex (with two USB outlets), data jack adapters or a cable bay that can accept up to 2 pull out data/AV cables, 2'(610mm) power cord with IEC connector for motor controller and mounting hardware.
- Data jack adapters accommodate most varieties of field supplied data jacks or separately specified AV cables.
- Corded power module with 15 amp - 12'(3658mm) long cord with plug (NEMA 5-15P).
- Auxiliary power cord includes IEC connector (IEC C13) for motor controller.
- Attaches to surface with use of separately specified mounting brackets.
- USB Charging simplex consists of 2 USB outlets. 1,000mA of charging power per USB outlet.
- Color option of black anodized housing with black receptacles or clear anodized housing with white receptacles.

To Order, Specify:



- 1) Product number.
(No finish specification required.)

Specification Tips



- Separately specify attachment hardware for desired application.
- Designed to be used with cable chain.
- For use with 120 volt 60 hertz power source only.
- Requires field installation.
- Configuration and quantity of power and data ports cannot be modified in the field.
- Application may require approval of local authority having jurisdiction (AHJ); ensure compliance before placing orders and installation.

Masters Series — Enhanced Power Module Brackets

	Height	Width	Length	Description	Number	Price
Above Worksurface – Adjustable	4"(102mm)	3 1/2"(89mm)	3 1/2"(89mm)	Black Bracket	EUDB-0000-HB	\$52.00
				White Bracket	EUDB-0000-HW	52.00



EUDB-0000-H

**Above Worksurface – Fixed**

EUDB-0000-W

**Features**

- Includes bracket and mounting hardware.
- For use with 3, 4 or 6 port Enhanced Power Module.
- Available in black or white.
- Mounts to back edge of 1 1/8"(29mm) to 2"(51mm) worktop.
- Not for use with a tack board.

To Order, Specify:

- 1) Product number.
(No finish specification required.)

Specification Tips

- Specify Enhanced Power Module separately.
- Requires field installation.
- Application may require approval of local authority having jurisdiction (AHJ); ensure compliance before placing orders and installation.

Above Worksurface – Fixed

4 1/4"(107mm)	3"(76mm)	2"(51mm)	Black Bracket	EUDB-0000-WB	\$52.00
			White Bracket	EUDB-0000-WW	52.00

Features

- Includes bracket and mounting hardware.
- For use with 3, 4 or 6 port Enhanced Power Module.
- Available in black or white.
- Mounts under worksurface with Enhanced Power Module above worksurface.

To Order, Specify:

- 1) Product number.
(No finish specification required.)

Specification Tips

- Specify Enhanced Power Module separately.
- Requires field installation.
- Application may require approval of local authority having jurisdiction (AHJ); ensure compliance before placing orders and installation.

Masters Series — Enhanced Power Module Brackets

	Height	Width	Length	Description	Number	Price
Above Worksurface – Adjustable with Tackboard Offset	4"(102mm)	3 1/2"(89mm)	3 1/2"(89mm)	Black Bracket	EUDB-0000-TB	\$52.00
				White Bracket	EUDB-0000-TW	\$52.00

Above Worksurface – Adjustable with Tackboard Offset

VSU Back
Tackboard


EUDB-0000-T

Features

- Includes bracket and mounting hardware.
- For use with 3, 4 or 6 port Enhanced Power Module.
- Available in black or white.
- Mounts to back edge of 1 1/8"(29mm) to 2"(51mm) worktop when a tackboard is present.

To Order, Specify:

- 1) Product number.
(No finish specification required.)



EUDB-0000-U



Under Worksurface – Fixed

2"(51mm)

3"(76mm)

2 1/2"(64mm)

Black Bracket

EUDB-0000-UB

\$52.00

White Bracket

EUDB-0000-UW


52.00

Features

- Includes bracket and mounting hardware.
- For use with 3, 4 or 6 port Enhanced Power Module.
- Available in black or white.
- Mounts under worksurface with offset to accommodate most transformer plugs.

To Order, Specify:

- 1) Product number.
(No finish specification required.)





EUDB-0000-U



Masters Series — Electrical Components

Cables

	Length	Description	Color	Number	Price
Cables					
	N/A	HDMI Coupler	Black	EUDX-H000-B	\$130.00
	N/A	HDMI Coupler	White	EUDX-H000-W	130.00
VGA Cable					
	120"(3048mm)	VGA	Black	EUDX-V000-B	\$156.00
		VGA	White	EUDX-V000-W	156.00
Audio Cable — 3.5mm					
	120"(3048mm)	VGA	Black	EUDX-3000-B	\$ 36.40
		VGA	White	EUDX-3000-W	36.40

Features

- Includes one black HDMI Coupler, one VGA cable or one 3.5mm mini audio cable.
- Installs in an open data port in one of the following products:
 - Flip Top Unit
 - Double Sided Flip Top Unit
 - Quick Connect Power
 - Workware Interface Module
 - Flush Mount Module
 - Enhanced Power Module

To Order, Specify:

- Product number.
(No finish specification required.)


EUDX-H000-B

EUDX-V000-B

EUDX-3000-B



Retrofit USB Charging Cable

	72"(1829mm)	Black	EUDX-U000-B	\$93.60
		White	EUDX-U000-W	93.60

EUDX-3000-B



Features

- Includes one USB charging simplex (with two USB outlets) with 72"(1829mm) cord and power supply.
- Installs in an open data port in one of the following products:
 - Flip Top Unit
 - Double Sided Flip Top Unit
 - Quick Connect Power
 - Workware Interface Module
 - Flush Mount Module
 - Enhanced Power Module
- USB Charging Port consists of 2 USB outlets. 1,000mA of charging power per USB outlet.

To Order, Specify:

- Product number.
(No finish specification required.)